

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cardinal Dougherty High School
6301 N 02nd St

*Institution: School, Archdiocese
Philadelphia, PA 19126*

Inspection Date

4/1/08

7-01 (L) Mouse infestation is present. Mouse feces observed throughout kitchen and storage areas on floor perimeters. Management instructed to initiate immediate corrective action.

12-02.1 (B) Required hand washing sink is not provided in kitchen. Management instructed to initiate immediate corrective action.

1/10/08

5-01.1 Food is not protected from contamination ; fryer and cooking equipment exposed to contamination , peeling paint observed on the wall in kitchen.

7-01 (L) Mouse infestation is present; numerous mouse droppings observed in one of the storage cabinets in kitchen.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

1/16/07

No Critical Violations

1/9/06

No Critical Violations

11/21/05

7-01 (L) Mouse infestation is present; mouse droppings observed at at prep area.ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

St. Paul's English Luth. Church Day Care
6799 N 3rd St

*Institution: Child, Child Care Centers
Philadelphia, PA 19126*

Inspection Date

12/12/05

No Critical Violations

Patricia Adams Family Day Care
6251 N 4th St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19126*

Inspection Date

10/24/05

No Critical Violations

Reach For the Stars
6546 N 5th St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19126*

Inspection Date

10/10/06

No Critical Violations

10/18/05

No Critical Violations

7 - 11 Store
6725 N 5th St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

7 - 11 Store
6725 N 5th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

8/28/07

19-01.1 Food establishment personnel food safety certified individual is not present.No city food safety certificate and certified person observed. Management instructed to initiate immediate corrective action.

6/18/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.Note: discontinue use of defective prep refridgerator observed at 51° F until it can be maintained at 41° F or below. Six boxes of hot dogs observed at 51°F discard and do not sell food items observed at appropriate storage. Owner agreed to discard items.

19-01.1 Food establishment personnel food safety certified individual is not present.No city food safety certificate and certified person observed. Management instructed to initiate immediate corrective action.

5/24/07

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit.Hot dogs and sausages bagels observed 130°F.

NOTE: MAINTAIN ALL HOT FOOD ABOVE 140°F OTHERWISE DISCONTINUE SELLING HOT FOOD ITEMS. WARMER UNITS TEMPERATURE INCREASED WHILE PRESENT. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.No city food safety certificate and certified person observed. Management instructed to initiate immediate corrective action.

11/10/05

No Critical Violations

7-11
6725 N 05th St

Retail Food: General Convenience
Philadelphia, PA 19126

Inspection Date

7/24/08

4-01.1 (A) Food/Food service article storage does not provide protection. Prepackaged boxed foods stored under dripping condensation in freezer. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required. Condiment island; no side protection and front pans (onion, relish) not located under sneeze guard. Management instructed to initiate immediate corrective action.

8-01.4 Non-potable water is in contact with food or food service articles. Prepackaged boxed foods stored under dripping condensation in freezer. Management instructed to initiate immediate corrective action.

Paris Baguette
6773 N 5th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

7/23/07

No Critical Violations

6/5/07

7-01 (K) Rat infestation is present ; rat burrows observed at backyard. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Paris Baguette
6773 N 5th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA

Inspection Date

10/13/05

No Critical Violations

Chon's Restaurant
6775 N 5th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

10/4/07

No Critical Violations

8/7/07

19-04 Food establishment personnel food safety certificate is expired.

7/9/07

4-03.4 Food is stored beneath unprotected sewer lines or dripping water lines. bulk food items, MSG and cooking oil were observed stored under basement sewer line , one container observed with dead insect and possible exposure to leak from sewer line over head must be discarded (the remaining contents of a 100 lb container of MSG.) Relocated while present.

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves of storage cabinet in customer service area.

7/9/07

4-03.4 Food is stored beneath unprotected sewer lines or dripping water lines. bulk food items, MSG and cooking oil were observed stored under basement sewer line , one container observed with dead insect and possible exposure to leak from sewer line over head must be discarded (the remaining contents of a 100 lb container of MSG.) Relocated while present.

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves of storage cabinet in customer service area.

12/18/06

4-01.1 (A) Food/Food service article storage does not provide protection. Food preparation table located in backyard behind establishment, outside , food activities still are being conducted in this area.

Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings were on basement floor and basement food storage equipment - storage racks.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; kitchen utensils

-No sanitizer present in 3rd compartment of 3 basin sink and not observed in kitchen .

-Process of sanitization was not observed being done as required , wash, and rinse was only being conducted also kitchen utensils and cups were observed rinsed in hand wash sink.

12/5/06

5-01.1 Food is not protected from contamination.

Open food storage container on grill adjacent shelves with mouse droppings ,exposed to rodent activity also open containers in basement.

Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings were on basement floor and basement food storage equipment - storage racks.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; kitchen utensils

No sanitizer present in 3rd compartment of 3 basin sink and not observed in kitchen .

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Chon's Restaurant
6775 N 5th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

11/24/06

4-01.1 (A) Food/Food service article storage does not provide protection. Food and food equipment located behind establishment , outside and unprotected in rear walk way outside the establishment in an area where an active rodent infestation was observed. Discontinue use of this area food preparation or food storage.

5-01.1 Food is not protected from contamination. No splash guard is present between the hand washing sink as the adjacent bain marie unit. Equipment observed on sink drain board.

7-01 (K) Rat infestation is present. Active rat burrows and rat droppings were observed along rear walk way behind establishment.

7-01 (L) Mouse infestation is present. Mouse droppings were on basement floor and basement food storage equipment - storage racks.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. existing 3 basin sink is not set UP for proper use. Only 2 basins set up for use ; process reviewed with the owner.

11/24/06

4-01.1 (A) Food/Food service article storage does not provide protection. Food and food equipment located behind establishment , outside and unprotected in rear walk way outside the establishment in an area where an active rodent infestation was observed. Discontinue use of this area food preparation or food storage.

5-01.1 Food is not protected from contamination. No splash guard is present between the hand washing sink as the adjacent bain marie unit. Equipment observed on sink drain board.

7-01 (K) Rat infestation is present. Active rat burrows and rat droppings were observed along rear walk way behind establishment.

7-01 (L) Mouse infestation is present. Mouse droppings were on basement floor and basement food storage equipment - storage racks.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. existing 3 basin sink is not set UP for proper use. Only 2 basins set up for use ; process reviewed with the owner.

6/21/06

No Critical Violations

6/20/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Cooked rice and prepared lettuce observed at 72°F. DISCONTINUE TO USE DEFECTIVE PREP REFRIGERATOR OBSERVED AT 72°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. COMDEMN AND DISCARD COOKED RICE AND LETTUCE DUE TO IMPROPER STORAGE TEMPERATURE. OWNER AGREED TO DISCARD FOOD ITEMS WHILE PRESENT. Management instructed to initiate immediate corrective action.

5/23/06

No Critical Violations

5/2/06

5-01.1 Food is not protected from contamination; cutting slicer machine and food containers observed outside rear area. DISCONTINUE USING FOOD EQUIPMENT OUTSIDE PREP AREA. Food is not protected from contamination from insects or rodents. Food handling practice immediately discontinued.

7-01 (L) Mouse infestation is present; mouse droppings observed inside cabinet. ELIMINATE MOUSE INFESTATION. Feces contaminated surfaces are observed. Management instructed to initiate immediate corrective action.

H Garden
6775 N 05th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

H Garden
6775 N 05th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

7/3/08

No Critical Violations

6/11/08

7-01 (L) Mouse infestation is present. Mouse feces observed on floor perimeters and shelving in basement storage rooms. Management instructed to initiate immediate corrective action.

Dragon
6779 N 5th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

10/4/07

No Critical Violations

Great Wall Chinese Restaurant
6779 N 5th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

1/26/06

No Critical Violations

12/15/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit; shrimp and pork meat observed at 50° inside prep refrigerator. DISCONTINUE USE OF DEFECTIVE PREP REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. ITEMS MOVED TO ALTERNATIVE 41°F REFRIGERATION UNIT WHILE PRESENT.

ARCO IRIS FAMILY DAY CARE
4826 N 9th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

4/10/06

No Critical Violations

Lunie Family day care
4842 N 9th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

11/20/06

No Critical Violations

11/15/06

No Critical Violations

Guzman Grocery Store
5061 N 9th St

Retail Food: Grocery Market
Philadelphia, PA

Inspection Date

1/5/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Antoinette Carr Family Day Care
5217 N 9th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

8/8/06

No Critical Violations

Smiley Kidz Daycare
4947 N 10th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

2/11/08

No Critical Violations

Boom Box Deli
4752 N 11th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

1/18/07

No Critical Violations

Germantown Annex
4826 N 11th St

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

5/17/06

No Critical Violations

Lovella Frison Family Day Care
5113 N 11th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/5/06

No Critical Violations

Denise's Day Care
6140 N 11th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

6/20/07

No Critical Violations

4/19/06

No Critical Violations

CLARK FAMILY DAY CARE
5704 N 12th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

11/9/05

No Critical Violations

Clarke Personal Care Home
4701 N 13th St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Clarke Personal Care Home
4701 N 13th St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19141*

Inspection Date

5/2/07

No Critical Violations

12/18/06

No Critical Violations

9/29/05

No Critical Violations

J and S MARKET
4753 N 13th St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141*

Inspection Date

1/30/08

4-01.1 (A) Food/Food service article storage does not provide protection.

No sneeze guard provided at the scale and customer area.

Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate . Hand sink not in use in kitchen. No hand soap, paper towels observed at the hand sink and numerous articles stored in the sink. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized.Kitchen utensils.

Slicer machine parts, knives, plastic containers.

- no sink stoppers presente

- no sanitizer present .

- employees have no knowledge of the sanitization process and was not observed being done as required.

- Mold in the 1st basin sink .

- Air drying rack (shelve) stored on the 3rd basin sink also food debris in this compartment this sink not available for the process of sanitization .

Owner : Provide for the required washing,rinsing,and sanitizing of the multi utensils and food equipment.

Use and approved sanitizer according to the instructions and concentrations indicated on the label

Items must be air dried after sanitizing.

Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated ; articles , air drying rack stored on the 3rd compartment sink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

School certificate present but not city food safety yet.

11/21/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized.Kitchen utensils. One sink stopper present. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

10/10/06

No Critical Violations

9/28/06

4-01.1 (A) Food/Food service article storage does not provide protection.No splash guard observed as required to prevent splashing from hand wash sink adjacent food preparation table.

Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Logan Hope School
4934 N 13th St

Institution: School, Private
Philadelphia, PA 19141

Inspection Date

1/16/08

No Critical Violations

1/2/07

No Critical Violations

12/5/06

7-01 (L) Mouse infestation is present ; old mouse droppings on floor noted under food equipment.
Management instructed to initiate immediate corrective action.

5/17/06

7-01 (L) Mouse infestation is present:- mouse droppings on window sills and on floor between water cooler and microwave cart. Management instructed to initiate immediate corrective action.

Hightower Personal Care Home
5117 N 13th St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19141

Inspection Date

11/30/07

19-01.1 Food establishment personnel food safety certified individual is not present.
School safety present but not city certificate.

12/28/06

No Critical Violations

9/30/05

No Critical Violations

MRS. META'S FAMILY DAY CARE
5241 N 13th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

1/31/07

No Critical Violations

Johnson Day Care Center
5601 N 13th St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

10/31/07

No Critical Violations

12/6/05

No Critical Violations

Howel School
5800 N 13th St

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

5/19/06

No Critical Violations

5/18/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Julia Ward Howe School
5800 N 13th St

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

4/29/08

No Critical Violations

11/8/07

No Critical Violations

3/14/07

No Critical Violations

11/27/06

No Critical Violations

11/9/06

7-01 (A) Fly infestation is present ; numerous live flies observed in kitchen area.
Management instructed to initiate immediate corrective action.

Beasley's Child Day Care
6526 N 13th St

Institution: Child, Group Day Care Homes
Philadelphia, PA 19126

Inspection Date

12/6/05

No Critical Violations

Taneema Fannings Family Day Care
4446 N 15th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

2/21/07

No Critical Violations

1/5/06

No Critical Violations

Collado Grocery
4501 N 15th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

4/15/08

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city Certificate observed. City of Philadelphia Food Safety Certificate required. Application sent in by owner. Management instructed to initiate immediate corrective action.

10/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city Certificate observed. City of Philadelphia Food Safety Certificate required. Application sent in by owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Collado Grocery
4501 N 15th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

9/19/07

5-04.2 (A) Approved sneeze guards are not provided as required for scale at deli case. Provide sneeze guard to protect food from contamination. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed at prep areas. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city Certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers or sanitizer observed at time of inspection. Provide three sink stoppers (one per basin) and approved sanitizer for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

8/29/06

No Critical Violations

8/22/06

7-01 (A) Fly infestation is present. Numerous flies observed at rear prep area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

17-0 (A) Exterior premises are not clean. Dumpster observed without lid and overflowing with trash. Numerous flies observed around dumpster. Management initiated immediate corrective action.

ORDERS TO OWNER: YOU ARE REQUIRED TO CLEAN AND MAINTAIN DUMPSTER AREA IN GOOD SANITARY CONDITION. A FOLLOW UP INSPECTION WILL BE MADE TO ENFORCE COMPLIANCE OF VIOLATION.

7/20/06

5-04.2 (A) Approved sneeze guards are not provided as required for scale and slicer.

17-0 (A) Exterior premises are not clean. Dumpster observed leaking liquid waste going through walk side. Management initiated immediate corrective action.

ORDERS TO OWNER: YOU ARE REQUIRED TO CLEAN AND MAINTAIN DUMPSTER AREA IN GOOD SANITARY CONDITION. OWNER INITIATED CLEANING DUMPSTER AREA WHILE PRESENT AND CALLED DUMPSTER COMPANY SO HE CAN CLEAN INSIDE DUMPSTER. A FOLLOW UP INSPECTION WILL BE MADE TO ENFORCE COMPLIANCE OF VIOLATION.

8-06.1.1 (C) Drain line is in need of repair at handwashing sink. Leaking observed at drain line. Management instructed to initiate immediate corrective action.

Fresh Donuts
4700 N 15th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

7/17/08

No Critical Violations

5/30/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Fresh Donuts
4700 N 15th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

4/29/08

2-10.2 Ice is not protected from contamination , ice scoop stored with-in the machine ice bin / in the ice.

4-01.1 (A) Food/Food service article storage does not provide protection , splash guard is not provided at the hand washing station ,between sink and 3 basin utensil washing sink as required.

7-01 (L) Mouse infestation is present - mouse droppings observed on the floor in the rear storage area.

12-01.5.B (4) Cold water at hand washing sink is not provided - at the hand washing station,cold water faucet not working.

1/24/07

No Critical Violations

11/29/05

No Critical Violations

11/14/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on bathroom floor and floor under beverage case shelves. Management instructed to initiate immediate corrective action.

Family's Grocery
5200 N 15th St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

4/7/08

No Critical Violations

3/13/08

7-01 (L) Mouse infestation is present. There are droppings present on some retail shelves.

11/13/07

No Critical Violations

11/1/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizer observed. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and utensils, as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

7/23/07

No Critical Violations

7/6/06

No Critical Violations

7/6/06

No Critical Violations

Socorro Groceries
5200 N 15th St

Retail Food: Grocery Market
Philadelphia, PA

Inspection Date

11/14/05

No Critical Violations

J & J Variety
5300 N 15th St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

J & J Variety
5300 N 15th St

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date

10/2/07

No Critical Violations

8/29/06

No Critical Violations

Linda's Kids "R" Special
5302 N 15th St

*Institution: Child, Group Day Care Homes
Philadelphia, PA 19141*

Inspection Date

3/17/08

No Critical Violations

Roberta Mathis Family Day Care
5617 N 15th St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

6/25/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

9/11/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Refrigerator temperature 51°F. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

6/22/06

No Critical Violations

Theresa Collins Family Day Care
6435 N 16th St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19126*

Inspection Date

10/9/07

No Critical Violations

9/1/06

No Critical Violations

8/22/05

No Critical Violations

Croston Family Day Care
6533 N 16th St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19126*

Inspection Date

9/18/06

No Critical Violations

9/21/05

No Critical Violations

NIA Center - Bright Futures
6801 N 16th St

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

NIA Center - Bright Futures
6801 N 16th St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/28/08

No Critical Violations

5/2/07

No Critical Violations

NIA Center - Comprehensive Day Care
6801 N 16th St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/28/08

No Critical Violations

5/2/07

No Critical Violations

4/18/06

No Critical Violations

NIA Center - Head Start
6801 N 16th St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/28/08

No Critical Violations

5/2/07

No Critical Violations

4/18/06

No Critical Violations

Torres Mini Market
6201 N 17th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

6/26/08

No Critical Violations

7/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management initiated immediate corrective action. Owner is enrolled in a ServSafe class to begin on July 27th, 2007.

6/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management initiated immediate corrective action. Owner is enrolled in a ServSafe class to begin on July 27th, 2007.

6/25/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Torres Mini Market
6201 N 17th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

6/25/07

7-01 (D) Roach infestation is present. Roaches observed at prep area shelves and walls. Eliminate roach infestation. Management instructed to initiate immediate corrective action.
8-01.2 (C) Hot water is not provided. No hot water observed at time of inspection. Owner stated he had a new hot water heater installed, however, the pilot was not lit at time of inspection.

ORDERS: Discontinue all food handling and preparing until a hot water temperature of at least 110°F is obtained. Maintain hot water temperature between 110°F and 125°F.

NOTE: Owner agreed to close deli section of establishment until hot water is restored to the establishment and has been instructed to call and schedule an inspection once hot water is restored.

Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sink stoppers observed. Three sink stoppers are required (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

11/2/06

No Critical Violations

9/6/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Deli case temperature at rear prep area observed at 67°F. The following food items were observed in deli case:

- 30 packages of hot dogs,
- 24 packages of butter (4 packs),
- 12 packages of sausage,
- 10 heads of lettuce,
- 8 packages of cheese,
- 4 packages of bacon,
- sliced ham, turkey, bologna, liverwurst, and cheese (used for sandwiches), and
- tomatoes, peppers, pickles, and lemons.

Management discarded all deli meats and cheeses while this sanitarian was present and moved all other food items to a refrigerator with a holding temperature below 41°F.

NOTE TO OWNER: MAINTAIN COLD FOOD BELOW 41°F AT ALL TIMES.

Management initiated immediate corrective action.

7-01 (A) Fly infestation is present. Flies observed in basement and at prep area. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings were observed:

- on floor and shelves at patron area,
- on basement floor, and
- behind equipment at prep area.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Torres Mini Market
6201 N 17th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

8/23/06

7-01 (A) Fly infestation is present. Flies observed in basement and at prep area. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings were observed:

- on floor and shelves at patron area,
- on basement floor, and
- behind equipment at prep area.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8/3/06

No Critical Violations

7/20/06

7-01 (A) Fly infestation is present. Flies are present in the prep area. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Numerous roaches observed on the basement floor. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings were observed on the basement shelves and laundry/dog food shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/20/06

7-01 (A) Fly infestation is present. Flies are present in the prep area. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Numerous roaches observed on the basement floor. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings were observed on the basement shelves and laundry/dog food shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Sakina Uqdah Family Day Care
6215 N 17th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

9/1/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigerator is observed at 46° F. Maintain potentially hazardous foods at, or below, 41° F.

8-01.2 (C) Hot water is not provided. Hot water temperature observed below 100° F. Maintain hot water at 110° F.

8/19/05

No Critical Violations

Teesah's Tots
6528 N 17th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

9/12/06

No Critical Violations

Khadijah's Lil' Ummah
4853 N 18th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Khadijah's Lil' Ummah
4853 N 18th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

6/6/07

No Critical Violations

Know and Grow Child Care Center
6301 N 18th St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

6/11/08

7-01 (D) Roach infestation is present. A roach was observed in the infant room play area.

7-01 (L) Mouse infestation is present. There are droppings present on a corner shelf in the infant classroom.

5/10/07

No Critical Violations

5/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

Special People Child Care Center
6301 N 18th St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

12/8/05

No Critical Violations

Reyes Grocery
6560 N 18th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

6/5/08

No Critical Violations

7/17/07

19-01.1 Food establishment personnel food safety certified individual is not present. Class completed by owner and application has been sent. Management initiated immediate corrective action.

4/24/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/15/06

No Critical Violations

Family Day Care
5952 N 19th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/9/07

No Critical Violations

9/21/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

MiMi's Pamper Me Learning Tree
6040 N 19th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/16/06

No Critical Violations

Williams Family Day Care
7112 N 19th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

10/9/07

No Critical Violations

9/1/06

No Critical Violations

8/29/05

No Critical Violations

Club Car Tavern
7178 N 19th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

2/1/07

No Critical Violations

Peter's Chicken & Seafood
7361 N 19th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

10/25/07

No Critical Violations

10/11/07

5-04.2 (A) Approved sneeze guards are not provided as required for scale at deli/seafood display case. Provide a sneeze guard to protect food from contamination. Management instructed to initiate immediate corrective action.

8/25/06

No Critical Violations

Wayne Junction Deli
4500 N 20th St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/17/08

No Critical Violations

1/4/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Manager sent in application 3 months ago. Management initiated immediate corrective action.

9/12/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Eda's Sugar Free
4900 N 20th St

Wholesale: Processor
Philadelphia, PA 19144

Inspection Date

2/23/06

No Critical Violations

1/26/06

4-01.1 (A) Food/Food service article storage does not provide protection. Food items stored on table immediately adjacent to basin utensil equipment / washing sink . relocate table or provide splash guard protection.

Jacquez Grocery
6441 N 20th St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

2/15/08

No Critical Violations

2/4/08

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizer observed at time of inspection. Provide an approved sanitizer for proper sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.
10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Access to three-basin sink is blocked. Freezer observed stored in front of three-basin sink. Move freezer so proper washing, rinsing, and sanitizing of food equipment and multi-use utensils may be conducted. Management instructed to initiate immediate corrective action.

2/15/07

No Critical Violations

2/1/07

8-01.1 (D) Potable water line is leaking. Pipe under prep sink is leaking onto floor at prep area. Repair leak. Management instructed to initiate immediate corrective action.
10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizing procedure is practiced and freezer is located so washing, rinsing, and sanitizing is not possible (no access to third basin). Wash, rinse, and sanitize all food equipment and utensils as instructed by this Sanitarian.
Management instructed to initiate immediate corrective action.

10/13/05

No Critical Violations

9/29/05

7-01 (B) Fruit fly infestation is present. Fruit flies observed in rear storage room/ mop area.

Talia Looney Family Day Care
6600 N 20th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

7/7/06

No Critical Violations

Grandmom's Place Family Day Care
6614 N 20th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

10/12/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

R Children's Day Care
6661 N 20th St

Institution: Child, Group Day Care Homes
Philadelphia, PA 19138

Inspection Date

3/12/08

No Critical Violations

Grace Day Care Center
7101 N 20th St

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

3/12/08

No Critical Violations

1/14/08

No Critical Violations

11/14/07

No Critical Violations

10/4/07

No Critical Violations

8/3/07

No Critical Violations

7/17/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed in the kitchen cabinets.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/3/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the kitchen floor and shelving.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8/24/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the kitchen shelving. Management instructed to initiate immediate corrective action.

8/8/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the kitchen shelving. Management instructed to initiate immediate corrective action.

8/2/05

No Critical Violations

Busy Bee Hive
7231 N 20th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/26/06

No Critical Violations

Teenie Weenie Angels Family DayCare Home
7455 N 20th St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

12/20/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Nedro Food Market
5900 N 21st St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

2/1/07

No Critical Violations

10/26/05

No Critical Violations

9/29/05

7-01 (L) Mouse infestation is present. Mousedroppings observed on shelves in customer area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Harvey Personal Care Home
5937 N 21st St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19138

Inspection Date

3/19/08

No Critical Violations

2/1/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. ServSafe certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

2/1/07

No Critical Violations

2/1/06

No Critical Violations

House of Tots
6229 N 21st St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

7/14/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed to be in compliance.

7/9/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Food Safety Course Information: 215-685-7489

2/21/06

No Critical Violations

House of Liang
6510 N 21st St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

10/19/07

No Critical Violations

6/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

House of Liang
6510 N 21st St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

4/2/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters of prep area and under food stocked shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9-04 (A) Sponges are used in an unapproved manner. Sponges observed at three-basin sink. Discontinue use of sponges. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizing procedure is followed and no sanitizer present. Properly wash, rinse, and sanitize food equipment and utensils as instructed by this Sanitarian. Provide sanitizer and an approved method of determining sanitizer concentration. Management instructed to initiate immediate corrective action.

3/12/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters and on food stocked shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/12/07

7-01 (L) Mouse infestation is present. Numerous (L) mouse droppings observed around perimeters and on food stocked shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Cuddle Me Family Day Care
6632 N 21st St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/7/06

No Critical Violations

9/7/05

No Critical Violations

Marcella Fields Family Day Care
7252 N 21st St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

1/15/08

No Critical Violations

8/31/06

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 90° F. Raise hot water temperature to 110° F.

8/19/05

No Critical Violations

Home Away From Home
7262 N 21st St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Home Away From Home
7262 N 21st St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

6/30/08

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/15/08

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

8/24/06

No Critical Violations

Mercedes Blackwood Family Day Care
7262 N 21st St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

8/2/05

No Critical Violations

The Place Lounge
2139 W 65th Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

8/9/07

7-01 (B) Fruit fly infestation is present. Fruit flies observed at bar. Eliminate fruit fly infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

7/24/07

7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed at bar handsink and trash can. Eliminate fruit fly infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

6/12/06

No Critical Violations

6/3/06

8-06.1.1 (C) Drain line is in need of repair. Leak at the drain line of the 3-basin sink.

10-02.2 (B) Food equipment and utensils are improperly sanitized. multi use utensils are not properly cleaned and sanitized - kitchen utensils, food containers and plates.

- No sink stoppers present for kitchen 3-basin sink.

Provide for the required washing , rinsing and sanitizing of multi use utensils and food equipment .
Use an approved sanitizer according to the instructions and concentrations indicated indicated on the label. Items must be air dried after sanitizing.

Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. At kitchen handsink.

12-01.5.B (5) Hot water at hand washing sink is not provided. At kitchen handsink.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pizza Hut - #605107
1401 66th Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126*

Inspection Date

5/30/07

No Critical Violations

5/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-City of Philadelphia Food Safety Certificates observed. Applications for City of Philadelphia Food Safety Certificates given to manager. Management instructed to initiate immediate corrective action.

11/29/06

No Critical Violations

10/6/06

No Critical Violations

9/22/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on floor throughout establishment. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/28/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on floor and shelves in rear room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/14/05

7-01 (B) Fruit fly infestation is present. Fruit flies observed in prep area.

7-01 (D) Roach infestation is present. Roaches observed under shelves in rear room. Eliminate roach infestation.

7-01 (L) Mouse infestation is present. Mouse droppings observed on floor and shelves in rear room and dishwasher area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Little Bits Newsstand
1401 W 66th Av

*Retail Food: Other
Philadelphia, PA 19138*

Inspection Date

8/2/05

No Critical Violations

FAMILY MINI MART
6651 N 16th St

*Retail Food: Grocery Market
Philadelphia, PA 19126*

Inspection Date

9/6/06

No Critical Violations

J's Family Mini Mart
1532 67th St

*Retail Food: Grocery Market
Philadelphia, PA 19126*

Inspection Date

3/22/07

No Critical Violations

3/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

YB's Food Market
1940 68th Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

12/19/07

No Critical Violations

12/5/07

5-01.1 Food is not protected from contamination. No splash guard observed between prep area handsink and food slicer. Install splash guard. Management initiated immediate corrective action.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

9/6/06

No Critical Violations

Roses Day Care
1227 W 68th Av

Institution: Child, Group Day Care Homes
Philadelphia, PA 19126

Inspection Date

3/21/07

No Critical Violations

1/29/07

No Critical Violations

The Nest Church
1001 W 70th Av

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

12/20/06

No Critical Violations

Lovie Lees Stars of Tomorrow Child Care
1359 W 71st Av

Institution: Child, Group Day Care Homes
Philadelphia, PA 19126

Inspection Date

6/13/08

No Critical Violations

7/13/07

7-01 (D) Roach infestation is present ; numerous roach feces observed in storage cabinets in kitchen, below hand sink.
8-06.1.1 (C) Drain line is in need of repair; damaged hand sink drain line. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. School diploma present but not city food safety yet. Management instructed to initiate immediate corrective action.

4/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/25/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

T N T Market
1847 72nd Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126151

Inspection Date

4/24/07

No Critical Violations

10/5/06

No Critical Violations

Andrews Mini Market
1949 72nd Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

10/10/07

No Critical Violations

9/11/07

5-04.2 (A) Approved sneeze guards are not provided as required for scale at deli counter. Provide sneeze guard. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Application has been sent in. Management initiated immediate corrective action.

Yis Market
1949 72nd Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

10/5/06

No Critical Violations

Hoagie Factory
2121 72nd Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

7/10/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. There are droppings present along the shelves and floor perimeters in the prep area.

12/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

12/7/07

7-01 (L) Mouse infestation is present. Several fresh mouse droppings observed at rear storage and prep areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided for prep area handsink. Restore hot water to between 110°F and 125°F. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

10/5/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Weavers Way Co-Op
2129 72nd Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

6/25/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to obtain license approval.

Ida Russell Fillis Assisted Living
1409 W 72nd Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19138

Inspection Date

8/2/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. One refrigerator observed at 53° F. The other refrigerator, with eggs, observed at 62° F. Maintain refrigerator temperatures below 41°F.

Oak Lane Personal Care Home
1409 W 72nd Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19126

Inspection Date

7/28/08

No Critical Violations

6/3/08

7-01 (L) Mouse infestation is present in kitchen near stove. Management instructed to initiate immediate corrective action.

2620.54(h) The home is not kept free from insects, rodents and other pests by screens on all appropriate windows and doors to the outside or by other effective means. Mouse droppings observed in numerous rooms, flies were present in TV room.

9/11/07

No Critical Violations

8/9/06

No Critical Violations

9/8/05

No Critical Violations

8/4/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on store room shelving.

8/3/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Meatloaf and milk observed at 53° F in one refrigerator. Eggs and potato salad observed at 58° F in second refrigerator. Maintain perishable foods at or below 41°F. Food items at improper storage temperature for unknown amount of time. Food items are condemned and are to be discarded and not used for residents.

Crystal Garden Chinese & American Food
2117 W 72nd Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

12/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Crystal Garden Chinese & American Food
2117 W 72nd Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

12/7/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
8-06.1.1 (C) Drain line is in need of repair at three-basin sink where leak observed. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

10/5/06

No Critical Violations

Motherly Instinct
1975 W 72nd St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

10/5/06

No Critical Violations

Anna Brown Family Day Care
1907 73rd St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

8/27/07

No Critical Violations

Angeles Grocery
1951 W 74th Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

7/21/08

No Critical Violations

5/21/08

19-01.1 Food establishment personnel food safety certified individual is not present. NOTE: A City of Philadelphia Food Safety Certificate is needed to obtain the food license.
8-01.2 (C) Hot water is not provided, in food prep area. Owner stated that hot water was not available because 2nd floor is under repairs.
Orders to owner: You are required to have hot water available at all times for handwashing and sanitation purposes. Owner agreed to discontinue preparing food until hot water is restored.

Jameels Variety Store
1951 74th Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jameels Variety Store
1951 74th Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

4/24/07

- 4-01.1 (A) Food/Food service article storage does not provide protection, no splash guard observed between hand washing sink and 3 basin sink.
- 5-04.2 (A) Approved sneeze guards are not provided as required, for weighting scale in food prep area.
- 7-01 (L) Mouse infestation is present. Mouse droppings were found in the food prep area floor and shelf. Eliminate mouse infestation.
- 8-01.2 (C) Hot water is not provided, in food prep area. Owner stated that hot water was not available because 2nd floor is under repairs.

Orders to owner: You are required to have hot water available at all times for handwashing and sanitation purposes. Owner agreed to discontinue preparing food until hot water is restored.
19-01.1 Food establishment personnel food safety certified individual is not present.

Natalie Nealy Family Day Care
2331 W 79th Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

7/9/07

- 8-01.2 (C) Hot water is not provided. Hot water temperature observed at 106° F. Hot water temperature must be 110° F. Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/24/06

No Critical Violations

Amoco Split Second #4517
2901 Abbottsford Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129113

Inspection Date

12/27/07

- 5-01.1 Food is not protected from contamination. The lid is missing on the hot dog unit. Management instructed to initiate immediate corrective action.

11/29/07

- 5-01.1 Food is not protected from contamination. The lid is missing on the hot dog unit. Management instructed to initiate immediate corrective action.

9/25/07

No Critical Violations

4/18/07

- 19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present only. Obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

3/19/07

- 19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present only. Obtain a city Certificate. Management instructed to initiate immediate corrective action.

8/8/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dunkin Donuts
2901 Abbottsford Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

11/29/07

No Critical Violations

9/25/07

No Critical Violations

9/21/07

No Critical Violations

4/18/07

No Critical Violations

3/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Post City food safety certificates. Management instructed to initiate immediate corrective action.

Atria Assisted Living
495 E Abington Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19118

Inspection Date

10/28/05

No Critical Violations

Sunrise Assisted Living
495 E Abington Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19118

Inspection Date

11/13/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.3 Refrigeration units observed at 45°F. Maintain all perishable food below 41°F. Management instructed to initiate immediate corrective action.

6/6/07

19-01.1 Food establishment personnel food safety certified individual is not present.Serv-safe observed at premises however city food safety certificate not available. Management instructed to initiate immediate corrective action.

9/29/06

No Critical Violations

Academy Pharmacy
10101 Academy Rd

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

10/24/07

No Critical Violations

7/18/07

No Critical Violations

The Little Hands of Praise
1809 W Albanus St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

11/3/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Hare Krishna Temple
41 W Allens Ln

Retail Food: Other
Philadelphia, PA 19119

Inspection Date

5/8/07

No Critical Violations

5/31/06

No Critical Violations

Houston School
200 W Allens Ln

Institution: School, Public
Philadelphia, PA 19119

Inspection Date

5/5/08

5-01.1 Food is not protected from contamination, apples at front counter.
12-01.5.B (5) Hot water at hand washing sink is not provided, at time 74°, kitchen, rest room.

10/9/07

No Critical Violations

2/15/07

No Critical Violations

11/16/06

No Critical Violations

5/16/06

No Critical Violations

10/31/05

171.7(a).3 Toilet fixtures are not in good repair. One hot water faucet in basement girls' toilet room is defective.

9/9/05

8-01.2 (C) Hot water is not provided. Maximum water temperature observed at 87° F at kitchen sinks. Maintain hot water temperature between 110-125 ° F. Management instructed to initiate immediate corrective action.
171.7(a).3 Toilet fixtures are not in good repair. One hot water faucet in basement girls' toilet room is defective.

Tavern on the Green
5714 Anderson St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

7/23/08

No Critical Violations

5/23/08

19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. A City of Philadelphia Food Safety Certificate is needed to obtain a food license.
7-01 (L) Mouse infestation is present. There are droppings present along the kitchen perimeters.

2/15/07

No Critical Violations

Joanne Branch Family Day Care
5521 Ardleigh St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Joanne Branch Family Day Care
5521 Ardleigh St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

6/14/06

No Critical Violations

Bethesda Personal Care Court
6200 Ardleigh St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19138*

Inspection Date

11/6/07

No Critical Violations

10/17/07

No Critical Violations

10/2/07

2-01.1 (B) Adulterated or unwholesome food is present. Fresh mouse droppings observed on canned and bagged foods on storage area shelves. Sanitize adulterated cans and dispose of unwholesome foods. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous live flies observed at prep area near warewasher and two-basin sink. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous fresh mouse droppings observed at prep area floors, on storage area shelves and floors, and on canned and bagged food at storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9/28/06

No Critical Violations

9/14/05

No Critical Violations

Ada Lewis Middle School
6201 Ardleigh St

*Institution: School, Public
Philadelphia, PA 19138*

Inspection Date

10/17/07

No Critical Violations

3/15/07

No Critical Violations

11/15/06

No Critical Violations

5/10/06

No Critical Violations

9/13/05

No Critical Violations

Bridgett Williams FDC
6335 Ardleigh St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

9/12/06

8-01.2 (C) Hot water is not provided. Hot water temperature observed below 100° F. Maintain hot water temperature between 100 - 110° F.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bridgett Williams FDC
6335 Ardleigh St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

9/1/05

No Critical Violations

True Life Fellowship Day Care
6400 Ardleigh St

*Institution: Child, Child Care Centers
Philadelphia, PA 19119*

Inspection Date

7/15/08

No Critical Violations

11/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

11/15/06

No Critical Violations

9/14/05

No Critical Violations

AMY Northwest
6611 Ardleigh St

*Institution: School, Public
Philadelphia, PA 19119*

Inspection Date

4/21/08

No Critical Violations

10/17/07

No Critical Violations

5/8/07

No Critical Violations

11/15/06

No Critical Violations

5/22/06

No Critical Violations

11/2/05

No Critical Violations

Shabazz Group Day Care Home
6804 Ardleigh St

*Institution: Child, Child Care Centers
Philadelphia, PA 19119*

Inspection Date

6/12/08

19-01.1 Food establishment personnel food safety certified individual is not present. No City of Philadelphia Food Safety Certificate observed; but is needed in order to be in compliance. Management instructed to initiate immediate corrective action.

5/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. No City of Philadelphia Food Safety Certificate observed. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cafette
8136 Ardleigh St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

5/29/07

No Critical Violations

Caffette
8136 Ardleigh St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

5/14/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters of basement prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

2/8/06

No Critical Violations

1/23/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on basement shelves and floor. Management instructed to initiate immediate corrective action.

Jennifer Brown Family Day Care
7815 Argus Rd

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

9/18/06

No Critical Violations

9/22/05

No Critical Violations

Covenant House Pennsylvania
31 E Armat St

*Institution: Orphanages, Boarding Home for Childre.
Philadelphia, PA 19144*

Inspection Date

11/27/07

No Critical Violations

12/14/06

No Critical Violations

3/16/06

No Critical Violations

Ashmead Street Variety
309 E Ashmead St

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

1/21/07

8-01.1 (A) An approved source of potable water is not provided. No water is provided on premises. Hot and cold water must be provided at all times. Management instructed to initiate immediate corrective action.

Joyelver Hill Family Day Care
5911 Avonhoe Rd

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Joyelver Hill Family Day Care
5911 Avonhoe Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

8/26/05

No Critical Violations

Isaac's Newstand
1132 E Barringer St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19119

Inspection Date

6/17/08

No Critical Violations

6/29/07

No Critical Violations

Kids "R" Us Family Day Care
1500 E Barringer St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

3/20/08

No Critical Violations

Crystal Turner Family Day Care
5814 Baynton St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

5/4/06

No Critical Violations

Torres Grocery
6151 Baynton St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

1/25/07

No Critical Violations

1/8/07

7-01 (L) Mouse infestation is present. Feces contaminated surfaces are observed at shelves and storage room floor. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid oil waste is not disposed of properly. No waste oil company contract observed. Management instructed to initiate immediate corrective action.

3/10/06

No Critical Violations

2/13/06

No Critical Violations

Sandra Charleswell's Family Day Care
6227 Baynton St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

10/16/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Barbara James Family Day Care
5933 Beechwood St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

2/12/07

No Critical Violations

2/22/06

No Critical Violations

Sam Sung Food Company
1430 Belfield Av

*Wholesale: Warehouse
Philadelphia, PA 19141*

Inspection Date

4/15/08

No Critical Violations

4/10/08

2-01.4 Food is not properly labeled/packaged, repacked small clear plastic bags of spices on table.

2-01.1 (D) Defective food containers are present, leaking #10 can on warehouse shelving.

5-01.1 Food is not protected from contamination, due to a severe mouse infestation all foods/non foods, not condemned by the USDA are hereby retained not for sale or give away by The Philadelphia Department of Public Health. Also, due to the filthy storage of food in the 5 door refrigerated unit; this food is also retained not for sale or use or give away.

Dusty canned goods as well as plastic bottled foods on mouse dropping infested wooden storage shelving are also retained not for sale, use or give away.

5-03.2 (B) Hazardous chemicals are not properly used, owner placing rodenticide onto floor areas in unapproved containers.

7-01 (L) Mouse infestation is present, fresh droppings observed on walkin refrigerators, and freezer broken floors, on pallats, on food products, as well as on shelving of warehouse.

Porter's Day Care
1434 Belfield Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date

10/4/07

No Critical Violations

10/20/06

No Critical Violations

Porter's Day Care & Broad Street Academy
1434 Belfield Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date

10/4/05

No Critical Violations

Grand Dollar Plus
1512 Belfield Av

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date

3/6/08

No Critical Violations

12/6/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Grand Dollar Plus
1512 Belfield Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

9/7/06

No Critical Violations

Sparkys Clubhouse
1536 Belfield Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/15/06

No Critical Violations

The Crab Shack
1605 Belfield Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

4/30/08

5-01.1 Food is not protected from contamination - side yard with a roof cover but not fully enclosed is in use for cooking in open pots over gas fired burners. Cooking or other food preparation activity is not permitted outside of establishment.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

10/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

10/11/07

2-06.4 Shellfish Purchase records/tags are not kept for 90 days for clams and mussels. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Cooked crabs observed in walk-in refrigerator without proper sanitary covering and under rubber hose. Provide sanitary coverings for all uncovered foods. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Cold seafood and seafood salads observed in display case with melting ice in the containers, and cold seafood (crabs, shrimp) is sitting directly on ice (no containers). Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required for scales. Provide sneeze guards for all scales. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed landing on food contact surfaces. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed around perimeters of first and second floors. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

9/29/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The Crab Shack
1605 Belfield Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/15/06

7-01 (A) Fly infestation is present. Numerous flies observed at prep area and dead flies observed on containers of butter for patrons. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

10-04.0 Oversized equipment is not properly washed or sanitized. Two oversized pots observed at three-basin sink but too big to fit inside sink. Management instructed to initiate immediate corrective action.

7/6/05

No Critical Violations

7/6/05

4-01.1 (A) Food/Food service article storage does not provide protection. Cooking is being conducted outside, in rear yard, without overhead covering. You are approved to conduct food preparation activity within existing facility only.

2-06.4 Shellfish Purchase records/tags are not kept for 90 days.

Ritas Water Ice
1653 Belfield Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

7/21/05

No Critical Violations

Rita's Water Ice
1653 Belfield Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

3/21/07

No Critical Violations

3/14/06

No Critical Violations

African Cajun Fish Restaurant
1701 Belfield Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

9/29/06

No Critical Violations

9/15/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in basement and at prep area floor behind and under cooking equipment. Eliminate extensive mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided. Owner stated that when it rains, the basement floods and puts out the pilot light for the hot water heater. The owner attempted to relight the pilot, however was not successful.

ORDERS: CLOSE AND DISCONTINUE ALL FOOD PREPARATION AND SALES UNTIL HOT WATER IS RESTORED TO ESTABLISHMENT.

Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Belfield Deli
1757 Belfield Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

3/20/07

No Critical Violations

2/21/06

No Critical Violations

Latresca Bumpars Family Day Care
5311 Belfield Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

7/17/08

19-01.1 Food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

7/9/07

19-01.1 Food safety certified individual is not present.

Food Safety Certificate Information:

(215) 685-7489

(215) 685-7494

4/24/06

No Critical Violations

Tranzillis Real Italian
5901 Belfield Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

7/15/08

No Critical Violations

8/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Owner completed class last week. Management initiated immediate corrective action.

5/16/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Fairview Care Center of Bethlehem Pike
184 Bethlehem Pk

Institution: Nursing and Convalescent Home
Philadelphia, PA 19118

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Fairview Care Center of Bethlehem Pike
184 Bethlehem Pk

Institution: Nursing and Convalescent Home
Philadelphia, PA 19118

Inspection Date

2/19/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Cold food items in the small reach-in refrigeration unit in the pantry area on the 3rd floor has a temperature of 59°, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Ms. Audene Springer mailed out a personal check, which was mailed back to her and Ms. Springer will mail money order or banker's check, as soon as possible. Sanitarian observed the copy of the company check and a copy of the complete application from the Dept. of Public Health, during time of inspection. Management initiated immediate corrective action.

Person in Control of premises has not taken reasonable measures to prevent residents from smoking.

* THE ODOR OF SMOKING WAS PRESENT IN THE ESTABLISHMENT AND SEVERAL CIGARETTES BUDS WAS OBSERVED ON THE FLOOR AND IN THE TRASH CAN IN ROOM# 252, DURING TIME OF INSPECTION. (TICKET ISSUED) Management instructed to initiate immediate corrective action.

4/12/07

No Critical Violations

11/7/06

No Critical Violations

9/23/05

No Critical Violations

9/6/05

3-01.1 (A) Potentially hazardous food is stored at improper temperature; milk containers and sandwich observed at 70°F. Refrigerator observed turn off by electrical reset switch. DISCONTINUE USE REFRIGERATOR UNTIL IT CAN MAINTAIN 41°F OR BELOW AT ALL TIMES. FOOD ITEMS DISPOSED WHILE PRESENT. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present; fruit flies observed at 3rd floor pantry room. ELIMINATE FRUIT FLY INFESTATION. Management instructed to initiate immediate corrective action.

North Garden Chinese Restaurant
5641 Blakemore St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

4/11/07

19-01.3 Food establishment personnel food safety certificate is not posted. Owner is signed up for a class to take place on April 15th. Management instructed to initiate immediate corrective action.

2/26/07

19-01.3 Food establishment personnel food safety certificate is not posted. Management instructed to initiate immediate corrective action.

North Garden Fast Food
5641 Blakemore St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

12/18/07

No Critical Violations

Philadelphia Cricket Club
415 W Willow Grove Av

Retail Food: Restaurant, Private Club
Philadelphia, PA 19118

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Philadelphia Cricket Club
415 W Willow Grove Av

Retail Food: Restaurant, Private Club
Philadelphia, PA 19118

Inspection Date

3/13/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the first floor in dishwasher room, hallway and storage areas. . Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Felicia Bethune's Family Day Care
5541 Bloyd St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

5/13/08

No Critical Violations

Duran Food Market
6264 N Bouvier St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

9/6/06

No Critical Violations

Rey Grocery
6264 N Bouvier St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

7/17/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

1/30/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is enrolled in a class for February. Management instructed to initiate immediate corrective action.

1/16/08

7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed at prep area. Eliminate fruit fly infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. One basin at three basin sink is set up with a milk crate and single burner range and spigot at three-basin sink does not reach all three basins. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. Remove items and provide spigot long enough to reach all three basins. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

10/26/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Patricia Williams Family Day Care
6531 N Bouvier St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

7/17/08

No Critical Violations

1/15/08

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

The Four Horsemen
3521 Bowman St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

9/29/05

No Critical Violations

Boyer Mini Market
5601 Boyer St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

4/19/07

5-01.1 Food is not protected from contamination. Splash guards between prep area handsink and three-basin sink and sandwich prep counter and three-basin sink are not provided. Provide splash guards to protect food and utensils from contamination. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

19-01.3 Food establishment personnel food safety certificate is not posted. Management instructed to initiate immediate corrective action.

2/8/07

No Critical Violations

1/25/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizing procedure is practiced. Wash, rinse, and sanitize all food equipment and utensils as instructed by this sanitarian. Management instructed to initiate immediate corrective action.

11-09.3 Food equipment is not properly installed. Splash guard is needed between three-basin sink and handsink and between three-basin sink and prep table with slicer.

7/8/05

No Critical Violations

Solano Grocery
5601 Boyer St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

4/23/08

19-01.3 Food establishment personnel food safety certificate is not posted. City Food Safety Certificate has still not been obtained. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Solano Grocery
5601 Boyer St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

5/3/07

19-01.3 Food establishment personnel food safety certificate is not posted. Class was completed by Manager on 04.30.07 and they are now waiting for the certificate from that class. Application given to manager for City Food Safety Certificate. Management instructed to initiate immediate corrective action.

Anita Wynne-Moore
5627 Boyer St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

8/29/07

No Critical Violations

T & J's Lounge
5642 Boyer St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

1/29/07

No Critical Violations

1/16/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at kitchen area floors and shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

1/2/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings and dead mice observed at kitchen area floors and shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

11/28/05

No Critical Violations

Marlene Boykins Family Day Care
7116 Boyer St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

6/8/06

No Critical Violations

Shereak Jackson Family Day Care
7525 Briar Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

7/28/06

No Critical Violations

Eddie's Laundromat
108 E Brighthurst St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

12/29/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

K & S Food Mart & Grill
6349 Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/5/07

No Critical Violations

Chelten Christian Crusade 2
4518 N Broad St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19141

Inspection Date

5/14/08

No Critical Violations

3/12/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

1/29/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

2/12/07

No Critical Violations

2/9/06

No Critical Violations

Sid Brooker Shrimp Mobil
4600 N Broad St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19141

Inspection Date

1/7/08

No Critical Violations

Burger King #10826
4700 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

2/21/08

No Critical Violations

1/16/08

No Critical Violations

12/13/06

No Critical Violations

10/19/05

No Critical Violations

10/6/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit; cheese observed at 46 °F prep refrigerator. MAINTAIN ALL PERISHABLE FOOD BELOW 41°F. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present; flies observed at rear storage area.ELIMINATE FLY INFESTATION. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Burger King #10826
4700 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

8/17/05

No Critical Violations

8/17/05

4-01.1 (A) Food/Food service article storage does not provide protection. condensate drain line in walk-in freezer is in need of capping in area over product storage .

Dunkin' Donuts
4701 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

6/13/08

8-06.1.1 (C) Drain line is in need of repair under 3 bay sink; leak present. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired; 5/08. Call 215.685.7498 for provider list;**not scheduled. Management instructed to initiate immediate corrective action.

5/4/08

8-06.1.1 (C) Drain line is in need of repair under 3 bay sink; leak present. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided in toilet room. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided in toilet room. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired; 5/08. Call 215.685.7498 for provider list. Management instructed to initiate immediate corrective action.

Hao Lee Chinese & American Restaurant
4711 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

8/14/06

No Critical Violations

Hao Lee Chinese & American Food Rest.
4711 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

1/26/06

7-01 (L) Mouse infestation is present; mouse droppings observed at basement floor; stairs and basement storage shelves.ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

1/4/06

7-01 (L) Mouse infestation is present; mouse droppings observed at basement floor; stairs and basement storage shelves.ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

New Wong Kitchen
4746 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

6/11/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Wong Kitchen
4746 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

5/25/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed at rear storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/5/05

No Critical Violations

10/4/05

No Critical Violations

Exodus
4748 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

6/29/08

19-01.3 Food establishment personnel food safety certificate is not posted. A City of Philadelphia Food Safety Certificate is needed to be in compliance.

2/8/07

No Critical Violations

1/21/07

No Critical Violations

11/17/05

No Critical Violations

11/3/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on kitchen floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Circles Lounge
4800 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/16/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner states that the two kitchen staff members will be taking the exam on May 20, 2008. Management instructed to initiate immediate corrective action.

3/13/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

1/17/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

11/9/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Circles Lounge
4800 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/26/06

2-10.2 Ice is not protected from contamination. Ice scoops observed stored in ice at both holding bins behind the bar. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water faucet handle at men's toilet room handsink is missing. When the cold water is turned on, water comes out of the spigot and where the hot water faucet handle should be. Hot water must be provided at all handsinks at all times. Repair faucet. Management instructed to initiate immediate corrective action.

8/1/06

No Critical Violations

7/14/06

7-01 (A) Fly infestation is present. Flies observed in rear area, near kitchen door. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present. Fruit flies observed in men's room. Management instructed to initiate immediate corrective action.

11/3/05

No Critical Violations

Logan Children Center
4802 N Broad St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

8/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Application for City of Philadelphia Food Safety Certificate sent in 2 weeks ago. Management initiated immediate corrective action.

5/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

6/12/06

No Critical Violations

Go's Market
4804 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

1/17/08

No Critical Violations

1/11/07

No Critical Violations

12/28/06

7-01 (L) Mouse infestation is present. Numerous fresh mouse droppings observed on and under food stocked shelves. Eliminate mouse infestation.

11/3/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Go's Market
4804 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/19/05

7-01 (L) Mouse infestation is present. Mouse droppings observed near dog food. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required- scale on deli case. Management instructed to initiate immediate corrective action.

Broad Street Deli
4836 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/6/07

No Critical Violations

8/24/06

No Critical Violations

Dollar Heaven
4839 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

1/19/06

No Critical Violations

Broad and Rockland Beer Distributors
4851 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

2/2/07

No Critical Violations

Tony's Palace
4860 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/22/07

No Critical Violations

10/22/07

No Critical Violations

10/4/07

No Critical Violations

8/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. The owner completed the food safety course in July.

6/25/07

19-01.1 Food establishment personnel food safety certified individual is not present.

2/8/07

No Critical Violations

2/8/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Tony's Palace
4860 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/7/06

7-01 (D) Roach infestation is present. Numerous roaches were observed in basement and at prep area. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

8/24/06

7-01 (D) Roach infestation is present. Numerous roaches were observed in basement and at prep area. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in basement and on floors behind equipment at prep area.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

OK Laundromat
4862 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

12/21/07

No Critical Violations

12/7/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear storage area.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8/24/06

No Critical Violations

B & K Hair World
4919 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

2/11/07

No Critical Violations

Allegheny Child Care Academy
4920 N Broad St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

8/8/05

No Critical Violations

Brightside Academy
4920 N Broad St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

7/29/08

19-01.3 Food establishment personnel food safety certificate is not posted. A Safe Serve Certificate is present but not the City of Philadelphia Food Safety Certificate which is required.

3270.21 Conditions at the facility pose a threat to the health and safety of the children. There were some mouse droppings present in cubbies throughout the classrooms.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Brightside Academy
4920 N Broad St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/29/08

19-01.3 Food establishment personnel food safety certificate is not posted. A Safe Serve Certificate is present but not the City of Philadelphia Food Safety Certificate which is required.

3270.21 Conditions at the facility pose a threat to the health and safety of the children. There were some mouse droppings present in cubbies throughout the classrooms.

5/11/07

No Critical Violations

5/16/06

No Critical Violations

4/18/06

No Critical Violations

Philadelphia Elks Center
4930 N Broad St

Retail Food: Restaurant, Private Club
Philadelphia, PA 19141

Inspection Date

6/7/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Dragon Star Chinese Restaurant
4934 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

7/29/08

No Critical Violations

6/29/08

4-01.1 (A) Food/Food service article storage does not provide protection. Numerous uncovered meats inside the walk-in box.

2/12/07

No Critical Violations

1/29/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at prep area shelves and floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Grease trap observed full and overflowing onto basement floor. Clean grease trap. Management instructed to initiate immediate corrective action.

11/14/05

No Critical Violations

10/27/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor and shelves in the prep area and basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

4937 G & B INC.
4937 N BROAD St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

1/31/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mama Sally Soul Food & Sea Food Cuisine
4938 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/28/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

3/14/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present along the basement stairway.

7-01 (I) Ant infestation is present in the rear prep area.

1/23/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

12/14/06

No Critical Violations

12/13/06

8-02.2 An approved air gap is not present, for food prep sink.

4-01.1 (A) Food/Food service article storage does not provide protection, splash guard lacking between hand wash sink and food storage shelves.

Kids Of The Kingdom Christian Daycare
4941 N Broad St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

4/2/08

8-01.2 (B) Cold water is not provided at 3 bay sink; shut-off valve enabled. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided at 3 bay sink; recorded @82°F. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Multi-use utensils washed and rinsed without sanitization or hot water; large serving spoons, spatulas and containers. Management instructed to initiate immediate corrective action.

12-02.1 (B) Required hand washing sink is not provided in food prep area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Call 215.685.7498 for provider list. Management instructed to initiate immediate corrective action.

4/2/08

8-01.2 (B) Cold water is not provided at 3 bay sink; shut-off valve enabled. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided at 3 bay sink; recorded @82°F. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Multi-use utensils washed and rinsed without sanitization or hot water; large serving spoons, spatulas and containers. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Call 215.685.7498 for provider list. Management instructed to initiate immediate corrective action.

12/6/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kids Of The Kingdom Christian Daycare
4941 N Broad St

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date

12/15/06

No Critical Violations

9/30/05

No Critical Violations

Unicorn-Lee Restaurant
4943 N Broad St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141*

Inspection Date

1/31/07

No Critical Violations

Charlie B.'s
4948 N Broad St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141*

Inspection Date

6/29/08

19-01.3 Food establishment personnel food safety certificate is not posted. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

1/29/07

No Critical Violations

11/17/05

No Critical Violations

Aplus Mini Market #060255
5017 N Broad St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 1941*

Inspection Date

12/27/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. DISCONTINUE TO USE DEFECTIVE DISPLAY CASE REFRIGERATOR OBSERVED AT 55°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. DO NOT SELL AND DISCARD THE FOLLOWING FOOD ITEMS DUE TO IMPROPER FOOD STORAGE.

1. 9 PACKAGES OF PICK A DELI DOUBLE CHEESE BURGERS.
 2. 11 PACKAGES OF PICK A DELI SAUSAGE AND EGGS SANDWICHES.
 3. 10 PACKAGES OF HOT POCKERS BEEF BURGERS. Management instructed to initiate immediate corrective action.
-

Sunoco A Plus
5017 N Broad St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141223*

Inspection Date

6/28/07

No Critical Violations

3/21/07

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit. Cooked hot dog at self service hot dog display cooking unit observed at 120 F. unit control turned up while present.

19-01.1 Food establishment personnel food safety certified individual is not present.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sunoco A Plus
5017 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141223

Inspection Date

2/21/07

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit. Items in hot dog display observed at 110 - 120 F . unit control turned up while present.

10-02.2 (B) Food equipment and utensils are improperly sanitized food equipment : no sink stoppers , no employee knowledge of sanitizing process.

Ha Ha Market
5035 N Broad St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

12/30/05

No Critical Violations

Four Grand Personal Care Home
5136 N Broad St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19141

Inspection Date

11/29/07

No Critical Violations

12/29/06

No Critical Violations

12/9/05

No Critical Violations

Our Lady of Hope
5200 N Broad St

Institution: School, Archdiocese
Philadelphia, PA 19141

Inspection Date

10/23/07

No Critical Violations

3/2/07

No Critical Violations

12/5/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in cabinets in prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

5/12/06

No Critical Violations

3/8/06

No Critical Violations

Early Intervention School Program
5210 N Broad St

Institution: School, Private
Philadelphia, PA 19141

Inspection Date

7/29/08

No Critical Violations

5/29/08

19-01.1 Food establishment personnel food safety certified individual is not present. A city of Philadelphia Food Safety Certificate is required for the school program.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Early Intervention School Program
5210 N Broad St

Institution: School, Private
Philadelphia, PA 19141

Inspection Date

5/7/07

No Critical Violations

5/3/06

No Critical Violations

Broad Street Residence
5224 N Broad St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19141

Inspection Date

1/9/08

No Critical Violations

1/5/07

No Critical Violations

1/9/06

No Critical Violations

Golden Krust Bakery & Grill
5600 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

9/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application sent in by owner. Management initiated immediate corrective action.

8/3/07

2-10.2 Ice is not protected from contamination. Employee personal drinks are stored in drinking ice. Remove drinks from ice. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Walk-in refrigerator temperature observed at 67°F. All potentially hazardous foods moved to walk-in freezer with a holding temperature of 27°F.

ORDERS: DISCONTINUE USE OF REFRIGERATION UNIT UNTIL A HOLDING TEMPERATURE OF 41°F OR LOWER IS MAINTAINED.

Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed throughout establishment. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around establishment perimeters. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

9/7/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Golden Krust Bakery & Grill
5600 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

8/24/06

7-01 (A) Fly infestation is present. Numerous flies observed at rear prep area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear prep and storage areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Golden Krust Caribbean Bakery & Grill
5600 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

5/22/08

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed along perimeters of the walk-in box. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Manager stated that he is enrolled in a class to take place in March. Management instructed to initiate immediate corrective action.

3/14/08

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed along perimeters of the establishment. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Spigot at three-basin sink does not reach all three basins. Replace spigot with one that reaches all three basins for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10-04.0 Oversized equipment is not properly washed or sanitized. Oversized pots and pans observed throughout establishment. Discontinue use of oversized pots and pans that can not fit inside three-basin sink for proper washing and sanitizing. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Manager stated that he is enrolled in a class to take place in March. Management instructed to initiate immediate corrective action.

2/20/08

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at front storage area and around perimeters. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Spigot at three-basin sink does not reach all three basins. Replace spigot with one that reaches all three basins for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10-04.0 Oversized equipment is not properly washed or sanitized. Oversized pots and pans observed throughout establishment. Discontinue use of oversized pots and pans that can not fit inside three-basin sink for proper washing and sanitizing. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Manager stated that he is enrolled in a class to take place in March. Management instructed to initiate immediate corrective action.

Dias Newsstand
5601 N Broad St

Retail Food: Other
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dias Newsstand
5601 N Broad St

Retail Food: Other
Philadelphia, PA 19141

Inspection Date

7/28/06

No Critical Violations

Olney Steak and Beer
5606 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/30/08

7-01 (L) Mouse infestation is present. There are droppings present along the prep and storage area perimeters.

5/30/08

No Critical Violations

1/21/07

No Critical Violations

7/14/05

No Critical Violations

Royal Card & Gift
5607 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

10/3/06

No Critical Violations

1/9/06

No Critical Violations

Dias Newsstand II
5610 N Broad St

Retail Food: Other
Philadelphia, PA 19141

Inspection Date

8/2/06

No Critical Violations

7/28/06

7-01 (K) Rat infestation is present. Rat droppings observed on the shelving and floor of the newsstand. Eliminate rat infestation. Management instructed to initiate immediate corrective action.

Smith's Deli
5613 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

5/30/07

5-01.1 Food is not protected from contamination ; provide partition for customer area and utensils sink with open food products exposed to customer. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Smith's Deli
5613 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

5/2/07

5-01.1 Food is not protected from contamination : food preparation area/coffe machines, sugar, cooked eggs stored below plants storage shelves and prepacked products stored next to plants creating a possible contamination from plants.

Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired.

10/3/06

No Critical Violations

Rite Aid #4900
5701 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

5/31/08

No Critical Violations

Value Plus
5711 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

4/13/06

No Critical Violations

Murrys Steaks #8208
5712 N Broad St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

12/7/07

No Critical Violations

8/24/06

No Critical Violations

New Orleans Chicken
5717 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

3/12/07

No Critical Violations

6/2/06

No Critical Violations

2/24/06

No Critical Violations

T's Seafood & Produce
5718 N Broad St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

4/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. Owner is signed up for a class (in Korean) next month. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

T's Seafood & Produce
5718 N Broad St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

3/22/07

5-04.2 (A) Approved sneeze guards are not provided as required for all scales. Provide proper sneeze guards to protect food from contamination. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper observed. Manager stated that the washing of utensils occurs in the two-basin sink and fish preparing occurs at the three-basin sink. All food equipment and utensils must be properly washed, rinsed, and sanitized as instructed by this Sanitarian. The three-basin sink is to be used for washing, rinsing, and sanitizing of food equipment and utensils only. The two-basin sink is to be used for food preparation only. Provide three sink stoppers (one per basin) to properly wash, rinse, and sanitize food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/13/06

No Critical Violations

2/9/06

8-01.2 (C) Hot water is not provided. At bathroom handsink and 2-basin sink. The owner stated a valve and been turned off. Maintain hot water between 110 - 125° F. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. At bathroom handsink. Maintain hot water between 110 - 125° F.

Happy Garden
5723 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

7/11/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No stoppers for 3 bay sink. Management instructed to initiate immediate corrective action.

9/28/07

19-04 Food establishment personnel food safety certificate is expired.

8/16/07

7-01 (D) Roach infestation is present. Numerous live german roaches observed throughout establishment. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present ; numerous mouse droppings on the floor in soda storage room and stairway leading to basement.

Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. Provide hand soap, paper towels and sign at hand wash sinks in bathroom and kitchen. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired.

Night on Broadway
5727 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

1/10/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

PRINCE PIZZA III
5733 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

8/25/05

No Critical Violations

Sunoco Aplus
5810 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

12/7/07

No Critical Violations

8/23/06

No Critical Violations

In & Out Express Pizza I
5811 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

3/3/08

2-01.1 (B) Adulterated or unwholesome food is present. Mouse gnawed foods observed in walk-in box (2 boxes of lettuce). Food item must be discarded or destroyed in an approved sanitary manner in the presence of a Health Department Representative. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Large accumulation of mouse feces surrounding and present on plastic food storage containers, shelving, salad dressing packs and deli meats (70lbs) in walk-in box. Management initiated immediate corrective action.

5-01.1 Food is not protected from contamination. Mouse feces observed throughout establishment including inside walk-in surrounding and on foods. Mouse gnawed foods observed in walk-in box. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse feces observed throughout establishment on floors and shelving. Gnawed foods present in walk-in box. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sanitizer for 3 bay sink; interview revealed no knowledge of proper warewashing technique. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Manager stated that course is scheduled 3/10/08; receipt not provided. Call 215.685.7498 for provider list.

Management instructed to initiate immediate corrective action.

12-02.1 (B) Required hand washing sinks are not provided in rear food prep and warewashing areas. Management instructed to initiate immediate corrective action.

1/30/08

19-01.1 Food establishment personnel food safety certified individual is not present.

My Place
5911 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

2/11/07

No Critical Violations

My Place Tavern
5911 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

My Place Tavern
5911 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

7/9/08

4-01.1 (A) Food/Food service article storage does not provide protection. Provide a partition between bar hand sink and 3 bay sink. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Course failed 5/08 and rescheduled 8/08; receipt not provided. Management instructed to initiate immediate corrective action.

4/11/08

4-01.1 (A) Food/Food service article storage does not provide protection. Provide a partition between bar hand sink and 3 bay sink. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Course scheduled for 5/11/08. Management instructed to initiate immediate corrective action.

3/3/08

9-02.1 Employee hands are not washed prior to food handling activities. No hand sink provided in bar service area; 3 bay sinks setup for warewashing. Management instructed to initiate immediate corrective action.
12-02.1 (B) Required hand washing sink is not provided in bar area. Install a sink or dedicate one 3 bay sink as a handwashing sink. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Call 215.685.7495 for provider list. Management instructed to initiate immediate corrective action.

Vertell Family Restaurant
5917 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

7/22/08

No Critical Violations

5/21/08

No Critical Violations

5/7/08

8-01.2 (B) Cold water is not provided. No running cold water in the ladies restroom on the 2nd floor, during time of inspection. Management instructed to initiate immediate corrective action.

4/29/08

7-01 (L) Mouse infestation is present. Feces contaminated surfaces are observed on the flat draining table at the washware unit, during time of inspection. Mice droppings are observed on the floor and on the cabinet shelves in the front counter area and in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.
8-01.2 (B) Cold water is not provided. No running cold water in the ladies restroom on the 2nd floor, during time of inspection. Management instructed to initiate immediate corrective action.

3/26/08

No Critical Violations

3/11/08

7-01 (L) Mouse infestation is present. Mouse feces observed on floor perimeters in main food prep area. Management instructed to initiate immediate corrective action.

3/4/08

No Critical Violations

2/12/08

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Vertell Family Restaurant
5917 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

1/14/08

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

1/11/08

8-06.1.1 (A) Liquid waste is not disposed of properly ; extensive sewage waste water from damaged line on the basement floor. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair ; Damaged sewer floor line in basement and missing sewer cover.

13-01.1 (A) Floor is not clean ; sewer waste water from damaged line on the basement floor.

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

12/12/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

11/5/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

10/23/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed at front and rear prep areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

10/16/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

10/12/07

7-01 (D) Roach infestation is present- live roaches (adult & nymph) observed in various areas (3-bay sink area; behind ice machine; on floor under grill area; on floor under counter in front of kitchen.

19-04 Food establishment personnel food safety certificate is expired.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Vertell Family Restaurant
5917 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

10/5/07

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered foods observed at all refrigeration units. Provide sanitary covering for all food storage containers in refrigerated units where missing. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. At the time of the inspection, the walk-in freezer was defrosting and the condenser was observed dripping into two (2) containers of frozen chicken that were on the walk-in freezer floor without proper covering. The contaminated chicken must be disposed of immediately. Due to the massive ice build-up in the freezer, the containers of chicken could not be removed at time of inspection. The owner then agreed to pour bleach on the contaminated chicken so it would not be used for sale and she stated she would remove the containers once the ice had melted. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous live flies observed at rear storage/prep area landing on food contact surfaces. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Numerous German roaches observed throughout establishment. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed on rear area storage shelves and tables. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Drain line at three basin sink observed leaking into a metal container. Repair drain line immediately. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

9/24/07

4-01.1 (A) Food/Food service article storage does not provide protection. Plastic container of frozen chicken observed thawing on shelf at rear room without proper covering. Provide sanitary covering for all food storage containers. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Numerous baby and adult German roaches observed throughout establishment. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed on rear area storage shelves and tables. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Drain line at three basin sink observed leaking into a metal container. Repair drain line immediately. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

8/21/07

7-01 (L) Mouse infestation is present. Mouse droppings were observed on rear area storage shelves

7-01 (D) Roach infestation is present. German roaches observed in establishment.

19-04 Food establishment personnel food safety certificate is expired.

7/13/07

19-04 Food establishment personnel food safety certificate is expired.

7/11/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Vertell Family Restaurant
5917 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

7/7/07

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor in back room storage area and on kitchen shelves.
19-04 Food establishment personnel food safety certificate is expired.

7/6/07

7-01 (A) Fly infestation is present ; numerous live flies observed in back room. Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on the shelves in back room . Management instructed to initiate immediate corrective action.
8-01.2 (C) Hot water is not provided ; at all hand wash sinks and utensil sink. Management instructed to initiate immediate corrective action.
8-06.1.1 (C) Drain line is in need of repair ; at hand wash sink in kitchen damaged drain line observed. Management instructed to initiate immediate corrective action.
9-02.2 (A) Employee hand wash frequency is inadequate. Hand wash sink in kitchen observed not in use (damaged drain line observed.) No soap, paper towels, provided. Management instructed to initiate immediate corrective action.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Kitchen utensils.
Missing sink stoppers at utensils sink.
Management instructed to initiate immediate corrective action.
19-04 Food establishment personnel food safety certificate is expired.

Vertell Family Restaurant and Open Pit
5917 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

12/29/06

5-01.1 Food is not protected from contamination. Canned food with mouse droppings on top are observed at rear storage area. Clean and sanitize all canned foods contaminated by mouse droppings. Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment. Clean to remove mouse droppings from rear storage room, prep areas, bulk food storage containers, and kitchen floors and shelves. Eliminate extensive mouse infestation. Management instructed to initiate immediate corrective action.

12/15/06

2-01.1 (B) Adulterated or unwholesome food is present. Boxes of pasta that have been gnawed through by mice and canned food with mouse droppings are observed at rear storage area. Dispose of all adulterated or unwholesome food immediately and clean and sanitize all canned food where mouse droppings observed. Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment. Clean to remove mouse from rear storage room, prep areas, and kitchen floors and shelves. Eliminate extensive mouse infestation. Management instructed to initiate immediate corrective action.

5/9/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Vertell Family Restaurant and Open Pit
5917 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

4/13/06

2-01.4 Food is not properly labeled/packaged - For frozen products in freezer, not adequately labeled

7-01 (L) Mouse infestation is present - Several mouse droppings observed in utensils storage room in back area and kitchen.

Management instructed to initiate immediate corrective action.

8-01.2 (B) Cold water is not provided - for hand wash sin in kitchen Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized.

- Dinnerware, utensils, storage trays, slicer machine.

- food prep table blocking 3 basin sink

- no sanitizer and sink stoppers observed

process of sanitization was not observed being done as required.

Provide for the required washing,rinsing,and sanitizing of the multi utensils and food equipment.

Use and approved sanitizer according to the instructions and concentrations indicated on the label

Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided - in kitchen and womens bathroom sinks

Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided - for kitchen and womens bathroom sink.

Management instructed to initiate immediate corrective action.

Asia Chinese Restaurant
5920 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/22/06

No Critical Violations

8/23/06

No Critical Violations

Imperial Palace
5921 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

4/26/07

No Critical Violations

3/23/07

19-01.1 Food establishment personnel food safety certified individual is not present ; servsafe present.

Management instructed to initiate immediate corrective action.

2/26/07

19-01.1 Food establishment personnel food safety certified individual is not present ; servsafe present.

Management instructed to initiate immediate corrective action.

2/11/07

7-01 (L) Mouse infestation is present ; numerous mouse droppings on storage shelves in storage room .
Management instructed to initiate immediate corrective action.

10-02.4 Unapproved sanitizer is being used ; laundry bleach observed in use. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

POLLOCK'S HERBAL and VITAMIN CENTER
5925 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

11/5/07

No Critical Violations

1/27/06

No Critical Violations

Checkers #627
5943 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

7/23/08

5-01.1 Food is not protected from contamination. Dead fly observed floating in freezer dessert machine mix. Food item must be discarded or destroyed in an approved sanitary manner in the presence of a Health Department Representative. Management initiated immediate corrective action.

7-01 (A) Fly infestation is present and observed throughout establishment. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Floor drain behind ice maker in clogged and overflowing. Food prep area hand sink drain line detached. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. Management instructed to initiate immediate corrective action.

1/30/08

12-01.5.B (4) Cold water at hand washing sink is not provided ; at the utensils sink . Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

4/30/07

2-10.2 Ice is not protected from contamination .

Ice scoop stored in ice machine with handle in the ice.

Ice scoop was observed sitting out on unsanitary ice machine exterior.

Employees scooping ice with plastic cups.

Management instructed to initiate immediate corrective.

3-02.1 Refrigeration system does not maintain proper temperatures ; bainmarie recorded 46F, 47F, 49F. Management instructed to initiate immediate corrective action and maintain temperature 41F.

4-01.1 (A) Food/Food service article storage does not provide protection ; at kitchen ceiling missing vent unit cover not providing proper protection for soda storage shelves and food equipment located under vent system.

Potable water from hand wash sink splashing onto floor and on contact with ice bin lines, water faucet arm is too big for shallow sink creating splashing onto floor .

Management instructed to initiate immediate corrective action.

11-09.2 Equipment is located under an unprotected source of contamination ; Freezer and food storage shelves located under unprotected vent system unit in kitchen.

19-01.1 Food establishment personnel food safety certified individual is not present.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Checkers #627
5943 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

3/30/07

2-10.2 Ice is not protected from contamination ; ice scoop with handle stored in interior of ice machine also employees scooping ice with plastic cup.

Management instructed to initiate immediate corrective action and provide ice scoop to serve ice.

4-01.1 (A) Food/Food service article storage does not provide protection.

Missing vent unit cover at ceiling and not providing proper cover or protection for soda storage shelves and food equipment under vent system.

Potable water from hand wash sink splashing onto floor and on contact with ice bin lines, water faucet is too big for shallow sink.

Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; kitchen utensils.

No sanitizer present.

Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized ; kitchen utensils.

Kitchen utensils are observed being washed in 1st compartment of utensils sink but not rinsed and sanitized.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

3/29/07

No Critical Violations

2/6/07

No Critical Violations

12/28/06

No Critical Violations

12/11/06

5-01.1 Food is not protected from contamination. Rack with uncovered buns is placed next to prep area trash can. Move trash can to the other side of prep area handsink so buns are protected from possible contamination. Management instructed to initiate immediate corrective action.

11-01.2 (A) Food equipment is defective. Walk-in refrigerator door does not shut and ketchup and mustard dispensers are not attached to the wall. Fix walk-in refrigerator door so that it closes properly.

Management instructed to initiate immediate corrective action.

Blockbuster Video
6000 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

8/23/06

No Critical Violations

Dollar Crazy
6000 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

7/28/08

No Critical Violations

6/28/08

8-06.1.1 (B) Sink is clogged. The 3 basin sinks are clogged with stagnant sewage water.

8/9/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Papa John's Pizza
6000 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

6/28/08

19-01.1 Food establishment personnel food safety certified individual is not present. A city of Philadelphia Food Safety Certificate is needed in order to be in compliance.

3/28/07

No Critical Violations

Rite Aid #2604
6000 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

8/23/06

No Critical Violations

Wendys #0580525
6001 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/26/07

No Critical Violations

8/7/07

2-10.2 Ice is not protected from contamination ; ice scoop with handle stored in ice machine and ice bin also moldy ice scoop observed.

Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present ; numerous live flies observed at the customer service area.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

2/13/06

No Critical Violations

Dunkin Donuts
6017 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

4/30/07

No Critical Violations

4/30/07

No Critical Violations

Dunkin' Donuts
6017 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

7/23/08

No Critical Violations

6/1/08

19-01.1 Food establishment personnel food safety certified individual is not present. Food safety certified person not present at time of inspection. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Rite Aid Pharmacy #2604
6101 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

7/31/08

No Critical Violations

6/26/08

4-01.1 (A) Food/Food service article storage does not provide protection. Prepackaged foods stored on floors and shelving in presence of mouse feces. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Prepackaged foods stored on floors and shelving in presence of mouse feces. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse feces observed on floors (storage area) and shelving (storage area, patron food shelving). Management instructed to initiate immediate corrective action.

6/18/07

2-01.1 (B) Adulterated or unwholesome food is present. Food items gnawed by mice at display shelves. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings observed at display shelves (jerky gnawed by mouse). ELIMINATE MICE INFESTATION. Management instructed to initiate immediate corrective action.

3/14/07

8-01.2 (C) Hot water is not provided at toilet rooms. Water heater appears to be not in operation. Management instructed to initiate immediate corrective action. NOTE: ESTABLISHMENT IS SELLING ONLY PREPACKAGED FOOD.

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

Apolloni News Stand
6150 N Broad St

Retail Food: Other
Philadelphia, PA 19141

Inspection Date

4/19/07

No Critical Violations

11/3/05

No Critical Violations

Hess Station 38150
6151 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

2/11/07

No Critical Violations

Shell #3508
6200 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

7/28/08

12-01.5.B (5) Hot water at hand washing sink is not provided. Note: Only prepacked foods are sold.

6/28/08

12-01.5.B (5) Hot water at hand washing sink is not provided. Note: Only prepacked foods are sold.

1/11/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Shell #3508
6200 N Broad St

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date
12/28/06

7-01 (L) Mouse infestation is present. Numerous fresh mouse droppings observed on food stocked shelves at patron area and on floor at rear area/office. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Gala Exxon Food Shop
6201 N Broad St

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date
12/30/05

No Critical Violations

H & G Traders LLC
6201 N Broad St

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date
1/2/07

No Critical Violations

Broad Street Head Start
6233 N Broad St

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date
5/23/07

No Critical Violations

Let's Wok
6258 N Broad St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141*

Inspection Date
7/20/08

7-01 (L) Mouse infestation is present. There are droppings present along the front counter shelves.
4-01.1 (A) Food/Food service article storage does not provide protection. Frozen meats uncovered in the freezer.

5/30/07

No Critical Violations

Lela's Group Day Care
6261 N Broad St

*Institution: Child, Group Day Care Homes
Philadelphia, PA 19141*

Inspection Date
12/12/07

19-01.1 Food establishment personnel food safety certified individual is not present.

12/20/06

No Critical Violations

North Broad Beer and Soda
6320 N Broad St

*Retail Food: General Convenience
Philadelphia, PA 19126*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

North Broad Beer and Soda
6320 N Broad St

*Retail Food: General Convenience
Philadelphia, PA 19126*

Inspection Date

7/28/08

No Critical Violations

6/28/08

7-01 (L) Mouse infestation is present. There are droppings present on some retail shelves.
12-01.5.B (5) Hot water at hand washing sink is not provided.

2/8/07

No Critical Violations

1/24/07

12-01.5.B (5) Hot water at hand washing sink is not provided. No hot water present at time of inspection. Management instructed to initiate immediate corrective action.

FAMILY DOLLAR STORE #6928
6337 N BROAD St

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date

10/5/07

No Critical Violations

8/22/05

No Critical Violations

Saint Mark's Christian Day Care
6344 N Broad St

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date

5/20/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to director. Management instructed to initiate immediate corrective action.

3/19/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to director. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. There are droppings present along the kitchen shelves and perimeters.

8-06.1.1 (C) Drain line is in need of repair. The kitchen 3 basin sink drain pipe has a leak.

1/8/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to director. Management instructed to initiate immediate corrective action.

1/5/07

No Critical Violations

11/17/05

No Critical Violations

11/1/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves and equipment near the 3-basin sink. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

"Great Wall" Chinese Restaurant
6351 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/19/07

7-01 (A) Fly infestation is present. Numerous live flies observed in the kitchen. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair ; damaged utensils sink drain line. Management instructed to initiate immediate corrective action.

10/5/07

4-01.1 (A) Food/Food service article storage does not provide protection; splashguard lacks between hand sink and freezer. Management instructed to initiate immediate corrective action.

4-03.4 Food is stored beneath unprotected sewer lines or dripping water lines; food boxes observed stored under sewer lines in basement. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair ; damaged utensils sink drain line. Management instructed to initiate immediate corrective action.

1/4/06

No Critical Violations

Great Wall Chinese Restaurant
6351 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

6/23/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. 2/3 stoppers missing for 3 bay sink. Management instructed to initiate immediate corrective action.

Halal Bilal Steak & Take
6501 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

7/23/08

No Critical Violations

5/1/08

2-01.4 Food is not properly labeled/packaged. Label all prep foods in refrigeration units with name and prep/expiration dates. Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. Walk-in box (51°F) and prep line refrigerator (52°F). Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Approx. 200lbs of various raw meats, fish, cut tomatoes and other foods stored in walk-in box (51°F) and prep line refrigerator (52°F). Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Provide a partition between 3 bay sink and garbage grinder sink. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse feces observed on floor perimeters throughout establishment and in cabinetry. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Interview revealed lack of knowledge about proper 3 bay sink setup. 2/3 stopper not provided for 3 bay sink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Call 215.685.7498 for provider list. Management instructed to initiate immediate corrective action.

Oak Lane Diner
6528 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Oak Lane Diner
6528 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

6/4/07

No Critical Violations

5/18/07

No Critical Violations

3/20/07

No Critical Violations

2/21/06

No Critical Violations

CVS
6601 N Broad St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

1/9/08

No Critical Violations

7/27/06

No Critical Violations

12/19/05

7-01 (L) Mouse infestation is present; mouse droppings observed at storage shelves and storage floor.
ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

12/2/05

7-01 (L) Mouse infestation is present; mouse droppings observed at storage shelves and storage floor.
ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

Dunkin Donuts
6620 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

6/28/08

19-04 Food establishment personnel food safety certificate is expired. Enroll in re-certification class immediately. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. There is an infested glue trap along the basement steps.

3/29/07

No Critical Violations

8/23/06

No Critical Violations

Top Star Chinese Restaurant
6708 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

2/6/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Top Star Chinese Restaurant
6708 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

1/23/08

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered foods observed at walk-in refrigerator. Provide sanitary coverings for all uncovered foods. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizer observed at time of inspection. Provide sanitizer for proper sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

8/29/06

No Critical Violations

8/15/06

5-01.1 Food is not protected from contamination. Uncovered food items observed in freezer and walk-in refrigerator (egg rolls, chicken wings, and other frozen meats). Also, uncovered flour and rice containers observed. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed under three-basin sink and food cooking equipment. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Old Bay Cafe
6722 N Broad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

6/19/08

No Critical Violations

Chong's Ho Ho Market
6800 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

6/28/08

No Critical Violations

1/21/07

No Critical Violations

8/17/05

No Critical Violations

Marsha's Water Ice
6801 N Broad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

5/17/07

No Critical Violations

Ivy Leaf School
6929 N Broad St

Institution: School, Private
Philadelphia, PA 19126

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ivy Leaf School
6929 N Broad St

Institution: School, Private
Philadelphia, PA 19126

Inspection Date

11/28/06

10-01.1 (B) An approved sink for manual washing and sanitization is not provided ;for kitchen #1.

Betty the Caterer
7037 N Broad St

Retail Food: Caterer
Philadelphia, PA 19141

Inspection Date

6/26/08

7-01 (A) Fly infestation is present in rear utensil storage area. Management instructed to initiate immediate corrective action.

5/29/08

5-01.1 Food is not protected from contamination. Employee consuming beverage while preping raw meat. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present in rear utensil storage area. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present due to droppings observed throughout facility. Management instructed to initiate immediate corrective action.

7-01 (J) Other insect infestation is present in utensil storage area and in warewash machine area. Management instructed to initiate immediate corrective action.

8-01.4 Non-potable water is in contact with food or food service articles. Walk-in box condensation observed dripping on +100lbs of packaged food. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair under 3 compartment sink; leak observed. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. Sanitarian instructed employee to wash hands after observing employee drinking while preping raw meat. Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. No hand sink in main food prep area. Management instructed to initiate immediate corrective action.

9-02.3 (A) Employee observed not following good hygienic personal practices. After being instructed by sanitarian to wash hands, employee used only water and attempted to continue preping without the use of soap. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Moist cloths observed not stored in sanitizing solution between use in packaging room. Management instructed to initiate immediate corrective action.

12-02.1 (B) Required hand washing sink not provided in main food prep area. Management instructed to initiate immediate corrective action.

1/4/06

No Critical Violations

Your Child's Learning Center
7120 N Broad St

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

3/6/08

7-01 (L) Mouse infestation is present. There are droppings present along the kitchen perimeters.

19-01.1 Food establishment personnel food safety certified individual is not present.

3290.69 Hot water is not present at the classroom sinks. There must be hot water available with the temperature near but not exceeding 110°F at each handsink.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Your Child's World Learning Center
7120 N Broad St

*Institution: Child, Child Care Centers
Philadelphia, PA 19126*

Inspection Date

6/2/08

19-01.1 Food establishment personnel food safety certified individual is not present. Note: Owner states that she will be taking the exam soon.

4/1/08

19-01.1 Food establishment personnel food safety certified individual is not present.

Rodriguez Grocery
5801 Brush St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

11/21/06

No Critical Violations

Sanchez Grocery
5801 Brush Rd

*Retail Food: Grocery Market
Philadelphia, PA 19138*

Inspection Date

4/30/07

No Critical Violations

Linda Washington Family Day Care
5130 N Camac St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

10/5/06

No Critical Violations

10/17/05

No Critical Violations

Footsteps
5846 N Camac St

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date

5/16/07

No Critical Violations

My Honey's Child Care Center
5846 N Camac St

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date

12/10/07

19-01.1 Food establishment personnel food safety certified individual is not present.

12/14/06

No Critical Violations

Johnson Grocery
5900 N Camac St

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date

3/25/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Veronica Pendleton Family Day Care
5942 N Camac St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/17/06

No Critical Violations

10/24/05

No Critical Violations

Latonya Reese Family Day Care
1237 Cardeza St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

10/18/06

No Critical Violations

9/15/05

No Critical Violations

Carter Family Day Care
5320 N Carlisle St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

9/21/06

No Critical Violations

9/21/05

No Critical Violations

Khepera Charter School
144 W Carpenter Ln

Institution: School, Charter
Philadelphia, PA 19119

Inspection Date

6/4/08

No Critical Violations

10/9/07

No Critical Violations

5/16/07

No Critical Violations

Weaver's Way
559 W Carpenter Ln

Retail Food: Grocery Market
Philadelphia, PA 19119

Inspection Date

1/24/07

No Critical Violations

1/24/07

No Critical Violations

C W Henry Elementary School
601 W Carpenter Ln

Institution: School, Public
Philadelphia, PA 19119

Inspection Date

4/8/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

C W Henry Elementary School
601 W Carpenter Ln

Institution: School, Public
Philadelphia, PA 19119

Inspection Date

10/9/07

No Critical Violations

2/15/07

No Critical Violations

11/20/06

No Critical Violations

5/17/06

No Critical Violations

10/31/05

8-01.2 (C) Hot water is not provided. Hot water temperature at kitchen sinks is 87° F. Maintain hot water temperature between 110 -125° F. Note: Attempted to contact building engineer, but he was unavailable.

9/9/05

8-01.2 (C) Hot water is not provided. Hot water temperature at kitchen handsink is 95° F. Maintain hot water temperature between 110 -125° F. Note: Attempted to contact building engineer, but he was unavailable.

High Point Cafe
602 W Carpenter Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

1/24/07

No Critical Violations

7/6/05

No Critical Violations

Pizza Hut
2701 Castor Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

11/7/07

No Critical Violations

5/3/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Doc's World Of Beer
701 E Cathedral Rd

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

4/10/07

No Critical Violations

3/13/07

No Critical Violations

2/18/07

8-01.2 (C) Hot water is not provided. Hot water temperature was observed at 69° F. Maintain hot water between 110 - 125° F. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

World Of Beer
701 Cathedral Rd

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

9/26/05

No Critical Violations

Cathedral Village
600 E Cathedral (1) Rd

Institution: Nursing and Convalescent Home
Philadelphia, PA 19128

Inspection Date

2/25/08

7-01 (L) Mouse infestation is present. Mice droppings are observed on the lower shelves in the Hot Food Prep Area and Cold Food Prep Area, where it is needed, during time of inspection.

9-04 (B) Wiping cloths are used in an unapproved manner. Several wiping cloths are not stored in sanitizing solutions in the food prep areas, during time of inspection. Management instructed to initiate immediate corrective action.

9/5/07

No Critical Violations

11/9/06

No Critical Violations

10/5/05

No Critical Violations

Patricia Brown Family Day Care
8444 Cedarbrook St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

11/1/06

No Critical Violations

8/24/05

No Critical Violations

Holiday House-The Northwest Center
1532 W Champlost Av

Institution: MHMR, Inpatient Facilities
Philadelphia, PA 19141

Inspection Date

4/13/07

No Critical Violations

4/12/06

No Critical Violations

Crown Fried Chicken
1900 Chelten Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/13/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Crown Fried Chicken
1900 Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/5/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on:

- shelf behind bainmarie,
- shelves at rear storage area (near water heater), and
- floor at rear storage area.

Eliminate extensive mouse infestation. Management instructed to initiate immediate corrective action.

8/21/06

5-01.1 Food is not protected from contamination. No lids observed for food items in walk-in.

Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on:

- shelf behind bainmarie,
- floor beneath frying equipment,
- shelves behind counter, and
- floor at rear storage area.

Eliminate extensive mouse infestation. Management instructed to initiate immediate corrective action.

Kids Care University
1923 Cheltenham Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/4/07

No Critical Violations

Cheltenham Manor
2004 Cheltenham Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19138

Inspection Date

1/29/08

No Critical Violations

2/1/07

No Critical Violations

2/1/06

No Critical Violations

J & S Restaurant
13 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/28/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

J & S Restaurant
13 E Chelton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/10/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at the following areas:
- basement,
- prep area, and
- rear storage area.

Also, two dead mice observed on glue trap in basement. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Employees not utilizing sanitizer in three basin sink (only washing and rinsing observed). Management instructed to initiate immediate corrective action.

Champagne Bar
21 E Chelton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/28/06

No Critical Violations

8/14/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at front bar area, rear prep area, and basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Mcdonalds #14963
29 E Chelton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

7/1/08

No Critical Violations

1/30/08

No Critical Violations

1/7/08

No Critical Violations

3/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. No City Food Safety Certificate observed. Servsafe certification only. Manager stated that Store Manager (Karen Tancedi) had sent in applications for City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

2/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. No City Food Safety Certificate observed. Servsafe certification only. Management instructed to initiate immediate corrective action.

1/2/07

No Critical Violations

6/11/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Auto Zone
35 E Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

8/28/06

No Critical Violations

8/14/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear storage area and rear receiving area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Blockbuster Video #42091
35 E Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

8/14/06

No Critical Violations

8/14/06

No Critical Violations

Hoagie City
35 E Cheltenham Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

2/19/08

No Critical Violations

2/11/08

4-01.1 (A) Food/Food service article storage does not provide protection. Required splash guards not present at garbage disposal sink to protect drain board at 3 basin and work table.
7-01 (L) Mouse infestation is present. Mouse droppings observed on floor near door.
10-04.0 Oversized equipment is not properly washed or sanitized - large cooking pots present on shelf

Kay Brothers
35 E Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

7/31/07

No Critical Violations

8/14/06

No Critical Violations

Soul Food Takeout
35 E Cheltenham Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

1/3/08

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment floor and shelves. Eliminate extensive mouse infestation. Management instructed to initiate immediate corrective action.

Super China Restaurant
35 E Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Super China Restaurant
35 E Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

8/28/06

No Critical Violations

8/14/06

5-01.1 Food is not protected from contamination. Lids are not provided for items stored in walk-in refrigerator and for rice containers. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed:

- on floor at prep area,
- on top of residential freezer at prep area,
- on wooden shelves at rear storage area, and
- on floor at rear storage area.

Eliminate extensive mouse infestation. Clean and sanitize all areas and contact surfaces to remove mouse infestation. Management instructed to initiate immediate corrective action.

Hess Gas Station #38503
102 E Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

7/3/07

No Critical Violations

8/15/06

No Critical Violations

A & H Grocery / Variety Store
117 E Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

5/23/08

No Critical Violations

4/16/08

8-01.2 (C) Hot water is not provided. NOTE: THE ESTABLISHMENT IS NOT OPEN FOR BUSINESS.

Crown Fried Chicken
117 E Cheltenham Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

6/8/07

No Critical Violations

Jimmy's Deli Market
119 E Cheltenham Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

8/15/06

No Critical Violations

John's Diner
119 E Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

John's Diner
119 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/15/06

No Critical Violations

Won's Diner Inc.
119 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/7/08

No Critical Violations

12/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. KAGRO certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

11/29/06

No Critical Violations

Sabrina's Beer Distributor
128 E Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

1/17/07

No Critical Violations

Silver Lounge
153 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

10/24/06

No Critical Violations

Rice Hut Restaurant
185 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

12/10/07

No Critical Violations

11/26/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of multi-use utensils and food equipment. Management instructed to initiate immediate corrective action.

7/3/06

No Critical Violations

2/22/06

No Critical Violations

Allegheny Child Care Academy
301 E Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Allegheny Child Care Academy
301 E Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

9/6/05

No Critical Violations

Brightside Academy
301 E Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

7/9/08

3270.21 Conditions at the facility pose a threat to the health and safety of the children. There are mouse droppings present along cubbies and floor perimeters in a few of the classrooms and a few fruit flies around the handsink in room #1.

10/17/07

7-01 (D) Roach infestation is present. Numerous roaches (adult and nymph) observed in unused prep area refrigerator. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

10/3/07

7-01 (D) Roach infestation is present. Numerous roaches observed in storage room #2. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Expired City certificate observed. Management instructed to initiate immediate corrective action.

10/31/06

No Critical Violations

10/24/06

8-01.2 (A) An adequate supply of hot water is not provided. No hot water present at time of inspection. Employees stated that hot water was provided earlier in the morning, however, after washing lots of dishes, no hot water is provided. Hot water must be provided throughout establishment at all times. Maintain hot water temperature between 110°F and 125°F. Management instructed to initiate immediate corrective action.

Advance Auto Parts
312 E Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

8/15/06

No Critical Violations

Tavares Groceries
364 E Cheltenham Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

3/22/07

No Critical Violations

3/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Tavarez Grocery
365 E Cheltenham Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

8/28/06

No Critical Violations

8/15/06

7-01 (K) Rat infestation is present. Numerous rat droppings observed in basement where food items are stored. Eliminate rat infestation. Management instructed to initiate immediate corrective action.

5-01.8 Live animals or fowl are not excluded from food establishment preparation areas. Cat observed in basement jumping on food items. Also, cat feces observed in corners of basement. No litter box observed. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Employees not utilizing sanitizer after washing utensils. Management instructed to initiate immediate corrective action.

Cheltenham Mini Market
600 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

2/20/07

No Critical Violations

2/15/07

8-01.2 (A) An adequate supply of hot water is not provided. Hot water temperature observed at 87°F at time of inspection. Hot water temperature must be maintained between 110°F and 125°F at all times. Management instructed to initiate immediate corrective action.

1/31/07

No Critical Violations

12/30/05

No Critical Violations

Cheltenham Christian Little People School
605 E Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

10/3/07

No Critical Violations

10/24/06

No Critical Violations

9/6/05

No Critical Violations

Dunkin' Donuts
701 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

4/8/08

No Critical Violations

1/17/07

No Critical Violations

12/30/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Amenra Family Haven
706 E Cheltenham Av

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

10/23/06

No Critical Violations

7/25/06

7-01 (A) Fly infestation is present. Numerous flies observed in the basement and kitchen. Management instructed to initiate immediate corrective action.

7-01 (K) Rat infestation is present. Droppings observed on basement and kitchen shelving and floor. Eliminate rat infestation. Management instructed to initiate immediate corrective action.

7-01 (J) Other insect infestation is present. Termite nests and maggots observed in the basement. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed in basement food storage areas, kitchen, dining room and resident bedrooms. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Mouse droppings present on canned goods in basement food storage area.

7/20/06

7-01 (A) Fly infestation is present. Numerous flies observed in the kitchen. Management instructed to initiate immediate corrective action.

7-01 (K) Rat infestation is present. Droppings observed on kitchen shelving and floor. Eliminate rat infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed in basement food storage areas, kitchen, dining room and resident bedrooms. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Dishwashing observed being done without sanitizer.

Provide for the required washing, rinsing and sanitizing of multi use utensils and food equipment.

Use an approved sanitizer according to the instructions and concentrations indicated on the label. Items must be air dried after sanitizing.

7/3/06

7-01 (K) Rat infestation is present. Droppings observed in basement food storage areas, kitchen, dining room and resident bedrooms. Eliminate rat infestation. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed in basement food storage area. Management instructed to initiate immediate corrective action.

8/11/05

No Critical Violations

7/15/05

No Critical Violations

Grace Wok Restaurant
723 E Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

6/11/07

No Critical Violations

3/2/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

David's Ice Cream Parlor
730 E Cheltenham Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

8/30/06

No Critical Violations

Kingston City Restaurant
732 E Cheltenham Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

4/1/08

No Critical Violations

3/5/08

7-01 (D) Roach infestation is present in the prep area.

2/15/08

No Critical Violations

12/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Expired ServSafe certificate observed. List of providers and application given to manager. Management instructed to initiate immediate corrective action.

8/30/06

No Critical Violations

Supreme Donuts
735 E Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

7/2/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Expired PA Dept. of Agriculture Food Safety Certificate observed. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present in the kitchen area.

7-01 (L) Mouse infestation is present. There are droppings along the floor and shelves throughout the prep area.

8-06.1.1 (C) Drain line is in need of repair. Leaking drain line at the kitchen 3 basin sink.

12/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Expired PA Dept. of Agriculture Food Safety Certificate observed. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Supreme Donuts
735 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

12/11/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear baking area and live mouse observed at front area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Cloths are not stored in sanitizing solution. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper and no sanitizer observed. Provide three sink stoppers (one per basin) and sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Rubber hose observed hooked up to and stored inside of three-basin sink. Remove hose. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Expired PA Dept. of Agriculture Food Safety Certificate observed. Management instructed to initiate immediate corrective action.

9/14/06

No Critical Violations

8/30/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear baking area, rear toilet room, and storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizer present at rear three-basin sink.

Seafood Sensations
740 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

7/15/08

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate is expired. City of Philadelphia Food Safety Certificate required.

7-01 (L) Mouse infestation is present. There are droppings present along the floor perimeters throughout the establishment.

8/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application sent in by owner.

7/30/07

7-01 (A) Fly infestation is present. Flies observed at rear area near three-basin sink. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application given to manager.

10/24/06

No Critical Violations

H & M Deli
800 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

H & M Deli
800 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/12/06

No Critical Violations

Lincoln Fried Chicken
801 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

9/5/06

No Critical Violations

Kim's Sunray Market
805 E Cheltenham Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

9/5/06

No Critical Violations

J & B Food Market
830 E Cheltenham Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

5/31/08

No Critical Violations

7/30/07

No Critical Violations

6/19/07

7-01 (A) Fly infestation is present. Numerous flies observed throughout store, including basement. Eliminate fly infestation. Management instructed to initiate immediate corrective action.
8-06.1.1 (A) Liquid waste is not disposed of properly. Dirty mop water observed dumped into rear yard. Properly dispose of dirty mop water in service sink provided. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

J & V Food Market
830 E Cheltenham Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

1/25/07

No Critical Violations

12/15/05

No Critical Violations

11/29/05

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers present - slicer components and prep utensils. Provide for the required washing, rinsing and sanitizing of multi use utensils and food equipment. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dee's Coin-Op Laundromat
841 E Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19138*

Inspection Date

10/12/06

No Critical Violations

Food & Flowers
921 E Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19138*

Inspection Date

1/31/07

No Critical Violations

11/15/05

No Critical Violations

Food Designs
923 E Cheltenham Av

*Retail Food: Caterer
Philadelphia, PA 19138*

Inspection Date

10/25/06

No Critical Violations

11/29/05

No Critical Violations

11/15/05

4-01.1 (A) Food/Food service article storage does not provide protection. Juice cans stored in toilet room. Do not store food items in toilet room. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed in prep area beneath sink. Management instructed to initiate immediate corrective action.

C.B.H. Deli and Variety Store
1018 E Cheltenham Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

5/23/06

No Critical Violations

5/23/06

No Critical Violations

1/25/06

No Critical Violations

Italiano's Pizza
1034 E Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date

3/31/08

No Critical Violations

3/6/08

7-01 (L) Mouse infestation is present. There are droppings present on shelves and floor perimeters.

9/6/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Italiano's Pizza
1034 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

1/31/07

No Critical Violations

11/29/05

No Critical Violations

Torres Mini Market
1048 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

3/20/07

No Critical Violations

Wong House Chinese & American Food
1049 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

3/15/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city food safety certificate posted. Application given to owner. Management instructed to initiate immediate corrective action. Contact the office at the number below when City of Philadelphia Food Safety Certificate obtained.

2/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Hyde Christian Academy
1215 E Cheltenham Av

Institution: School, Private
Philadelphia, PA 19144

Inspection Date

12/12/06

No Critical Violations

11/28/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on floor and shelves in kitchen and on floor in rear storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

3/22/06

No Critical Violations

3/22/06

No Critical Violations

YWCA Child Care Center
1240 E Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

7/15/08

7-01 (L) Mouse infestation is present. There are droppings present along the kitchen floor perimeters and shelves.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

YWCA Child Care Center
1240 E Chelton Av

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

11/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

12/5/06

No Critical Violations

10/5/05

No Critical Violations

Blue Strip Restaurant
1249 E Chelton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

1/10/08

No Critical Violations

Exodous Mini Market
1245 E Chelton Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

9/5/06

No Critical Violations

Hummingbird Restaurant
1265 E Chelton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

1/31/07

No Critical Violations

1/17/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters and on shelves of prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Jamaican D's, Inc.
1265 E Chelton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

1/31/08

No Critical Violations

1/17/08

8-06.1.1 (C) Drain line is in need of repair. Leak observed at drain line of three-basin sink. Repair leak immediately. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloth used as sink stopper at three-basin sink at time of inspection. Sink stoppers that are provided should be used in place of wiping cloths. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jamaican D's, Inc.
1265 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

1/3/08

5-01.1 Food is not protected from contamination. No splash guard provided between fryers and stove. Provide splash guard. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stoppers observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

Stacha's Take Out
1904 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/3/06

No Critical Violations

T & N Laundromat
1918 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/7/07

No Critical Violations

6/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action. List of providers given to owner.

6/3/06

No Critical Violations

Nurturing Angels
2044 E Cheltenham Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

1/15/08

No Critical Violations

1/2/07

No Critical Violations

Goodwin's Laundromat
2051 E Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

8/21/06

No Critical Violations

Ena International Cuisine
2057 E Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ena International Cuisine
2057 E Chelten Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

2/8/07

No Critical Violations

Chelten Drug Store
2137 E Chelten Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

4/10/08

No Critical Violations

3/20/08

7-01 (L) Mouse infestation is present. There are droppings present along the waiting area window sills and floor perimeters.

9/5/06

No Critical Violations

8/21/06

8-01.2 (C) Hot water is not provided. No hot water provided on premises at time of inspection. Employee stated hot water heater was leaking so it was turned off. Management instructed to initiate immediate corrective action. Restore hot water to establishment.

Grillo's Pizza
2138 E Chelten Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/5/06

No Critical Violations

GUTIERREZ GROCERY STORE
2139 E CHELTEN Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

8/21/06

No Critical Violations

Pemas Mini Market
2139 E Chelten Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

11/22/06

No Critical Violations

Pena Grocery
2139 E Chelten Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

4/25/08

No Critical Violations

4/21/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

China Ruby
2156 E Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

12/21/06

No Critical Violations

12/7/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters of prep and storage areas and on storage room shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Monica's Sweet Tooth
4 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

11/21/05

No Critical Violations

Smile Donut Shop
4 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

7/16/07

No Critical Violations

4/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. A Servsafe certificate is present. Note: The owner produced the \$25 money order receipt and a photocopy of a completed City food safety certificate application. Management instructed to initiate immediate corrective action.

3/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. A Servsafe certificate is present. Obtain a city food safety certificate. Management instructed to initiate immediate corrective action.

Barrel Grocer
67 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

12/26/07

No Critical Violations

10/23/06

No Critical Violations

Quality Donuts
101 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

10/9/07

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered donuts are stored on a rack in front of the handwashing sink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Note: The manager has sent in the city application. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Quality Donuts
101 W Chelton Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

9/12/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

- two containers of chicken and cooked bacon observed in small preprefrigertr at 53° F.

These items are condemned due to lack of temperature control for unknown period of time. These food items are not permitted to be sold or given away. Management discarded items while present.

Orders: Discontinue use of defective refrigerator for the storage of potentially hazardous foods until temperature can be maintained below 41° F.

- Bagels, with cream cheese, observed in a display case at room temperature.
Management instructed to initiate immediate corrective action.

4-02.3 Animal origin food is not stored separate from other ready-to-eat food.

- Meatballs and hamburger patties are stored over ice cream.

- Hamburger patties, bacon and chicken are stored over bags of ice.

7-01 (A) Fly infestation is present. Flies observed in the customer, prep and storage areas.

Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Live roaches are observed in the mop rack area. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelves and floor in the mop room and prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/22/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Quality Donuts
101 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

9/8/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

- 30 pounds of sliced cheese and two pans of cooked bacon observed in small preprefrigerator at 65° F.

These items are condemned due to lack of temperature control for unknown period of time. These food items are not permitted to be sold or given away. Management discarded items while present.

Orders: Discontinue use of defective refrigerator for the storage of potentially hazardous foods until temperature can be maintained below 41° F.

- Bagels, with cream cheese, observed in a display case at room temperature.

Management instructed to initiate immediate corrective action.

4-02.3 Animal origin food is not stored separate from other ready-to-eat food:

- Fish is stored above bags of bread.

- Wrapped raw hamburgers are stored over opened containers of ice cream.

- Meat is stored over bags of ice. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies were observed in the prep, storage and customer areas. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Live roaches are observed in the toilet room, storage and prep areas. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed in the mop room and prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Kitchen utensils and food containers are present. Two of the three sink stoppers are defective. No sanitizer observed.

Provide for the required washing, rinsing and sanitizing of multi use utensils and food equipment.

Use an approved sanitizer according to the instructions and concentrations indicated on the label. Management instructed to initiate immediate corrective action.

Mary Moragne Shule
118 W Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

10/16/07

No Critical Violations

2/13/07

No Critical Violations

11/20/06

No Critical Violations

5/15/06

No Critical Violations

12/12/05

No Critical Violations

99 Cents Store
121 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

99 Cents Store
121 W Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

9/12/07

No Critical Violations

9/21/06

No Critical Violations

Popeye's Chicken & Biscuits
122 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

9/22/06

No Critical Violations

9/8/06

7-01 (A) Fly infestation is present. Flies observed in the rear room and prep area. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelving at the customer counter. Management instructed to initiate immediate corrective action.

Popeye's Chicken and Biscuits
122 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

7/26/08

3-02.1 Refrigeration system does not maintain proper temperatures, 1 door bainmarie has temperature of 46°F, storing coleslaw, water, bread.

3-07.1 (B) Cooling methods do not promote rapid cooling of food, foods were cooling in thick, durable plastic container with attached matching lid. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination, multiple boxes of food were sitting in water/liquid on floor in walk-in refrigerator. Management instructed to initiate immediate corrective action.

6-01.2 (B) Food utensils and contact surfaces are not cleaned and sanitized, seasoning sink had old chicken fats accumulated in each basin. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present at back door area. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present by droppings on shelves at counter & along perimeters in employee room and cooking area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/28/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Note: The manager stated that the application and money order have been sent in to the Office of Food Protection. Management instructed to initiate immediate corrective action.

12/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/17/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Popeye's Chicken and Biscuits
122 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

10/12/06

No Critical Violations

9/28/06

7-01 (L) Mouse infestation is present. Mouse droppings are observed, on the floor, in the rear room, storage area and near the ice machine. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

First Wok Chinese Food Take Out
129 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

11/16/07

No Critical Violations

9/13/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Food containers and utensils are improperly sanitized. Only two sink stoppers are present. Provide three for the proper wash-rinse-sanitize process. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved foodsafety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/14/06

No Critical Violations

Chick-N-Fish Germantown
133 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The manager completed a ServSafe course June 2007. He mailed in the application for the city certificate on August 2, 2007. The money order receipt was shown during the inspection. Management instructed to initiate immediate corrective action.

4/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

12/1/05

No Critical Violations

All Day Breakfast
137 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/24/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

All Day Breakfast
137 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

12/26/07

5-01.1 Food is not protected from contamination. The waffle maker is stored next to the sink. Management instructed to initiate immediate corrective action.
4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered food items are present in the refrigeration units.
9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in sanitizing solution.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper is present. Provide 3 sink stoppers for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

12/26/07

No Critical Violations

11/9/06

No Critical Violations

9/14/06

No Critical Violations

G G Seafood & Market
137 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/24/08

No Critical Violations

12/24/07

2-06.4 Shellfish Purchase records/tags are not kept for 90 days. Only the most recent tags are available. Keep all shellfish records/tags for 90 days. Management instructed to initiate immediate corrective action.
5-04.2 (A) Approved sneeze guards are not provided as required. Provide sneeze guards in front of the scales. Management instructed to initiate immediate corrective action.

10/10/06

No Critical Violations

9/14/06

7-01 (A) Fly infestation is present. Numerous flies were observed throughout the store. Management instructed to initiate immediate corrective action.

Allegheny Child Care Academy
138 W Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 191440

Inspection Date

8/11/05

No Critical Violations

Brightside Academy
138 W Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 191440

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Brightside Academy
138 W Cheltenham Av

Institution: Child, Child Care Centers
Philadelphia, PA 191440

Inspection Date

9/7/07

5-01.1 Food is not protected from contamination. A splash guard is needed between the 3-basin sink and garbage grinder sink. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Food serving utensils are not properly sanitized. Only two sink stoppers are present.

- Provide three sink stoppers for the proper wash-rinse-sanitize procedure.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/9/07

5-01.1 Food is not protected from contamination. A splash guard is needed between the 3-basin sink and garbage grinder sink. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Food serving utensils are not properly sanitized. Sanitizer is not in use. Only two sink stoppers are present.

- Use an EPA approved sanitizer. Provide three sink stoppers for the proper wash-rinse-sanitize procedure.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/3/06

No Critical Violations

AMS Best Grocery
139 W Cheltenham Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

11/21/05

No Critical Violations

Value Plus
142 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

11/21/05

No Critical Violations

Valu-Plus
142 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

2/26/07

No Critical Violations

Kim's Rite Pay Discount & Fashions
156 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 191441

Inspection Date

7/1/08

12-01.5.B (5) Hot water at hand washing sink is not provided.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kim's Rite Pay Discount & Fashions
156 W Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 191441*

Inspection Date

9/12/07

No Critical Violations

9/21/06

No Critical Violations

Rite Aid #0872
160 W Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 191441*

Inspection Date

11/1/07

No Critical Violations

9/21/06

No Critical Violations

KFC - #Y062119
161 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

11/16/07

No Critical Violations

9/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. An Experion certificate is present. Obtain a city of food safety Philadelphia certificate. Management instructed to initiate immediate corrective action.

10/11/06

No Critical Violations

8/25/05

No Critical Violations

Burger King #2573
165 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

7/14/08

No Critical Violations

2/21/08

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain city of Philadelphia food safety certificates. Note: The applications have been sent in. Management instructed to initiate immediate corrective action.

12/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain city of Philadelphia food safety certificates. Management instructed to initiate immediate corrective action.

10/11/06

No Critical Violations

9/21/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pathmark
172 W Cheltenham Av

*Retail Food: Grocery Market
Philadelphia, PA 19144*

Inspection Date

5/18/07

No Critical Violations

6/23/06

No Critical Violations

Jyoti Newstand
186 W Cheltenham Av

*Retail Food: Mobile Food Vendor
Philadelphia, PA 19144*

Inspection Date

7/24/08

No Critical Violations

5/10/07

No Critical Violations

5/23/06

No Critical Violations

Cheltenham Pride Convenience & Deli
200 W Cheltenham Av

*Retail Food: Grocery Market
Philadelphia, PA 19144*

Inspection Date

9/18/07

No Critical Violations

6/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/22/07

4-01.1 (A) Food/Food service article storage does not provide protection.No splashguard observed between handsink and prep tables. Prep tables observed not protected from splash contamination. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required for scale. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present.Mouse droppings observed inside handsink prep area cabinet. ELIMINATE MOUSE INFESTATION. Feces contaminated surfaces are observed. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Mastery Charter School - Pickett Campus
201 W Cheltenham Av

*Institution: School, Public
Philadelphia, PA 19144*

Inspection Date

4/4/08

No Critical Violations

10/16/07

No Critical Violations

Pickett Head Start
201 W Cheltenham Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pickett Head Start
201 W Cheltenham Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

4/4/08

No Critical Violations

10/16/07

No Critical Violations

2/13/07

No Critical Violations

10/25/06

No Critical Violations

3/6/06

No Critical Violations

Pickett School
201 W Cheltenham Av

*Institution: School, Public
Philadelphia, PA 19144*

Inspection Date

2/13/07

No Critical Violations

10/24/06

No Critical Violations

5/24/06

No Critical Violations

5/10/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor in storeroom. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9/12/05

No Critical Violations

Gennaro's Famous Pizza
210 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

12/3/07

4-01.1 (A) Food/Food service article storage does not provide protection. The shredded cheese, mushrooms and sauce are not covered at the prep area.

7-01 (A) Fly infestation is present. Flies are observed around the trash area in the rear room. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Gennaro's Famous Pizza
210 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

11/16/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The bainmarie, nearest to the entrance, is observed at 60° F. Maintain all potentially hazardous foods below 41° F. The cheese and contained of burger patties, in the unit, were discarded.

- Do not resume use of this refrigerator for potentially hazardous foods until the proper temperature can be maintained.

Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. The shredded cheese and sauce are not covered at the prep area.

7-01 (A) Fly infestation is present. Flies are observed around the trash area in the rear room.

Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers are available. The manager stated that they are locked up in the office. Three sink stoppers must be available for the proper wash, rinse and sanitize dishwashing procedure of utensils and food containers. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/7/06

No Critical Violations

10/23/06

7-01 (A) Fly infestation is present. Numerous flies were observed in the prep areas. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Many dead roaches observed on the shelving and floor in the prep areas.

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water faucet is defective at the counter hand sink. Management instructed to initiate immediate corrective action.

Temptation Gourmet Restaurant
218 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

9/14/07

No Critical Violations

9/10/07

No Critical Violations

Temptations Banquet Facility
220 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

9/24/07

No Critical Violations

9/24/07

19-01.1 Food establishment personnel food safety certified individual is not present.

House of Jin
234 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

House of Jin
234 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/16/07

No Critical Violations

Park Manor Deli
240 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/16/07

No Critical Violations

The Fresh Grocer
301 W Cheltenham Av

Retail Food: Supermarket
Philadelphia, PA 19144

Inspection Date

6/11/07

No Critical Violations

3/14/07

No Critical Violations

2/28/07

2-06.4 Shellfish Purchase records/tags are not kept for 90 days. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required for the scales at meat area. Provide sneeze guards for scales to protect food from contamination. Management initiated immediate corrective action.

9-02.3 (B) Employees are smoking in unapproved areas. Numerous cigarette butts observed in storage areas. Management instructed to initiate immediate corrective action.

10/11/06

No Critical Violations

6/27/06

No Critical Violations

Del Mar Lounge
304 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

2/10/08

No Critical Violations

10/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/12/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed behind the bar. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved foodsafety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/19/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Del Mar Lounge
319 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/17/06

No Critical Violations

12/22/05

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. There is no 3-basin sink present in the kitchen. Provide for the required washing, rinsing and sanitizing of multi use utensils and food equipment.

Germantown Style Pizza
324 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

2/21/08

No Critical Violations

12/26/07

5-01.1 Food is not protected from contamination. A splash guard is needed between the sinks.
8-06.1.1 (A) Liquid waste is not disposed of properly. Establishment throws used fryer cooking oil in the trash. It has no oil waste recycling company to pick up used oil.
- Provide a metal oil drum(s) and recycling company for used deep fryer cooking oil.
Management instructed to initiate immediate corrective action.
10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one functional sink stopper is present. Provide 3 sink stoppers for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety certificate and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

12/7/06

No Critical Violations

Work Adjustment Center/EN
330 W Cheltenham Av

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

5/14/08

No Critical Violations

KOIFISH COFFEE
402 W CHELTEN Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/14/07

No Critical Violations

7/27/05

No Critical Violations

Wagner Middle School
1700 W Cheltenham Av

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wagner Middle School
1700 W Cheltenham Av

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

4/10/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required; Information was issued. Management instructed to initiate immediate corrective action.

11/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

10/23/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed around perimeters of kitchen. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

3/2/07

No Critical Violations

10/25/06

No Critical Violations

5/16/06

No Critical Violations

10/11/05

No Critical Violations

Sunoco
440 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19127

Inspection Date

7/21/08

19-01.1 Food establishment personnel food safety certified individual is not present. ServeSafe posted; call 215.685.7498 for City cert. application. Management instructed to initiate immediate corrective action.

6/1/08

19-01.1 Food establishment personnel food safety certified individual is not present. Call 215.685.7498 for provider list. Management instructed to initiate immediate corrective action.

2/8/07

No Critical Violations

Enon Tabernacle Baptist Church
2800 Cheltenham Av

Retail Food: Other
Philadelphia, PA 19150

Inspection Date

9/13/06

No Critical Violations

8/2/06

4-01.1 (A) Food/Food service article storage does not provide protection. Splash guards needed at handsinks in prep area.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Margaret Houser Family Day Care
48 W Cheltenham Av

*Institution: Child, Family Day Care Homes
Philadelphia 19126*

Inspection Date

7/30/06

No Critical Violations

Cooking Papa Restaurant
400 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126*

Inspection Date

11/8/07

No Critical Violations

Nam Kang Restaurant
400 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126*

Inspection Date

7/14/06

7-01 (A) Fly infestation is present: in kitchen & bsmt storage.
7-01 (D) Roach infestation is present: live roaches observed in kitchen grinder sink.
7-01 (L) Mouse infestation is present: feces & gnawed debris in bsmt food storage/merchandise elevator room.
8-02.2 An approved air gap is not present: food prep sink has direct drain connection to soil line.

5/24/06

2-07.1 Fish are not obtained from an approved source; live fishes observed in large water tank for sale without any kind proof approved source. The fish is cooked at premises however due to language barrier (korean) was difficult to know their cooking procedure.

OWNER: DISCONTINUE PREPARING AND SELLING LIVE FISH UNTIL PHILADELPHIA HEALTH DEPARTMENT APPROVAL IS GRANTED. Management instructed to initiate immediate corrective action.

5/24/06

2-07.1 Fish are not obtained from an approved source; live fishes observed in large water tank for sale without any kind proof approved source. The fish is cooked at premises however due to language barrier (korean) was difficult to know their cooking procedure.

OWNER: DISCONTINUE PREPARING AND SELLING LIVE FISH UNTIL PHILADELPHIA HEALTH DEPARTMENT APPROVAL IS GRANTED. Management instructed to initiate immediate corrective action.

7/15/05

No Critical Violations

So Ho Cafe
468 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126*

Inspection Date

1/24/08

No Critical Violations

7/11/07

No Critical Violations

6/5/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bo Ryung Oriental Herbs
500 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19126

Inspection Date

3/25/07

No Critical Violations

Cheltenham Nursing & Rehabilitation Ctr.
600 W Cheltenham Av

Institution: Nursing and Convalescent Home
Philadelphia, PA 19126

Inspection Date

7/23/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Reach in refrigerator at 52 degrees. Management instructed to initiate immediate corrective action.

2/1/08

2-01.1 (D) Defective food containers are present. Several dented cans are observed on the dry storage shelves in the food prep area, during time of inspection. The damaged can food products was removed from use.

4-01.1 (A) Food/Food service article storage does not provide protection. Clean plates are not protected from liquid contamination from the leaking ventilation system in the kitchen, during time of inspection.

8-06.1.1 (C) Drain line is in need of repair. Steam table is leaking in the kitchen area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present. Live fruit flies are observed in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor under and/or behind the food equipment in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

11-01.2 (A) Establishment equipment is defective. Faucet neck is missing at the food preparation sink in the kitchen area, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individuals are missing the certificate from the Dept. of Public Health. Kitchen Manager has application during time of inspection. Management instructed to initiate immediate corrective action.

12/10/07

4-01.1 (A) Food/Food service article storage does not provide protection. No splash guard observed between hand washing sink and toaster.

8-06.1.1 (C) Drain line is in need of repair. 3-Basin sink and 2-basin sink is leaking in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present. Live fruit flies are observed in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. No soap or handtowels at the clogged handsink station in the 3rd floor Hazardous Waste Storage Room on the 3rd floor, during time of inspection. Management instructed to initiate immediate corrective action.

9-02.3 (B) Employees are smoking in unapproved areas. Residents are observed smoking in the East Lounge, during time of inspection. Smoking is to be immediately discontinued, during time of inspection. (TICKET ISSUED)

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures. Required: 50 P.P.M. at the washware unit and during time of inspection the sanitizer strip measured zero.

Washware unit use will need to be discontinued until repaired and the establishment is advised to wash, rinse and sanitize in the 3-basin sink until the washware unit is repaired.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cheltenham Nursing & Rehabilitation Ctr.
600 W Cheltenham Av

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19126*

Inspection Date

5/29/07

19-01.1 Food establishment personnel food safety certified individual is not present.No city food safety certificate observed posted.

12/19/06

No Critical Violations

7/28/06

No Critical Violations

12/14/05

No Critical Violations

Hess Station #38504
1440 W Cheltenham Av

*Retail Food: General Convenience
Philadelphia, PA 19126*

Inspection Date

2/20/08

No Critical Violations

8/25/06

No Critical Violations

Amoco Food Shop #0000
1700 W Cheltenham Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

2/20/08

No Critical Violations

8/25/06

No Critical Violations

Reach for the Stars Performing Arts/Edu
1730 W Cheltenham Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19126*

Inspection Date

7/23/08

No Critical Violations

6/23/08

7-01 (L) Mouse infestation is present. There are droppings present in the corner of the 2nd floor kitchen near the stove.

5/9/07

No Critical Violations

5/8/06

No Critical Violations

Winston's Lounge
1812 W Cheltenham Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126154*

Inspection Date

8/27/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Winston's Lounge
1812 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126154

Inspection Date

8/26/06

8-01.2 (A) An adequate supply of hot water is not provided. Water heater is defective. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided. Hot water when tested at establishment sinks was warm (approx 80 F) but rapidly run cold and did not recover while present.

8/25/06

8-01.2 (A) An adequate supply of hot water is not provided. Water heater is defective. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided.

ORDERS: CLOSE AND DISCONTINUE SALE OF ALL FOOD AND BEVERAGE UNTIL HOT WATER IS RESTORED.

Management instructed to initiate immediate corrective action.

Bruno's Pizza
1838 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126154

Inspection Date

9/8/06

No Critical Violations

8/25/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at prep area under equipment and on shelves, and in basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Kim's Dollar Village
1900 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

5/8/07

No Critical Violations

4/24/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on basement shelves and floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Lee's Hoagies
1906 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

9/8/06

No Critical Violations

Dae Jang Keum Restaurant
1910 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

7/8/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Shrimpies Ribiera
1910 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

2/20/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. ServSafe certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

9/8/06

No Critical Violations

Little Tot's Family Day Care
1986 W Cheltenham Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

1/5/07

No Critical Violations

One Nibble And You'Re Hooked
2140 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

10/2/06

No Critical Violations

Jerry's Exxon
2500 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

10/2/06

No Critical Violations

9/16/06

5-01.1 Food is not protected from contamination. Foods at walk-in refrigerator and freezer not covered. Cover all foods to prevent contamination. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Numerous roaches observed at rear prep and cooking areas. Roaches seen crawling out of handsink and floor mats at rear prep area. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at front patron area, inside cabinets at front patron area, at rear prep and cooking areas, and in side storage room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12-01.5.A Toilet room door is not self closing. No door observed for toilet room. A trash bag has been placed where a door should be. Remove trash bag and replace with self-closing door. Management instructed to initiate immediate corrective action.

Club Jaguar
2502 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

9/22/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

J's Beauty supply
2534 W Cheltenham Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

10/2/06

No Critical Violations

General Express Chinese Restaurant
2548 W Cheltenham Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

10/2/06

No Critical Violations

City Kidz Ice Cream Cafe
2800 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

3/24/08

No Critical Violations

Aplus Mini Market #060206
3200 W Cheltenham Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

9/29/06

No Critical Violations

City Kidz Ice Cream - Vendor
2800 W Cheltenham Av

Retail Food: Mobile Food Vendor
Philadelphia, PA 19150

Inspection Date

4/11/08

No Critical Violations

Springside School
8000 Cherokee St

Institution: School, Private
Philadelphia, PA 19118

Inspection Date

12/4/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the floor of the storage rooms, dishwasher room and mop/linen room. Management instructed to initiate immediate corrective action.

11/20/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the storage and prep area floor perimeters. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

11/8/06

No Critical Violations

12/1/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Springside School
8000 Cherokee St

Institution: School, Private
Philadelphia, PA 19118

Inspection Date

10/31/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on floor perimeters in storage areas and dishwashing room.. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required. For uncovered cupcakes at self-service line.

10/31/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on floor perimeters in storage areas and dishwashing room.. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required. For uncovered cupcakes at self-service line.

10/17/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on floor perimeters in storeroom and laundry area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Seasons Residential Facility
305 W Chestnut Hill Av

Institution: Adult, Other
Philadelphia, PA 191181

Inspection Date

6/8/07

No Critical Violations

4/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a City food safety certificate. Management instructed to initiate immediate corrective action.

4/13/06

No Critical Violations

Hot Off The Grill
5542 Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/29/06

No Critical Violations

M & M Pizza Delight
5542 Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

M & M Pizza Delight
5542 Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

7/22/08

7-01 (A) Fly infestation is present throughout the establishment.

7-01 (L) Mouse infestation is present. There are droppings present on shelves and floor perimeters throughout the establishment.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered food inside the small prep unit.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. There is only one sink stopper present at the 3 basin sink.

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate must be obtained in order to get a food license.

5/21/08

7-01 (D) Roach infestation is present in the prep area behind the pizza ovens.

7-01 (L) Mouse infestation is present. There are droppings present on shelves and floor perimeters throughout the establishment.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered food inside the small prep unit.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. There is only one sink stopper present at the 3 basin sink.

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate must be obtained in order to get a food license.

God Bless Restaurant
5605 Chew Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

9/29/06

No Critical Violations

New China Garden
5608 Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

10/13/06

No Critical Violations

9/29/06

7-01 (A) Fly infestation is present. Numerous flies observed at prep area. Eliminate fly infestation.

Management instructed to initiate immediate corrective action.

Empire Pizza
6240 Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

2/15/07

No Critical Violations

1/31/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment floors and all shelves at prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12/2/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Asia Chinese Restaurant
6605 Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

12/27/07

No Critical Violations

12/11/07

4-01.1 (A) Food/Food service article storage does not provide protection. No splash guard present between three-basin sink and prep area handsink. Provide splash guard to protect from contamination. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment floors and shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper and no sanitizer observed at time of inspection. Provide three sink stoppers (one per basin) and sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

12/21/06

4-01.1 (A) Food/Food service article storage does not provide protection.No splashguard between utensil sinks.

7-01 (L) Mouse infestation is present.Mouse droppings observed at prep area floor and storage shelves.ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

Super Dollar City
1342 W Chew Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

5/31/07

No Critical Violations

9/13/06

No Critical Violations

9/13/06

No Critical Violations

4/24/06

No Critical Violations

3/27/06

7-01 (L) Mouse infestation is present. Mouse droppings and damaged paper bag packaging from mouse activity at rear storage area shelving .

3/2/06

No Critical Violations

2/21/06

7-01 (L) Mouse infestation is present; mouse droppings were observed on food product shelves in cookies and candies display area shelves, 2 cookies packages observed contaminated by mouse and discarded while present. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

12/22/05

7-01 (L) Mouse infestation is present; mouse droppings were observed on food product shelves in rice and pasta display area shelves, patrons area and storage floor; one rice package observed contaminated by mouse and discarded while present. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided at mens room.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Super Dollar City
1342 W Chew Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

12/6/05

7-01 (L) Mouse infestation is present - mouse droppings were observed on food product shelves in rice and pasta display area and on shelving in rear storage areas . Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided - in mens or ladies bathrooms.

10/25/05

7-01 (L) Mouse infestation is present - mouse droppings were observed on food product shelves in customer area and on pallets in rear storage areas . Management instructed to initiate immediate corrective action.

9/21/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit - milk observed at 51 F in display refrigerator . Items , approx 15 qts of milk were removed from sale while present pending return to supplier.

7-01 (L) Mouse infestation is present - mouse droppings were observed on shelves and pallets rear storage areas and front customer area . Management instructed to initiate immediate corrective action.

Genaro's Food Market
5600 W Chew Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

10/13/06

No Critical Violations

Original Food Market
5600 W Chew Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

1/29/08

No Critical Violations

1/15/08

9-04 (A) Sponges are used in an unapproved manner. Moist sponge use on food contact surfaces is prohibited. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper and no sanitizer observed at time of inspection. Provide three sink stoppers (one per basin) and approved sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

Mae's Chew Avenue Deli & Grill
5618 W Chew Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

10/26/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Golden China Restaurant
5650 W Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/29/06

No Critical Violations

Memorable Moments Soul Food
5651 W Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/16/06

No Critical Violations

10/12/06

No Critical Violations

8/8/06

No Critical Violations

P & Y Restaurant
5655 W Chew Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

8/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city certificate observed. City of Philadelphia Food Safety Certificate required. Application sent in last week. Management initiated immediate corrective action.

7/24/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on prep area shelves and floors. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Non-city certificate observed. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action. Application given to owner.

7/14/06

No Critical Violations

6/26/06

5-01.1 Food is not protected from contamination. Small fryer is next to slicer . Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present. Mouse droppings observed on shelf with onions. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Soo's Market
5661 W Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

12/11/06

No Critical Violations

Rite Aid #3461
5700 W Chew Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

10/24/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Virginia Cooper Family Day Care
5807 W Chew Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

8/13/07

No Critical Violations

6/1/06

No Critical Violations

China Taste
6142 W Chew Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date

3/21/07

No Critical Violations

E T Plus
6300 W Chew Av

*Retail Food: General Convenience
Philadelphia, PA 19138*

Inspection Date

1/24/07

No Critical Violations

12/22/06

No Critical Violations

Chew Deli
6302 W Chew Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date

12/22/06

No Critical Violations

Emlen School
6500 W Chew Av

*Institution: School, Public
Philadelphia, PA 19119*

Inspection Date

4/21/08

No Critical Violations

10/22/07

No Critical Violations

2/27/07

No Critical Violations

12/6/06

No Critical Violations

5/11/06

No Critical Violations

9/14/05

No Critical Violations

Seafood & Ale
6603 W Chew Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Seafood & Ale
6603 W Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

1/16/07

No Critical Violations

Mystic Pizza
6627 W Chew Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

4/8/08

No Critical Violations

1/22/08

No Critical Violations

12/14/07

No Critical Violations

10/12/07

No Critical Violations

3/15/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city food safety certificate observed. Application for city food safety certificate given to owner. Management instructed to initiate immediate corrective action. Contact the office at the number below when City of Philadelphia Food Safety Certificate is obtained.

3/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

6/27/06

No Critical Violations

6/11/06

7-01 (A) Fly infestation is present. Flies observed in basement. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

6/11/06

7-01 (A) Fly infestation is present. Flies observed in basement. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

Kims Market
6701 W Chew Av

Retail Food: Grocery Market
Philadelphia, PA 19119

Inspection Date

1/16/07

No Critical Violations

B & E Ingram's Lounge
6812 W Chew Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

1/16/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Choo's Market, Inc.
6709 Chew St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119*

Inspection Date

2/9/07

No Critical Violations

Mama's Market
6709 Chew St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119*

Inspection Date

1/16/07

No Critical Violations

Quick Stop Food Market
6709 Chew St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA*

Inspection Date

7/8/05

No Critical Violations

John's Neighborhood Deli
311 Church Ln

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

9/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. Owner was recertified and has sent application in. ServSafe certificate observed. Management initiated immediate corrective action.

6/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Application has been sent. Management initiated immediate corrective action.

Greenwich Services
910 Church Ln

*Institution: MHMR, Inpatient Facilities
Philadelphia, PA 19144*

Inspection Date

9/14/05

No Critical Violations

Night Winds Lounge
1802 Church Ln

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141*

Inspection Date

5/21/08

2-10.2 Ice is not protected from contamination. Insanitary beverage cold plate stored in drink ice in the ice bin at the bar, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is not present, during time of inspection, contact person has list of providers and application from Dept. of Public Health. Missing certificate from the Dept. of Public Health. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Night Winds Lounge
1802 Church Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/6/08

2-10.2 Ice is not protected from contamination. Insanitary beverage cold plate stored in drink ice in the ice bin at the bar, during time of inspection. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Provide a metal oil drum and recycling company for used deep fryer cooking oil. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair for kitchen 3 bay sink. Sink drains to pooled water in crawl space under floor. **Plumbers are making proper repairs at the 3-basin sink, during time of inspection. The Sanitarian was informed that the work would continue through Wednesday, May 7, 2008.** Management instructed to initiate immediate corrective action.

8-06.1.1 (D) Soil line is in need of repair. Floor drain under the 3-basin sink is draining straight into the soil line in the kitchen area, during time of inspection. **Plumbers are making proper repairs to the drain line, during time of inspection and the Sanitarian was informed that the work will continue through Wednesday, May 7, 2008.**

9-02.1 Employee hands are not washed prior to food handling activities. No hand sinks in bar service area or kitchen. **Plumbers are making proper repairs to add the handsink to the bar area, during time of inspection, the repairs will continue into Wednesday, May 7, 2008.**

12-02.1 (B) Required hand washing sinks are not provided behind the bar and in the kitchen. Management initiated immediate corrective action, hand sink is in the process of being installed at the bar area by the plumbers, during time of inspection.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is not present, during time of inspection, contact person has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

4/28/08

2-10.2 Ice is not protected from contamination. Marred paint bucket utilized to store ice scoop and carry ice; provide NSF approved ice bucket. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Provide a metal oil drum and recycling company for used deep fryer cooking oil. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair for kitchen 3 bay sink. Sink drains to pooled water in crawl space under floor. **Unable to inspect damage in basement due to lack of access.** Management instructed to initiate immediate corrective action.

8-06.1.1 (D) Soil line is in need of repair. Floor drain under the 3-basin sink is draining straight into the soil line in the kitchen area, during time of inspection. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. No hand sinks in bar service area or kitchen. Management instructed to initiate immediate corrective action.

9-02.3 (B) Employees are smoking in unapproved areas. Several ashtray and several books of matches is observed in the bar area, during time of inspection. Management instructed to initiate immediate corrective action.

12-02.1 (B) Required hand washing sinks are not provided behind the bar and in the kitchen. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Kim Moody took course approx. two weeks ago. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Night Winds Lounge
1802 Church Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

4/7/08

2-10.2 Ice is not protected from contamination. Marred paint bucket utilized to store ice scoop and carry ice; provide NSF approved ice bucket. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Provide a metal oil drum and recycling company for used deep fryer cooking oil. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair for kitchen 3 bay sink. Sink drains to pooled water in crawl space under floor. ****Unable to inspect damage in basement due to lack of access.**** Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. No hand sinks in bar service area or kitchen. Management instructed to initiate immediate corrective action.

12-02.1 (B) Required hand washing sinks are not provided behind the bar and in the kitchen. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Kim Moody took course approx. two weeks ago. Management instructed to initiate immediate corrective action.

3/3/08

2-10.2 Ice is not protected from contamination. Insanitary beverage cold plate stored in drink ice in the ice bin in the bar area, during time of inspection.

19-01.1 Food establishment personnel food safety certified individual is not present. Kim Moody participated in the class on Sept. 22nd & 24th 2007, the Sanitarian observed the receipt from the class during time of inspection. Sanitarian will provide application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

12/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a City of Philadelphia Food Safety certificate. Management instructed to initiate immediate corrective action.

10/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a City of Philadelphia Food Safety certificate.
Note: The owner is enrolled in a food safety class. Management instructed to initiate immediate corrective action.

10/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a City of Philadelphia Food Safety certificate.
Note: The owner is enrolled in a food safety class. Management instructed to initiate immediate corrective action.

10/15/07

10-02.2 (B) Food equipment and utensils are improperly sanitized.

- Only one defective sink stopper is present for the kitchen 3-basin sink. Three functioning sink stoppers are required (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils.

- The glassware is improperly sanitized at the bar. Sanitization process is not conducted in the correct order. Proper sanitization process is wash, rinse, then sanitize. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a City of Philadelphia Food Safety certificate.

Note: The owner is enrolled in a food safety class. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Night Winds Lounge
1802 Church Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

8/20/07

10-02.2 (B) Food equipment and utensils are improperly sanitized.

- Only one sink stopper is present for the kitchen 3-basin sink. Three sink stoppers are required (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils.

- The glassware is improperly sanitized at the bar. Sanitization process is not conducted in the correct order. Proper sanitization process is wash, rinse, then sanitize. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a City of Philadelphia Food Safety certificate.

Note: The owner is enrolled in a food safety class. Management instructed to initiate immediate corrective action.

6/26/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper is observed. Three sink stoppers are required (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

12/13/06

8-01.2 (C) Hot water is not provided in both toilet rooms. Valves could not be accessed at time of inspection. Hot water must be provided at all handsinks at all times. Maintain hot water between 110° F and 125°F. Management instructed to initiate immediate corrective action.

11/29/06

8-01.2 (C) Hot water is not provided in both toilet rooms. Valves could not be accessed at time of inspection. Hot water must be provided at all handsinks at all times. Maintain hot water between 110° F and 125°F. Management instructed to initiate immediate corrective action.

Babe's Family Day Care
1993 Church Ln

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

9/7/06

No Critical Violations

8/19/05

No Critical Violations

Torres Grocery
2033 Church Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

2/13/08

No Critical Violations

12/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

11/21/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Hamill Mill II Sr. Center
200 E Church Ln

*Institution: Adult, Adult Day Care
Philadelphia, PA 19144*

Inspection Date

3/26/07

No Critical Violations

3/16/06

No Critical Violations

Heartfelt Learning Center
847 E Church St

*Institution: Child, Child Care Centers
Philadelphia, PA 19138*

Inspection Date

8/29/06

No Critical Violations

7/29/05

No Critical Violations

Torres Grocery
201 W Clapier St

*Retail Food: Grocery Market
Philadelphia, PA 19144*

Inspection Date

2/9/07

No Critical Violations

1/26/07

No Critical Violations

1/25/07

8-01.2 (C) Hot water is not provided. The gas is shut off.

ORDERS: Discontinue all food preparation and food handling activity until hot water, at a minimum temperature of 110° F, is restored.

The owner agreed to discontinue operation of the deli until hot water is provided.

Management instructed to initiate immediate corrective action.

Building Blocks C.D.C.
2103 W Clarkson Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

2/7/08

No Critical Violations

2/12/07

No Critical Violations

2/1/06

No Critical Violations

Valerie Turner Family Day Care
6429 Clearview St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19119*

Inspection Date

9/5/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Valerie Turner Family Day Care
6429 Clearview St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

8/23/05

No Critical Violations

Tina's Lil Busy Bodies
6803 Clearview St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

2/28/07

No Critical Violations

2/21/07

No Critical Violations

2/17/06

No Critical Violations

Leaders of Tomorrow
263 E Cliveden St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

8/3/07

No Critical Violations

Cheerful Cheeks Daycare
335 E Cliveden St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

2/25/08

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

10/16/06

No Critical Violations

Ms. Dawna's 24-Hour Childcare
44 E Collom St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

1/3/08

No Critical Violations

10/3/07

No Critical Violations

Denise Temple Family Day Care
1703 W Colonial St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

9/7/06

No Critical Violations

8/22/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Academy in Manayunk
169 Conarroe St

Institution: School, Private
Philadelphia, PA 19127

Inspection Date

12/5/07

No Critical Violations

12/4/06

No Critical Violations

4/28/06

No Critical Violations

Mama's Day Care
1435 W Conlyn St

Institution: Child, Group Day Care Homes
Philadelphia, PA 19141

Inspection Date

5/23/06

No Critical Violations

Billy Murphy's Irish Saloon
3333 Conrad St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

3/11/07

No Critical Violations

12/16/05

No Critical Violations

East Falls Beverage
3343 Conrad St

Retail Food: General Convenience
Philadelphia, PA 191291

Inspection Date

6/9/08

No Critical Violations

1/22/07

No Critical Violations

Conrad Food Market
3401 Conrad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

6/26/08

8-06.1.1 (C) Drain line is in need of repair. Condensation drain line from the display refrigeration unit is draining into a pan in the basement during time of inspection. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Improper order of operation is conducted in the 3-basin sink: rinse, wash and sanitize was explained to the Sanitarian by the certified individual, during time of inspection. Management instructed to initiate immediate corrective action, Sanitarian explained the proper order of wash, rinse and sanitize in the 3-basin sink to the certified individual.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is missing certificate from Dept. of Public Health, owner has application, during time of inspection.

1/22/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Falls Pharmacy
3421 Conrad St

Retail Food: General Convenience
Philadelphia, PA 19127

Inspection Date

6/16/08

No Critical Violations

3/20/07

No Critical Violations

9/27/05

No Critical Violations

East Falls Apollo Pizza
3542 Conrad St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

6/26/08

2-01.1 (D) Defective food containers are present. Several dented cans are observed in the dry storage area in the basement area. All damaged products will need to be removed from use.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/food prep unit has temperature range of 52°F-53°F during time of inspection. All refrigerated food (perishable food items) will need to be relocated to a refrigerator unit that works properly, until the damaged unit can meet proper cooling requirements.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is not present in the establishment, during time of inspection. Manager has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

3/13/07

No Critical Violations

12/16/05

No Critical Violations

Mifflin Bright Future
3624 Conrad St

Institution: Child, Child Care Centers
Philadelphia, PA 19129

Inspection Date

4/7/08

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

Note: The school has satellite service only. Hot water is available at the 3-basin sink. However, the hot and cold water cannot be mixed.

11/9/07

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

Note: The school has satellite service only. Hot water is available at the 3-basin sink. However, the hot and cold water cannot be mixed.

10/10/07

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mifflin Bright Future
3624 Conrad St

Institution: Child, Child Care Centers
Philadelphia, PA 19129

Inspection Date

10/10/07

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

3/13/07

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water at the handwashing sink does not stay on consistently. Management instructed to initiate immediate corrective action.

2/16/07

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water at the handwashing sink does not stay on consistently. Management instructed to initiate immediate corrective action.

Mifflin Head Start
3624 Conrad St

Institution: Child, Child Care Centers
Philadelphia, PA 19129

Inspection Date

4/7/08

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

Note: The school has satellite service only. Hot water is available at the 3-basin sink. However, the hot and cold water cannot be mixed.

11/9/07

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

Note: The school has satellite service only. Hot water is available at the 3-basin sink. However, the hot and cold water cannot be mixed.

10/10/07

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

3/13/07

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water at the handwashing sink does not stay on consistently. Management instructed to initiate immediate corrective action.

2/16/07

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water at the handwashing sink does not stay on consistently. Management instructed to initiate immediate corrective action.

11/29/06

No Critical Violations

Mifflin School
3624 Conrad St

Institution: School, Public
Philadelphia, PA 19129

Inspection Date

4/7/08

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

Note: Hot water is available at the 3-basin sink. However, the hot and cold water cannot be mixed.

11/9/07

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

Note: Hot water is available at the 3-basin sink. However, the hot and cold water cannot be mixed.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mifflin School
3624 Conrad St

Institution: School, Public
Philadelphia, PA 19129

Inspection Date

10/10/07

12-01.5.B (5) Hot water at hand washing sink is not provided. Management instructed to initiate immediate corrective action.

3/13/07

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water at the handwashing sink does not stay on consistently. Management instructed to initiate immediate corrective action.

2/16/07

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water at the handwashing sink does not stay on consistently. Management instructed to initiate immediate corrective action.

9/29/06

No Critical Violations

9/27/06

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 70° F. Maintain hot water between 110 - 125° F.

Note: The building engineer stated that work was being done and hot water would be restored today.

5/17/06

No Critical Violations

9/15/05

No Critical Violations

Mifflin School BF / Head Start
3624 Conrad St

Institution: Child, Child Care Centers
Philadelphia, PA 19129

Inspection Date

9/29/06

No Critical Violations

9/27/06

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 70° F. Maintain hot water between 110 - 125° F.

Note: The building engineer stated that work was being done and hot water would be restored today.

5/17/06

No Critical Violations

Pearl Pierre Family Day Care
5049 Copley Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

12/21/05

No Critical Violations

B and B Bundles of Joy FDC (Rear Door)
6600 Cornelius St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

7/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kim's Family Home Care
6644 Cornelius St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

10/19/07

No Critical Violations

Family Deli Grocery
6672 Cornelius St

*Retail Food: Grocery Market
Philadelphia, PA 19138*

Inspection Date

2/9/07

No Critical Violations

Mugshots Coffee House & Cafe
110 Cotton St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127*

Inspection Date

9/11/07

No Critical Violations

8/6/07

No Critical Violations

7/27/06

No Critical Violations

7/27/06

No Critical Violations

J D McGillicuddy's Pub
111 Cotton St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127152*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

J D McGillicuddy's Pub
111 Cotton St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127152

Inspection Date

6/3/08

2-10.2 Ice is not protected from contamination. Several insanitary beverage cold plates are observed to be stored in drink ice in the bar areas on the 1st floor, 2nd floor and 3rd floor. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Perishable food items in the small refrigerator/food prep unit as a temperature range of 58°F-60°F, during time of inspection.

Management instructed to initiate immediate corrective action, all perishable food item in this unit are not to be used and will need to be removed and disguarded, immediately.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/food prep unit across from the washware unit temperature range is 58°F-60°F, during time of inspection. This small refrigerator/food prep unit use will need to be discontinued until it is properly repaired.

5-01.1 Food is not protected from contamination. Food (drink ice) is not protected from hazardous substances (bottled beverages & cold plates) in the ice bins in the bar areas. Uncovered food items are observed in the refrigeration unit, during time of inspection. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Drain line is leaking in the ceiling in the old food prep in the basement area. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. Employee hands are not washed in the bar areas, no hand sinks in the bar areas on the 1st floor, 2nd floor and 3rd floor, during time of inspection. Management instructed to initiate immediate corrective action.

12-02.1 (B) Required hand washing sinks are not provided. No hand sinks are in the bar areas on the 1st floor, 2nd floor and 3rd floor, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, during time of inspection. Management instructed to initiate immediate corrective action.

Tanya Crawley Family Day Care
109 E Coulter St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

11/17/06

No Critical Violations

GermantownFriendsSchool-Hargrove Center
2 W Coulter St

Institution: School, Private
Philadelphia, PA 19144

Inspection Date

1/16/08

No Critical Violations

11/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/13/06

No Critical Violations

1/17/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Friends Nursery
31 W Coulter St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

2/21/08

No Critical Violations

11/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. The director has completed a food safety course. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/15/07

No Critical Violations

4/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/10/06

No Critical Violations

4/10/06

No Critical Violations

Germantown Friends School
31 W Coulter St

Institution: School, Private
Philadelphia, PA 19144

Inspection Date

1/16/08

No Critical Violations

11/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/27/06

No Critical Violations

11/13/06

7-01 (L) Mouse infestation is present. Mouse droppings were observed on the dishonorfloor and the service line shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

2/2/06

No Critical Violations

1/17/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelving and floor in prep area and the dishwasher room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Anchoring Bright Children Day Care
230 W Coulter St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

2/19/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: The city of Philadelphia food safety certificate application has been mailed in to the Office of Food Protection. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Anchoring Bright Children Day Care
230 W Coulter St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

2/19/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: The city of Philadelphia food safety certificate application has been mailed in to the Office of Food Protection. Management instructed to initiate immediate corrective action.

12/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

12/7/06

No Critical Violations

12/12/05

No Critical Violations

Coulter Mini Market & Deli
301 W Coulter St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

1/10/07

No Critical Violations

1/3/07

8-01.2 (C) Hot water is not provided at the 3-basin sink. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Utensils and food containers are improperly sanitized. There are no sink stoppers or sanitizer present for the 3-basin sink.

12/8/06

7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed in the prep and coffee areas. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on the dog food shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided at the 3-basin sink. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Utensils and food containers are improperly sanitized. There are no sink stoppers or sanitizer present for the 3-basin sink.

J & J Family Grocery
301 W Coulter St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

11/26/07

No Critical Violations

4/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Spoke with the owner on the phone. He stated that he is signed up for a class which begins Monday. Management instructed to initiate immediate corrective action.

3/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wissahickon Boys & Girls Club Child Care
328 W Coulter St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

7/18/08

7-01 (L) Mouse infestation is present - mouse droppings observed on bottom shelves of cabinetry in childrens daycare storage room.

12-01.5.B (5) Hot water at hand washing sink is not provided - hot water at childrens bathroom handwashing sinks observed to be approx. 100 F , a minium of 110 F is required .

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

7/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Monica Young Family Day Care
429 W Coulter St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

2/25/08

19-01.3 Food establishment personnel food safety certificate is not posted.

11/16/06

No Critical Violations

4/21/06

No Critical Violations

Crefeld School
8836 Crefeld St

Institution: School, Private
Philadelphia, PA 19118

Inspection Date

12/4/07

No Critical Violations

10/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. The city of Philadelphia food safety certificate is not available. Management instructed to initiate immediate corrective action.

10/19/06

No Critical Violations

10/17/05

No Critical Violations

Coffee Junction
7210 Creshiem Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

1/24/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

East End Tavern
4000 Cresson St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

3/15/07

No Critical Violations

12/28/05

No Critical Violations

Sorrentino's Deli
4361 Cresson St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

3/15/07

No Critical Violations

12/28/05

No Critical Violations

Inifinity Catering
4401 Cresson St

Retail Food: Caterer
Philadelphia, PA 19127

Inspection Date

12/22/07

No Critical Violations

12/22/07

No Critical Violations

11/1/06

No Critical Violations

Beat Street Station
4401 N Cresson St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/25/08

No Critical Violations

12/22/07

5-01.1 Food is not protected from contamination. A splash guard is needed between the prep table and fryer. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelving below the prep table. Mouse droppings are also found along the cooking line floor and shelving. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A city of Philadelphia food safety certificate is not present. Management instructed to initiate immediate corrective action.

11/1/06

No Critical Violations

Paulino Grocery
5738 Crittenden St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

4/26/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Paulino Grocery
5738 Crittenden St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

11/28/05

No Critical Violations

Five Points Community Deli
5801 Crittenden St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

11/28/05

No Critical Violations

Jocelyn Davis Family Day Care
5858 Crittenden St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/12/06

No Critical Violations

9/23/05

No Critical Violations

A B Day School
6400 Crittenden St

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

4/7/08

No Critical Violations

10/18/07

No Critical Violations

2/22/07

No Critical Violations

12/6/06

No Critical Violations

5/11/06

No Critical Violations

2/10/06

No Critical Violations

A. B. Day School Annex
6400 Crittenden St

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

4/7/08

No Critical Violations

10/18/07

No Critical Violations

2/22/07

No Critical Violations

12/18/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

A. B. Day School Annex
6400 Crittenden St

Institution: School, Public
Philadelphia, PA

Inspection Date

5/11/06

No Critical Violations

2/10/06

No Critical Violations

A. B. Day School Annex- Headstart
6400 Crittenden St

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

4/7/08

No Critical Violations

10/18/07

No Critical Violations

12/18/06

No Critical Violations

2/10/06

No Critical Violations

Blockbuster Video
7700 Crittenden St

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

6/5/07

No Critical Violations

6/4/06

No Critical Violations

CLC Book Center
7700 Crittenden St

Retail Food: General Convenience
Philadelphia, PA 1911800

Inspection Date

12/6/06

No Critical Violations

Eckerd Drugs #6169
7700 Crittenden St

Retail Food: General Convenience
Philadelphia, PA 191180

Inspection Date

12/6/06

No Critical Violations

Mario's Pizza
7700 Crittenden St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118006

Inspection Date

6/24/08

19-01.1 Food establishment personnel food safety certified individual is not present. Montgomery County Certificate is available, however, City of Philadelphia Certificate is required. Application given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mario's Pizza
7700 Crittenden St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118006*

Inspection Date

8/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. Montgomery County Certificate is available, however, City of Philadelphia Certificate is required. Application given to owner. Management instructed to initiate immediate corrective action.

6/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Montgomery County Certificate is available, however, City of Philadelphia Certificate is required. Application given to owner. Management instructed to initiate immediate corrective action.

2/13/06

No Critical Violations

New China Court Restaurant
7700 Crittenden St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

1/3/07

No Critical Violations

6/4/06

No Critical Violations

Super Fresh #735
7700 Crittenden St

*Retail Food: Supermarket
Philadelphia, PA 19118*

Inspection Date

9/5/07

No Critical Violations

8/6/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves at deli counter. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

6/5/07

No Critical Violations

6/4/06

No Critical Violations

6/4/06

No Critical Violations

VS Produce
7700 Crittenden St

*Retail Food: Mobile Food Vendor
Philadelphia, PA 19119*

Inspection Date

4/21/08

No Critical Violations

3/27/08

No Critical Violations

3/4/08

7-01 (L) Mouse infestation is present. There are droppings present along the signage shelf.

4/7/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Quizno's Subs
7717 Crittenden St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

6/24/08

19-01.3 Food establishment personnel food safety certificate is not posted. A City of Philadelphia certificate is needed in order to be in compliance.

8/6/07

No Critical Violations

8/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-City certificate observed. Application for City of Philadelphia Food Safety Certificate was sent in by manager. Management initiated immediate corrective action.

6/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-City certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

6/4/06

No Critical Violations

Philly's Platinum Grille
7719 N Crittenden St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

9/13/06

No Critical Violations

J E Hill Middle School
6200 W Crittenden St

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

4/7/08

No Critical Violations

10/18/07

No Critical Violations

2/22/07

No Critical Violations

12/6/06

No Critical Violations

5/9/06

No Critical Violations

9/8/05

No Critical Violations

J E Hill Middle School Day Care
6200 W Crittenden St

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

4/7/08

No Critical Violations

10/18/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

J E Hill Middle School Day Care
6200 W Crittenden St

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

2/22/07

No Critical Violations

1/3/07

No Critical Violations

5/19/06

No Critical Violations

5/9/06

No Critical Violations

10/14/05

No Critical Violations

Elizabeth Banks FDC
5625 Crownson St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/1/05

No Critical Violations

K&R Variety
5501 Crowson St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

8/28/07

No Critical Violations

7/16/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

6/26/07

12-02.1 (B) Required hand washing sinks are not provided at prep area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Stacey Foster-Johnson Family Day Care
1926 Dallas St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

12/5/06

No Critical Violations

Dawson Street Pub
100 Dawson St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/20/07

No Critical Violations

1/20/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mt. Airy Deli and Mini Market
7200 Devon St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

1/17/07

No Critical Violations

1/3/07

5-01.1 Food is not protected from contamination. No splash guard is present between prep area handsink and three-basin sink. Management instructed to initiate immediate corrective action.
5-04.2 (A) Approved sneeze guards are not provided as required for scale on deli case at prep area. Management instructed to initiate immediate corrective action.

Roxborough News Stop
495 Domino Ln

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

7/6/07

No Critical Violations

5/20/06

No Critical Violations

Roxy Bagel Bakery
499 Domino Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191281

Inspection Date

8/31/07

No Critical Violations

7/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. The city of Philadelphia food safety certificate is expired. A current ServSafe certificate is present. Obtain a current city of Philadelphia certificate. Management instructed to initiate immediate corrective action.

6/6/06

No Critical Violations

5/20/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor behind the counter and in the basement. Management instructed to initiate immediate corrective action.

5/20/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor behind the counter and in the basement. Management instructed to initiate immediate corrective action.

Health Discount Store
499 E Domino Ln

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

7/6/07

No Critical Violations

6/6/06

No Critical Violations

5/20/06

8-01.2 (C) Hot water is not provided. Hot water is shut off at toilet room handsink. Management instructed to initiate immediate corrective action.

Note: All prepackaged food items.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Tony A's Pizza
499 E Domino Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/28/07

No Critical Violations

Mary Cooke Family Day Care
923 Dorset St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

9/19/06

No Critical Violations

9/2/05

No Critical Violations

DeLeo's Cafe
405 Dupont St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

9/10/07

7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed at the kitchen sinks, bar area and in the basement. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Roaches are observed, at the 3-basin sink, in the kitchen. Management instructed to initiate immediate corrective action.

8-01.2 (B) Cold water is not provided at the bar 3-basin sink and 2-basin sink. The cold water is shut off due to a leak. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. The drain line below the bar 3-basin sink leaks.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/22/07

7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed at the kitchen sinks, bar area and in the basement. Management instructed to initiate immediate corrective action.

8-01.2 (B) Cold water is not provided at the bar 3-basin sink. Management instructed to initiate immediate corrective action.

9-02.3 (B) Employees are smoking in unapproved areas. Cigarette butts are observed the rear room. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Sink stoppers are not provided for the kitchen 3-basin sink. Provide 3 sink stoppers for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

DeLeo's Cafe
405 Dupont St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

8/6/07

- 7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed at the kitchen sinks and in the basement. Management instructed to initiate immediate corrective action.
- 7-01 (H) Spider infestation is present. Spiderwebs observed under the 3-basin sink.
- 7-01 (L) Mouse infestation is present. Mouse droppings are found on the pot shelf in the kitchen. Clean and sanitize all surfaces and pots where mouse droppings are found. Management instructed to initiate immediate corrective action.
- 8-01.2 (B) Cold water is not provided at the bar 3-basin sink. Management instructed to initiate immediate corrective action.
- 8-06.1.1 (C) Drain line is in need of repair. The pipe is not present below the catch basin in the basement. Sink waste is spilling into a tub and onto the floor. Management instructed to initiate immediate corrective action.
- 9-02.3 (B) Employees are smoking in unapproved areas. Cigarette butts are observed in an ashtray, and on the floor, in the kitchen, basement and rear room. An ashtray is observed at the bar. Management instructed to initiate immediate corrective action.
- 10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Sink stoppers are not provided for the kitchen 3-basin sink. Provide 3 sink stoppers for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.
- 12-01.5.B (4) Cold water at hand washing sink is not provided at the bar. Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

7/5/06

No Critical Violations

6/15/06

- 7-01 (L) Mouse infestation is present. Mouse droppings are present on the kitchen shelving and floor perimeters. Management instructed to initiate immediate corrective action.
- 8-06.1.1 (A) Liquid waste is not disposed of properly. Establishment has no oil waste recycling company to pick up used oil. (No contract or receipt observed).
- Provide a metal oil drum(s) and recycling company for used deep fryer cooking oil. Management instructed to initiate immediate corrective action.
- 9-02.3 (B) Employees are smoking in unapproved areas. Numerous cigarettes are observed on the floor, and in an ashtray, in the kitchen. Management instructed to initiate immediate corrective action.
- 10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Kitchen utensils, food containers and dinnerware.
- One sink stopper is present, for the kitchen 3-basin sink. Three sink stoppers are required. Management instructed to initiate immediate corrective action.
- 12-01.5.B (4) Cold water at hand washing sink is not provided. Water is shut off at the kitchen handsink. Management instructed to initiate immediate corrective action.
- 12-01.5.B (5) Hot water at hand washing sink is not provided:
- Water is shut off at the kitchen handsink.
 - Hot water is not provided at the bar handsink. Management instructed to initiate immediate corrective action.

Wonderfully Made Little Tots
54 E Durham St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wonderfully Made Little Tots
54 E Durham St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19119*

Inspection Date

6/11/07

No Critical Violations

Parker Personal Care Home
103 W Duval St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

7/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: Ms. Parker has submitted the application and money order to the Health Dept. She is still waiting to receive the certificate. Management instructed to initiate immediate corrective action.

4/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a City of Philadelphia Food Safety certificate. Management instructed to initiate immediate corrective action.

4/17/06

No Critical Violations

Miracle Moments Family Day Care
232 W Earlham Te

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

11/28/06

No Critical Violations

9/20/05

No Critical Violations

Vernie's Soul Food
1800 W Eleanor St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141*

Inspection Date

5/14/07

No Critical Violations

2/24/06

No Critical Violations

Kirk's Pizza House
2145 Elkins Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kirk's Pizza House
2145 Elkins Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

10/31/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Sandwich and pizza toppings in bainmaries are not kept at 41°F or lower (observed at 68°F and 48°F respectively).

ORDERS: Discontinue use of bainmaries for potentially hazardous foods until a holding temperature of 41°F or lower is maintained. Remove all potentially hazardous foods from bainmaries and place in refrigeration units with holding temperatures of 41°F or lower.

Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed at first floor and basement prep areas landing on food contact surfaces. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Sink stoppers observed do not stop water/plug hole (water drains while plug is in place). Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water was turned off at time of inspection due to a leak at the first floor prep area handsink. Hot water temperature between 110°F and 125°F must be provided at all times. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application given to manager. Management instructed to initiate immediate corrective action.

7/10/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Sandwich and pizza toppings in bainmaries are not kept at 41°F or lower (observed at 78°F).

ORDERS: Discontinue use of bainmaries until a holding temperature of 41°F or lower is maintained. Remove all potentially hazardous foods from bainmaries and place in refrigeration units with holding temperatures of 41°F or lower.

Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water at basement prep area handsink is not provided. Repair hot water faucet. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Manager is enrolled in a class that started last week. Management instructed to initiate immediate corrective action.

5/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

8/17/05

No Critical Violations

8/16/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Walk-in refrigerator observed at 54° F. All items moved to other refrigeration units.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Early Childhood Prog. Germantown Jewish
400 W Ellett St

Institution: Child, Child Care Centers
Philadelphia, PA 19119

Inspection Date

5/7/08

No Critical Violations

3/12/07

No Critical Violations

3/2/06

No Critical Violations

JCC Germantown Satellite Senior Center
400 W Ellett St

Institution: Adult, Other
Philadelphia, PA 19119

Inspection Date

5/7/08

No Critical Violations

3/12/07

No Critical Violations

3/2/06

No Critical Violations

Emlen Arms Lunch Program
6733 Emlen St

Institution: Adult, Other
Philadelphia, PA 19119

Inspection Date

2/5/08

No Critical Violations

2/6/07

No Critical Violations

2/16/06

No Critical Violations

Hamlet Bistro
7105 Emlen St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

5/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

Commodore Barry Club
6815 E Emlen St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

2/13/08

No Critical Violations

Andora's Li'l Angels Day Care
7860 Eva Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Andora's Li'l Angels Day Care
7860 Eva Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

6/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/15/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

The Dietary Specialties Shoppe
184 Evergreen Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/10/06

No Critical Violations

Cake
184 E Evergreen Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

4/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The food safety class has been completed. The owner produced a photocopy of the application she sent in for the City of Philadelphia Food Safety certificate.

3/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a current City food safety certificate.

3/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a current City food safety certificate.

1/11/07

No Critical Violations

11/8/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the basement shelves and floor.

9/13/06

4-01.1 (A) Food/Food service article storage does not provide protection. A splash guard is needed between the 3-basin sink and handsink.

7-01 (L) Mouse infestation is present. Mouse droppings observed on the basement shelves and floor.

7/3/06

4-01.1 (A) Food/Food service article storage does not provide protection. Splash guard needed between 3-basin sink and handsink.

7-01 (L) Mouse infestation is present. Mouse droppings observed on the prep area floor, near the oven.

6/10/06

5-01.1 Food is not protected from contamination. Splash guard needed between 3-basin sink and hand sink.

7-01 (L) Mouse infestation is present. Mouse droppings observed on the prep area floor, near the oven, and on basement shelving.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cake
184 E Evergreen Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

6/10/06

4-01.1 (A) Food/Food service article storage does not provide protection. Splash guard needed between 3-basin sink and handsink.
7-01 (L) Mouse infestation is present. Mouse droppings observed on the prep area floor, near the oven, and on basement shelving.

Top of the Hill Cafe
184 E Evergreen Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

9/5/07

19-01.1 Food establishment personnel food safety certified individual is not present.(Serve-serve certification observed.) Management instructed to initiate immediate corrective action.
5-04.2 (A) Approved sneeze guards are not provided as required for scale.

Top Of The Hill Farm Market
186 E Evergreen Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/29/08

No Critical Violations

6/24/08

5-04.2 (A) Approved sneeze guards are not provided as required for scale at display case. Provide sneeze guard to protect from contamination. Management initiated immediate corrective action.

9/14/07

No Critical Violations

6/8/07

19-04 Food establishment personnel food safety certificate is expired. May 2007 City of Philadelphia Food Safety Certificate observed. List of providers given to owner. Management instructed to initiate immediate corrective action.

Fairmount Institute
561 Fairthorne St

Institution: Hospital
Philadelphia, PA 19128

Inspection Date

2/21/08

19-01.1 Food establishment personnel food safety certified individual is not present. Management submitted the applications to the Dept. of Public Health and is waiting for the certificate in the mail, during time of inspection. Management instructed to initiate immediate corrective action.

12/18/07

8-02.2 An approved air gap is not present. Inadequate air gap is present from the self-serve PEPSI dispenser unit at the serving area, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Stephanie Carroll is missing the certificate from the Dept. of Public Health, manager has application. Management instructed to initiate immediate corrective action.

3/20/07

No Critical Violations

10/25/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Fairmount Institute
561 Fairthorne St

Institution: Hospital
Philadelphia, PA

Inspection Date

9/14/05

No Critical Violations

Castillo Grocery
824 W Fisher Av

Retail Food: Grocery Market
Philadelphia, PA 19120

Inspection Date

10/2/07

No Critical Violations

8/22/07

4-01.1 (A) Food/Food service article storage does not provide protection. Splashguard not present between hand wash sink and deli case. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present ; numerous mouse droppings on the storage shelves in back room. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/1/07

8-06.1.1 (C) Drain line is in need of repair at 3 basin sink.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/5/06

No Critical Violations

Francisco Rodriguez
824 W Fisher Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

6/26/08

7-01 (L) Mouse infestation is present by droppings behind freezers and under cooking equipment. Management instructed to initiate immediate corrective action.

Rodriguez Deli and Grocery
824 W Fisher Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

7/21/08

No Critical Violations

Rodriguez Grocery
824 W Fisher Av

Retail Food: Grocery Market
Philadelphia, PA 19120

Inspection Date

2/21/06

No Critical Violations

2/6/06

7-01 (L) Mouse infestation is present; mouse droppings observed at rear storage area floor.

Wooten's Child Care
924 W Fisher Av

Institution: Child, Group Day Care Homes
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wooten's Child Care
924 W Fisher Av

Institution: Child, Group Day Care Homes
Philadelphia, PA 19141

Inspection Date

4/13/07

No Critical Violations

4/17/06

No Critical Violations

Jones' Family Child Care Home
1421 W Fisher Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

12/27/05

No Critical Violations

Frank's Pizza
3600 Fisk Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

6/9/08

2-01.1 (D) Defective food containers are present. Dented cans are observed on the lower shelves in the food prep area. Management instructed to initiate immediate corrective action.

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Perishable lunchmeat temp. range is 53°F-54°F in the small refrigerator/prep unit. Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/prep temp. 53° F during time of inspection. Small refrigerator/prep unit use will need to be discontinued until it is properly repaired.

4-01.1 (A) Food/Food service article storage does not provide protection. Food items at the prep table are not protected from splash contamination from the handsink. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solutions in the food prep during time of inspection. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Food equipments are not properly washed, rinsed and sanitized in the 3-basin sink, wire rack is observed in the 1st basin, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is not present, during time of inspection. Owner has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

1/8/07

No Critical Violations

Common Ground II
4317 Fleming St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Common Ground II
4317 Fleming St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

2/7/07

12-01.5.B (5) Hot water at hand washing sink is not provided. The water is shut off at the kitchen hand sink. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. The water is shut off at the kitchen hand sink. Management instructed to initiate immediate corrective action.

11-01.2 (A) Food equipment is defective.

- The nozzle at the 3-basin sink does not reach all three sinks.
- The cold water faucet is defective at one of two 3-basin sinks at the bar.

1/20/07

12-01.5.B (5) Hot water at hand washing sink is not provided. The water is shut off at the kitchen hand sink. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. The water is shut off at the kitchen hand sink. Management instructed to initiate immediate corrective action.

11-01.2 (A) Food equipment is defective.

- The nozzle at the 3-basin sink is leaking.
 - The nozzle at the 3-basin sink does not reach all three sinks.
 - The cold water faucet is defective at one of two 3-basin sinks at the bar.
-

Blessed Katharine Drexel Residence
7919 Forrest Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19150

Inspection Date

3/19/08

No Critical Violations

4/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. Information on providers was given to establishment. Management instructed to initiate immediate corrective action.

3/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/10/06

No Critical Violations

Tanisha Ross Family Day Care
8640 Forrest Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

11/6/06

No Critical Violations

8/30/05

No Critical Violations

Deborah Browning Family Day Care
8520 Forrest St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

9/26/06

No Critical Violations

9/28/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Holy Child School (Lower)
251 Fountain St

*Institution: School, Archdiocese
Philadelphia, PA 19127*

Inspection Date

4/16/08

No Critical Violations

10/24/07

No Critical Violations

1/31/07

No Critical Violations

10/20/06

No Critical Violations

Holy Child School lower
251 Fountain St

*Institution: School, Archdiocese
Philadelphia, PA*

Inspection Date

5/19/06

No Critical Violations

Fox Street Texaco
3281 Fox St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129*

Inspection Date

3/2/06

No Critical Violations

Fox Street Sunshine Day Care
3312 Fox St

*Institution: Child, Group Day Care Homes
Philadelphia, PA 19129132*

Inspection Date

10/22/07

No Critical Violations

9/19/06

No Critical Violations

9/19/05

No Critical Violations

Cresson Inn
114 Gay St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127*

Inspection Date

11/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate.

9/20/07

4-01.1 (A) Food/Food service article storage does not provide protection. A bag of take out containers is stored in front of the hand sink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate.

9/12/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cresson Inn
114 Gay St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/3/06

No Critical Violations

3/21/06

7-01 (L) Mouse infestation is present. Droppings on shelves, grease trap and floor perimeters in the kitchen.

Jenks School
8301 Gemantown Av

Institution: School, Public
Philadelphia, PA 19118

Inspection Date

4/23/08

No Critical Violations

11/7/07

No Critical Violations

3/12/07

No Critical Violations

3/7/07

8-01.2 (C) Hot water is not provided. No hot water observed at time of inspection. Building engineer stated that the water heater had just arrived and was being replaced today. Replace water heater and maintain hot water temperature between 110°F and 125°F. Management instructed to initiate immediate corrective action.

2/28/07

8-01.2 (C) Hot water is not provided. No hot water observed at time of inspection. Building engineer stated that the water heater was being replaced, however, the school was waiting for the new water heater to arrive. Replace water heater and maintain hot water temperature between 110°F and 125°F. Management instructed to initiate immediate corrective action.

11/27/06

No Critical Violations

5/16/06

No Critical Violations

9/13/05

No Critical Violations

Little Kings & Queens FDC
7043 Georgian Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

1/15/08

No Critical Violations

7/7/06

No Critical Violations

Myrtis Blackmon Family Day Care
7152 Georgian Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/1/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Myrtis Blackmon Family Day Care
7152 Georgian Rd

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

8/30/05

No Critical Violations

Dorothy Varnes Family Day Care
7153 Georgian Rd

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

9/1/06

No Critical Violations

8/30/05

No Critical Violations

Levering Bright Futures
498 Gerhard St

*Institution: Child, Child Care Centers
Philadelphia, PA 19128*

Inspection Date

4/16/08

No Critical Violations

10/12/07

No Critical Violations

2/1/07

No Critical Violations

11/28/06

No Critical Violations

Levering Elementary School
498 E Gerhard St

*Institution: School, Public
Philadelphia, PA 19128*

Inspection Date

4/16/08

7-01 (L) Mouse infestation is present, fresh droppings observed on kitchen, storage rooms floors, on shelving in storage room.

171.7(c) Each lavatory on the premises having running water under pressure is not supplied with hot and cold water. The basement restrooms have cold water only.

10/12/07

No Critical Violations

2/1/07

No Critical Violations

11/28/06

No Critical Violations

5/17/06

No Critical Violations

9/15/05

No Critical Violations

Baby Grand Lounge
4420 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Baby Grand Lounge
4420 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

7/31/06

No Critical Violations

John's Auto Service Station
4524 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

7/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner attended a food safety course, and sent in the application for the City of Philadelphia food safety certificate. The course certificate, and money order receipt were shown at the time of inspection.

5/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. The ServSafe certificate is expired. Attend a recertification course, and obtain a City of Philadelphia food safety certificate.

5/31/06

No Critical Violations

New Directions for Women
4807 Germantown Av

Institution: Adult, Shelter
Philadelphia, PA 19144

Inspection Date

5/14/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

3/13/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

1/29/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

2/13/07

No Critical Violations

2/16/06

No Critical Violations

Germantown Settlement Charter School
4811 Germantown Av

Institution: School, Charter
Philadelphia, PA 19144

Inspection Date

6/2/08

No Critical Violations

10/22/07

No Critical Violations

3/12/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Settlement Charter School
4811 Germantown Av

*Institution: School, Charter
Philadelphia, PA 19144*

Inspection Date

11/29/06

No Critical Violations

5/16/06

No Critical Violations

5/15/06

No Critical Violations

2/15/06

No Critical Violations

New Germantown Pizza
4923 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

5/7/07

No Critical Violations

11/29/06

No Critical Violations

5/1/06

No Critical Violations

Chang Sam Chinese Restaurant
5008 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

12/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/18/06

No Critical Violations

Sassy's Sensational Soul Food
5017 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

12/19/06

No Critical Violations

Grace Garden Chinese Restaurant
5025 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

4/4/08

No Critical Violations

3/13/08

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered food items observed in walk-in refrigerator and opaque grease present in the fryer.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Grace Garden Chinese Restaurant
5025 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

1/4/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

11/13/06

No Critical Violations

Philly Deli Market
5031 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

1/2/08

No Critical Violations

12/18/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear storage and prep areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. KAGRO certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

12/19/06

No Critical Violations

Sugar Stick Tavern
5060 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

4/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.
2-10.2 Ice is not protected from contamination. The ice scoop, for the ice machine, is stored on top of a dusty vacuum.

3/16/07

7-01 (D) Roach infestation is present. Dead roaches observed in the rear kitchen in the refrigerator and on the glue traps. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/16/06

No Critical Violations

Germantown Pharmacy
5100 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

2/9/07

No Critical Violations

1/26/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the basement shelves and floor. Management instructed to initiate immediate corrective action.
4-01.1 (A) Food/Food service article storage does not provide protection. Numerous mouse droppings observed on shelves where canned beverages are stored.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Almadenah Halal Meat Market
5101 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

4/24/08

5-04.2 (A) Approved sneeze guards are not provided as required. Provide sneeze guards for scales on display cases. Move scales until sneeze guards are provided.

4/2/08

5-01.1 Food is not protected from contamination, open bag of flour, potatoes stored on floor, food uncovered in walkin.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

7/17/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

5/15/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/10/06

No Critical Violations

Al Salam Restaurant
5107 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

4/24/08

No Critical Violations

7/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

7/17/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Bainmarie across from range observed at 61°F. Breakfast and lunch meats and cheeses removed from bainmarie and placed in walk-in refrigerator. All potentially hazardous foods must be maintained at or below 41°F.

ORDERS: Discontinue use of bainmarie for potentially hazardous foods until a holding temperature of 41°F or lower is maintained.

Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed at prep areas. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelving units. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided at prep area handsink. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided at prep area handsink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/22/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Mini Market
5111 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

10/18/06

No Critical Violations

Angela's Childrens Nest
5126 Germantown Av

Institution: Child, Group Day Care Homes
Philadelphia, PA 19144

Inspection Date

9/11/07

No Critical Violations

9/15/06

No Critical Violations

9/28/05

No Critical Violations

In & Out Deli
5139 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

2/13/08

No Critical Violations

12/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Application given to manager. Management instructed to initiate immediate corrective action.

10/18/06

No Critical Violations

Nayeli Grocery
5141 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

5/13/08

No Critical Violations

Progressive Food Market
5141 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

12/17/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment shelves and floors. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. Cold water at toilet room handsink is defective. Repair faucet. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water at toilet room handsink is defective. Repair faucet. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. ServSafe certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Progressive Food Market
5141 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

12/10/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment shelves and floors. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper present, no sanitizer observed, and items observed stored inside third basin of three-basin sink at time of inspection. Provide three sink stoppers (one per basin) and sanitizer and remove items from sink for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. Cold water at prep area handsink is defective. Repair faucet. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. ServSafe certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

11/10/06

No Critical Violations

Tete's Grocery
5141 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/27/06

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed on shelves at front of establishment where water is stored. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

4/20/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on:

- shelves with detergent
- customer area floor
- rear room shelves

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9/21/05

No Critical Violations

Mecca Halal Pizza and Restaurant
5147 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

4/23/07

No Critical Violations

4/9/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed around perimeters of basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Servsafe certificate observed. Application for City of Philadelphia Food Safety Certificate has been sent in. Management initiated immediate corrective action.

4/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. Servsafe certificate observed. Application for City of Philadelphia Food Safety Certificate has been sent in. Management initiated immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mecca Halal Pizza and Restaurant
5147 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

3/26/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed on the shelves and floors of the cooking line and prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Servsafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

11/10/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on the shelves and floor of the cooking line, prep area floor, and in basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/18/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on the shelves and floor of the cooking line, prep area floor, and in basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/4/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings are found on the shelves and floor of the prep area and basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/11/05

No Critical Violations

Family Dollar
5140 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

1/27/08

No Critical Violations

11/17/06

No Critical Violations

Family Dollar Store #6201
5200 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

4/8/08

No Critical Violations

3/18/08

No Critical Violations

C Riv's Child Care Center
5209 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

6/5/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

C Riv's Child Care Center
5209 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

5/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Class completed on April 30th and Director is waiting for certificate. Application is completed and ready to send to City of Philadelphia upon arrival of class certificate. Management initiated immediate corrective action.

4/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/29/07

No Critical Violations

3/21/06

No Critical Violations

Golden City Take Out Resturant
5227 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

8/13/07

No Critical Violations

7/31/07

5-01.1 Food is not protected from contamination. No splash guard is provided between prep sink and single burner. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/11/06

No Critical Violations

6/26/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelves and floor in storage areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

2/24/06

No Critical Violations

2/10/06

7-01 (L) Mouse infestation is present. Mouse feces observed on shelving in rear areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Holley Temple Church Soup Kitchen
5305 Germantown Av

Retail Food: Community Service
Philadelphia, PA 19144

Inspection Date

7/31/07

No Critical Violations

9/27/05

No Critical Violations

Germantown Day Program
5429 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Day Program
5429 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/22/07

No Critical Violations

Buddy Bear Day Care
5445 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

6/24/08

19-01.1 Food establishment personnel food safety certified individual is not present at the time of inspection. Management instructed to initiate immediate corrective action.
8-01.2 (C) Hot water is not provided. Note: The supervisor states it will be restored today.
3270.21 Conditions at the facility pose a threat to the health and safety of the children. NOTE: NO HOT WATER PRESENT AT THE TIME OF INSPECTION.

2/4/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. ServSafe certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

1/10/08

No Critical Violations

1/7/08

8-01.2 (C) Hot water is not provided at time of inspection. Hot water between 100°F and 110°F must be provided at all times.

ORDERS: Due to the serious nature of these conditions, the management of this establishment has agreed to suspend operation tomorrow until hot water is restored to the establishment. Establishment operation will not resume until a reinspection has verified that the present conditions have been corrected and that the establishment can safely resume operation.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

1/10/07

No Critical Violations

10/17/05

No Critical Violations

10/12/05

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 91° F. Raise hot water temperature to 110° F.

9/7/05

7-01 (J) Other insect infestation is present. Gnats observed in classroom.

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 93° F. Raise hot water temperature to 110° F.

Dollar Crazy
5514 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dollar Crazy
5514 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

1/27/08

No Critical Violations

10/31/06

No Critical Violations

Great London Pizza
5522 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

7/26/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit, milk and orange juice are between 44°-51°F, were moved to cooler walk-in unit. Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures, bainmarie behind cooking area is 46°F, employee removed milk, orange juice and pie to cooler walk-in. Management instructed to initiate immediate corrective action. Management initiated immediate corrective action.

6-01.2 (B) Food utensils and contact surfaces are not cleaned and sanitized, sanitizer not observed in facility. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present by numerous snap traps & droppings observed under equipment throughout facility. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner, soiled cloths are on food prep areas, not stored in bucket of sanitized water between uses. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated, food equipment stored in first sink & soaking in pink detergent in middle and last basins. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety certificate and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/3/08

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the floor next to the mixer. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety certificate and obtain a city of Philadelphia food safety certificate. Note: Cindy Pae is enrolled in the course. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Mops are stored next to the mixer.

10/31/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the shelves and floor in the trash room and prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety certificate and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Mops are stored next to the mixer.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Great London Pizza
5522 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

9/17/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Utensils, pans and containers are not sanitized. No sanitizer is present. Provide an approved sanitizer for the proper wash-rinse-sanitize process. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety certificate and obtain a food safety certificate. Management instructed to initiate immediate corrective action.

9/1/06

No Critical Violations

8/18/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit:

- Refrigerator, with sliced deli meats, eggs and milk, observed at 68° F.
- Refrigerator, with hamburger patties, observed at 54° F.
- Refrigerator, with breaded meat, observed at 49° F.

All items were moved to walk-in refrigerator, at proper temperature.

THESE REFRIGERATORS ARE NOT APPROVED FOR THE USE OF PERISHABLE FOOD ITEMS UNTIL TEMPERATURES CAN BE MAINTAINED BELOW 41° F.

Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized - kitchen utensils, food containers, etc.

- Only two sink stoppers are present. Three sink stoppers are needed for the required washing, rinsing and sanitizing of multi-use utensils and food equipment.

Management instructed to initiate immediate corrective action.

La Rosa Club
5531 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

7/31/07

No Critical Violations

7/17/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed along prep and dining area perimeters. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

6/19/07

11-01.2 (A) Food equipment is defective. Prep area hand sink does not work. Repair sink so hot and cold water are provided at all times for proper hand washing. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

Divine Toddler Town Day Care Center
5541 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Divine Toddler Town Day Care Center
5541 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

5/28/08

No Critical Violations

5/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The director has completed the course. The owner took the application to 321 University Ave. today. Management instructed to initiate immediate corrective action.

4/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Pat's Carribean Market
1527 Wadsworth Av

Retail Food: Grocery Market
Philadelphia, PA 19150

Inspection Date

3/13/06

No Critical Violations

Torres Grocery
6151 Baynton St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

3/10/06

No Critical Violations

Dahlak II Restaurant
5547 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

5/20/08

19-01.1 Food establishment personnel food safety certified individual is not present. NOTE: A City of Philadelphia Food Safety Certificate must be obtained.

3/19/08

19-01.1 Food establishment personnel food safety certified individual is not present.

2/26/08

7-01 (L) Mouse infestation is present. An infested glue trap was present under the bar counter.
19-01.1 Food establishment personnel food safety certified individual is not present.

B & B Grill
5601 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/22/07

No Critical Violations

9/27/05

No Critical Violations

Germantown Food Market
5607 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Food Market
5607 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

12/12/07

No Critical Violations

11/13/06

No Critical Violations

Lighting Beauty Supplies
5608 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

2/21/07

No Critical Violations

2/9/07

8-01.2 (C) Hot water is not provided to the employee toilet room. Note: Establishment sells a minimum of prepackaged foods only. Management instructed to initiate immediate corrective action.

1/26/07

8-01.2 (C) Hot water is not provided to the employee toilet room. Note: Establishment sells a minimum of prepackaged foods only. Management instructed to initiate immediate corrective action.

G-TOWN Beauty & Discount
5610 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

10/31/06

No Critical Violations

Value Plus
5615 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

10/31/06

No Critical Violations

Mr. Hook Fish & Chicken
5623 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

2/15/08

No Critical Violations

8/8/07

No Critical Violations

Walgreen's
5627 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

12/27/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Walgreen's
5627 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

12/12/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at food stocked shelves at patron area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

11/13/06

No Critical Violations

10/30/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves and floor in upstairs storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Dollar Worth
5700 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

1/27/08

No Critical Violations

1/26/07

No Critical Violations

King Newstand
5700 Germantown Av

Retail Food: Mobile Food Vendor
Philadelphia, PA 19144

Inspection Date

1/26/07

No Critical Violations

Dunkin Donuts
5701 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

1/22/07

No Critical Violations

11/22/05

No Critical Violations

Crab House
5706 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

2/26/07

No Critical Violations

9/9/05

No Critical Violations

8/8/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

5708 Germantown Deli
5708 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

3/14/07

No Critical Violations

2/28/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the rear room shelving.
Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9/7/05

No Critical Violations

Young's Discount Plaza
5723 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

12/12/07

No Critical Violations

10/12/06

No Critical Violations

10/28/05

No Critical Violations

Center in the Park
5818 Germantown Av

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

3/14/07

No Critical Violations

3/6/06

No Critical Violations

HIJOP Meats
5821 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

4/23/08

No Critical Violations

11/20/07

No Critical Violations

6/20/07

19-04 Food establishment personnel food safety certificate is expired. Employee is completed a re-certification class on April 9th, 2007. Application for City Food Safety Certificate has been sent. Management instructed to initiate immediate corrective action.

4/12/07

19-04 Food establishment personnel food safety certificate is expired. Employee is completed a re-certification class on April 9th, 2007. Application for City Food Safety Certificate will be sent in this week. Management instructed to initiate immediate corrective action.

3/29/07

No Critical Violations

11/27/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

HIJOP Meats
5821 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

11/13/06

8-06.1.1 (D) Soil line is in need of repair. Putrid smell observed in rear area and men's toilet room. Employee stated line is in need of repair. Management instructed to initiate immediate corrective action.

8-06.2.3 (A) Refuse is improperly stored. Refuse is not contained. Bags of trash and boxes are stored in rear area near toilet rooms. Trash must be kept in contained receptacles until picked up. Management instructed to initiate immediate corrective action.

Germantown Wholesale
5825 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

11/13/06

No Critical Violations

New Golden House Restaurant
5833 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 191440

Inspection Date

6/13/08

No Critical Violations

5/13/08

7-01 (L) Mouse infestation is present. There are droppings present along the prep area perimeters.

4-01.1 (A) Food/Food service article storage does not provide protection. Numerous uncovered foods inside refrigerated units and opaque grease present in the fryers.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. The owner was not aware of the procedure of wash, rinse and sanitizing of utensils.

1/22/07

No Critical Violations

12/6/05

No Critical Violations

11/22/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves and floor in rear room.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Aaron's Donut Shop
5843 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

6/21/07

No Critical Violations

6/17/06

No Critical Violations

Han's Family Discount Store
5906 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

9/18/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Han's Family Discount Store
5906 Germantown Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

9/1/06

No Critical Violations

Red Door Tavern
5912 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

4/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/23/06

No Critical Violations

Crown Chicken and Pizza
5920 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

10/15/07

No Critical Violations

Le Mandingue
5920 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

3/17/08

No Critical Violations

Town Hall Pizza
5920 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

9/17/07

No Critical Violations

9/8/06

No Critical Violations

8/24/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor near the 3-basin sink.

Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Toothbrush stored at the 3-basin sink.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sanitizer is present. One of the three sink stoppers is broken. Management instructed to initiate immediate corrective action.

Family Dollar Store #6495
5932 Germantown Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Family Dollar Store #6495
5932 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

9/18/07

No Critical Violations

9/1/06

No Critical Violations

Aprons Incorporated
5946 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

7/17/08

3-01.1 (A) Potentially hazardous food is stored at improper temperature, chicken wings and pork/beef temperature at 97°F, Sanitarian advised to discard. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required at sink near hot holding unit. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner, cloths stored on food prep table instead of in sanitizer between uses. Management instructed to initiate immediate corrective action.

10-05.1 (B) Warewasher does not maintain proper sanitizing concentration, chlorine reads 0 ppm, Sanitarian advised to discontinue usage until serviced. Food equipment must be manually washed, rinsed and sanitized. Management instructed to initiate immediate corrective action.

5/7/07

19-01.1 Food establishment personnel food safety certified individual is not present.

5/7/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Geechee Girl Rice Cafe
5946 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/24/06

No Critical Violations

8/15/06

No Critical Violations

First Methodist Head Start
6021 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

4/5/06

7-01 (L) Mouse infestation is present; mouse droppings observed at prep table cabinet; floor.

ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

3/15/06

7-01 (L) Mouse infestation is present; mouse droppings observed at prep table; floor and shelf at Room 102.ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair at 1st floor students toilet; drainage line leaking observed next to toilet.

12-01.5.B (5) Hot water at hand washing sink is not provided; no hot water observed at students 1st floor toilet room. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Miss Marty's Preschool
6001 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

6/24/08

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

NU Waters
6008 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

4/29/08

No Critical Violations

The Nile Cafe
6008 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

7/30/08

11-09.2 Equipment is located under an unprotected source of contamination, clean food equipment is stored on rack under air conditioner. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/3/08

19-01.1 Food establishment personnel food safety certified individual is not present. The ServSafe certificate is expired. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. The ServSafe certificate is expired. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/6/06

No Critical Violations

8/15/06

5-01.1 Food is not protected from contamination. Splash guard is needed between hand sink and 3-basin sink. Management instructed to initiate immediate corrective action.
7-01 (D) Roach infestation is present. Roaches observed in out-of-use refrigerator in prep area. Management instructed to initiate immediate corrective action.

The Food Trust Farmers' Market
6098 Germantown Av

Retail Food: Curb Market
Philadelphia, PA 19144

Inspection Date

7/6/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Lee's Food Market
6118 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

9/17/07

No Critical Violations

3/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present, but no city certificate. Note: The owner has sent in the city application. Management instructed to initiate immediate corrective action.

2/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present, but no city certificate. Management instructed to initiate immediate corrective action.

2/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

12/21/05

No Critical Violations

12/5/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on several customer shelves, near cat food and charcoal.

11/18/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on several customer shelves and prep area and rear room floors.

Settlement Music School
6128 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

10/25/07

No Critical Violations

2/20/07

No Critical Violations

9/11/06

No Critical Violations

Mozzelle's Pizza
6143 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

12/19/06

No Critical Violations

Roula's Pizza
6200 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Roula's Pizza
6200 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

11/19/07

- 5-01.1 Food is not protected from contamination. A knife is stored in the seam behind the hand washing sink. Management instructed to initiate immediate corrective action.
- 7-01 (A) Fly infestation is present. Flies observed in the basement. Management instructed to initiate immediate corrective action.
- 7-01 (L) Mouse infestation is present. Mouse droppings are present on the shelves and floor in the basement. Mouse droppings are also present on the walk-in refrigerator floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
- 8-06.1.1 (C) Drain line is in need of repair at the toilet room hand sink.
- 19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/18/07

No Critical Violations

9/17/07

- 5-01.1 Food is not protected from contamination. Knives are stored in the seams behind the hand washing sink. Management instructed to initiate immediate corrective action.
 - 7-01 (L) Mouse infestation is present. Mouse droppings are present in the toilet room. Management instructed to initiate immediate corrective action.
 - 10-02.2 (B) Food equipment and utensils are improperly sanitized. Food utensils, pans and containers are not sanitized.
 - The 3-basin sink faucet head has broken off.
 - No sink stoppers are present. Three sink stoppers are needed for the proper wash-rinse-sanitize procedure.
- Provide for the required washing, rinsing and sanitizing of utensils and food equipment.
Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/6/06

No Critical Violations

8/21/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Roula's Pizza
6200 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

8/18/06

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Multi use utensils are not properly cleaned and sanitized - kitchen utensils, food containers.

- 3-basin sink is not working.
- No sink stoppers present.
- No sanitizer present in establishment.

Provide for the required washing, rinsing and sanitizing of multi use utensils and food equipment. Use an approved sanitizer according to the instructions and concentrations indicated on the label. Items must be air dried after sanitizing.

Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair:

- Drain line is not connected at 3-basin sink.
- Drain line for handsink is leaking.

Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Flies observed in prep areas. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present. Fruit flies observed in prep areas. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelving and on the basement floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Rite Aid Pharmacy #1563
6201 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

11/28/07

No Critical Violations

9/24/06

No Critical Violations

Aplus Mini Market #060215
6240 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

12/11/07

No Critical Violations

12/3/07

5-04.2 (A) Approved sneeze guards are not provided as required. The sneeze guard is not present on the self-serve hot dog unit. Management initiated immediate corrective action while present.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Tongs and coffee pots are not properly sanitized. Employee did not have knowledge of proper sanitization process. Only two sink stoppers are present.

- Provide three sink stoppers and immediately begin the proper wash-rinse-sanitize procedure.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety class and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Aplus Mini Market #060215
6240 Germantown Av

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

12/3/07

5-04.2 (A) Approved sneeze guards are not provided as required. The sneeze guard is not present on the self-serve hot dog unit. Management initiated immediate corrective action while present.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Tongs and coffee pots are not properly sanitized. Employee did not have knowledge of proper sanitization process. Only two sink stoppers are present.

- Provide three sink stoppers and immediately begin the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety class and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/31/06

No Critical Violations

Garry's Place
6332 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

7/25/08

No Critical Violations

4/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/23/06

No Critical Violations

The Rib Crib
6333 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

7/9/08

No Critical Violations

7/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city food safety certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

4/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city food safety certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

Sunnys Grocery
6339 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

7/2/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sunnys Grocery
6339 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

6/13/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Bainmarie temperature observed at 60°F. Discontinue use of bainmarie until a holding temperature of 41°F or lower is maintained. All foods observed in bainmarie at time of inspection were moved to deli case (temperature: 39°F).

Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous dead mice and mouse droppings observed throughout establishment. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Employee personal items observed stored inside three-basin sink. Remove items from sink so proper washing, rinsing, and sanitizing of food equipment and utensils can be carried out as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

6/14/06

No Critical Violations

5/31/06

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water is not provided at hand sink outside of toilet room. Management instructed to initiate immediate corrective action.

Rodriguez Food Market
6349 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

12/1/07

No Critical Violations

11/30/07

No Critical Violations

11/28/07

7-01 (L) Mouse infestation is present. Several fresh mouse droppings observed at rear storage and prep areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided at time of inspection. Hot water temperature must be maintained between 110°F and 125°F at all times. Restore hot water to establishment. Management instructed to initiate immediate corrective action.

ORDERS: Discontinue all food preparation until hot water temperature between 110°F and 125°F is restored to establishment.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

10/16/06

No Critical Violations

New Mandarin House
6351 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Mandarin House
6351 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

1/3/08

No Critical Violations

12/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application sent in by owner one month ago. Management instructed to initiate immediate corrective action.

11/7/07

8-06.1.1 (C) Drain line is in need of repair. Leak observed at prep area handsink drain line. Repair drain line so handwashing sink can be used at all times. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers or sanitizer observed at three-basin sink. Provide three sink stoppers (one per basin) and sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

11/22/05

No Critical Violations

Sacred Heart Manor
6445 Germantown Av

Institution: Nursing and Convalescent Home
Philadelphia, PA 19119

Inspection Date

7/15/08

No Critical Violations

6/26/08

No Critical Violations

8/23/07

7-01 (L) Mouse infestation is present. Mouse droppings observed at 312, 310, 306, 213 room closet cabinets. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/30/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

NOTE: DISCONTINUE USE OF DEFECTIVE REFRIGERATOR OBSERVED AT 48°F LOCATED AT 3RD FLOOR PANTRY ROOM UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. 2 MILK CONTAINERS DISCARDED WHILE PRESENT Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. No splashguard observed prep sink and handwashing sink and between sink and storage shelves. Management instructed to initiate immediate corrective action.

11/29/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sacred Heart Manor
6445 Germantown Av

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19119*

Inspection Date

10/25/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. 3rd floor refrigerator observed at 50°F. DISCONTINUE USE OF DEFECTIVE REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. 2 MILK CONTAINERS DISCARDED WHILE PRESENT. Management instructed to initiate immediate corrective action.

1/23/06

7-01 (L) Mouse infestation is present; mouse droppings observed at storage area. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

9/6/05

No Critical Violations

Park's Neighborhood Market
6520 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119*

Inspection Date

1/25/07

No Critical Violations

Mrs D's & Family
6631 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119*

Inspection Date

3/11/08

No Critical Violations

2/15/08

No Critical Violations

1/26/08

No Critical Violations

1/18/08

No Critical Violations

1/18/08

7-01 (L) Mouse infestation is present. Numerous fresh and old mouse droppings observed around perimeters and in corners of prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided at time of inspection. Hot water temperature between 110°F and 125°F must be provided at all times.

ORDERS: Discontinue all food preparation and sale until hot water temperature between 110°F and 125°F is restored to establishment. Establishment operation will not resume until a reinspection has verified that the present conditions have been corrected and that the establishment can safely resume operation.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Owner completed class and sent in application and money order in November. Management initiated immediate corrective action.

12/14/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mrs D's & Family
6631 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

10/12/07

19-01.1 Food establishment personnel food safety certified individual is not present ; Management instructed to initiate immediate corrective action.

9/14/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed on floor throughout prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

4/3/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves and floors throughout prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

3/20/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves throughout prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

11/18/05

No Critical Violations

Corner Deli
6643 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

11/10/06

No Critical Violations

Five Star Chinese Restaurant
6667 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

11/10/06

No Critical Violations

Childcare Learning Academy
6671 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19119

Inspection Date

6/27/08

No Critical Violations

11/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

11/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

11/10/06

No Critical Violations

10/5/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kim's Trio Delight Cafe
6709 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

6/13/07

No Critical Violations

6/13/06

No Critical Violations

6/13/06

No Critical Violations

MT. AIRY BREAKFAST & LUNCH
6709 GERMANTOWN Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

8/24/05

No Critical Violations

DS Variety
6732 Germantown Av

Retail Food: General Convenience
Philadelphia, PA

Inspection Date

1/23/06

No Critical Violations

D's Variety
6732 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19119

Inspection Date

5/3/07

No Critical Violations

4/25/07

10-01.1 (A) An approved equipment and utensil washing sink is not provided. The water ice scoops are washed in the toilet room sink. Note: An additional sink is in the process of being installed.

3/27/07

10-01.1 (A) An approved equipment and utensil washing sink is not provided. The water ice scoops are washed in the toilet room sink. Note: An additional sink is in the process of being installed.

Mermaid Bar
6745 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

7/28/08

No Critical Violations

6/27/08

19-01.3 Food establishment personnel food safety certificate is not posted.

6/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Hong Kong Restaurant
6749 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

7/2/07

No Critical Violations

Little Miss Muffet Child Care
6763 Germantown Av

Institution: Child, Group Day Care Homes
Philadelphia, PA 19119

Inspection Date

1/10/08

No Critical Violations

1/10/07

No Critical Violations

11/1/05

No Critical Violations

Montessori Child Care
6767 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19119

Inspection Date

4/24/08

19-01.1 Food establishment personnel food safety certified individual is not present.

6/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Director stated that one employee finished the class in April and has sent an application to the City.

4/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action. Director stated an employee is in a class today. Application given to Director.

4/20/06

No Critical Violations

4/17/06

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. No 3-basin sink present.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No 3-basin sink provided.

Discontinue use of food equipment and multi-use utensils until an approved procedure and facility for sanitizing can be provided.

The director agreed to microwave cooking only, with all disposable dishware and utensils.

4/17/06

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. No 3-basin sink present.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No 3-basin sink provided.

Discontinue use of food equipment and multi-use utensils until an approved procedure and facility for sanitizing can be provided.

The director agreed to microwave cooking only, with all disposable dishware and utensils.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Fino's Pizzeria
6784 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

1/4/08

No Critical Violations

10/23/07

No Critical Violations

3/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided in the toilet room. Management instructed to initiate immediate corrective action.

12/6/05

No Critical Violations

Geechee Girl Rice Cafe
6825 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

4/20/07

No Critical Violations

Groben's Seafood
6833 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

7/9/08

5-04.2 (A) Approved sneeze guards are not provided as required. In front of the scales.

8-06.4.3 (B) Liquid waste is not disposed properly. There is water leaking onto the basement floor from the prep area.

5/6/08

7-01 (A) Fly infestation is present in the rear prep area.

19-01.3 Food establishment personnel food safety certificate is not posted. The City of Philadelphia Food Safety Certificate is not present. Note: Application was issued.

8-06.4.3 (B) Liquid waste is not disposed properly. There is water leaking onto the basement floor from the prep area.

6/12/07

No Critical Violations

4/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. Commonwealth of Pennsylvania Food Safety Certificate observed. Application for City of Philadelphia Food Safety Certificate has been sent in by owner. Management initiated immediate corrective action.

4/3/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed around prep area floors and shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Commonwealth of Pennsylvania Food Safety Certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Home
6950 Germantown Av

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19119*

Inspection Date

7/31/08

5-01.1 Food is not protected from contamination. Raw poultry stored over pre-cooked food in walk in.--
-- Corrected while present.

8/24/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

NOTE: DISCONTINUE USE OF DEFECTIVE REFRIGERATOR OBSERVED AT 48°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. 4 MILK CONTAINERS, 5 COLD SANDWICHES DISCARDED WHILE PRESENT.

Management instructed to initiate immediate corrective action.

3/14/07

No Critical Violations

9/22/06

No Critical Violations

9/22/05

No Critical Violations

Homelink
6950 Germantown Av

*Institution: Adult, Other
Philadelphia, PA 191190*

Inspection Date

9/13/05

No Critical Violations

Acme Market # 7714
7010 Germantown Av

*Retail Food: Supermarket
Philadelphia, PA 19119*

Inspection Date

6/17/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain city of Philadelphia food safety certificates. Note: The manager stated that he has sent in the application and money order. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required in front of scales in meat and deli area. Management instructed to initiate immediate corrective action.

4/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain city of Philadelphia food safety certificates. Note: The manager stated that he has sent in the application and money order. Management instructed to initiate immediate corrective action.

3/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain City food safety certificates. Management instructed to initiate immediate corrective action.

11/2/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cooperman's Pharmacy
7060 Germantown Av

*Retail Food: General Convenience
Philadelphia, PA 19119*

Inspection Date

1/25/07

No Critical Violations

Infusion Coffee Shop
7133 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

1/18/07

No Critical Violations

New Imperial Chinese Restaurant
7134 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119*

Inspection Date

9/20/07

No Critical Violations

8/23/07

No Critical Violations

8/4/07

No Critical Violations

7/30/07

5-01.1 Food is not protected from contamination. A splash guard is needed between the prep sink and 3-basin sink. Management instructed to initiate immediate corrective action.

7/24/06

No Critical Violations

Chef Ken's Cafe
7135 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119*

Inspection Date

1/18/07

No Critical Violations

10/4/05

No Critical Violations

9/29/05

No Critical Violations

Anglesea Pub North
7136 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119*

Inspection Date

6/17/06

No Critical Violations

6/10/06

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures. Data plate states wash/ rinse temperature should be 120° F. Temperature only reached 90° F. Use 3-basin sink to wash-rinse-sanitize until corrected. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Video Library
7141 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

7/2/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

12/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

11/30/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to employee. Management instructed to initiate immediate corrective action.

7/13/06

No Critical Violations

Rothe Florist
7148 Germantown Av

Retail Food: General Public Establishment
Philadelphia, PA 19119

Inspection Date

1/12/08

No Critical Violations

11/13/06

No Critical Violations

Bitar's
7152 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

7/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner has completed the course. He has sent in the city application and money order for the City certificate. Management instructed to initiate immediate corrective action.

6/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner has completed the course. He has sent in the city application and money order for the City certificate. Management instructed to initiate immediate corrective action.

4/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner has completed the course. He has sent in the city application and money for the City certificate. Management instructed to initiate immediate corrective action.

3/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/22/05

8-06.1.1 (C) Drain line is in need of repair , unclog basement floor drain where rain water was observed on floor

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Golden Crust Pizza
7155 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

12/10/07

No Critical Violations

11/26/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Not hot water present at prep area handsink. Restore hot water temperature between 110°F and 125°F. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

2/28/06

No Critical Violations

Mi Puebla Restaurant
7157 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

11/26/07

No Critical Violations

8/23/06

No Critical Violations

8/14/06

No Critical Violations

NXNW Holdings, LLC
7165 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

7/2/08

19-01.1 Food establishment personnel food safety certified individual is not present. Manager sent in application, copy of ServSafe, and bank check in mid-September. NXNW never received a City Certificate. The ServSafe certificate expired in November and the food manager is enrolled in another class. Management initiated immediate corrective action.

7-01 (B) Fruit fly infestation is present around the bar area.

7-01 (L) Mouse infestation is present. There are droppings present along both prep area perimeters.

2/21/08

19-01.1 Food establishment personnel food safety certified individual is not present. Manager sent in application, copy of ServSafe, and bank check in mid-September. NXNW never received a City Certificate. The ServSafe certificate expired in November and the food manager is enrolled in another class. Management initiated immediate corrective action.

9/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Application and list of providers given to manager. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

McMenamin's Tavern
7170 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

7/30/08

7-01 (L) Mouse infestation is present, live mouse on glue trap in basement.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: The owner has sent in the city of Philadelphia food safety certificate application.

2-10.2 Ice is not protected from contamination. The ice scoop and cooling plate stored in drink ice.

4-01.1 (A) Food/Food service article storage does not provide protection. A few refrigerated foods are uncovered, splash guard lacking between drink ice at bar in same bin with cold plates.

7/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: The owner has sent in the city of Philadelphia food safety certificate application.

5/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate.

6/17/06

No Critical Violations

Herbe Apothecare
7200 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

8/30/06

No Critical Violations

Tally Ho Shoppe
7214 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

7/30/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety class and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/12/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety class and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/25/06

No Critical Violations

Crown Fried Chicken
7220 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

7/7/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Crown Fried Chicken
7220 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

6/17/06

7-01 (A) Fly infestation is present. Flies observed in prep areas. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Wisks are stored on mop rack, over the mop sink.

6/17/06

7-01 (A) Fly infestation is present. Flies observed in prep areas. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Wisks are stored on mop rack, over the mop sink.

New York Chicken & Seafood
7220 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

9/7/07

12-01.5.B (4) Cold water at hand washing sink is not provided at the prep area hand sink.

New York Chicken and Seafood
7220 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

10/25/07

No Critical Violations

Wawa Food Market #125
7236 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

7/23/08

7-01 (L) Mouse infestation is present, fresh droppings on floor.

7-01 (B) Fruit fly infestation is present, trash room.

9/7/07

No Critical Violations

8/23/07

7-01 (B) Fruit fly infestation is present. Fruit flies are found at the mop sink, garbage grinder sink and in the trash room. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Morse dropping are found behind the iced coffee and smoothie units. Management instructed to initiate immediate corrective action.

5/8/07

No Critical Violations

3/1/07

No Critical Violations

1/3/07

No Critical Violations

10/25/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Lutheran Theological Seminary - Brossman
7301 Germantown Av

Institution: School, Private
Philadelphia, PA 19119

Inspection Date

2/5/08

No Critical Violations

11/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action. Application given to food service director.

8/8/06

No Critical Violations

LUTHERAN THEOLOGICAL SEMINARY AT PH
7301 GERMANTOWN Av

Institution: School, Private
Philadelphia, PA 19119

Inspection Date

8/9/05

No Critical Violations

Lutheran Theological Seminary
7331 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

2/5/08

No Critical Violations

1/23/07

No Critical Violations

Brewers Outlet
7401 Germantown Av

Retail Food: Other
Philadelphia, PA 19119

Inspection Date

1/23/07

No Critical Violations

Cresheim Cottage Cafe
7402 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

5/8/07

No Critical Violations

4/2/07

No Critical Violations

2/16/06

No Critical Violations

New Covenant Church of Philadelphia
7500 Germantown Av

Retail Food: Community Service
Philadelphia, PA 19119

Inspection Date

7/1/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Covenant Church of Philadelphia
7500 Germantown Av

Retail Food: Community Service
Philadelphia, PA 19119

Inspection Date

6/16/08

4-01.1 (A) Food/Food service article storage does not provide protection, splash guard lacking between hand wash sink and storage table.

6/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Renaissance Charter School
7500 Germantown Av

Institution: School, Charter
Philadelphia, PA 19119

Inspection Date

6/4/08

8-01.2 (C) Hot water is not provided.

12-01.5.B (5) Hot water at hand washing sink is not provided.

12/21/07

No Critical Violations

10/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: A Chester County food safety certificate is present.

6/15/07

No Critical Violations

5/16/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: A Montgomery County food safety certificate is present.

11/2/06

No Critical Violations

11/22/05

2-01.1 (A) Food is not from an approved source. Food items provided to students as part of the lunch program are not from an approved licensed food service provider. Lunch program menu items are prepared and delivered from an unlicensed facility by the "Let's Kater" company operated by Larry Lawrence .

Immediately discontinue the current foodservice operations where an approved licensed food service provider is not being used for foods provided to the students as part of the school lunch program. Food service is required to be from a licensed food service business operating from an approved licensed facility .

Management instructed to initiate immediate corrective action.

11/2/05

2-01.1 (A) Food is not from an approved source. Foods prepared by caterer, Larry Lawrence, "Let's Kater", at a Grace Epiphany Church. Church is located at Allen's Lane/Gowen. Note: unable to locate church in feims system. Management instructed to initiate immediate corrective action.

Trolley Car Diner
7619 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

5/1/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Trolley Car Diner
7619 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

5/1/08

No Critical Violations

4/18/08

4-01.1 (A) Food/Food service article storage does not provide protection - required required splash guard not provided at kitchen sink adjacent to stove, required sneeze guard not provided at deli service area scale ,

Syrup containers stored at front area 2 basin hand washing sink (moved while present)

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

10/16/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Milk containers observed at 50°F. Do not use/sale milk containers observed above 41°F. Owner agreed to discard items. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Leaking observed at non NSF 2 basin sink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/18/07

No Critical Violations

7/14/06

7-01 (L) Mouse infestation is present. Mouse droppings observed:

- on the shelf below the crackers
- prep area and dishroom floor perimeters
- stairs
- second floor.

6/26/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelf below the crackers, perimeter areas and the second floor.

11/10/05

No Critical Violations

10/28/05

8-01.2 (C) Hot water is not provided at all handsinks. Hot water temperature at all handsinks observed at 63° F. Maintain hot water temperature between 110 - 125° F. Hot water is available at 3-basin sink and dishwasher. Management instructed to initiate immediate corrective action. (Note: Management stated that plumbing work is to be completed today, 10/28/05.)

12-01.5.B (5) Hot water at hand washing sink is not provided. At restroom, kitchen, counter and beverage station handsinks. Management instructed to initiate immediate corrective action.

Trolley Car Ice Cream Shoppe
7619 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

6/12/07

No Critical Violations

Yu Hsiang Garden
7630 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Yu Hsiang Garden
7630 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

2/6/07

No Critical Violations

1/18/07

7-01 (L) Mouse infestation is present. Mouse toppings observed on the shelving below the rice cookers and grease trap. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered food items in the walk-in refrigerator and freezer.

CVS Pharmacy #1196
7700 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

1/12/08

No Critical Violations

10/27/06

No Critical Violations

Staples
7700 Germantown Av

Retail Food: General Public Establishment
Philadelphia, PA 19118

Inspection Date

1/12/08

No Critical Violations

11/13/06

No Critical Violations

Night Kitchen
7725 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

1/23/07

No Critical Violations

McDonald's
7800 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

6/20/07

No Critical Violations

8/30/06

No Critical Violations

Towey's Tavern
7829 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Towey's Tavern
7829 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

7/14/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required; Safe Serve is present. Management instructed to initiate immediate corrective action.

2/21/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Establishment lost certified cook. Manager is enrolled in class in March. Management instructed to initiate immediate corrective action.

11/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application given to manager. Management instructed to initiate immediate corrective action.

Hokka Hokka Japanese Restaurant
7830 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

12/6/07

No Critical Violations

9/27/06

No Critical Violations

Cin Cin Restaurant
7838 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

1/3/08

No Critical Violations

12/6/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed in the storage areas, on the floor next to the grill and in the dishwasher area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. The food safety certificate is expired. Management instructed to initiate immediate corrective action.

9/22/06

No Critical Violations

Senior Care of Chestnut Hill
7926 Germantown Av

Institution: Adult, Adult Day Care
Philadelphia, PA 19118

Inspection Date

10/2/07

No Critical Violations

10/11/06

No Critical Violations

10/14/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Baker Street
8009 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

4/3/08

No Critical Violations

6/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management initiated immediate corrective action. Applications have been sent to the City.

6/8/07

7-01 (D) Roach infestation is present. Live and dead roaches observed in basement. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

Venetian Social Club
8030 Germantown Av

Retail Food: Restaurant, Private Club
Philadelphia, PA 19118

Inspection Date

10/5/06

No Critical Violations

Reese Pharmacy
8039 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

1/23/07

No Critical Violations

Little House on the Hill
8100 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19118

Inspection Date

2/5/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia Food Safety certificate. Management instructed to initiate immediate corrective action.

2/6/07

No Critical Violations

2/9/06

No Critical Violations

12/19/05

No Critical Violations

12/19/05

No Critical Violations

10/17/05

12-01.5.B (5) Hot water at hand washing sink is not provided - at bathroom located at rear class room

.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

School House on the Hill
8100 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19118

Inspection Date

10/17/05

12-01.5.B (5) Hot water at hand washing sink is not provided - at bathroom located at rear class room

.

10/17/05

12-01.5.B (5) Hot water at hand washing sink is not provided - at bathroom located at rear class room

.

Bredenbeck's Bakery
8126 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

2/13/08

No Critical Violations

12/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Two current ServSafe certificates are present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/22/06

No Critical Violations

Citrus
8136 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

3/18/08

No Critical Violations

8/30/07

No Critical Violations

7/7/06

No Critical Violations

6/10/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor and shelving in the basement and behind the counter. Management instructed to initiate immediate corrective action.

Flying Fish
8142 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

10/25/07

No Critical Violations

8/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a City of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

7/7/06

No Critical Violations

6/10/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelf in salad prep area.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Solaris Grille
8201 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

1/23/07

No Critical Violations

King's Garden
8225 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

12/12/07

No Critical Violations

11/28/07

7-01 (L) Mouse infestation is present. Several fresh mouse droppings observed at rear storage and prep areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. No hot water provided at prep area handsink. Repair handsink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Montgomery County Certificate observed. City of Philadelphia Food Safety Certificate required. Application given to manager. Management instructed to initiate immediate corrective action.

11/27/06

No Critical Violations

12/5/05

No Critical Violations

A Lot O' Gelato
8229 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118*

Inspection Date

9/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is enrolled in a course now. Management instructed to initiate immediate corrective action.

6/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Bhagya's Kitchen
8229 Germantown Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119*

Inspection Date

9/7/07

No Critical Violations

6/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

11/10/05

No Critical Violations

11/10/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Caliente Mexicana
8229 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

4/3/08

No Critical Violations

2/27/08

4-01.1 (A) Food/Food service article storage does not provide protection - required splash guard is not provided between food prep sink and utensil sink, between garbage disposal and prep table.

Chestnut Grill & Sidewalk Cafe
8229 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

5/9/08

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe Certificate observed. City of Philadelphia Food Safety Certificate required. Management initiated immediate corrective action. Application sent by owner.

4-01.1 (A) Food/Food service article storage does not provide protection. Towels present atop of food inside refrigerated units.

8-06.1.1 (C) Drain line is in need of repair at the dish washing station.

7/16/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe Certificate observed. City of Philadelphia Food Safety Certificate required. Management initiated immediate corrective action. Application sent by owner.

9/18/06

No Critical Violations

8/14/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Perishable items in small prep units; cheese, crab cakes, sliced fruit, milk, mussels, poultry items and milk observed between 50 and 55° F. Items removed to alternate refrigeration units while present as directed. Discontinue use of units repaired.

4-01.1 (A) Food/Food service article storage does not provide protection. No splash guard at one of two bar area handwashing sinks.

8-06.1.1 (C) Drain Line is in need of repair- leak at opening at grease trap. Cap or line connection open / not sealed.

Management instructed to initiate immediate corrective action.

7/5/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Perishable items in main walk-in box; cooked beans, cooked pasta, shrimp, fish and poultry items and milk observed between 50 and 55 F. Items discarded or removed to alternate refrigeration units while present as directed while present.

Discontinue use of unit repaired.

4-01.1 (A) Food/Food service article storage does not provide protection. no splash guard at bar area handwashing sinks.

8-06.1.1 (C) Drain Line is in need of repair- leak at opening at grease trap. Cap or line connection open / not sealed; drain line overflow / waste water observed on the floor.

Management instructed to initiate immediate corrective action.

3/22/06

8-06.1.1 (C) Drain Line is in need of repair- leak at opening at grease trap.

Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered chicken and sauce in walk-in refrigerator; Uncovered rice and beans.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cosmic Catering
8229 Germantown Av

Retail Food: Caterer
Philadelphia, PA 19118

Inspection Date

5/9/08

No Critical Violations

6/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. Montgomery County Food Safety Certificate observed. City of Philadelphia Food Safety Certificate required. Management initiated immediate corrective action. Application has been sent to the City.

6/15/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves and floors. Eliminate mouse infestation.

19-01.1 Food establishment personnel food safety certified individual is not present. Montgomery County Food Safety Certificate observed. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action. Application given to owner.

D'Ascenzo Gelato
8229 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

11/10/05

No Critical Violations

Delectablez
8229 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

1/18/08

No Critical Violations

1/4/08

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12/21/06

No Critical Violations

Jonathan's Best
8229 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

5/9/08

No Critical Violations

9/7/07

19-04 Food establishment personnel food safety certificate is expired. City of Philadelphia Food Safety Certificate required. Class completed by owner at the end of July and application was sent in August 2nd (receipt observed). Management initiated immediate corrective action.

6/15/07

19-04 Food establishment personnel food safety certificate is expired. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

12/1/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jonathan's Best
8229 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

11/10/05

7-01 (L) Mouse infestation is present. Moue droppings observed near juice machine.

Kimchi
8229 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

1/14/08

No Critical Violations

1/7/08

4-01.1 (A) Food/Food service article storage does not provide protection - Required splash guard between hand wash sink and utensil washing sink is not present.

Manny's Place
8229 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

1/3/07

No Critical Violations

Neidermyer's Poultry
8229 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

6/7/07

No Critical Violations

12/22/05

No Critical Violations

Ranck Luncheon Meats
8229 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

6/27/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required in front of the scales.

7-01 (L) Mouse infestation is present. There are droppings along the shelves and floor perimeters.

1/18/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ranck Luncheon Meats
8229 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

1/4/08

5-04.2 (A) Approved sneeze guards are not provided as required for scales at deli case. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves and floors throughout. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

12/21/06

No Critical Violations

Rice's Quality Meats
8229 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

6/7/07

No Critical Violations

12/1/05

No Critical Violations

Shundeez Gourmet Cuisine
8229 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

4/25/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Application was issued. Management instructed to initiate immediate corrective action.

9/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

6/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

12/22/05

No Critical Violations

The Melting Pot
8229 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

7/16/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The Melting Pot
8229 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191181

Inspection Date

4/24/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates observed. Application for City of Philadelphia Food Safety Certificate given to manager. Management instructed to initiate immediate corrective action.

Tokyo Sushi
8229 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

4/25/08

No Critical Violations

6/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Management initiated immediate corrective action. Application has been sent to the City.

6/15/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action. Application given to owner.

Yu's Farm Market
8229 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

1/18/08

No Critical Violations

1/4/08

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12/21/06

No Critical Violations

Yu's Seafood
8229 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

5/9/08

No Critical Violations

1/4/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

12/21/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Christ Ascension Lutheran Church DayCare
8300 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19118

Inspection Date

11/20/07

No Critical Violations

Christ Lutheran Church Day Care
8300 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19118

Inspection Date

11/8/06

No Critical Violations

11/7/05

No Critical Violations

Campbell's Place
8337 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

10/18/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

6/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

3/4/06

No Critical Violations

Fiesta Pizza III
8339 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

11/20/07

No Critical Violations

5/2/07

No Critical Violations

3/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

8/23/05

No Critical Violations

Rollers Express
8341 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Rollers Express
8341 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

7/13/07

No Critical Violations

6/15/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe Certificate observed. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action. Application given to owner.

Drake's
8419 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

10/3/07

2-01.4 Food is not properly labeled. Chili & soup prepared at est. are not labeled w/ ingredients.
19-01.1 Food establishment personnel food safety certified individual is not present.
City Cert. not present. Manager said it has been applied for.

7/31/07

19-01.1 Food establishment personnel food safety certified individual is not present.
After acquiring approved course cert apply for Philadelphia cert. Application is available at our website.

Gildas Biscotti
8419 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

5/14/07

No Critical Violations

Women's Exchange
8419 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

5/14/07

No Critical Violations

Caruso's Market
8424 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

8/27/07

No Critical Violations

8/28/06

No Critical Violations

Zipf's Candy
8433 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

6/27/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Zipf's Candy
8433 Germantown Av

*Retail Food: Grocery Market
Philadelphia, PA 19118*

Inspection Date

1/4/07

No Critical Violations

Cake
8501 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

7/31/07

No Critical Violations

Robertson's
8501 Germantown Av

*Retail Food: General Convenience
Philadelphia, PA 19118*

Inspection Date

6/27/08

No Critical Violations

5/14/07

No Critical Violations

11/18/05

No Critical Violations

Chestnut Hill Cheese Shop
8509 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

1/4/07

No Critical Violations

A Taste of Philly
8513 Germantown Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

10/3/07

No Critical Violations

8/30/07

7-01 (L) Mouse infestation is present. Mouse feces observed on shelf in rear kitchen & on floor in front. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe posted. Provide Phila. Food Safety Cert. is required for each shift. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination.

- Wood board food trays are not sanitary, black mold present on some. Boards are used for ready to eat food.

- Wire shelves for pretzels with rust & dust.

Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate- handwashing sinks are not convenient to front & rear food handling areas.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Starbucks Coffee # 752
8515 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

6/27/08

No Critical Violations

7/16/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city food safety certificate observed. Application for City of Philadelphia Food Safety Certificate sent in by manager. Management initiated immediate corrective action.

5/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city food safety certificate observed. Application for City of Philadelphia Food Safety Certificate given to manager. Management instructed to initiate immediate corrective action.

5/8/06

No Critical Violations

Omaha Steaks
8518 Germantown Av

Retail Food: Other
Philadelphia, PA 19118

Inspection Date

5/21/07

No Critical Violations

6/26/06

No Critical Violations

6/14/06

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 69° F. Maintain hot water temperature at a minimum of 110° F. Management instructed to initiate immediate corrective action.

6/10/06

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 69° F. Maintain hot water temperature at a minimum of 110° F. Management instructed to initiate immediate corrective action.

Penzeys Spices
8528 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

8/30/07

No Critical Violations

9/13/06

No Critical Violations

Kitchen Kapers
8530 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

8/30/07

No Critical Violations

8/14/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Osaka Restaurant
8605 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191181

Inspection Date

11/28/07

No Critical Violations

10/31/05

No Critical Violations

Chestnut Hill Newstand
8606 Germantown Av

Retail Food: Other
Philadelphia, PA 19118

Inspection Date

12/18/07

No Critical Violations

11/20/07

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered petrels are present.

9-02.2 (A) Employee hand wash frequency is inadequate. No hand washing sink is available.

Management instructed to initiate immediate corrective action.

11/13/06

No Critical Violations

Metropolitan Bakery
8607 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

1/4/07

No Critical Violations

Cuba! Corp
8609 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

4/25/08

No Critical Violations

Health World
8617 Germantown Av

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

1/4/07

No Critical Violations

CHESNUT HILL COFFEE COMPANY
8620 GERMANTOWN Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

8/24/05

No Critical Violations

Chestnut Hill Coffee Company
8620 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Chestnut Hill Coffee Company
8620 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

3/16/07

No Critical Violations

2/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. The only available food safety certificate is for Chester county. Obtain a city food safety certificate. Management instructed to initiate immediate corrective action.

2/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. The only available food safety certificate is for Chester county. Obtain a city food safety certificate. Management instructed to initiate immediate corrective action.

Cosimo's Pizza Cafe
8624 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

1/12/08

5-01.1 Food is not protected from contamination. A splash guard is needed between the fryer and small prep refrigerator. A splash guard is also needed between the range and small prep refrigerator. Management instructed to initiate immediate corrective action.

10/5/06

No Critical Violations

8/28/06

5-01.1 Food is not protected from contamination. A splash guard is needed between the fryer and small prep refrigerator. A splash guard is also needed between the range and small prep refrigerator. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present. Fruit flies are present in the mop sink area. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on the basement shelves and floor. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water is not working in the men's room. Management instructed to initiate immediate corrective action.

The French Bakery
8624 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

6/16/08

7-01 (L) Mouse infestation is present. Mouse droppings are found on the cabinets and counter shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. A leak is observed at the 3-basin sink drain line. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Cups, dishware and utensils are improperly sanitized. Only two functional sink stoppers are present. A third one is needed. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. The food safety certificate expired in 2006. Note: The owner has completed the recertification class and has sent in her application for the city certificate.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The French Bakery
8624 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

1/23/08

7-01 (L) Mouse infestation is present. Mouse droppings are found on the cabinets and counter shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. A leak is observed at the 3-basin sink drain line. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in sanitizing solution.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Cups, dishware and utensils are improperly sanitized. Only two functional sink stoppers are present. A third one is needed.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. The food safety certificate expired in 2006. Note: The owner has completed the recertification class, and has sent in her application for the city certificate.

8/27/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Cups, dishware and utensils are improperly sanitized. Only two functional sink stoppers are present. A third one is needed.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. The food safety certificate expired in 2006. Note: The owner has completed the recertification class, and has sent in her application for the city certificate.

8/28/06

No Critical Violations

8/14/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelving and floor of prep/counter areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Leak observed at 3-basin sink drain line. Management instructed to initiate immediate corrective action.

The Coffee Bar
8701 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

5/18/07

No Critical Violations

1/4/07

No Critical Violations

Al Dana II
8630 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

1/12/08

No Critical Violations

8/30/06

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the shelving in the basement. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

McNally's Tavern
8634 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

3/16/07

No Critical Violations

2/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present, but no city certificate. Management instructed to initiate immediate corrective action.

11/18/05

No Critical Violations

Tavern on the Hill
8636 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

4/15/08

No Critical Violations

8/8/07

No Critical Violations

8/8/07

No Critical Violations

7/31/07

No Critical Violations

1/25/07

No Critical Violations

Shundeez Market
8705 Germantown Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

6/12/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required in order to be in compliance. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. There are droppings present on shelves along the counter area.

5-04.2 (A) Approved sneeze guards are not provided as required in front of the scale.

9-02.3 (B) Employees are smoking in unapproved areas. There were butts and an ashtray present behind the counter.

9/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is signed up for a class taking place on September 24th. Management instructed to initiate immediate corrective action.

7/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Shundeez Restaurant
8705 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Shundeez Restaurant
8705 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

6/12/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required in order to be in compliance. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. There are droppings present on some counter shelves.

9/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is signed up for a class taking place on September 24th. Management instructed to initiate immediate corrective action.

7/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Hilary House Child Care
8812 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19118

Inspection Date

12/6/06

No Critical Violations

12/5/05

No Critical Violations

Chesnut Hill Hospital
8835 Germantown Av

Institution: Hospital
Philadelphia, PA 19118

Inspection Date

11/14/06

No Critical Violations

12/13/05

No Critical Violations

9/23/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit; DISCONTINUE USE OF DEFECTIVE REFRIGERATOR OBSERVED AT 58°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. MILK CONTAINERS AND POTENTIALLY HAZARDOUS FOOD SNACKS OBSERVED AT 58°F AND THERE WERE DISCARDED WHILE PRESENT. Management instructed to initiate immediate corrective action.

13-02 (D) Walls are not in good repair; ice machine area, rear prep area need to be repaired; (leaking from roof is causing damaged to prep area and plastic cover observed at wall).

13-02 (B) Ceiling is not in good repair; leaking from ceiling is causing damage to rear prep area. Management instructed to initiate immediate corrective action.

Chesnut Hill Hospital Cafeteria
8835 Germantown Av

Institution: Hospital
Philadelphia, PA 19118

Inspection Date

5/7/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Chesnut Hill Hospital Cafeteria
8835 Germantown Av

Institution: Hospital
Philadelphia, PA 19118

Inspection Date

5/16/07

19-01.1 Food establishment personnel food safety certified individual is not present. Serv-Safe certificates available. Management instructed to initiate immediate corrective action.

11/21/06

No Critical Violations

Chesnut Hill Hospital Coffee Shop
8835 Germantown Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

1/18/08

No Critical Violations

11/21/06

No Critical Violations

Presbyterian Church of Chestnut Hill
8855 Germantown Av

Institution: Child, Child Care Centers
Philadelphia, PA 19118

Inspection Date

5/7/08

No Critical Violations

5/21/07

No Critical Violations

5/2/06

No Critical Violations

Chestnut Hill College
9601 Germantown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

2/5/08

No Critical Violations

11/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates observed. City of Philadelphia Food Safety Certificate required. Application given to manager. Management instructed to initiate immediate corrective action.

8/25/06

7-01 (L) Mouse infestation is present. Mouse droppings observed at storage area shelves and prep area floor. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

5/3/06

No Critical Violations

4/5/06

7-01 (L) Mouse infestation is present; mouse droppings observed at food storage area; prep area. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Parkway Northwest High School
7500 N Germantown St

Institution: School, Public
Philadelphia, PA 19119

Inspection Date

5/6/08

No Critical Violations

10/26/07

No Critical Violations

5/16/07

No Critical Violations

10/11/06

No Critical Violations

9/13/05

No Critical Violations

Tanaya's Fun & Learning Center
7604 Gilbert St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

8/13/07

No Critical Violations

Daniel Seafood
910 W Godfrey Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

1/16/07

No Critical Violations

Godfrey Supermarket
912 W Godfrey Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

1/16/07

No Critical Violations

9/29/06

No Critical Violations

Community College of Philadelphia
1300 W Godfrey Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

7/31/08

2-01.4 Food is not properly labeled/packaged. Mixed salads in rear commercial refrigerator not labeled with name and preparation dates. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required. Sneeze guard is not placed and secured at such an angle as to protect the food from contamination for the customer's mouth or nose for hot dog roller. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present and observed in food prep area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Employee stated that he was ServSafe certified but cert. was not provided or posted. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Community College of Philadelphia
1300 W Godfrey Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

4/9/07

5-04.2 (A) Approved sneeze guards are not provided as required. Sneeze guard is not placed and secured at such an angle as to protect the food from contamination for the customer's mouth or nose and another is missing for bagels. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Prince Hall School
1800 W Godfrey Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

4/22/08

No Critical Violations

11/9/07

No Critical Violations

3/14/07

No Critical Violations

12/7/06

No Critical Violations

5/18/06

No Critical Violations

10/11/05

No Critical Violations

Imhotep Institute Charter School
2101 W Godfrey Av

Institution: School, Charter
Philadelphia, PA 19138

Inspection Date

6/2/08

No Critical Violations

11/9/07

No Critical Violations

12/8/06

No Critical Violations

3/10/06

No Critical Violations

Ms. Rhea's Play Room FDC (first floor)
1631 E Gowen Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

9/11/06

No Critical Violations

Big Back Yard Nursery School
240 E Gowen St

Institution: Child, Child Care Centers
Philadelphia, PA 19119

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Big Back Yard Nursery School
240 E Gowen St

Institution: Child, Child Care Centers
Philadelphia, PA 19119

Inspection Date

4/5/07

No Critical Violations

3/13/06

No Critical Violations

Grange Day Care
1414 W Grange Av

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

7/30/08

7-01 (L) Mouse infestation is present. Droppings were observed on shelves and floor perimeter throughout the center. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

6/3/08

7-01 (L) Mouse infestation is present. Droppings were observed on shelves and floor perimeter throughout the center. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided at toilet room sink. Hot water was turned on during inspection by way of small water tank under sink.

19-01.1 Food establishment personnel food safety certified individual is not present.

4/4/07

No Critical Violations

4/3/07

8-01.2 (C) Hot water is not provided. None provided - facility must discontinue operation until hot water is provides for hand washing sink . The facility is not permitted to re open tomorrow for care of children until hot water is provided to establishment sinks .

19-01.1 Food establishment personnel food safety certified individual is not present.

1/5/06

No Critical Violations

Washington Variety
1450 W Grange Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

1/24/07

No Critical Violations

105 Social
105 Grape St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

2/1/07

No Critical Violations

Crystal Manigault Family Day Care
6229 N Gratz St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Crystal Manigault Family Day Care
6229 N Gratz St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

2/12/07

7-01 (D) Roach infestation is present ; numerous live roaches observed in kitchen.

Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided ; in employees bathroom.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/24/06

No Critical Violations

2/21/06

8-01.2 (C) Hot water is not provided. Hot water heater is broken. Management instructed to initiate immediate corrective action.

Neighborhood Market
129 Green Ln

Retail Food: General Convenience
Philadelphia, PA 19127

Inspection Date

1/22/08

No Critical Violations

1/5/08

7-01 (L) Mouse infestation is present. Mouse droppings are found on the storage area shelves and floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

11/7/06

No Critical Violations

Green Lane Residence
342 Green Ln

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19128

Inspection Date

8/4/06

No Critical Violations

8/25/05

No Critical Violations

8/10/05

7-01 (L) Mouse infestation is present. Eliminate mouse infestation. Mouse droppings observed in dry storage area.

Green Lane School
470 Green Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

10/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Serve Safe certificates are present only. Obtain city of Philadelphia food safety certificates. Note: The director has signed up for anew food safety course. Management instructed to initiate immediate corrective action.

8/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Serve Safe certificates are present only. Obtain city of Philadelphia food safety certificates. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Green Lane School
470 Green Ln

*Institution: Child, Child Care Centers
Philadelphia, PA 19128*

Inspection Date

8/4/06

No Critical Violations

8/10/05

No Critical Violations

World Wide Beverages
508 Green Ln

*Retail Food: General Convenience
Philadelphia, PA 19128*

Inspection Date

8/24/07

No Critical Violations

8/25/06

No Critical Violations

Lo's China Wok
211 E Green Ln

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127*

Inspection Date

1/31/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

1/20/07

No Critical Violations

Lee's Food Market
4716 Greene St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

7/2/08

7-01 (L) Mouse infestation is present, fresh droppings observed in basement, shelves.

11/26/07

No Critical Violations

10/25/07

No Critical Violations

9/26/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Knives and slicer components are not properly cleaned and sanitized. No sink stoppers are present. Provide 3 sink stoppers for the proper wash, rinse and sanitize dish and utensil washing procedure. Management instructed to initiate immediate corrective action.

9/6/06

No Critical Violations

Van Hook's Personal Care Home
5012 Greene St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

3/17/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Van Hook's Personal Care Home
5012 Greene St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

4/18/07

No Critical Violations

3/8/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Provide a city certificate. Management instructed to initiate immediate corrective action.

3/6/06

No Critical Violations

Childspace Too
5517 Greene St

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

5/14/07

No Critical Violations

Imani Education Circle Charter School
5612 Greene St

*Institution: School, Charter
Philadelphia, PA 19144*

Inspection Date

6/3/08

No Critical Violations

10/16/07

No Critical Violations

2/13/07

No Critical Violations

10/27/06

No Critical Violations

5/15/06

No Critical Violations

12/12/05

No Critical Violations

Omni House
5718 Greene St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

3/17/08

No Critical Violations

4/5/07

No Critical Violations

3/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. No city food safety certificate is present. Management instructed to initiate immediate corrective action.

3/7/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown YMCA
5722 W Greene St

Institution: Adult, Shelter
Philadelphia, PA 19144

Inspection Date

3/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is present, Montgomery county only. Management instructed to initiate immediate corrective action.

3/5/07

7-01 (D) Roach infestation is present. Live roaches are present in the dining area restroom. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse dropping are observed on the storage room shelves. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is present, Montgomery county only. Management instructed to initiate immediate corrective action.

3/5/07

7-01 (D) Roach infestation is present. Live roaches are present in the dining area restroom. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse dropping are observed on the storage room shelves. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is present, Montgomery county only. Management instructed to initiate immediate corrective action.

3/7/06

No Critical Violations

Germantown YMCA Shelter Program
5722 Greene St

Institution: Adult, Shelter
Philadelphia, PA 19144

Inspection Date

1/28/08

No Critical Violations

11/26/07

No Critical Violations

10/22/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the food storeroom shelves and floor, and on the dining area floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is present, a ServSafe only. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

China House
5810 Greene St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

9/7/07

No Critical Violations

8/23/07

7-01 (L) Mouse infestation is present. Mouse droppings are present on the prep area and storage shelving. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate.

1/18/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Nick's Famous Pizza
5810 Greene St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

12/11/07

No Critical Violations

9/21/06

No Critical Violations

9/6/06

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the shelves with paper goods. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Yogi Corporation
5810 Greene St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

5/23/08

5-03.2 (B) Hazardous chemicals are not properly used, chewed open bag of rodenticide on floor.
3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit, deli case 56°.
4-01.1 (A) Food/Food service article storage does not provide protection, at hand wash sink as directed.
19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present, fresh droppings observed throughout, on floor and in cabinets.
7-01 (D) Roach infestation is present, baby roaches crawling on counter top food prep area, dead roaches on shelving.

1/30/08

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one function sink stopper is present. Provide 3 sink stoppers for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.
12-01.5.B (4) Cold water at hand washing sink is not provided. The cold water faucet handle is missing at the prep area hand washing sink. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

1/9/07

No Critical Violations

11/29/06

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the shelving and floor, in the customer and storage areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

11/9/06

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the shelving and floor, in the customer and storage areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

4/25/06

No Critical Violations

A + A Sunoco
5823 Greene St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

A + A Sunoco
5823 Greene St

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

1/27/08

No Critical Violations

1/26/07

No Critical Violations

Barrett Charles
5920 Greene St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

11/27/06

No Critical Violations

11/27/06

No Critical Violations

A & N House of Produce
5929 Greene St

*Retail Food: Grocery Market
Philadelphia, PA 19144*

Inspection Date

11/14/07

No Critical Violations

7/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner's wife (Nina Dvor) completed a class on June 10th. She has mailed in the application to the Health Dept.

6/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. Owner's wife completed a class on June 10th and is awaiting certification.

6/12/07

No Critical Violations

5/10/07

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor and shelves, near the 2-basin sink. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend a food safety course, and obtain city of Philadelphia food safety certificate.

Miss Marty's Pre-School
6141 Greene St

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

9/16/05

No Critical Violations

Downey's Personal Care Home
6226 Greene St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

3/14/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Downey's Personal Care Home
6226 Greene St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

3/17/06

No Critical Violations

3/17/06

No Critical Violations

Stapeley of Germantown
6300 Greene St

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19144*

Inspection Date

7/22/08

No Critical Violations

1/24/08

7-01 (B) Fruit fly infestation is present. Live fruit flies are observed throughout the kitchen area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Live roaches are observed in the dishwashing area. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor in the 2nd floor dining area. Mice droppings in the closet in the Personal Care food service area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individuals are missing the certificate from the Phila. Dept. of Public Health, manger has application from the Dept. of Public Health. Management instructed to initiate immediate corrective action.

5/18/07

8-06.1.1 (C) Drain line is in need of repair at prep area sink.

19-01.1 Food establishment personnel food safety certified individual is not present. Serve-Safe certificate observed only< Management instructed to initiate immediate corrective action.

11/1/06

No Critical Violations

9/28/05

No Critical Violations

Cliveden Convalecent
6400 Greene St

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19144*

Inspection Date

1/3/08

No Critical Violations

5/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/29/06

No Critical Violations

10/27/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

NOTE: DISCONTINUE USE OF DEFECTIVE 1ST FLOOR REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. MILK CONTAINERS MUST BE DISCARDED. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cliveden Convalescent
6400 Greene St

Institution: Nursing and Convalescent Home
Philadelphia, PA

Inspection Date

9/26/05

No Critical Violations

Point of Destintion Cafe
6460 Greene St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

11/21/07

19-01.1 Food establishment personnel food safety certified individual is not present at the time of inspection.

9/26/07

19-01.1 Food establishment personnel food safety certified individual is not present at the time of inspection.

9/13/06

No Critical Violations

8/29/06

7-01 (L) Mouse infestation is present. Mouse droppings are present on the prep area shelving. below cooking equipment. Management instructed to initiate immediate corrective action.

Family Dollar Store #6929
6555 Greene St

Retail Food: General Convenience
Philadelphia, PA 19119

Inspection Date

3/19/07

No Critical Violations

8/23/05

No Critical Violations

Toto's Pizzeria
6555 Greene St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191440

Inspection Date

5/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/5/07

No Critical Violations

4/2/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The bainmarie is observed at 57° F. Maintain all potentially hazardous foods below 41° F. Management initiated immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/22/06

No Critical Violations

K & J Carribean American Diner
5603 N Greene St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

K & J Carribean American Diner
5603 N Greene St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

7/5/07

No Critical Violations

5/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a City of Philadelphia food safety certificate.

5/31/06

No Critical Violations

5/24/06

4-01.1 (A) Food/Food service article storage does not provide protection. Food preparation being conducted outdoors, under a roof overhang, behind the building. Discontinue use of outdoor areas for food handling and preparation. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. flies observed in rear prep area and outdoor cooking area.

Management instructed to initiate immediate corrective action.

Giovanni's Pizza
5604 N Greene St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/2/08

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only two sink stoppers were observed. The owner was not able to locate a third sink stopper. Three sink stoppers are needed for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. The food safety certificate is expird. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/1/07

No Critical Violations

11/1/07

8-01.2 (C) Hot water is not provided throughout the establishment. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Liquid, from an unknown source, is dripping from the ceiling in the basement prep area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/14/06

No Critical Violations

9/12/06

No Critical Violations

1/25/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves throughout. Elminate mouse infestation. Management instructed to initiate immediate corrective action.

Summit Children's Program
6757 W Greene St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Summit Children's Program
6757 W Greene St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

5/7/08

No Critical Violations

3/5/07

No Critical Violations

3/2/06

No Critical Violations

Jennifer's Stay 'N' Play Pre-School
1454 Greenwood St

Institution: Child, Child Care Centers
Philadelphia, PA 19150

Inspection Date

3/26/08

No Critical Violations

1/30/07

No Critical Violations

1/4/06

No Critical Violations

Green Woods Charter School
8480 Hagy's Mill Rd

Institution: School, Charter
Philadelphia, PA 19128

Inspection Date

6/3/08

12-01.5.B (5) Hot water at hand washing sink is not provided, kitchen and toilet rooms, at time 84°-94°.

10/17/07

No Critical Violations

5/17/07

No Critical Violations

10/19/06

No Critical Violations

Greenwoods Charter School
8480 Hagy's Mill Rd

Institution: School, Charter
Philadelphia, PA 19128

Inspection Date

9/16/05

No Critical Violations

Chelten and Greene Newstand
729 Haines St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19144

Inspection Date

4/9/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Fulton Elementary School
60 E Haines St

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

4/16/08

No Critical Violations

11/14/07

No Critical Violations

Fulton School
200 Haines St

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

3/15/07

No Critical Violations

12/7/06

No Critical Violations

5/9/06

No Critical Violations

9/8/05

No Critical Violations

Long Garden Chinese American Restaurant
1384 E Haines St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner completed class three weeks ago. Application given to owner. Management instructed to initiate immediate corrective action.

6/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

William Rowen School
1900 E Haines St

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

4/14/08

No Critical Violations

10/29/07

No Critical Violations

3/14/07

No Critical Violations

12/1/06

No Critical Violations

5/18/06

No Critical Violations

10/26/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mount Airy Baptist Church Child Care Ctr
1901 E Haines St

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

10/29/07

No Critical Violations

5/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/14/06

No Critical Violations

Mt. Airy Baptist Church Convience Store
2014 E Haines St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

10/19/06

No Critical Violations

9/25/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at prep area under food equipment, around perimeters of establishment, and at back storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9/11/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at prep area under food equipment and at back storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Hope Charter School
2116 E Haines St

Institution: School, Charter
Philadelphia, PA 19138

Inspection Date

6/2/08

No Critical Violations

11/14/07

No Critical Violations

3/28/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on floors at food storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

3/14/07

7-01 (L) Mouse infestation is present. Numerous (L) mouse droppings observed on floors and shelves at food storage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12/11/06

No Critical Violations

12/7/06

No Critical Violations

5/16/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Hope Charter School
2116 E Haines St

*Institution: School, Charter
Philadelphia, PA*

Inspection Date

3/20/06

No Critical Violations

McCloud Personal Care home
1518 W Haines St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19138*

Inspection Date

1/9/08

No Critical Violations

1/10/07

No Critical Violations

1/4/06

No Critical Violations

Complete Grocery & Deli
147 W Hansberry St

*Retail Food: Grocery Market
Philadelphia, PA 19144*

Inspection Date

4/11/07

No Critical Violations

3/23/07

No Critical Violations

1/2/07

No Critical Violations

12/8/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelves and floor in the rear area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
10-02.2 (B) Food equipment and utensils are improperly sanitized. Prep utensils and food containers are not properly sanitized. Only one sink stopper is present. A total of three are required. Management instructed to initiate immediate corrective action.
4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered beef observed in the deli display case and freezer.

McGowen's Personal Care Home
323 W Hansberry St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

4/9/07

No Critical Violations

4/7/06

No Critical Violations

Witherspoon Family Day Care
443 W Hansberry St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Witherspoon Family Day Care
443 W Hansberry St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

2/25/08

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Refrigerator temperature observed at 49°F.

7-01 (L) Mouse infestation is present. Live mice are observed running down refrigerator power cable, and behind refrigerator. Management instructed to initiate immediate corrective action.

11/28/06

No Critical Violations

Cafe Barcelona
6 E Hartwell Ln

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

6/8/07

19-01.1 Food establishment personnel food safety certified individual is not present. Commonwealth of PA Food Safety Certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

5/29/07

No Critical Violations

4/19/06

4-01.1 (A) Food/Food service article storage does not provide protection. for containers stored next to hand wash sink - items removed while present .

The Hill Tea Bar
6 E Hartwell Ln

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118*

Inspection Date

6/17/08

No Critical Violations

5/7/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate must be obtained prior to a license approval.

Chestnut Hill Bocce Club
118 E Hartwell Ln

*Retail Food: Restaurant, Private Club
Philadelphia, PA 19118*

Inspection Date

1/19/07

No Critical Violations

1/18/07

No Critical Violations

Cherylyn Tripp Family Day Care
42 W Harvey St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

8/13/07

No Critical Violations

6/22/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Spears Personal Care Home
62 W Harvey St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

4/5/07

No Critical Violations

3/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is present. Management instructed to initiate immediate corrective action.

3/17/06

No Critical Violations

Tonya Robinson Family Day Care
215 W Harvey St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

9/20/05

No Critical Violations

Miss Marty's Pre-School Day Care
222 W Harvey St

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

11/16/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

9/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

9/15/06

No Critical Violations

Dobbins/Randolph AVTS
3101 Henry Av

*Institution: School, Public
Philadelphia, PA 19128*

Inspection Date

12/19/06

No Critical Violations

12/8/05

No Critical Violations

12/8/05

No Critical Violations

Gaudenzia
3200 Henry Av

*Institution: MHMR, Inpatient Facilities
Philadelphia, PA 19129*

Inspection Date

1/23/08

No Critical Violations

Randolph Skills Ctr.
3299 Henry Av

*Institution: School, Public
Philadelphia, PA 19129111*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Randolph Skills Ctr.
3299 Henry Av

Institution: School, Public
Philadelphia, PA 19129111

Inspection Date

3/2/07

19-01.1 Food establishment personnel food safety certified individual is not present ; food service manager is enrolled.

11/3/06

No Critical Violations

10/23/06

8-01.2 (C) Hot water is not provided ; for utensils sink and hand wash sink in kitchen due to repairs in water heater system.

Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided ; for hand wash sink in employees bathroom.

Management instructed to initiate immediate corrective action.

5/17/06

No Critical Violations

Randolph Skills Ctr-School
3299 Henry Av

Institution: School, Public
Philadelphia, PA 19129111

Inspection Date

10/17/07

12-01.5.B (5) Hot water at hand washing sink is not provided ; at hand sink in employees bathroom.

Management instructed to initiate immediate corrective action.

Womans Medical Hospital
3300 Henry Av

Institution: Hospital
Philadelphia, PA 19129

Inspection Date

9/19/05

No Critical Violations

Chubby's Steaks
5824 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

5/31/08

2-10.2 Ice is not protected from contamination. Insanitary beverage cold plate stored in drink ice in the ice bins behind the front counter, duringtime of inspection. Management instructed to initiate immediate corrective action.

3/28/07

No Critical Violations

1/13/06

No Critical Violations

Henry Avenue Pharmacy
5830 Henry Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/25/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Henry Avenue Pharmacy
5830 Henry Av

*Retail Food: General Convenience
Philadelphia, PA 19128*

Inspection Date

6/23/06

No Critical Violations

Murphy's Tavern
5892 Henry Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128*

Inspection Date

10/31/07

No Critical Violations

8/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. An Experion certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

5/21/06

No Critical Violations

W B Saul High School
7100 Henry Av

*Institution: School, Public
Philadelphia, PA 19128*

Inspection Date

4/21/08

5-04.2 (A) Approved sneeze guards are not provided as required, right side unprotected, left front side held together by tape.

8-02.2 An approved air gap is not present, for both food prep sinks.

10/30/07

No Critical Violations

2/12/07

No Critical Violations

11/15/06

No Critical Violations

5/17/06

No Critical Violations

9/16/05

No Critical Violations

WB Saul High School- Ag. Unit Store
7100 Henry Av

*Institution: School, Public
Philadelphia, PA 19128*

Inspection Date

4/21/08

No Critical Violations

10/30/07

No Critical Violations

11/15/06

No Critical Violations

1/13/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

WB Saul High School- Meat Lab.
7101 Henry Av

Institution: School, Public
Philadelphia, PA 19128

Inspection Date

4/21/08

No Critical Violations

10/30/07

No Critical Violations

11/15/06

No Critical Violations

1/13/06

No Critical Violations

Tot-Time

7372 Henry Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

10/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action. Note: Several employees are signed up for a class beginning Nov. 5th.

8/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/7/06

No Critical Violations

8/10/05

No Critical Violations

Argento's Pizza
8500 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 1912811

Inspection Date

6/23/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Deli refrigerator unit temperature is 50°F, ground steak was removed from bainmarie and placed in walk-in refrigeration unit and pizza refrigerator unit is 49°F, during time of inspection. The Sanitarian advised the employee and manager to disposal of the warm lunchmeat from use, during time of inspection.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Food equipments are not properly washed, rinsed and sanitized in the 3-basin sink, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, during time of inspection. Manager has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Argento's Pizza
8500 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 1912811

Inspection Date

5/24/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Lunchmeat and cheese in the food prep unit temperature range is 60°F-65°F, lid is missing from the food prep unit and the flat grill is located next to the small refrigeration unit during time of inspection. Cheese for pizza and sausage temperature is 60°F in the pizza prep/small refrigerator unit, during time of inspection. The Sanitarian advised the employee and manager to disposal of the warm lunchmeat from use, during time of inspection.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/food prep unit temperature range is 50°F-55°F, during time of inspection. Pizza prep/small refrigeration unit temperature is 58°F, during time of inspection. The operation of the small refrigerator/food prep unit will need to be immediately discontinued, until the unit is properly repaired.

5-01.1 Food is not protected from contamination. Raw chicken parts is not protected from unclean equipment (3-basin sink). Food items is not protected from cross-contamination between raw and prepared foods in the walk-in refrigerator & walk-in freezer units and small refrigerator/food prep unit, during time of inspection. Chicken parts are being cooked on a single butane burner outside in the rear of the establishment without an overhead protective covering, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed in the food prep area, on the shelves under the self-serve beverage dispenser and in the trailer, which is used for food storage & food equipment storage, during time of inspection. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided. No running water at the hand sink in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Food equipments are not properly washed, rinsed and sanitized in the 3-basin sink, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, during time of inspection. Manager has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

2/7/07

No Critical Violations

7/15/05

No Critical Violations

Better Health & Tanning Salon
8500 Henry Av

Retail Food: General Public Establishment
Philadelphia, PA 1912800

Inspection Date

5/31/08

No Critical Violations

2/7/07

No Critical Violations

Cold Stone Creamery
8500 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cold Stone Creamery
8500 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

9/7/06

No Critical Violations

Dollar Tree #1627
8500 Henry Av

Retail Food: General Convenience
Philadelphia, PA 1912800

Inspection Date

5/24/08

No Critical Violations

4/10/07

No Critical Violations

10/6/06

No Critical Violations

8/7/06

No Critical Violations

4/9/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on candy & pasta product display shelves .

1/6/06

7-01 (L) Mouse infestation is present. mouse droppings observed on candy product display shelves.

12/7/05

7-01 (L) Mouse infestation is present. mouse droppings observed on candy product display shelves.

Eckerd Drugs #8626
8500 Henry Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

5/24/08

2-01.1 (B) Adulterated or unwholesome food is present. Mice gnawed on (2) 2 oz. pre-package sticks of JACK LINKS which was observed on the shelves in the retail area, during time of inspection.

Damaged/contaminated food products will need to be removed from sale, immediately.

7-01 (L) Mouse infestation is present. Feces contaminated surfaces are observed on the pre-packaged food items on the shelves in the retail area. Mice dropping are observed on the shelves in the rear storage area. Mice doppings are observed on the floor under and/or behind the food equipments through-out the establishment, during time of inspection. Management initiated immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Food items on the shelves are not protected from mice contamination, during time of inspection. Damaged/contaminated food products will need to be removed from sale.

2/18/07

No Critical Violations

9/26/05

No Critical Violations

9/26/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

GNC #8829
8500 Henry Av

*Retail Food: General Convenience
Philadelphia, PA 19128*

Inspection Date
11/29/07

No Critical Violations

Jenny Craig Weight Loss Center
8500 Henry Av

*Retail Food: General Convenience
Philadelphia, PA 19128*

Inspection Date
5/31/08

No Critical Violations

2/9/07

No Critical Violations

King's Palace Restaurant
8500 Henry Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128*

Inspection Date
8/22/07

No Critical Violations

8/6/07

7-01 (A) Fly infestation is present. Flies are present in the storage and prep areas. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings are found on the storage area shelves and floor. Clean and sanitize all shelving and canned goods. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Provide three sink stoppers and an EPA approved sanitizer for the proper wash-rinse-sanitize dishwashing procedure of dishware, food containers and utensils. Note: A dishwasher, at proper temperature, is in use.

2/18/07

No Critical Violations

2/18/07

No Critical Violations

Mcdonalds #03834
8500 Henry Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128*

Inspection Date
1/13/08

No Critical Violations

12/12/06

No Critical Violations

9/7/06

No Critical Violations

Moe's Southwest Grill
8500 Henry Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Moe's Southwest Grill
8500 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

5/8/06

7-01 (L) Mouse infestation is present. mouse droppings were observed on shelving below register area and around the base of the hot water heater

4/9/06

7-01 (L) Mouse infestation is present. mouse droppings were observed on shelving below register area and around the base of the hot water heater

4/9/06

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit. Rice and beans at steam table /service area . Items observed at 115 - 130 F ; reheated while present .
increase heat control & monitor time out on display area .

7-01 (L) Mouse infestation is present. mouse droppings were observed on shelving below register area and around the base of the hot water heater

4/7/06

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit. Rice and beans at steam table /service area . Items observed at 115 - 130 F ; reheated while present .
increase heat control & monitor time out on display area .

7-01 (L) Mouse infestation is present. mouse droppings were observed on shelving below register area and around the base of the hot water heater

3/27/06

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit. Rice and beans at steam table /service area . Items observed at 115 - 130 F ; reheated while present .
increase heat control & monitor time out on display area .

Quiznos Subs
8500 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

11/29/07

No Critical Violations

9/7/06

No Critical Violations

Rite Aid
8500 Henry Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/24/08

7-01 (L) Mouse infestation is present. Feces are observed on the peanut shelves and the potato chip single aisle shelves in the retail area. Mice droppings are observed on the floor under the peanut shelves. Management initiated immediate corrective action.

Saladworks
8500 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Saladworks
8500 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/24/08

7-01 (L) Mouse infestation is present. Mice droppings are observed along the perimeter of the walls under the food equipments in the establishment. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment. Manager has application for Dept. of Public Health certificate.

5/25/08

2-10.2 Ice is not protected from contamination. Ice scoop is sored on top of the ice machine, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed along the perimeter of the walls under and/or behind the food equipments in the establishment, during time of inspection.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, duing time of inspection. Manager has list of providers and application from Dept. of Public Health.

2/21/07

No Critical Violations

Staples #1535
8500 Henry Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

11/29/07

No Critical Violations

Applebee's Restaurant
8601 Henry Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/31/08

12-01.5.B (5) Hot water at hand washing sink is not provided, toilet rooms, 2nd and 3rd hand wash sink in kitchen, at time, 72- 82°.

1/13/08

No Critical Violations

10/19/06

No Critical Violations

8/17/06

No Critical Violations

Acme Market #7731
8500 N Henry Av

Retail Food: Supermarket
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Acme Market #7731
8500 N Henry Av

Retail Food: Supermarket
Philadelphia, PA 19128

Inspection Date

5/25/08

2-01.1 (B) Adulterated or unwholesome food is present. (2) Pre-package raw spareribs are observed to be discolored in the reach-in doorless display refrigeration unit, during time of inspection. Management instructed to initiate immediate corrective action.

2-01.1 (D) Defective food containers are present. Several dented cans are observed on the shelves on the retail area, during time of inspection.

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Raw/flour chicken parts temperature is 53°F is left out on food prep table in deli area, ambient temperature is 79°F, during time of inspection. Raw/floured chicken was refrigerated to meet cooling requirements, during time of inspection.

4-01.1 (A) Food/Food service article storage does not provide protection. Food items on the food prep table/shrink wrap machine is not protected from splash contamination from the hand sink in the deli food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Food items in the walk-in freezer unit is not protected from overhead leakage or condensation in the raw meat prep unit during time of inspection. Food items in the food prep sink is not protected from draining from the pressure steamer unit in the deli food prep area, during time of inspection.

7-01 (A) Fly infestation is present. Live flies are observed in the rear stock area and in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed in the establishment, during time of inspection. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Liquid waste from pressure steamer is disposed of improperly into the food prep sink, during time of inspection. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Waste water from the 3-basin sink backs-up into the basins which was observed by the Sanitarian and the employee in the deli food prep area, during time of inspection. The use of the 3-basin sink in the deli food prep area will need to be discontinued until the proper repairs are made.

9-04 (A) Sponges are used in an unapproved manner. Sponge is observed in the food prep area, during time of inspection. Management initiated immediate corrective action, discarding the sponge during time of inspection.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths not stored in sanitizing solution in the deli area and other food prep areas, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, during time of inspection. Manager has list of providers and application from Dept. of Health. Management instructed to initiate immediate corrective action.

5/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is present.

4/1/07

8-01.2 (C) Hot water is not provided at the bakery handwashing and 3-basin sinks. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is present.

3/21/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The Children's House Daycare
56 E Herman St

Institution: Child, Group Day Care Homes
Philadelphia, PA 19144

Inspection Date

8/8/06

No Critical Violations

9/1/05

No Critical Violations

United As One Academy
56 E Herman St

Institution: Child, Group Day Care Homes
Philadelphia, PA 19144

Inspection Date

7/23/07

No Critical Violations

Holy Child School (Upper)
242 Hermitage St

Institution: School, Archdiocese
Philadelphia, PA 19127

Inspection Date

4/23/08

12-01.5.B (5) Hot water at hand washing sink is not provided, men, women, opposite kitchen.

5-03.2 (B) Hazardous chemicals are not properly used, rodenticide on floor and in unapproved cups in closet.

10/24/07

No Critical Violations

1/31/07

No Critical Violations

10/20/06

No Critical Violations

Holy Child School-Upper
242 Hermitage St

Institution: School, Archdiocese
Philadelphia, PA 19127

Inspection Date

5/19/06

No Critical Violations

Holy Family School
242 Hermitage St

Institution: School, Archdiocese
Philadelphia, PA 19127

Inspection Date

5/17/06

No Critical Violations

Germantown High School Bright Futures
40 E High St

Institution: Child, Child Care Centers
Philadelphia, PA 1914400

Inspection Date

4/9/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown High School Day Care
6000 Germantown Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

10/30/06

No Critical Violations

10/12/05

No Critical Violations

Germantown High School Head Start
40 E High St

*Institution: Child, Child Care Centers
Philadelphia, PA 1914401*

Inspection Date

4/9/08

No Critical Violations

11/7/07

No Critical Violations

Germantown High School-Cafeteria
40 E High St

*Institution: School, Public
Philadelphia, PA 19144*

Inspection Date

4/9/08

No Critical Violations

11/6/07

No Critical Violations

3/12/07

No Critical Violations

10/31/06

No Critical Violations

10/30/06

8-01.2 (C) Hot water is not provided. No hot water is observed throughout establishment at time of inspection. Hot water is required at all times for cleaning and sanitization purposes. Maintain hot water temperature between 110°F and 125°F. Management instructed to initiate immediate corrective action.

6/8/06

8-06.1.1 (C) Drain line is in need of repair. 3-basin sink drain line is leaking onto the floor, Management instructed to initiate immediate corrective action.

5/11/06

8-06.1.1 (C) Drain line is in need of repair. 3-basin sink drain line is leaking onto the floor, Management instructed to initiate immediate corrective action.

12/20/05

No Critical Violations

12/13/05

8-01.2 (C) Hot water is not provided. No hot water present. The building engineer stated that work is being done on the broiler. Management instructed to initiate immediate corrective action.

Germantown High School-School Store
40 E High St

*Retail Food: General Convenience
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown High School-School Store
40 E High St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

4/9/08

No Critical Violations

11/6/07

No Critical Violations

10/30/06

No Critical Violations

12/20/05

No Critical Violations

12/13/05

No Critical Violations

Germantown HS-Culinary Arts Class/Prog.
40 E High St

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

4/9/08

No Critical Violations

11/7/07

No Critical Violations

10/30/06

No Critical Violations

12/20/05

No Critical Violations

12/13/05

8-01.2 (C) Hot water is not provided. No hot water present throughout the school. Management instructed to initiate immediate corrective action.

12/13/05

No Critical Violations

Community Corrections Center III
219 E High St

Institution: Penal Facility
Philadelphia, PA 19144

Inspection Date

11/1/07

No Critical Violations

3/16/06

No Critical Violations

Germantown Settlement
324 E High St

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

6/16/08

19-01.1 Food establishment personnel food safety certified individual is not present. Note: A City of Philadelphia Food Safety Certified individual is needed to be in compliance. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Settlement
324 E High St

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

5/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The director is registered for a class at Drexel in June. Management instructed to initiate immediate corrective action.

4/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/11/06

No Critical Violations

High & Magnolia St. Convenient Store
461 E High St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

7/3/07

No Critical Violations

High & Magnolia Variety Store
461 E High St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

6/4/06

No Critical Violations

Kid's Choice Daycare
531 E High St

Institution: Child, Group Day Care Homes
Philadelphia, PA 19144

Inspection Date

6/16/08

19-04 Food establishment personnel food safety certificate is expired. Note: A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

4/3/07

No Critical Violations

Wawa Food Market 16
23 W Highland Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

6/10/06

No Critical Violations

Reyes Grocery
2198 Homer St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/11/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Arlene's Night Care Service
88 E Hortter St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

2/20/08

No Critical Violations

Joa Mart
367 W Hortter St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

12/10/07

No Critical Violations

Temple University Hospital Dietary Dept.
2450 W Hunting Park Av

Institution: Hospital
Philadelphia, PA 19129

Inspection Date

4/18/07

No Critical Violations

3/8/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

10/2/06

No Critical Violations

Tasty Baking Company
2801 W Hunting Park Av

Wholesale: Processor
Philadelphia, PA 19129130

Inspection Date

7/19/07

No Critical Violations

Mercy Vocational School
2900 W Hunting Park Av

Institution: School, Private
Philadelphia, PA 19129180

Inspection Date

11/9/07

No Critical Violations

11/9/07

No Critical Violations

12/19/06

No Critical Violations

11/9/05

No Critical Violations

10/20/05

7-01 (L) Mouse infestation is present - several mouse droppings observed on the floor in food storage room.

Management instructed to initiate immediate corrective action.

Ana's Grocery
4901 N Hutchinson Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ana's Grocery
4901 N Hutchinson Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

2/4/07

No Critical Violations

3/24/06

No Critical Violations

Torres Grocery
4901 N Hutchinson Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

8/31/07

No Critical Violations

7/20/07

7-01 (A) Fly infestation is present. Flies observed at prep area. ELIMINATE FLY INFESTATION.
Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

7/17/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Deli refrigerator observed at 43°F.
(Not currently in use) , Milk / beverage display case a observed with milk products at 44°F.
repair units to maintain 41 F or lower.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Benjamin Family Day Care
4904 N Hutchinson St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

6/21/07

No Critical Violations

BENJAMIN FAMILY DAY CARE
4904 N HUTCHINSON St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

4/10/06

No Critical Violations

FUTURE LEADERS DAY CARE
5906 N HUTCHINSON St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

9/25/07

No Critical Violations

7/30/06

No Critical Violations

Hidden River Cafe
3572 Indian Queen Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Hidden River Cafe
3572 Indian Queen Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

6/18/06

No Critical Violations

The Set Table
3572 Indian Queen Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

5/25/07

No Critical Violations

Falls Tavern
3501 Indian Queen Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

4/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/30/05

No Critical Violations

11/16/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on second floor. Management instructed to initiate immediate corrective action.

11/16/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on second floor. Management instructed to initiate immediate corrective action.

Barbara Lechtenberg Family Day Care
3585 Indian Queen Ln

Institution: Child, Family Day Care Homes
Philadelphia, PA 19129

Inspection Date

6/25/07

19-01.1 Food establishment personnel food safety certified individual is not present.

5/5/06

No Critical Violations

Henry James Saloon
577 Jamestown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/28/07

No Critical Violations

Carey's 19th Hole
601 Jamestown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Carey's 19th Hole
601 Jamestown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

5/22/08

2-10.2 Ice is not protected from contamination. Mold is present in the ice machine. Thoroughly clean machine. The cooling plate, a beer bottle is stored in the drink ice.

5-01.1 Food is not protected from contamination, sandwich unit/steam table in seating area of bar not adequately protected from customers.

7-01 (L) Mouse infestation is present, fresh droppings observed on second floor kitchen.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/6/08

2-10.2 Ice is not protected from contamination. Mold is present in the ice machine. Thoroughly clean machine. The cooling plate, a beer bottle and ice scoop are stored in the drink ice. The scoop is stored in the ice machine ice.

8-06.1.1 (C) Drain line is in need of repair. The drain line leaks at the kitchen 3-basin sink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/26/06

No Critical Violations

Fiesta Pizza
600 E Jamestown Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

6/30/08

2-10.2 Ice is not protected from contamination, scoop handle is not easily available. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination, bread rolls were not covered. Management initiated immediate corrective action.

7-01 (A) Fly infestation is present in basement. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner, cloths are not stored in sanitizer between uses. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated, 3 basin sink is storing food equipment and is available for cleaning. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Note: The owner is signed up for a course.

7/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/28/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Hall Homes Personal Care Home
105 E Johnson St

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

5/6/08

No Critical Violations

4/3/07

No Critical Violations

3/20/06

No Critical Violations

Natasha Hanford Family Day Care
604 E Johnson St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

7/31/08

19-01.1 Food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

6/26/07

7-01 (D) Roach infestation is present ; numerous live german roaches observed in the kitchen.NOTE:
Heavy smell of roaches in kitchen.

Management instructed to initiate immediate corrective action.

19-01.1 Food safety certified individual is not present.

Food Safety Certificate Information:

(215) 685-7489

(215) 685-7494

4/21/06

No Critical Violations

D. J.'s Deli & Grocery
139 Kalos St

*Retail Food: Grocery Market
Philadelphia, PA 19128*

Inspection Date

1/23/07

No Critical Violations

Mom Mom Stephanie's Daycare
5757 Kemble Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

9/21/07

No Critical Violations

Harvey Food Van #892
5760 Kemble Av

*Retail Food: Mobile Food Vendor
Philadelphia, PA 19141*

Inspection Date

6/26/07

No Critical Violations

3/23/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Harvey Food Van #892
5760 Kemble Av

Retail Food: Mobile Food Vendor
Philadelphia, PA 19141

Inspection Date

3/16/06

No Critical Violations

Stages Daycare
5769 Kemble Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

9/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/7/06

No Critical Violations

Kemble Food Market
5970 Kemble Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

4/22/08

No Critical Violations

3/18/08

5-04.2 (A) Approved sneeze guards are not provided as required in front of the scale.

19-01.1 Food establishment personnel food safety certified individual is not present. The food safety certified person must be present at the time of the plan review inspection.

12-02.1 (B) Required hand washing sinks are not provided at prep area.

8-01.2 (A) An adequate supply of hot water is not provided. There is an apartment in use above the store but there is only one 30 gallon hot water tank present.

8-02.1 (A) An approved backflow prevention device is not installed. The water was unable to be located.

2/6/08

No Critical Violations

Bamford Market
6645 N 16th St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

9/14/06

No Critical Violations

9/6/06

7-01 (J) Other insect infestation is present. Numerous maggots observed in basement at bottom of staircase. Eliminate maggot infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided. No hot water present at establishment. Restore hot water to establishment.

ORDERS: CLOSE AND DISCONTINUE ALL FOOD PREPARATION AND SALES UNTIL HOT WATER IS RESTORED TO ESTABLISHMENT.

Management instructed to initiate immediate corrective action.

Contact the sanitarian at the number below once hot water is restored to set up a reinspection appointment.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

R and M Grocery Store
1545 Kinsdale St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

10/29/07

No Critical Violations

7/24/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non- City certificate observed. Application for City of Philadelphia Food Safety Certificate sent by owner. Management initiated immediate corrective action.

5/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non- City certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

Rosario Grocery
1545 Kinsdale St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

7/7/08

No Critical Violations

5/5/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is not posted nor was the certified person present at the time of inspection. Note: An application for the city certificate was issued.

The French Box
5812 Knox St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19144

Inspection Date

5/2/08

No Critical Violations

10/22/07

No Critical Violations

10/15/07

8-01.2 (B) Cold water is not provided. Only hot water was present (at both faucets) at the hand washing sink basin

A & T Grocery
5237 Laurens St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

7/11/05

No Critical Violations

Mezquita Grocery
5237 Laurens St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

2/6/07

No Critical Violations

1/25/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mezquita Grocery
5237 Laurens St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

1/2/07

3-02.1 Refrigeration system does not maintain proper temperatures.

The deli case and bainmarie do not hold proper temperature. Both units were observed at 65° F.

(Note: These items are not in use currently.)

*** Do not resume use of these refrigeration units for potentially hazardous foods until temperatures are maintained below 41° F. ***

Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. The cold water is not working at the prep area hand washing sink. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water is not working at the prep area hand washing sink. Management instructed to initiate immediate corrective action.

12/12/06

3-02.1 Refrigeration system does not maintain proper temperatures.

The deli case and bainmarie do not hold proper temperature. Both units were observed at 65° F.

(Note: These items are not in use currently.)

*** Do not resume use of these refrigeration units for potentially hazardous foods until temperatures are maintained below 41° F. ***

Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. The cold water is not working at the prep area hand washing sink. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water is not working at the prep area hand washing sink. Management instructed to initiate immediate corrective action.

Khakazi Care Center
6305 Lawnton Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

12/22/06

No Critical Violations

Morel Grocery
5355 Lena St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

1/11/07

No Critical Violations

Peralta Grocery
5355 Lena St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

12/29/06

5-04.2 (A) Approved sneeze guards are not provided as required. No sneeze guard is provided for scale at deli area. Provide sneeze guard to protect food from contamination. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on food stocked shelves and around perimeters of establishment. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizing procedure is followed. Properly wash, rinse, and sanitize all food equipment and utensils as instructed by this sanitarian. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Joe's News Stand
100 Levering St

Retail Food: Other
Philadelphia, PA 19127

Inspection Date

10/2/07

No Critical Violations

Duff's Steaks
114 Levering St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

8/30/07

No Critical Violations

VOLPES GROCERY & DELI
114 LEVERING St

Retail Food: Grocery Market
Philadelphia, PA 19127

Inspection Date

5/13/06

No Critical Violations

Angelo's Fruit and Produce - 000802
159 Levering St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19127

Inspection Date

6/12/08

No Critical Violations

6/12/07

No Critical Violations

5/3/06

No Critical Violations

Right Off Main
125 Leverington Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. Take the an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. The food safety certificate is expired. Take the recertification course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

5/14/06

No Critical Violations

Right Off Main Cafe & Restaurant
125 Leverington Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/4/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Roxborough Turners
418 Leverington Av

Retail Food: Restaurant, Private Club
Philadelphia, PA 19128

Inspection Date

6/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. The manager is in the process of arranging for a class to be held at the establishment. Management instructed to initiate immediate corrective action.

4/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Barry's Steaks & Hoagies
471 Leverington Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

5/27/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/5/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/24/06

No Critical Violations

10/20/06

No Critical Violations

7/13/06

No Critical Violations

6/24/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor near canned goods and shelves near the toaster. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

5/28/06

No Critical Violations

Dynamite Gym
123 Leverington St

Retail Food: Other
Philadelphia, PA 19127200

Inspection Date

1/17/07

No Critical Violations

Alex's Pizzeria
400 Leverington St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

11/23/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Alex's Pizzeria
400 Leverington St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

9/24/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/5/06

No Critical Violations

Farley's Bar & Grill
473 Leverington St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

12/12/06

No Critical Violations

Roxborough Home For Women
601 Leverington St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19128

Inspection Date

5/15/08

8-02.2 An approved air gap is not present, for food prep sink, ice machine, directly connected.
19-01.1 Food establishment personnel food safety certified individual is not present. Obtain current City of Philadelphia food safety certificates. Several employees have completed the class and are awaiting their results.

2/20/08

5-01.1 Food is not protected from contamination. Hand washing is done at one end of a 3-basin sink while food preparation takes place at the other end. A copy of a plumbing contract, for installing a hand sink is present.
19-01.1 Food establishment personnel food safety certified individual is not present. Obtain current City of Philadelphia food safety certificates. Several employees have completed the class and are awaiting their results.

12/7/07

5-01.1 Food is not protected from contamination. Hand washing is done at one end of a 3-basin sink while food preparation takes place at the other end.
19-01.1 Food establishment personnel food safety certified individual is not present. Obtain current City of Philadelphia food safety certificates.

12/4/06

No Critical Violations

J L Kinsey School Bright Futures Day Car
6501 Limekiln Av

Institution: Child, Child Care Centers
Philadelphia, PA 191380

Inspection Date

5/5/08

No Critical Violations

4/14/08

7-01 (L) Mouse infestation is present. There are droppings present along the serving area perimeters.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Theresa Hutson Family Day Care
7211 Limekiln Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

7/10/08

No Critical Violations

9/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

12/23/05

No Critical Violations

Little Scholars Day Care
6252 Limekiln Pk

Institution: Child, Group Day Care Homes
Philadelphia, PA 19141

Inspection Date

5/5/08

No Critical Violations

9/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is signed up for a class to take place on the 15th and 22nd of this month. Management instructed to initiate immediate corrective action.

6/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action. List of providers given to owner.

6/12/06

No Critical Violations

Cleo's Restaurant
6255 Limekiln Pk

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/11/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper observed. Provide three sink stoppers, one per basin, for proper washing, rinsing, and sanitizing. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Expired food safety certificate observed. List of providers given to manager. Management instructed to initiate immediate corrective action.

9/11/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper observed. Provide three sink stoppers, one per basin, for proper washing, rinsing, and sanitizing. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired. List of providers given to manager. Management instructed to initiate immediate corrective action.

6/20/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

5/7/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

J L Kinsey School
6501 Limekiln Pk

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

5/5/08

No Critical Violations

4/14/08

7-01 (L) Mouse infestation is present. There are droppings present along the serving area perimeters.

10/30/07

No Critical Violations

3/2/07

No Critical Violations

11/3/06

No Critical Violations

5/12/06

No Critical Violations

10/11/05

No Critical Violations

J L Kinsey School Comprehensive Day Care
6501 Limekiln Pk

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

5/5/08

No Critical Violations

4/14/08

7-01 (L) Mouse infestation is present. There are droppings present along the serving area perimeters.

10/30/07

No Critical Violations

11/3/06

No Critical Violations

10/11/05

No Critical Violations

Limekiln Child Care Academy
6600 Limekiln Pk

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

12/1/06

No Critical Violations

9/6/05

No Critical Violations

Silvia Taylor Family Day Care
6609 Limekiln Pk

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/11/07

No Critical Violations

6/12/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Beasley's Early Education Center
6739 Limekiln Pk

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

5/20/08

No Critical Violations

Beasley's Phase II Child Care Center
6739 Limekiln Pk

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

2/4/08

No Critical Violations

Moon Light Cuisine Restaurant & Lounge
6834 Limekiln Pk

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

6/17/08

No Critical Violations

5/19/08

8-01.1 (B) Water supply system is not properly maintained. There a few leaks in the basement coming from the floor above under what seems to be the beer case.

8-06.1.1 (A) Liquid waste is not disposed of properly. Provide a metal oil drum(s) and recycling company for used deep fryer cooking oil. Management instructed to initiate immediate corrective action, owner waiting for request for service.

10-02.1 Food equipment needs cleaning. Encrusted food debris present on along the fryer sides and other food equipments, where it is needed, during time of inspection. Soda-gun holder is ot clean in the bar area. Management instructed to initiate immediate corrective action.

4/28/08

7-01 (D) Roach infestation is present. Live roaches are observed in the kitchen area, during time of inspection.

8-06.1.1 (A) Liquid waste is not disposed of properly. Provide a metal oil drum(s) and recycling company for used deep fryer cooking oil. Management instructed to initiate immediate corrective action, owner waiting for request for service.

10-02.1 Food equipment needs cleaning. Encrusted food debris present on along the fryer sides and other food equipments, where it is needed, during time of inspection. Soda-gun holder is ot clean in the bar area. Management instructed to initiate immediate corrective action.

3/24/08

8-06.1.1 (A) Liquid waste is not disposed of properly. Provide a metal oil drum(s) and recycling company for used deep fryer cooking oil. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair under the bar 3 bay sink and along the basement drain line; leaks are present. Management instructed to initiate immediate corrective action.

10-02.1 Food equipment needs cleaning. Encrusted food debris present on kitchen walk-in box walls and along the fryer sides. The bar area beer box is unsanitary. Management instructed to initiate immediate corrective action.

8-06.1.1 (G) Floor drains are in need of repair. The sump pump area is filled with stagnant water.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Moon Light Cuisine Restaurant & Lounge
6834 Limekiln Pk

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

2/26/08

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Tomatoes in salad prep unit recorded at 52°F. Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. Sandwich prep unit (bainemarie) recorded at 52°F. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Provide a metal oil drum(s) and recycling company for used deep fryer cooking oil. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair under kitchen 3 bay sink; leak present. Management instructed to initiate immediate corrective action.

10-02.1 Food equipment needs cleaning. Encrusted food debris present on kitchen walk-in box shelving and floor. Dumb waiter surfaces due to food debris. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain City cert.; application held. Management initiated immediate corrective action.

2/15/08

No Critical Violations

8/20/07

7-01 (A) Fly infestation is present ; numerous live flies observed in kitchen. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present ; numerous german roaches observed at bar 2nd floor . Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Owner is enrolled in a class for July 23rd and 24th. Management initiated immediate corrective action.

7/16/07

19-01.1 Food establishment personnel food safety certified individual is not present. Owner is enrolled in a class for July 23rd and 24th. Management initiated immediate corrective action.

5/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Saint Athanasius School
7105 Limekiln Pk

Institution: School, Archdiocese
Philadelphia, PA 19138

Inspection Date

10/30/07

No Critical Violations

3/16/07

No Critical Violations

11/9/06

No Critical Violations

5/12/06

No Critical Violations

9/14/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Janet's Family Child Care
7146 Limekiln Pk

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

8/28/06

No Critical Violations

8/28/06

No Critical Violations

West Oak Lane Christian Academy
7401 Limekiln Pk

Institution: School, Private
Philadelphia, PA 19138

Inspection Date

4/3/08

No Critical Violations

3/27/08

No Critical Violations

3/24/08

No Critical Violations

3/12/08

No Critical Violations

3/16/07

No Critical Violations

11/9/06

No Critical Violations

1/6/06

No Critical Violations

West Oak Lane Church of God Preschool
7401 Limekiln Pk

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

2/11/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

10/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

11/9/06

No Critical Violations

1/6/06

No Critical Violations

You Are Special Produce and Fish Center
7802 Limekiln Pk

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

6/7/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

You Are Special Produce and Fish Center
7802 Limekiln Pk

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

5/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/5/06

No Critical Violations

Talk Of The Town Food Market
7804 Limekiln Pk

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

1/24/08

No Critical Violations

9/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

2/2/07

No Critical Violations

Carnival Pizza II & Restaurant
7806 Limekiln Pk

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/1/07

7-01 (A) Fly infestation is present. Live flies observed at rear of establishment at time of inspection. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Numerous live roaches observed at time of inspection. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Employee enrolled in October 14th class. Management instructed to initiate immediate corrective action.

9/13/07

7-01 (A) Fly infestation is present. Numerous flies observed throughout establishment at time of inspection. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Numerous baby and adult roaches observed at time of inspection. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water is not provided at toilet room and rear prep area handsinks. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

4/5/06

No Critical Violations

Mt Airy's Best Pizza
7806 Limekiln Pk

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

8/16/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

CVS - #2986
7065 Lincoln Dr

*Retail Food: General Convenience
Philadelphia, PA 19119*

Inspection Date

12/6/07

No Critical Violations

9/22/06

No Critical Violations

Lincoln Drive Deli
7080 Lincoln Dr

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119*

Inspection Date

1/24/07

No Critical Violations

Logan School
1700 Lindley Av

*Institution: School, Public
Philadelphia, PA 19141*

Inspection Date

4/8/08

No Critical Violations

10/29/07

No Critical Violations

3/14/07

No Critical Violations

12/1/06

No Critical Violations

10/18/05

No Critical Violations

Bizini's
1800 Lindley Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141*

Inspection Date

12/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

12/5/07

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered foods observed at refrigerators and no splash guards provided for first floor handsink. Provide sanitary coverings for all uncovered foods and splash guards where needed Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in sanitizing solution. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Shell House Seafood
1862 Lindley Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

12/19/06

No Critical Violations

Birney School
900 W Lindley Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

4/14/08

No Critical Violations

10/22/07

5-04.2 (A) Approved sneeze guards are not provided as required for serving display area. Management instructed to initiate immediate corrective action.

2/28/07

No Critical Violations

11/10/06

No Critical Violations

5/17/06

No Critical Violations

9/9/05

No Critical Violations

Foundations
900 W Lindley Av

Institution: School, Private
Philadelphia, PA 19141

Inspection Date

2/26/07

No Critical Violations

Manuel Fernandez Grocery Store
1101 W Lindley Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/5/07

No Critical Violations

8/7/07

19-01.1 Food establishment personnel food safety certified individual is not present.
Owner stated food safety application was paid and stamped , waiting to get the food safety certificate.

3/16/07

19-01.1 Food establishment personnel food safety certified individual is not present.

2/26/07

19-01.1 Food establishment personnel food safety certified individual is not present.

2/4/07

12-01.5.B (5) Hot water at hand washing sink is not provided ; for utensils sink, not readily available , hot water disconnected at valve below sink.

Management instructed to initiate immediate corrective action.

10/20/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Shop and Carry
1301 W Lindley Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

1/20/08

No Critical Violations

8/30/07

No Critical Violations

8/22/07

19-01.1 Food establishment personnel food safety certified individual is not present.

12/6/06

No Critical Violations

12/21/05

No Critical Violations

King's Diner
1319 W Lindley Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/26/06

No Critical Violations

4/4/06

No Critical Violations

3/24/06

No Critical Violations

Bravo & Halal food restaurant
1323 W Lindley Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

7/12/07

19-01.1 Food establishment personnel food safety certified individual is not present.

5/17/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Bravo Pizza II & Halal Food Restaurant
1323 W Lindley Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

6/16/08

3-02.1 Refrigeration system does not maintain proper temperatures. Walk-in box (49°F) and bainemarie (53°F).

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Approx 300lbs of various meats and foods stored in walk-in box (49°F) and bainemarie (53°F). Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Provide a partition between food prep area hand sink and food prep table. Management instructed to initiate immediate corrective action.

LaSalle University Tree Top Cafe
1825 W Lindley Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

LaSalle University Tree Top Cafe
1825 W Lindley Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

2/16/07

No Critical Violations

8/10/05

No Critical Violations

LaMunda Manor Personal Care Home
912 E Locust Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19138

Inspection Date

11/27/07

7-01 (D) Roach infestation is present. Several roaches observed at prep area. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

11/3/06

No Critical Violations

A B C Christian Community Learning Ctr
221 E Logan St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

8/13/07

No Critical Violations

8/2/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at kitchen and child play areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. Cold water faucet at baby changing station handsink is defective. Repair faucet so cold water is provided at all times. Management instructed to initiate immediate corrective action.

7/11/06

No Critical Violations

7/29/05

No Critical Violations

Aunt Nan's Place
31 W Logan St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

2/25/08

19-01.1 Food safety certified individual is not present.

Food Safety Course Information: 215-685-7489

10/31/06

No Critical Violations

8/29/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

St. Martin De Porres Interparochial
44 W Logan St

*Institution: School, Archdiocese
Philadelphia, PA 19144*

Inspection Date

4/17/08

7-01 (L) Mouse infestation is present, fresh droppings observed on kitchen floor.

10/26/07

No Critical Violations

2/13/07

No Critical Violations

11/17/06

No Critical Violations

5/15/06

No Critical Violations

St. Martin Head Start
44 W Logan St

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

4/17/08

No Critical Violations

10/26/07

No Critical Violations

2/13/07

No Critical Violations

11/17/06

No Critical Violations

Little People's Academy
104 W Logan St

*Institution: Child, Child Care Centers
Philadelphia, PA 19144*

Inspection Date

6/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/6/07

No Critical Violations

5/1/06

No Critical Violations

Cintron Grocery
1120 W Loudon St

*Retail Food: Grocery Market
Philadelphia, PA 19141*

Inspection Date

1/28/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Dragon Star Chinese Restaurant
1128 W Louden St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

6/25/08

No Critical Violations

5/5/08

7-01 (L) Mouse infestation is present. Mouse feces observed on floors and food shelving in storage areas. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No stoppers for 3 bay sink. Management instructed to initiate immediate corrective action.

1/28/07

No Critical Violations

Cooke Middle School
1300 W Louden St

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

4/11/08

4-01.1 (A) Food/Food service article storage does not provide protection. Foods stored in walk-in freezer under leaking condensation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse feces observed on floor perimeters in storage areas and near walk-in box. Management instructed to initiate immediate corrective action.

8-01.4 Non-potable water is in contact with food or food service articles. Large accumulation of ice present on boxes of food in walk-in freezer; defective condensation unit. Management instructed to initiate immediate corrective action.

10/17/07

7-01 (L) Mouse infestation is present. Mouse droppings observed at floor next to walk in box, storage shelves and storage floor .ELIMINATE MOUSE INFESTATION.

REPEAT VIOLATION. Management instructed to initiate immediate corrective action.

2/28/07

7-01 (L) Mouse infestation is present. Mouse droppings observed at floor next to walk in box. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

11/14/06

No Critical Violations

5/17/06

10-01.1 (A) An approved equipment and utensil washing sink is not provided. Non NSF 4- basin sink observed. Management instructed to initiate immediate corrective action.

5/17/06

7-01 (A) Fly infestation is present----due to large flies noted in kitchen food preparation area. Management instructed to initiate immediate corrective action.

10-01.1 (A) An approved equipment and utensil washing sink is not provided. Non NSF 4- basin sink observed. Management instructed to initiate immediate corrective action.

9/9/05

10-01.1 (A) An approved equipment and utensil washing sink is not provided. Non NSF 4- basin sink observed. Management instructed to initiate immediate corrective action.

Foundations
1300 W Louden St

Institution: School, Private
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Foundations
1300 W Loudon St

Institution: School, Private
Philadelphia, PA 19141

Inspection Date
3/15/07
No Critical Violations

Shirl's A Bundle of Care
7000 Louise Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date
2/20/07
No Critical Violations

J & J Deli Grocery
7100 Louise Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date
4/13/07
19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/6/07
19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/20/07
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No cleaning and sanitizing procedure is followed. Three-basin sink is not in use (due to a leak) and thus washing and sanitizing of dishes is not taking place. Fix leak at three-basin sink and use only for washing, rinsing, and sanitizing of dishes as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

9/6/05
No Critical Violations

8/19/05
No Critical Violations

Pena Grocery
7100 Louise Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date
10/29/07
19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Mason Grocery
353 Lyceum Av

Retail Food: Grocery Market
Philadelphia, PA 19128

Inspection Date
1/28/07
No Critical Violations

T & S Grocery
391 Lyceum Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

T & S Grocery
391 Lyceum Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

6/15/08

- 3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Perishable lunch meat temp. is 47° F in the refrigerator display unit. Food service operation in this unit will have to immediately be discontinued until it is properly repair.
- 3-02.1 Refrigeration system does not maintain proper temperatures. Display refrigerator unit has temp. of 47°F during time of inspection. This food service equipment use discontinued until repaired.
- 7-01 (A) Fly infestation is present. Live flies are observed in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.
- 8-01.2 (B) Cold water is not provided at the hand washing station in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.
- 8-01.2 (C) Hot water is not provided at the hand washing station in the food prep area. Management instructed to initiate immediate corrective action.
- 8-06.1.1 (A) Liquid waste is not disposed of properly. Mechanical ventilation system is leaking waste water to other food equipment(reach-in refrigerator unit), during time of inspection. Management instructed to initiate immediate corrective action.
- 9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution. Management instructed to initiate immediate corrective action.
- 10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Food equipment are not properly washed, rinsed and sanitized in the 3-basin sink, due to cleaning agents and containerslids being stored in the 3-basin sink, during time of inspection.
- 10-04.0 Oversized equipment is not properly washed or sanitized. Meat slicer is not properly wash, rinsed and sanitized. Management instructed to initiate immediate corrective action.
- 15-02 (B) Mechanical ventilation system is not in good repair, unit in the rear stoage area is leaking water into a reach-in refrigeration unit. Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is not present, during time of inspection.

5/25/07

No Critical Violations

5/13/06

No Critical Violations

Four Seasons Day Care
433 Lyceum Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

7/11/07

- 19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner mailed in a waiver application, for the food safety certificate, two months ago. She is still waiting for a response from the Health Department. Management instructed to initiate immediate corrective action.

5/15/07

- 19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/15/07

- 19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.
-

Big Daddy's
355 E Lyceum Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Big Daddy's
355 E Lyceum Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

1/6/08

No Critical Violations

11/2/06

No Critical Violations

Gary's Catering Inc. #00973
109 Lynnwood Av

Retail Food: Mobile Food Vendor
Glenside, PA 19144

Inspection Date

5/6/08

No Critical Violations

Gary's Catering Inc. #000973
9999 Roamer St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19144

Inspection Date

6/9/06

No Critical Violations

9/7/05

No Critical Violations

Gary's Curbside Cafe #00973
109 Lynnwood Av

Retail Food: Mobile Food Vendor
Glenside, PA 19144

Inspection Date

9/17/07

No Critical Violations

Joy Thompson Family Day Care
6045 Magnolia St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

9/13/06

No Critical Violations

9/22/05

No Critical Violations

Newstand
6521 N Magnolia St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19119226

Inspection Date

5/2/07

No Critical Violations

5/5/06

No Critical Violations

Manayunk Diner
3720 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191271

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Manayunk Diner
3720 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191271

Inspection Date

7/3/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The 2 bainmaries at food prep line are holding at 52°F and 60°, however shrimp was at 40°F.

- Discontinue use of these refrigerators for potentially hazardous foods, until they are repaired and can maintain temperatures below 41° F. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination, foods were uncovered in walk-ins.

7-01 (L) Mouse infestation is present, observed by numerous glue and snap traps and droppings on prep table and floor under equipment. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair, water drains slow at handsink in prep area. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner, stored on prep tables not in sanitizer between uses. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/13/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigerator, under the soda dispenser, with butter and cream cheese, observed at 54° F. The refrigerator, across from the cooking line, with cheese, observed at 56° F.

- Discontinue use of these refrigerators for potentially hazardous foods, until they are repaired and can maintain temperatures below 41° F. Items were removed while present. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/14/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigerator, under the soda dispenser, with butter, half and half and cream cheese, observed at 60° F. The refrigerator, across from the cooking line, with cheese, observed at 59° F.

- Discontinue use of these refrigerators for potentially hazardous foods, until they are repaired and can maintain temperatures below 41° F. Items were removed while present. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. A container of uncovered bread is stored next to the sink. Keep salad dressings, walk-in food items and flour containers covered. Wet rags should be removed from refrigerator.

2/21/07

No Critical Violations

2/11/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The salad refrigerator temperature is observed at 55° F. Discontinue use for potentially hazardous food items until it is repaired and can maintain temperatures below 41° F. Items were removed while present. Management initiated immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair at the dishwasher. Management instructed to initiate immediate corrective action.

11/3/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Manayunk Diner
3720 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191271

Inspection Date

11/3/05

No Critical Violations

7/25/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. DISCONTINUE USE OF 2 DEFECTIVE PREP REFRIGERATORS FOR PERISHABLE FOOD ITEMS OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. MEATLOAF OBSERVED AT 50°F AND DISCARD WHILE PRESENT. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present; mouse droppings observed at rear storage area. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided at 2nd floor bar counter area. Management instructed to initiate immediate corrective action.

United Artist Theaters
3720 Main St

Retail Food: General Public Establishment
Philadelphia, PA 19127

Inspection Date

1/31/08

No Critical Violations

11/3/06

No Critical Violations

CVS Pharmacy #2166
3780 Main St

Retail Food: General Convenience
Philadelphia, PA 19127

Inspection Date

1/18/08

No Critical Violations

1/31/07

No Critical Violations

1/17/07

7-01 (L) Mouse infestation is present. Mouse droppings observed on the candy and pet product shelves in the storage area. Management instructed to initiate immediate corrective action.

11/7/05

No Critical Violations

Grape Street Pub
4100 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

10/6/06

No Critical Violations

6/30/06

No Critical Violations

6/29/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mike's Pizza
4111 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/11/08

8-01.2 (C) Hot water is not provided. No running hot water at the hand sink which is near the 3-basin sink.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Certified individual (owner) explained the improper order of operation (wash, rinse and drying) in the 3-basin sink, during time of inspection. Management instructed to initiate immediate corrective action, proper order is wash, rinse & sanitize in the 3-basin sink at all times.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is missing certificate from Dept. of Public Health, owner has application. Management instructed to initiate immediate corrective action.

6/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner has completed a ServSafe course. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/1/07

No Critical Violations

5/30/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. The employee did not have knowledge of the proper sanitization procedure. Only one sink stopper is present.

- Provide 3 sink stoppers, and properly wash-rinse -and sanitize utensils and equipment.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/30/06

No Critical Violations

6/29/06

No Critical Violations

1/3/06

No Critical Violations

Manayunk Brewing Co.
4120 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/25/08

No Critical Violations

11/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. A current city of Philadelphia food safety certificate is not present. Management instructed to initiate immediate corrective action.

11/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. A current city of Philadelphia food safety certificate is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Manayunk Brewing Co.
4120 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

9/23/06

No Critical Violations

6/30/06

No Critical Violations

6/29/06

No Critical Violations

Sapphire Lounge
4141 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/30/06

No Critical Violations

6/30/06

No Critical Violations

6/29/06

No Critical Violations

6/29/06

No Critical Violations

Chloe's - Tent Operation
4162 Main St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127

Inspection Date

6/26/08

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. Sink in this establishment is not a 3 compartment, during time of inspection. 2-Basin sink is used to clean the food equipments. Management instructed to initiate immediate corrective action.

6/14/08

7-01 (K) Rat infestation is present. Rat droppings are observed on the floor under and/or behind the food equipments in the food prep area. Management initiated immediate corrective action, Sanitarian observed the service report, during time of inspection.

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. Sink in this establishment is not a 3 compartment, during time of inspection. 2-Basin sink is used to clean the food equipments. Management instructed to initiate immediate corrective action.

Chloe's Corner
4162 Main St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127

Inspection Date

6/16/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Chloe's Corner
4162 Main St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127

Inspection Date

5/6/08

7-01 (K) Rat infestation is present, burrows observed at side/rear areas.

7-01 (L) Mouse infestation is present, fresh mouse droppings on dry storage shed floor.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food saety certificate. Management instructed to initiate immediate corrective action.

5/11/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. One sink stopper is present. A total of three are needed for the proper wash-rinse-sanitize dishwashing procedure.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food saety certificate. Management instructed to initiate immediate corrective action.

9/11/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelving and floor of the prep area. Management instructed to initiate immediate corrective action.

Cloe's - Tent Operation
4162 Main St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127

Inspection Date

6/22/07

10-01.1 (B) An approved sink for manual washing and sanitization is not provided . Establishment makes use of a 3 basin sink located inside an adjacent ice cream stand building . the tent operation has no separate utensil washing sink.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food saety certificate.

5/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food saety certificate.

2/4/06

No Critical Violations

2/3/06

No Critical Violations

Thomas Restaurant
4201 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127160

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Thomas Restaurant
4201 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127166

Inspection Date

6/10/08

9-02.1 Employee hands are not washed prior to food handling activities. Employee hands are not washed properly, items stored in hand sinks in the bar and missing handsoap & hand towels at the hand sink in the bars on the 1st & 2 nd floor, during time of inspection. Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/food prep unit temperature is 54°F, duringtime of inspection. Perishable food products will need to be removed from this unit until it is repaired.

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified inthe establishment, during time of inspection, owner has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

5/13/06

No Critical Violations

Riverside Pizza
4217 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

9/24/07

No Critical Violations

9/16/06

No Critical Violations

Minguzzi's Pizza & Pasta
4229 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/18/08

7-01 (L) Mouse infestation is present. Mouse droppings are found on the first floor kitchen shelving and basement storeroom shelving. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9-02.3 (B) Employees are smoking in uapproved areas. A smoked cigarette is observed in an ashtray at the basement prep area. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Pans, food containers, dishware and utensils are improperly sanitized. No sink stopper are present. Provide 3 sink stoppers for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided.

- Cold water is not provided at the first floor kitchen hand washing sink.

- A faucet is not present at the basement prep area hand washing sink. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. A faucet is not present at the basement prep area hand washing sink.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Application issued. Management instructed to initiate immediate corrective action.

Angelo and Josephine's Food Market
4241 Main St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Angelo and Josephine's Food Market
4241 Main St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127

Inspection Date

1/18/08

No Critical Violations

1/19/07

No Critical Violations

Cactus Restaurant and Bar
4243 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/23/08

No Critical Violations

Fountain of Juice
4243 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

5/13/06

No Critical Violations

Bayou Cafe
4245 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/28/08

No Critical Violations

6/23/08

2-10.2 Ice is not protected from contamination.

- The ice scoop is stored on a dirty surface on top of the ice machines in the basement.

- The cooling plate and metal cup for storing ice scoop is stored in the drink ice in the ice bin in the bar area, during time of inspection.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

* Container of ricotta cheese temp. is 61°F.

* Container of sour cheese temp. is 62°F All listed food products was removed from use, during time of inspection.

3-02.1 Refrigeration system does not maintain proper temperatures. Temperature in the small refrigerator/food prep unit temp. is 62°F, during time of inspection. The operation of this unit was immediately discontinued by the owner during time of inspection and will not be used until the proper repairs are made to the unit.

9-04 (A) Sponges are used in an unapproved manner. Sponges are observed in the kitchen area, during time of inspection.

2/14/08

5-01.1 Food is not protected from contamination. Splash guards are needed:

- between the 2-basin sink and hand washing sink

- between the hand washing sink and 3-basin sink.

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The bartender stated that the cook and owner have completed a food safety course and are awaiting the results of the exam. Obtain a City of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bayou Cafe
4245 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

12/7/07

5-01.1 Food is not protected from contamination. Splash guards are needed:

- between the 2-basin sink and hand washing sink
- between the hand washing sink and 3-basin sink.

12-01.5.B (5) Hot water at hand washing sink is not provided in the kitchen.

19-01.1 Food establishment personnel food safety certified individual is not present. The food safety certificate is expired. Attend an approved food safety course and obtain a City of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/23/06

No Critical Violations

Fish Tank on Main
4247 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

9/19/05

No Critical Violations

9/13/05

5-01.1 Food is not protected from contamination - ice machine and soda system is located under broken wall and ceiling surfaces in basement . provide for surface repair or relocate equipment .

10-02.2 (B) Food equipment and utensils are improperly sanitized. Sanitizer concentration at chemical sanitizing dishwasher is inadequate .

Manayunk Tavern
4247 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

11/7/07

No Critical Violations

Sole Osteria Italiana
4247 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

3/23/07

No Critical Violations

3/23/07

No Critical Violations

3/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Bella Trattoria
4258 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bella Trattoria
4258 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/2/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Ambient temp. is 92°F

- * Raw chicken parts temp. is 61°F.
- * Raw shrimp temp. is 60°F.
- * Raw crab meat temp is 55°F.
- * Spicy sausage temp. is 57°F.
- * Raw cured pork meat temp. is 62°F.
- * Raw veal meat temp. is 55°F. Management initiated immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. 3-Door refrigerator/food prep unit temperature range is 47°F-50°F, during time of inspection. Food service equipment use will need to be discontinued until it is properly repaired.

5-01.1 Food is not protected from contamination. Uncovered food items is observed in the reach-in refrigeration units, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one in the establishment is certified during time of inspection. Management instructed to initiate immediate corrective action.

5/9/07

No Critical Violations

1/3/06

No Critical Violations

Platypus
4259 Main St

Retail Food: Other
Philadelphia, PA 19127

Inspection Date

11/30/07

No Critical Violations

Le Bus Restaurant
4266 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/25/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Le Bus Restaurant
4266 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/23/08

2-10.2 Ice is not protected from contamination.

* Ice scoops in the bar area and in the food prep area are improperly stored, during time of inspection. Management instructed to initiate immediate corrective action.

3-01.1 (A) Potentially hazardous food is stored at improper temperature.

* 4-Dozen of raw eggs is stored on the dry storage shelf in the basement, temp. is 84°F. Raw eggs was removed from use, immediately.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

Ambient temperature in the kitchen is 84°F

* Raw shrimp temp. is 56°F.

* Raw chicken temp. is 54°F.

* Scallops temp. is 64°F.

* Blue cheese & sour cream temp. is 54°F.

* Shredded cheese near the hot holding unit temp. is 71°F. All food products was removed from use, during time of inspection.

3-02.1 Refrigeration system does not maintain proper temperatures.

* Food prep/small refrigerator in front of the ice machine temp. is 65°F, during time of inspection.

* 5-Door refrigerator/food prep unit temp. is 53°F, during time of inspection. All perishable food items in the listed refrigerated units will need to be removed until the units to meet proper cooling requirements, immediately.

4-01.1 (A) Food/Food service article storage does not provide protection. Food items at several food prep areas are not protected from splash contamination from the hand sink stations, during time of inspection. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Food items in the refrigeration units is not covered, where it is needed, during time of inspection.

9-02.1 Employee hands are not washed prior to food handling activities. Employee hands at the bar area are not washed properly, missing hand soap & hand towels at the hand washing station, during time of inspection. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths in the food prep areas and the bar area are not stored in a properly labeled containers with sanitizer solution. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Improper order of operation was observed at several 3-basin sinks, during time of inspection. Management initiated immediate corrective action.

6/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Note: The chefs have sent in the city application, and are awaiting their city certificates. Management instructed to initiate immediate corrective action.

5/17/07

4-01.1 (A) Food/Food service article storage does not provide protection. There is a leak, from an unknown source, over the freezer in the outdoor area.

5-01.1 Food is not protected from contamination. Bread is stored and sliced next to a hand washing sink.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a City of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/18/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Le Bus Restaurant
4266 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

5/28/06

7-01 (L) Mouse infestation is present. A few mouse droppings observed on basement floor perimeters. Management instructed to initiate immediate corrective action.
7-01 (D) Roach infestation is present. Numerous dead roaches observed near water heater. Management instructed to initiate immediate corrective action.
2-10.2 Ice is not protected from contamination. Cooling plate and ice scoop stored in drink ice at bar.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. multi use utensils are not properly cleaned and sanitized - bar glassware.
Sanitization process and was not observed being done in an incorrect order. Proper sanitization process is wash, rinse, then sanitize. Management initiated immediate corrective action.

Flat Rock Saloon
4301 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/14/08

2-10.2 Ice is not protected from contamination. Insanitary beverage cold plate stored in drink ice in both ice bins, during time of inspection. Management instructed to initiate immediate corrective action.
3-02.1 Refrigeration system does not maintain proper temperatures. 2-Door reach-in refrigerator has a temp. of 53°, during time of inspection. 2-Door reach-in refrigerator use will need to be discontinued until it is properly repaired. Perishable food products will need to be removed from use, immediately.
4-01.1 (A) Food/Food service article storage does not provide protection. Food items in the 2-basin sink are not protected from splash contamination from the hand sink station in the kitchen/prep area, during time of inspection. Management instructed to initiate immediate corrective action.
5-01.1 Food is not protected from contamination. Preped food items on the prep table in the kitchen/prep area is not protected from (unclean) dirty fan which is in use, facing the food prep table, during time of inspection. Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor in the kitchen/prep area, during time of inspection. Management instructed to initiate immediate corrective action.
9-02.3 (B) Employees are smoking in unapproved areas. Soiled ashtray is observed in the kitchen area across from the 3-basin sink in the kitchen area, during time of inspection. Management instructed to initiate immediate corrective action. (TICKET ISSUED)
19-01.1 Food establishment personnel food safety certified individual is not present. Missing certificate from Dept. of Public Health, owner has application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

9/4/07

No Critical Violations

6/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Note: An applicaton has been sent in for Jill Louis. Management instructed to initiate immediate corrective action.

5/17/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The bainmarie, with 10 pounds of shreeded cheese and sour cream was observed at 52° F. Maintain all potentially hazardous foods below 41° F. Items removed while present. Management instructed to initiate immediate corrective action.
8-06.1.1 (C) Drain line is in need of repair. There is a leak at the grease trap. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Flat Rock Saloon
4301 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

5/13/06

No Critical Violations

Main St. Munchies
4307 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191270

Inspection Date

7/17/08

No Critical Violations

6/23/08

7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor and on the shelves in the food prep area, during time of inspection.

7/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Two ServSafe certificates are present. Obtain city of Philadelphia food safety certificates. Note: The city applications have been sent in to the Health Dept.

5/24/07

19-01.1 Food establishment personnel food safety certified individual is not present. Two ServSafe certificates are present. Obtain city of Philadelphia food safety certificates. Management instructed to initiate immediate corrective action.

6/6/06

No Critical Violations

5/28/06

8-06.1.1 (C) Drain line is in need of repair. Handsink drain line.

Bucks County Coffee Company
4311 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/25/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit in open refrigeration unit. All sandwiches, made with meat ingredients, temperatures ranged from 49°F-57°F, ambient temp. 57°F, 6 oz. DANNON Yogurts temp. 56°F, BUCKS COUNTRY COFFEE CO. brand yogurts with topping temp. is 46°F, 1 pint CHUG Orange juice temp. range 51°F. Management instructed to initiate immediate corrective action. All the listed food products will need to be removed from sale, immediately.

3-02.1 Refrigeration system does not maintain proper temperatures, stainless steel open display refrigerator unit has temperature of 57°F. This refrigeration unit use will be discontinued until it is properly repaired.

4-01.1 (A) Food/Food service article storage does not provide protection. Food equipments are not protected from splash contamination from the hand sink station in the basement, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present by droppings observed on shelving in lower cabinets at front counter. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one in the establishment is certified during time of inspection. Manager has list of providers and application, during time of inspection. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bucks County Coffee Company
4311 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/1/08

2-10.2 Ice is not protected from contamination. Handling utensil handle in contact with ice, ice scoop is stored in the brown ice bin, during time of inspection. The Sanitarian observed the employee dipping the cup into the ice bin to dispense ice from the ice bin, during time of inspection. Ice scoop for ice machine in the rear storage/prep area is stored on the floor under the ice machine, during time of inspection. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

* Cold sandwiches- curried chicken salad sandwich, turkey with bacon, ham & swiss, thai turkey salad and roast beef sandwich temp. range is 49°F-56°F, ambient temp. 79°, during time of inspection.

* (9) 6 oz. DANNON Yogurts temp. 56°F, during time of inspection.

* (6) BUCKS COUNTRY COFFEE CO. brand yogurts with topping temp. is 46°F, during time of inspection.

*(22) 1 pint CHUG Orange juice temp. range 47°F-49°F. Management instructed to initiate immediate corrective action. All the listed food products will need to be removed from sale, immediately.

3-02.1 Refrigeration system does not maintain proper temperatures. Stainless steel open display refrigerator unit has temperature of 57°F, during time of inspection. This refrigeration unit use will be discontinued until it is properly repaired.

4-01.1 (A) Food/Food service article storage does not provide protection. Food equipments are not protected from splash contamination from the hand sink station in the basement, during time of inspection. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Drain line is damaged under the sink in the 1st floor storage/prep area, during time of inspection.

19-01.1 Food establishment personnel food safety certified individual is not present. No one in the establishment is certified during time of inspection. Manager has list of providers and application, during time of inspection. Management instructed to initiate immediate corrective action.

5/24/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/10/06

No Critical Violations

Pitchers Pub
4326 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/25/08

9-04 (B) Wiping cloths are used in an unapproved manner, cloths are stored on counter not in sanitizer between uses. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Wash, rinse, sanitize was not set up correctly at bar, 3 basin sink in kitchen is used for handwashing. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. The manager stated that he has submitted the application for the city of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

5/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. The manager stated that he has submitted the application for the city of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pitchers Pub
4326 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

4/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

10/12/06

No Critical Violations

8/7/06

No Critical Violations

6/18/06

No Critical Violations

5/28/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on basement shelving. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Machismo Burrito Bar
4330 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/30/08

7-01 (L) Mouse infestation is present, droppings were observed on floor under food equipment, on shelves in storage room and on food prep storage shelf. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

6/20/07

No Critical Violations

4/11/07

No Critical Violations

Il Tartufo Restaurant
4341 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

2/20/08

No Critical Violations

12/19/07

2-06.4 Shellfish Purchase records/tags are not kept for 90 days. Records/tags are not available at time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. Attend an approved food safety class and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/2/06

No Critical Violations

9/16/06

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the basement shelves. Management instructed to initiate immediate corrective action.

2-06.4 Shellfish Purchase records/tags are not kept for 90 days. Records/tags are not available at time of inspection. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Hikaru
4348 Main St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127*

Inspection Date

11/30/07

No Critical Violations

9/16/06

No Critical Violations

Ben & Jerry's Ice Cream
4356 Main St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127*

Inspection Date

9/20/07

No Critical Violations

10/20/06

No Critical Violations

Cavo Crepe Cafe
4356 Main St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127*

Inspection Date

4/11/08

No Critical Violations

La Colombe
4360 Main St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127*

Inspection Date

5/24/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/10/06

No Critical Violations

Jake's
4365 Main St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127*

Inspection Date

10/18/07

No Critical Violations

9/24/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed in the kitchen, near the catch basin. They are also found in the basement in the liquor room and area outside of it. Management instructed to initiate immediate corrective action.

9/24/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed in the kitchen, near the catch basin. They are also found in the basement in the liquor room and area outside of it. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jake's
4365 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

9/23/06

No Critical Violations

Little Zesty
4369 Main St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127

Inspection Date

4/23/08

No Critical Violations

5/31/07

4-01.1 (A) Food/Food service article storage does not provide protection. The soft pretzels and paper containers are not covered.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/9/07

4-01.1 (A) Food/Food service article storage does not provide protection. The soft pretzels are not covered.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/3/05

No Critical Violations

7/25/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. DISCONTINUE USE OF DEFECTIVE REFRIGERATORS OBSERVED ABOVE 41°F (PREP REFRIGERATOR OBSERVED AT 53°F AND STORAGE REFRIGERATOR OBSERVED AT 69°F). OWNER AGREED TO DISCARD HOT DOGS AND 24 ICE CREAM MIX 1 GALLON EACH DUE TO IMPROPER TEMPERATURE STORAGE.

Management instructed to initiate immediate corrective action.

Chabaa restaurant
4371 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

9/23/06

No Critical Violations

Chabaa Thai Bistro
4371 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/7/08

5-01.1 Food is not protected from contamination, open bags of stored food on floor, scoops lacking for bulk foods, bulk foods not labeled.

5-03.2 (B) Hazardous chemicals are not properly used, rodenticide block on floor.

7-01 (L) Mouse infestation is present, fresh droppings observed in basement, on storage room floor, behind ice machine on floor.

12/18/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cafe Zesty
4382 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

2/11/08

No Critical Violations

1/11/08

19-01.1 Food establishment personnel food safety certified individual is not present. Note: A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

5/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/10/06

No Critical Violations

Rita's Water Ice
4409 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

4/2/08

No Critical Violations

9/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

7/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/29/06

No Critical Violations

Derek's
4411 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/7/08

19-01.1 Food establishment personnel food safety certified individual is not present. owner is servsafe certified.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Derek's
4411 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/6/08

2-10.2 Ice is not protected from contamination. Liquor refrigerator condensation observed leaking in drinking ice in 2nd floor bar ice bin. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination due to fly activity in food prep areas. Flies observed on food prep surfaces and equipment. . Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present and observed throughout establishment primarily in food prep areas; fruit flies and house flies observed. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed on shelving and floor in 1st. floor food prep area. Mice dropping are observed in the basement area near soda dispensing system.

Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Sanitarian observed waste water is draining back into the 3-basin sink as one basin is draining waste water, during time of inspection. Hand sink in the basement food prep area is leaking. The use of the 3-basin sink will need to be discontinued until it is properly repaired. Management initiated immediate corrective action; plumber arrived during inspection.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Large food equipment is not properly washed, rinsed and sanitized in warewashing area 3-basin sink ; drain line defective; water not draining. Management initiated immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Owner is missing certificate from Phila. Dept. of Public Health, during time of inspection. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Derek's
4411 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/4/08

2-10.2 Ice is not protected from contamination. Insanitary beverage cold plate stored in drink ice in the ice bins in the bar areas on the 1st floor and 2nd floor, during time of inspection. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Raw meat (beef and pork), seafood, dairy products, cooked rice and meat from shell fish has temp. range of 63°F-70°F during time of inspection. All listed food products was removed from use by manager, during time of inspection.

4-01.1 (A) Food/Food service article storage does not provide protection. Food items is not protected from splash contamination from the hand sink in the rear food area on the 1st floor, during time of inspection. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Food (ice in the ice bins) is not protected from unclean cold plates in the 1st floor & 2nd floor bar areas, during time of inspection. Food items is not protected from overhead leakage or condensation in the single door reach-in refrigeration unit. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed in the lower cabinets in the 1st floor bar area. Mice dropping are observed in the basement area, during time of inspection. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Waste water from coffee machine is disposed of improperly in bucket in prep area, during time of inspection. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Sanitarian observed waste water is draining back into the 3-basin sink as one basin is draining waste water, during time of inspection. Hand sink in the rear food prep area on the 1st floor is leaking. The use of the 3-basin sink will need to be discontinued until it is properly repaired.

9-02.1 Employee hands are not washed prior to food handling activities. Bartenders hands are not washed properly (no hand towels and soap) in the 1st floor & 2nd floor bar areas, during time of inspection. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution during time of inspection. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Large food equipment is not properly washed, rinsed and sanitized in the 3-basin sink, during time of inspection, the worker was washing, sanitizing and rinsing. Management initiated immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Sanitizing solution is not clean in the 3-basin sink, during time of inspection. Management instructed to initiate immediate corrective action.

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures. Required 50 PPM: washware unit is less than 10 PPM and glass washer unit is 0 PPM at bar on 1st floor, during time of inspection. The operation of the glass washer will immediately be discontinued until it is repaired.

13-02 (D) Walls are not in good repair.

* Wall panels are not properly sealed to the wall in the basement area, during time of inspection.

* Paint is peeling at several loctions in the establishment, during time of inspection.

* Hole in the wall is observed in the dish washing area and under shelves where silverwares is stored, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Owner is missing certified from Dept. of Public Health, during time of inspection. Management instructed to initiate immediate corrective action.

2/21/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Derek's
4411 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/31/07

- 8-06.1.1 (C) Drain line is in need of repair. The 3-basin sink drain line is leaking onto the floor. Management instructed to initiate immediate corrective action.
- 8-06.1.1 (A) Liquid waste is not disposed of properly. Mop water is disposed of in the 3-basin sink.

1/17/07

- 8-06.1.1 (C) Drain line is in need of repair. The 3-basin sink drain line is leaking onto the floor. Management instructed to initiate immediate corrective action.

10/2/06

- 3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. One small refrigeration unit was observed at 60° F. Items were moved to alternative refrigeration unit maintaining below 41° F while present.
Orders: Do not use this unit for potentially hazardous foods until proper temperature can be maintained.
- 5-01.1 Food is not protected from contamination. A splash guard is needed between the fryer and cooking surfaces. Management instructed to initiate immediate corrective action.
- 8-06.1.1 (C) Drain line is in need of repair. The 3-basin sink drain line is leaking onto the floor.

9/12/06

- 3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Three small refrigeration units were observed at 60° F. The power had just been turned back on after having been off for approx. 45 minutes. Items were moved to alternative refrigeration unit maintaining below 41° F.
Orders: Do not use these units for potentially hazardous foods until proper temperatures can be maintained.
 - 5-01.1 Food is not protected from contamination. A splash guard is needed between the fryers and cooking surfaces. Management instructed to initiate immediate corrective action.
 - 7-01 (A) Fly infestation is present. Flies observed in the basement. Management instructed to initiate immediate corrective action.
 - 7-01 (L) Mouse infestation is present. Mouse droppings observed on the first floor, near the mop area. Management instructed to initiate immediate corrective action.
-

Star Bucks Coffee
4415 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

9/16/06

No Critical Violations

Starbucks Coffee - #7754
4415 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/27/08

No Critical Violations

5/25/08

- 19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, during time of inspection, manager has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

2/21/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kildare's Manayunk
4417 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/16/08

2-10.2 Ice is not protected from contamination. Ice machine on the 2nd floor is moldy. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

* Sour cream temp. is 51°F in the kitchen area. Management instructed to initiate immediate corrective action.

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit.

* Pulled pork temp. is 119°F in the steam table, during time of inspection.

* Shepard pie temp. is 117°F in the steam table, during time of inspection.

3-02.1 Refrigeration system does not maintain proper temperatures.

* The 2-door refrigerator unit is not working, request for service was submitted prior to the inspection.

* 2-Door reach-in refrigerator (dairy) temp. is 64°F in the kitchen area, during time of inspection.

Management initiated immediate corrective action.

7-01 (B) Fruit fly infestation is present. Live fruit flies are observed in the kitchen and in the server area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

8-01.2 (B) Cold water is not provided in the patron restroom. Management instructed to initiate immediate corrective action.

9-02.3 (B) Employees are smoking in unapproved areas. Ashtray is observed in the establishment, during time of inspection. Management instructed to initiate immediate corrective action. (WARNING)

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloth are not stored in a properly labeled container in the food prep areas and bar areas, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is not present during time of inspection. Contact person has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Hand sink in the men's restroom is leaking. Management instructed to initiate immediate corrective action.

5/11/07

No Critical Violations

5/28/06

No Critical Violations

5/28/06

No Critical Violations

Tonic on Main
4421 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/26/07

No Critical Violations

5/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/28/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

An Indian Affair
4425 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

4/10/07

No Critical Violations

2/2/07

No Critical Violations

8/25/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor in the front area of the basement. Eliminate mouse infestation.

Management instructed to initiate immediate corrective action.

4/19/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves and floor in basement. Eliminate mouse infestation.

Management instructed to initiate immediate corrective action.

United States Hotel
4439 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/13/08

2-01.1 (D) Defective food containers are present. Dented cans are observed on the shelves in the basement, during time of inspection.

2-10.2 Ice is not protected from contamination. 40lb bag of ASTON ICE was stored in ice bin in basement. Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/food prep unit has a temp. 55°F during time of inspection. The operation of the small refrigeration/food prep unit will immediately be discontinued until it is properly repaired.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution in the food prep area.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. No sink stoppers are provided for the 3-basin sinks in the kitchen, wash, rinse, sanitize sinks were not clean during time of inspection. Management instructed to initiate immediate corrective action.

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures.

* Glass washer at the bar is not properly sanitizing, required to have 50 PPM; unit has 0 PPM, during time of inspection. Glass washer at bar and washware unit in the kitchen use will have to be discontinued until repaired it is properly.

19-01.1 Food establishment personnel food safety certified individual is not present. certified individual is not present during time of inspection. Certified person is missing certificate from the Dept. of Public Health. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

United States Hotel
4439 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/11/08

2-01.1 (B) Adulterated or unwholesome food is present.

* Discolored (brown) raw meat was observed in the small refrigerator/food prep unit, during time of inspection.

* Fowl smelling raw chicken was observed in the reach-in refrigerator unit in the basement, during time of inspection. All listed food products was removed from use, immediately during time of inspection.

2-10.2 Ice is not protected from contamination. Scoop for ice is stored on top of rusty freezer chest, during time of inspection. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

* Sour cream temp. is 56° F, stored in the food prep unit in the kitchen.

* Salad dressing temp. is 55° F, stored in the food prep unit in the kitchen.

* Tardar sauce temp. is 47° F, stored in the food prep unit in the kitchen.

* Crab dip temp. 54°F, stored in the food prep unit in the kitchen.

* Several types of cheese has a temp. range of 57°F-63°F, in the food prep unit in the kitchen. All listed food products was removed from use by the bartender & cook during time of inspection.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/food prep unit has a temp. 55°F during time of inspection. The operation of the small refrigeration/food prep unit will immediately be discontinued until it is properly repaired.

9-02.1 Employee hands are not washed prior to food handling activities. Employee/bartender hands are not washed during time of inspection. Management instructed to initiate immediate corrective action.

9-02.3 (B) Employees are smoking in unapproved areas. Soiled ashtray is observed on the floor in the basement area, during time of inspection. Cigarette butts are observed on the floor in the basement area, during time of inspection.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution in the food prep area and bar area.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. No sink stoppers are provided for the 3-basin sinks in the kitchen and the bar, during time of inspection. Management instructed to initiate immediate corrective action.

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures.

* Glass washer at the bar is not properly sanitizing, required to have 50 PPM; unit has 0 PPM, during time of inspection. Glass washer at bar and washware unit in the kitchen use will have to be discontinued until repaired it is properly.

19-01.1 Food establishment personnel food safety certified individual is not present. certified individual is not present during time of inspection. Certified person is missing certificate from the Dept. of Public Health. Management instructed to initiate immediate corrective action.

4/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/13/07

7-01 (L) Mouse infestation is present. Mouse droppings are present on the basement shelving and floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/2/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

United States Hotel
4439 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/19/07

- 7-01 (L) Mouse infestation is present. Mouse droppings observed on the basement floor and shelves. Management instructed to initiate immediate corrective action.
- 8-01.2 (C) Hot water is not provided at the bar 3-basin sink. Management instructed to initiate immediate corrective action.
- 9-02.2 (A) Employee hand wash frequency is inadequate. The faucet is missing for the basement hand washing sink. Management instructed to initiate immediate corrective action.
-

Mom's Bake at Home Pizza
4452 Main St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/31/08

- 2-01.1 (A) Food is not from an approved source, re-packaged chocolate cookies for self-service are not properly labeled. Management instructed to initiate immediate corrective action.
- 7-01 (B) Fruit fly infestation is present in establishment. Management instructed to initiate immediate corrective action.
- 7-01 (L) Mouse infestation is present by dead mice on snap traps under reach-in refrigerator & food prep table. Management instructed to initiate immediate corrective action.
- 9-04 (A) Sponges are used in an unapproved manner, sponges observed in warewash sink are not approved for use in food establishment. Management instructed to initiate immediate corrective action.
- 9-04 (B) Wiping cloths are used in an unapproved manner, cloths were stored on edge of 3-basin sink and not in container of sanitized solution between uses. Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/20/08

- 19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

12/22/07

- 19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

9/23/06

No Critical Violations

Pats Place
4200 Manayunk Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pats Place
4200 Manayunk Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/14/08

5-01.1 Food is not protected from contamination. Food (frozen deserts) is not protected from unclean utensils, ice cream/water ice scoop is stored in the unclean hand sink near the window, during time of inspection. Frozen food items are observed in the 2-door reach-in freezer/refrigerator stored in the unit unprotected, during time of inspection. Employee initiated immediate corrective action, during time of inspection.

8-01.2 (B) Cold water is not provided. No cold water in at the hand sink station near the grill unit, during time of inspection. Management instructed to initiate immediate corrective action.

8-01.2 (E) Water Pressure is inadequate. Hot water pressure is low at the hand sink station near the grill unit, during time of inspection. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. Employee hands are not washed properly due lack of:

* No hand towels at both hand sink stations, during time of inspection.

* No hand soaps at both hand sink stations, during time of inspection.

* Inadequate hot water pressure near the grill unit, during time of inspection.

* No running cold water at the hand sink station, during time of inspection. Management instructed to initiate immediate corrective action.

9-02.3 (B) Employees are smoking in uapproved areas.

* Soiled ashtray is observed.

* Cigarette butts are observed. Management instructed to initiate immediate corrective action.

(TICKET ISSUED)

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Food equipments are not properly washed, rinsed and sanitized in the 3-basin sink, items are stored in two of the three basins, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is not present, during time of inspection. Employee has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

6/4/07

No Critical Violations

6/18/06

No Critical Violations

Scanlon's
4201 Manayunk Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/4/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. One sink stopper is present. Provide three sink stoppers for the proper sanitization of dishware, utensils and food storage containers. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

5/14/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

D'Antonio's Pizza
4222 Manayunk Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/2/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Cooking utensils and food storage containers are not properly sanitized. No sink stoppers are present. Provide three sink stoppers and an EPA approved sanitizer for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. The prep area hand washing sink is not working. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. The prep area hand washing sink is not working. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. A splash guard is needed between the 3-basin sink and hand sink.

6/4/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Cooking utensils and food storage containers are not properly sanitized. No sink stoppers are present. Provide three sink stoppers and an EPA approved sanitizer for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. The prep area hand washing sink is not working. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. The prep area hand washing sink is not working. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. A splash guard is needed between the 3-basin sink and hand sink.

5/14/06

No Critical Violations

Jaquez Mini Market
13 W Manheim St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

3/29/07

No Critical Violations

2/27/06

No Critical Violations

Galalia's Grocery
214 W Manheim St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

6/30/06

No Critical Violations

Galatia's Grocery
214 W Manheim St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Galatia's Grocery
214 W Manheim St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

7/13/07

4-02.1 Raw or unwashed food is not stored below ready-to-eat food. Uncovered raw beef is stored next to bottles of water in the upright freezer. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings are present on the storage area shelving and floor. Mouse droppings are also present on the customr area floor, near the brooms.

19-01.1 Food establishment personnel food safety certified individual is not present. A Food Safety & Salud certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/15/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

5/21/07

7-01 (D) Roach infestation is present. Several roaches were observed is the storage area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Manheim Mini Market
214 W Manheim St

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

11/14/07

No Critical Violations

Germantown Cricket Club
411 W Manheim St

Retail Food: Restaurant, Private Club
Philadelphia, PA 19144

Inspection Date

3/3/08

No Critical Violations

2/29/08

8-06.1.1 (C) Drain line is in need of repair, garbage grinder in two compartment prep sink.

4/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The chef completed the course this week. Management instructed to initiate immediate corrective action.

3/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/27/06

No Critical Violations

Germantown Cricket Club-snack stand
411 W Manheim St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

7/2/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Cricket Club-snack stand
411 W Manheim St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

9/7/07

No Critical Violations

7/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The chef is scheduled to take the exam on July 18, 2007. Management instructed to initiate immediate corrective action.

Star Day Care Center
22 Maplewood Ma

Institution: Child, Group Day Care Homes
Philadelphia, PA 19144

Inspection Date

2/5/08

No Critical Violations

2/2/07

No Critical Violations

2/3/06

No Critical Violations

Diane & Tom's Cafe
40 Maplewood Ma

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

2/23/07

No Critical Violations

12/15/05

No Critical Violations

The Flower Cafe
48 Maplewood Ma

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

2/25/08

No Critical Violations

2/21/08

No Critical Violations

12/18/07

No Critical Violations

12/18/07

No Critical Violations

10/15/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner is enrolled in a class. Management instructed to initiate immediate corrective action.

3/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner is enrolled in a class. Management instructed to initiate immediate corrective action.

2/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The Flower Cafe
48 Maplewood Ma

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

12/15/05

No Critical Violations

Maplewood Nutrition
51 Maplewood Ma

Retail Food: Other
Philadelphia, PA 19144

Inspection Date

1/18/07

No Critical Violations

The Old Eagle Tavern
175 Markle St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/20/07

No Critical Violations

M & M Food Market
458 Markle St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

2/20/08

No Critical Violations

1/5/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper is present. Provide a total of 3 sink stoppers for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/1/06

No Critical Violations

Nationalities Service Center
4837 N Marvine St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

6/5/07

7-01 (L) Mouse infestation is present ; numerous mouse droppings observed on the storage shelves in kitchen and storage room floor and behind and under storage refrigerators in kitchen and storage rooms.

Management instructed to initiate immediate corrective action.

10-01.1 (A) An approved equipment and utensil washing sink is not provided ; currently two basin sink and separate dish machine sink in use for wash-rinse-sanitize .

Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Nationalities Service Center
4837 N Marvine St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/17/07

7-01 (L) Mouse infestation is present ; numerous mouse droppings observed on the storage shelves in storage room. Management instructed to initiate immediate corrective action.

10-01.1 (A) An approved equipment and utensil washing sink is not provided ; currently two basin sink and separate dish machine sink in use for wash-rinse-sanitize .

Management instructed to initiate immediate corrective action.

Antoinette Cooper Family Day Care
5606 N Marvine St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

11/10/06

No Critical Violations

10/26/05

No Critical Violations

Saints Tabernacle Christian Ac. School
5800 N Marvine St

Institution: School, Private
Philadelphia, PA 19141

Inspection Date

5/23/08

No Critical Violations

12/4/07

19-01.1 Food establishment personnel food safety certified individual is not present.

12/7/06

No Critical Violations

Saints Tabernacle Christian Pre-school
5800 N Marvine St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/23/08

No Critical Violations

12/4/07

19-01.1 Food establishment personnel food safety certified individual is not present.

12/7/06

No Critical Violations

Saints Tabernacle Day School
5800 N Marvine St

Institution: School, Archdiocese
Philadelphia, PA 19141

Inspection Date

5/18/06

No Critical Violations

Small World Discovery Center
5933 McCallum St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Small World Discovery Center
5933 McCallum St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

3/7/07

No Critical Violations

3/17/06

No Critical Violations

McCallum Personal Care Home
7141 N McCallum St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19119

Inspection Date

12/31/07

No Critical Violations

10/29/07

No Critical Violations

4/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is available. ServSafe certificates are present. Note: The City certificate application has been sent in, and the establishment is awaiting receipt of the certificate. Management instructed to initiate immediate corrective action.

3/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificate is available. ServSafe certificates are present. Management instructed to initiate immediate corrective action.

3/2/06

No Critical Violations

Constance Newman Family Day Care
5614 McMahan Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

6/26/07

No Critical Violations

6/1/06

No Critical Violations

Tyani's Tender Touch FDC
932 E McPherson St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

9/14/06

No Critical Violations

9/2/05

No Critical Violations

Johnson's Child Care Center
1935 Medary Av

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/11/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Johnson's Childcare Center
1935 Medary Av

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: A ServSafe certificate is present. Ms. Johnson has already mailed in the City certificate application.

4/5/06

No Critical Violations

St. Benedict's School
1935 Medary Av

Institution: School, Archdiocese
Philadelphia, PA 19141

Inspection Date

11/14/07

No Critical Violations

2/27/07

No Critical Violations

11/6/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout dining area floors and shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/25/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout kitchen (floors/surfaces). Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided at second floor boys room. Hot water faucet does not work. Hot water must be provided at all handsinks at all times. Maintain hot water between 100°F and 125°F. Management instructed to initiate immediate corrective action.

5/16/06

7-01 (L) Mouse infestation is present -- Fresh mouse feces observed throughout kitchen (floors/surfaces). Management instructed to initiate immediate corrective action.

2/14/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on kitchen floor, near radiator. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

1/30/06

7-01 (L) Mouse infestation is present. Mouse droppings observed in kitchen, near radiator and wood table. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

1/4/06

No Critical Violations

12/14/05

7-01 (L) Mouse infestation is present. A few mouse droppings observed along perimeters of the cafeteria prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Espinal and Ramos Grocery
2000 Medary Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

1/15/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Espinal and Ramos Grocery
2000 Medary Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

12/31/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers or sanitizer observed at time of inspection. Provide three sink stoppers (one per basin) and approved sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Clean food equipment and multi-use utensils observed stored inside three-basin sink. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. Management instructed to initiate immediate corrective action.

9/11/06

No Critical Violations

Amenia Williams Family Day Care
2034 Medary Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

8/1/06

No Critical Violations

Edison Mini Market
2067 Medary Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

2/5/08

No Critical Violations

1/22/08

5-01.1 Food is not protected from contamination. No splash guard present between three-basin sink and prep area handsink. Provide splash guard. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only two sink stoppers observed at time of inspection and third basin at three-basin sink observed used as storage. Provide three sink stoppers (one per basin) and remove items from third basin to allow for proper washing, rinsing, and sanitizing of food equipment and utensils as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Three-basin sink observed being used as a hand washing sink. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. All handwashing should be conducted in the approved hand washing sink. Management instructed to initiate immediate corrective action.

5/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/15/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper observed. Provide three sink stoppers (one per basin) to allow for proper washing, rinsing, and sanitizing of food equipment and utensils as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/1/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Therentia Boddie Family Day Care
2135 Medary Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/7/06

No Critical Violations

8/30/05

No Critical Violations

Teresa's Little People
1617 W Mentor St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/9/07

No Critical Violations

9/11/07

No Critical Violations

6/28/06

No Critical Violations

4/24/06

No Critical Violations

United Cerebral Palsy Association
102 E Mermaid Ln

Institution: Adult, Other
Philadelphia, PA 19118

Inspection Date

4/30/07

No Critical Violations

4/13/06

No Critical Violations

J & J Market
7706 Michener Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

5/25/07

No Critical Violations

5/10/07

9-04 (A) Sponges are used in an unapproved manner. Sponges observed at three-basin sink. Moist sponge use on food contact surfaces is prohibited. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sink stoppers observed at three-basin sink. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided in toilet room. Cold water faucet in toilet room does not work. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

9/21/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Julia Tally Family Day Care
7967 Michener Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

8/29/07

No Critical Violations

Michelle Abdul-Rahim Group Day Care
8418 Michener Av

*Institution: Child, Group Day Care Homes
Philadelphia, PA 19150*

Inspection Date

7/7/08

No Critical Violations

3/17/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. NOTE: THE OWNER STATES SHE WILL TAKE THE GROUP DAY CARE CLASS ON JUNE 7, 2008 AT 321 UNIV. AVE. Management instructed to initiate immediate corrective action.

2/1/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

2/21/07

No Critical Violations

Juanita Moore FDC
8521 Michener Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

9/13/06

No Critical Violations

9/2/05

No Critical Violations

Rite Aid #3251
3601 Midvale Av

*Retail Food: General Convenience
Philadelphia, PA 19129*

Inspection Date

6/23/08

No Critical Violations

5/31/08

2-01.1 (C) Spoiled food is present. Discolored (brown) vacuum pack of LEIDY'S Premium Sliced Bacon 1 lb. is observed in the 2-door reach-in refrigeration unit, during time of inspection. This product will need to be removed from sale, immediately.

2/25/07

No Critical Violations

12/16/05

No Critical Violations

Wee Care Child Care Center of East Falls
3714 Midvale Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19129*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wee Care Child Care Center of East Falls
3714 Midvale Av

Institution: Child, Child Care Centers
Philadelphia, PA 19129

Inspection Date

11/27/07

No Critical Violations

11/3/06

No Critical Violations

11/4/05

No Critical Violations

Well Grounded, A Comfortable Coffee
3720 Midvale Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

2/8/07

No Critical Violations

1/21/07

7-01 (L) Mouse infestation is present. Mouse droppings observed in the rear room on window sill, equipment and the floor. Management instructed to initiate immediate corrective action.

Golden Crust Pizza
3732 Midvale Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

1/21/07

No Critical Violations

Golden Crust Pizza III
3732 Midvale Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

4/2/08

No Critical Violations

3/10/08

7-01 (L) Mouse infestation is present. There are droppings and an infested glue trap present along the prep area and basement perimeters.

6/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner is scheduled to take the food safety course, at Penn State Abington, on July 17th. Management instructed to initiate immediate corrective action.

4/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. The owner does not have her City of Philadelphia food safety certificate. Obtain a replacement certificate. Management instructed to initiate immediate corrective action.

Buckets
3749 Midvale Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

1/21/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cherry Bean Cafe
3727 Midvale St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

1/21/07

No Critical Violations

Peas in a Pod Home Daycare
6465 Milton St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

9/20/07

No Critical Violations

8/2/07

No Critical Violations

Scrumptious Deli
3999 Mitchell St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

4/1/07

No Critical Violations

2/21/06

No Critical Violations

11/17/05

10-01.1 (B) An approved sink for manual washing and sanitization is not provided - none present. Only a single basin plastic sink located in the rear area is available for use in the establishment .

10-02.2 (B) Food equipment and utensils are improperly sanitized. food equipment , slicer components , food containers and utensils. No 3 basin sink is present in establishment , equipment sanitizing not being done

11/14/05

10-01.1 (B) An approved sink for manual washing and sanitization is not provided - none present. Only a single basin plastic sink located in the rear area is available for use in the establishment .

10-02.2 (B) Food equipment and utensils are improperly sanitized. food equipment , slicer components , food containers and utensils. No 3 basin sink is present in establishment , equipment sanitizing not being done

Adobe Cafe
4550 Mitchell St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

9/28/07

No Critical Violations

9/14/07

4-01.1 (A) Food/Food service article storage does not provide protection. Cloths are used as a covering for food items in the refrigerator across from the cooking line. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the prep area shelves and floor. Management instructed to initiate immediate corrective action.

7/5/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Adobe Cafe
4550 Mitchell St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

6/18/06

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures. Data plate states wash/ rinse temperature should be 140° F. Temperature only reached 120° F. Use 3-basin sink to wash-rinse-sanitize until corrected. Management instructed to initiate immediate corrective action.

Tonya Kamper Family Day Care
1540 Mohican St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

10/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

9/7/06

8-01.2 (C) Hot water is not provided. Hot water temperature is below 100° F. Maintain hot water between 110 - 110° F.

9/7/06

8-01.2 (C) Hot water is not provided. Hot water temperature is below 100° F. Maintain hot water between 110 - 110° F.

Morris Street Home
5520 Morris St

Institution: Adult, Boarding Home
Philadelphia, PA 19144

Inspection Date

6/8/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

6/7/06

No Critical Violations

Henriquez Food Market
5925 Morton St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

2/8/07

No Critical Violations

1/25/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizing procedure is practiced. Wash, rinse, and sanitize all food equipment and utensils as instructed by this sanitarian.

Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water valve is turned off at toilet room handsink due to a leak at the pipe. Repair leak so hot water is provided at handsink at all times.

Management instructed to initiate immediate corrective action.

12/6/05

No Critical Violations

12/6/05

No Critical Violations

11/28/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on cat/dog food shelf and basement shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Morton Food Market
6201 Morton St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

3/17/08

No Critical Violations

2/15/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Manager passed class and received certificate from Food Safety and Salud yesterday (observed). Completed money order and application (observed) will be sent today. Management initiated immediate corrective action.

1/28/08

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Spigot at three-basin sink does not reach all three basins. Replace spigot with one that reaches all three basins for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is enrolled in class for February. Management instructed to initiate immediate corrective action.

7/10/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Milk/egg display refrigerator observed at 61°F. Twenty (20) gallons of milk were moved to two display cases with holding temperatures below 41°F and eggs were moved to deli display case. Manager stated that the milk had just been delivered and the doors of the refrigerator had been open for a bit.

ORDERS: Discontinue use of defective display refrigerator until a holding temperature of 41°F or lower is maintained. Monitor all refrigerators to ensure holding temperatures of 41°F or lower are being maintained.

Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed at rear storage area and employee toilet room. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Spigot at three-basin sink does not reach all three basins and paper towels observed in use as sink stoppers. Replace spigot and provide three sink stoppers for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate observed, however, the certified individual is in the Dominican Republic until later this week. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Morton Food Market
6201 Morton St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

6/21/07

5-04.2 (A) Approved sneeze guards are not provided as required for scales at deli case. Provide sneeze guard for scale to protect food from contamination. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed at basement area. Eliminate extensive fly infestation. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Three-basin sink observed shut off and missing a spigot/faucet. Utensils are not currently being cleaned and sanitized properly. Repair three-basin sink so hot and cold water are available at all times for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water faucet handle for toilet room handsink is missing. Replace faucet handle so hot water is provided at all times. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

6/7/06

No Critical Violations

5/23/06

No Critical Violations

5/22/06

5-01.8 Live animals or fowl are not excluded from food establishment preparation areas. Cat litter box observed in rear storage area - cat observed in basement. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required. No sneeze guard is provided for scale on deli case. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Flies present in prep area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided. At handsink and 3-basin sink. No water is provided. Maintain hot water temperature between 110-125° F. Management instructed to initiate immediate corrective action.

8-01.2 (B) Cold water is not provided. At handsink and 3-basin sink. No water is provided. Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. The only working handsink present is in toilet room.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. 3-basin sink is shut off. Repairs are in progress. Utensils are not currently being properly cleaned and sanitized. Hot and cold water is not provided at 3-basin sink.

GCA Learning Center School
610 E Mount Pleasant Av

Institution: School, Private
Philadelphia, PA 19119

Inspection Date

11/13/07

No Critical Violations

12/18/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

GCA Learning Center School
610 E Mount Pleasant Av

Institution: School, Private
Philadelphia, PA 19119

Inspection Date

3/28/06

No Critical Violations

Herb Scott, Your Personal Chef
22 E Mount Airy Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

11/15/05

No Critical Violations

Northwest Center
27 E Mount Airy Av

Institution: MHMR, Inpatient Facilities
Philadelphia, PA 19119

Inspection Date

6/21/07

No Critical Violations

6/8/06

No Critical Violations

Mount Airy Getty
1060 E Mount Airy Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

4/20/07

No Critical Violations

7/11/05

No Critical Violations

Child Space Day Care Center
13 E Mount Pleasant Av

Institution: Child, Child Care Centers
Philadelphia, PA 19119

Inspection Date

7/31/08

7-01 (L) Mouse infestation is present. There are mouse droppings present in the areas surrounding the refrigerators in the classrooms.

3-02.1 Refrigeration system does not maintain proper temperatures. A few refrigerators were noted at 50°F. Note: Adjustments were made to make the refrigerators colder.

3270.21 Conditions at the facility pose a threat to the health and safety of the children. There are numerous mouse droppings present throughout the classrooms.

9/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. ServSafe certificate observed. Application given to Director. Management instructed to initiate immediate corrective action.

6/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

6/8/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Holy Cross Lutheran Day Care
500 E Mount Pleasant Av

Institution: Child, Child Care Centers
Philadelphia, PA 19119

Inspection Date

9/8/05

No Critical Violations

Germantown Christian Assembly
610 E Mount Pleasant Av

Institution: Child, Child Care Centers
Philadelphia, PA 19119

Inspection Date

11/13/07

No Critical Violations

5/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/28/06

No Critical Violations

Mount Pleasant Pizza
277 W Mount Pleasant Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

7/10/06

No Critical Violations

6/17/06

7-01 (L) Mouse infestation is present. Mouse droppings observed in the kitchen cabinets, basement shelving and floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Dead roaches observed in kitchen cabinet. Management instructed to initiate immediate corrective action.

New Lincoln Pizzeria
277 W Mount Pleasant Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

11/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner completed a food safety course Nov. 19, 2007. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved foodsafety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Angie Brown's
300 W Mt Pleasant Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19119

Inspection Date

10/2/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Holy Cross Parish School
144 E Mt. Airy Av

Institution: School, Archdiocese
Philadelphia, PA 19119

Inspection Date

11/13/07

No Critical Violations

3/12/07

No Critical Violations

12/4/06

No Critical Violations

5/16/06

No Critical Violations

Holy Cross School
144 E Mt. Airy Av

Institution: School, Archdiocese
Philadelphia, PA 19119

Inspection Date

4/25/06

No Critical Violations

Deneen Miller Family Day Care
915 E Mt. Airy Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

7/31/08

19-01.1 Food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

6/25/07

19-01.1 Food safety certified individual is not present.

4/13/06

No Critical Violations

Panda Garden Chinese Restaurant
275 W Mt. Pleasant Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

7/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner is signed up for the class. This was the first available Chinese course. The test will be given July 21, 2007. Management instructed to initiate immediate corrective action.

5/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

9/22/06

No Critical Violations

Homelink
5 W Mt. Airy Av

Institution: Adult, Adult Day Care
Philadelphia, PA 19119

Inspection Date

6/8/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Homelink
5 W Mt. Airy Av

*Institution: Adult, Adult Day Care
Philadelphia, PA 19119*

Inspection Date
6/6/06

No Critical Violations

Precious Moments Family Day Care
5645 Musgrave St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date
9/6/05

No Critical Violations

J's Big Shot Bar
1385 Narragansett St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date
2/26/07

No Critical Violations

1/19/07

No Critical Violations

Nedro Laundromat
1600 W Nedro Av

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date
9/25/06

No Critical Violations

Johanny Grocery Store
1601 W Nedro Av

*Retail Food: Grocery Market
Philadelphia, PA 19141*

Inspection Date
2/7/08

No Critical Violations

Pacheco's Grocery
1601 W Nedro Av

*Retail Food: Grocery Market
Philadelphia, PA 19141*

Inspection Date
10/2/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pacheco's Grocery
1601 W Nedro Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

9/25/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Deli case temperature observed at 58°F. Cold food must be maintained below 41°F.

Deli turkey, ham, and sliced deli cheese present in refrigerator. Owner discarded deli meats and cheese while present.

Maintain cold food below 41°F.

Management initiated immediate corrective action.

8-01.2 (C) Hot water is not provided. No hot water at time of inspection.

NOTE: Discontinue all food preparation and food handling activity until hot water temperature of at least 110°F is restored to establishment. Maintain hot water temperature between 110°F and 125°F.

Owner agreed to discontinue operation of deli until hot water temperature is restored to a minimum of 110°F.

Management instructed to initiate immediate corrective action.

Little Friends Child Care Center
1727 W Nedro Av

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/8/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. The owner is scheduled to take the exam within the week. Management instructed to initiate immediate corrective action.

3/7/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

2-01.1 (A) Food is not from an approved source. Food is delivered by The Safe Kids Nutritional Development Program (not licensed). Management instructed to initiate immediate corrective action.

1/8/08

2-01.1 (A) Food is not from an approved source. Food is delivered by The Safe Kids Nutritional Development Program (not licensed). Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

1/5/07

No Critical Violations

1/4/06

No Critical Violations

Collado Grocery
1956 W Nedro Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Collado Grocery
1956 W Nedro Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

6/25/08

No Critical Violations

Torres Mini Market
1956 W Nedro Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

4/14/08

No Critical Violations

3/14/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present along the wall at the entrance.

7-01 (L) Mouse infestation is present. There are droppings present along numerous retail shelves.

2/6/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

9/25/06

No Critical Violations

Roslyn Miller Family Day Care
1623 W Nedro St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

1/15/08

No Critical Violations

6/2/06

No Critical Violations

Doris Moten Family Day Care
1707 W Nedro St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

9/17/07

No Critical Violations

6/2/06

No Critical Violations

Debby Cunningham Family Day Care
1805 Nolan St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

1/18/07

No Critical Violations

1/11/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Lakaya Corp.
712 Oak Ln

Wholesale: Warehouse
Philadelphia, PA 19126

Inspection Date

7/31/08

No Critical Violations

Under the Oak Cafe
804 Oak Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

3/5/08

4-01.1 (A) Food/Food service article storage does not provide protection. Required splash guard is not provided at either side of the basement hand washing where an food prep work is conducted.
10-02.2 (B) Food equipment and utensils are improperly sanitized - large stainless bowl and other food equipment in use in basement kitchen.
10-01.1 (B) An approved sink for manual washing and sanitization is not provided. None present in the basement preparation area where equipment that requires sanitization is too large to be properly cleaned and sanitized in the first floor 3 basin sink is in use.

1/17/08

4-01.1 (A) Food/Food service article storage does not provide protection. required splash guard is not provided at either side of the first floor hand washing where an ice bin is located on one side and a work area is on the other side.
10-01.1 (B) An approved sink for manual washing and sanitization is not provided. None present in the basement preparation area where equipment that requires sanitization is too large to be properly cleaned and sanitized in the first floor 3 basin sink is in use. the owner has agreed to discontinue use of equipment and utensils that can not cleaned in the first floor sink until a larger basement sink is installed.
19-01.1 Food establishment personnel food safety certified individual is not present - serve safe certificate only present.

8/6/07

No Critical Violations

Ellwood Lower School
1300 N Oak Lane Rd

Institution: School, Public
Philadelphia, PA 19126

Inspection Date

4/30/08

8-01.2 (C) Hot water is not provided throughout establishment; recorded at 74°F. Management instructed to initiate immediate corrective action.
9-02.1 Employee hands are not washed prior to food handling activities. No hot water at sinks. Management instructed to initiate immediate corrective action.
12-01.5.B (5) Hot water at hand washing sink is not provided in toilet room or food prep area. Management instructed to initiate immediate corrective action.

11/8/07

No Critical Violations

2/16/07

No Critical Violations

Ellwood School
1300 Oak Lane Rd

Institution: School, Public
Philadelphia, PA 19126

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ellwood School
1300 Oak Lane Rd

Institution: School, Public
Philadelphia, PA 19126

Inspection Date

5/16/06

No Critical Violations

Ellwood Upper School
1300 Oak Lane Rd

Institution: School, Public
Philadelphia, PA 19126

Inspection Date

11/14/06

No Critical Violations

Homeward Bound
1305 E Oak Ln

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19126

Inspection Date

7/23/08

No Critical Violations

6/17/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. 2/3 stoppers missing for 3 bay sink. Management instructed to initiate immediate corrective action.

4/13/07

No Critical Violations

4/17/06

No Critical Violations

Room to Grow Day Care
506 Oak Lane Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

7/6/07

No Critical Violations

4/19/06

No Critical Violations

Marwood Rest Home
1020 Oak Lane Av

Institution: Nursing and Convalescent Home
Philadelphia, PA 19126

Inspection Date

1/16/08

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator unit on the 1st floor pantry area has a temperature of 51° and small refrigerator unit on the 2nd floor pantry area has a temperature of 53°, during time of inspection. Employee initiated immediate corrective action by lowering the temperature inside the unit, during time of inspection.

7-01 (D) Roach infestation is present. Live roaches are observed in the food prep area, during time of inspection. Management initiated immediate corrective action. Management initiated immediate corrective action, managers call for service for immediate actions to be taken for the infestation, during time of inspection.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Marwood Rest Home
1020 Oak Lane Av

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19126*

Inspection Date

12/10/07

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator unit temperature is 53°, during time of inspection. Employee initiated immediate corrective action by lowering the temperature inside the unit, during time of inspection.

7-01 (D) Roach infestation is present. Several live roaches are observed in the shower room and in the food prep area, during time of inspection. Management initiated immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. 3-Basin sink is leaking in the food prep area, during time of inspection.

5/14/07

No Critical Violations

2/26/07

19-01.1 Food establishment personnel food safety certified individual is not present.No city food safety certificate available; only serv-safe training certificate. Management instructed to initiate immediate corrective action.

1/31/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. 2nd floor pantry room refrigerator observed at 48°F. Food items observed at 48°F and discarded while present.

NOTE: DISCONTINUE USE OF 2ND FLOOR REFRIGERATOR UNTIL IT CAN MAINTAIN 41°F.

Management instructed to initiate immediate corrective action.

8/25/06

No Critical Violations

8/21/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.2nd floor pantry room refrigerator observed at 60°F. Chicken microwave dinner observed at 60°F and discarded while present. Sanitarian observed refrigerator door not completely closed at time of inspection.

NOTE: DISCONTINUE USE OF 2ND FLOOR REFRIGERATOR UNTIL IT IS MAINTAIN 41°F.

Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair.Preparation sink indirect waste connection observed clogged.Water overflow to prep floor while conducting inspection. Management instructed to initiate immediate corrective action.

12/19/05

No Critical Violations

7/8/05

No Critical Violations

Pardise Flowers & Gifts
416 Oak Lane Rd

*Retail Food: General Convenience
Philadelphia, PA 19126*

Inspection Date

8/28/07

No Critical Violations

Sunoco - #7691
5000 Ogontz Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sunoco - #7691
5000 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

11/21/07

No Critical Violations

9/11/06

No Critical Violations

Four Squares Food Mart
5600 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

8/31/05

No Critical Violations

8/16/05

7-01 (D) Roach infestation is present. Numerous roaches observed throughout. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

Steve's Cafe & Mini Market
5600 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/24/07

No Critical Violations

10/10/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters of establishment. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of multi-use utensils and food equipment. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

8/1/06

No Critical Violations

Jacqueline Powell Family Day Care
5737 Ogontz Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

6/22/06

No Critical Violations

J Pennell School
5898 Ogontz Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

2/27/08

No Critical Violations

10/12/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

J Pennell School
5898 Ogontz Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

2/23/07

No Critical Violations

11/2/06

No Critical Violations

5/18/06

No Critical Violations

10/18/05

No Critical Violations

J Pennell School Head Start
5898 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

2/27/08

No Critical Violations

10/12/07

No Critical Violations

11/2/06

No Critical Violations

9/14/05

No Critical Violations

Bakery Lakay
5929 Ogontz Av

Retail Food: Grocery Market
Philadelphia, PA 19126

Inspection Date

10/4/06

No Critical Violations

9/20/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Prep/baking area refrigerator observed at 53°F with meat mixtures, dough, eggs, and butter inside. Butter and eggs were moved to accurate temperature holding units. However, meat mixtures' temperatures were observed at 58°F. Meat mixtures were thrown out while this sanitarian was present. Fix refrigerator to maintain cold food below 41°F. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed at prep/baking area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

8-01.2 (A) An adequate supply of hot water is not provided at utensil sink. Hot water faucet observed not working. Fix hot water faucet. Management instructed to initiate immediate corrective action.

Fritay Lakay
5931 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/4/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

A Child's First Step Day Care
5932 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

3/5/08

No Critical Violations

1/8/08

19-01.1 Food establishment personnel food safety certified individual is not present. Expired Food Safety Certificate for In-Home Day Care observed. City of Philadelphia Food Safety Certificate required. List of providers given to supervisor. Management instructed to initiate immediate corrective action.

1/9/07

No Critical Violations

12/8/05

No Critical Violations

Brothers House Pizza
5940 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/23/08

No Critical Violations

5/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management initiated immediate corrective action. Owner has paid for and is enrolled in an NSF class. Application given to owner.

5/15/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Chinese American Food
5942 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/20/06

No Critical Violations

Mezquita Grocery
5943 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

12/3/07

No Critical Violations

11/19/07

7-01 (D) Roach infestation is present. Several roaches observed in basement. Eliminate roach infestation. Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at prep area perimeters and in basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mezquita Grocery
5943 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/20/06

No Critical Violations

C L Lounge
5969 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/23/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. There are droppings present on the basement shelves and atop the ice machine.

3/7/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

1/30/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

9/20/06

No Critical Violations

Economic Food Market
5977 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

12/21/07

No Critical Violations

11/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city certificate observed. City of Philadelphia Food Safety Certificate required. Owner has application. Management instructed to initiate immediate corrective action.

9/20/06

No Critical Violations

Ed's Pizza House
6047 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

7/21/08

7-01 (A) Fly infestation is present in the basement around soiled towels and aprons.

13-01.1 (B) Floor is not in good repair. There are large holes present in the prep area that are detrimental to the working staff and under two refrigerated units, near large mixing pot and missing vent cover behind the serving counter.

6/18/08

7-01 (A) Fly infestation is present throughout the establishment.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ed's Pizza House
6047 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/18/08

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered pizza sauce and chicken inside refrigerated units.

4/9/07

No Critical Violations

3/5/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on floors and shelves of prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/12/07

No Critical Violations

2/7/07

7-01 (L) Mouse infestation is present ; numerous fresh mouse droppings observed in heavy mixer and basement floor. Management instructed to initiate immediate corrective action.

2/7/07

7-01 (L) Mouse infestation is present ; numerous fresh mouse droppings observed in heavy mixer and basement floor. Management instructed to initiate immediate corrective action.

12/5/06

No Critical Violations

7/24/06

7-01 (A) Fly infestation is present. Flies observed in prep areas, toilet room and the basement. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Establishment has no oil waste recycling company to pick up used oil.

-Provide a metal oil drum(s) and recycling company for used deep fryer cooking oil.

Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. - Knives, utensils, pizza dishes, slicer machine

- Only one defective sink stopper is available. Three sink stoppers are required.

Sanitization process is not observed being done as required. Provide for the required washing, rinsing, and sanitizing of the multi-use utensils and food equipment. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ed's Pizza House
6047 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

1/30/06

8-01.2 (C) Hot water is not provided.

No hot water is provided in the establishment due to a broken hot water heater.

Discontinue all food preparation and food handling activity until hot water, at a minimum temperature of 110° F, is restored.

Management agreed to discontinue operation until hot water is restored.

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelf next to range, and the floors of the restroom and rear room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. - Knives, utensils, pizza dishes, slicer machine

- First basin of 3-basin sink is backed up because of defective garbage grinder.

Provide for the required washing, rinsing, and sanitizing of the multi-use utensils and food equipment. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Maintain hot water temperature between 110 - 125° F.

1/11/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout prep area, especially rear section and in the basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Roaches observed in basement. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. - Knives, utensils, pizza dishes, slicer machine

- One sink stopper observed at 3 basin sink. Two more are needed.

- Sanitization process was not observed being done as required.

Provide for the required washing, rinsing, and sanitizing of the multi-use utensils and food equipment.

Use an approved sanitizer according to the instructions and concentrations indicated on the label.

Management instructed to initiate immediate corrective action.

Tiny Tots & Toddlers Christian Childcare
6049 Ogontz Av

Institution: Child, Group Day Care Homes
Philadelphia, PA 19141

Inspection Date

9/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

6/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

6/5/06

No Critical Violations

Medina Grocery
6052 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Medina Grocery
6052 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

4/19/07

No Critical Violations

10/18/06

No Critical Violations

10/4/06

7-01 (A) Fly infestation is present. Numerous flies observed throughout establishment. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

Wing Wong House
6057 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

2/11/08

No Critical Violations

1/28/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper and no sanitizer observed at time of inspection. Provide three sink stoppers (one per basin) and approved sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Three-basin sink observed being used for storage. Remove items from sink compartments immediately to allow for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

6/3/06

No Critical Violations

Vira's Kitchen
6145 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/10/06

No Critical Violations

Ogontz Academy
6149 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

3/26/07

No Critical Violations

Fruit and produce vendor - James Quarles
6200 Ogontz Av

Retail Food: Mobile Food Vendor
Philadelphia, PA 19141

Inspection Date

6/14/06

No Critical Violations

Enjoy Restaurant
6201 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Enjoy Restaurant
6201 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city certificate observed. City of Philadelphia Food Safety Certificate required. Application sent in by owner. Management initiated immediate corrective action.

7/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

1/20/06

No Critical Violations

FIFI
6243 Ogontz Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

1/24/07

No Critical Violations

1/24/07

No Critical Violations

12/29/05

No Critical Violations

Mega Mart
6340 Ogontz Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

2/9/07

No Critical Violations

Lee's Discount
6352 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

10/5/06

No Critical Violations

10/4/06

8-01.2 (C) Hot water is not provided. No hot water at time of inspection. Management instructed to initiate immediate corrective action. Restore hot water to establishment and maintain hot water temperature between 110°F and 125°F. Once hot water is restored to establishment, call the sanitarian at the number listed below to schedule a reinspection.

Mount Airy Church of God - Day Care
6401 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

5/8/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. The director is now awaiting results from her exam. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mount Airy Church of God - Day Care
6401 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

3/7/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to director. Management instructed to initiate immediate corrective action.

1/8/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to director. Management instructed to initiate immediate corrective action.

1/9/07

No Critical Violations

12/8/05

No Critical Violations

New Youth Academy
6542 Ogontz Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

2/7/08

No Critical Violations

10/15/07

No Critical Violations

Burgess and Edmonds Beer Dist
6601 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19126

Inspection Date

11/2/06

No Critical Violations

Mami Market
6657 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

8/2/07

No Critical Violations

11/2/06

No Critical Violations

11/2/06

No Critical Violations

10/26/05

No Critical Violations

9/24/05

7-01 (D) Roach infestation is present - live roaches on the floor in food prep & retail areas.

Won's Chinese & American Food
6703 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Won's Chinese & American Food
6703 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

10/10/06

No Critical Violations

2/21/06

No Critical Violations

2/17/06

No Critical Violations

Holy Temple Baptist Day Care
6709 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

4/4/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

3/15/06

No Critical Violations

Holy Temple of God Baptist Day Care Ctr.
6709 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

5/14/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Maintain all perishable food below 41°F. Refrigerator observed at 45°F. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. No splashguard observed between 3 basin sink and handsink. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed at toilet room floor and rear area. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

9-04 (A) Sponges are used in an unapproved manner.

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

J's Market
6731 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

1/25/08

No Critical Violations

10/6/06

No Critical Violations

Jonathan's Laundromat
6825 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19126

Inspection Date

5/18/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jonathan's Laundromat
6825 Ogontz Av

*Retail Food: General Convenience
Philadelphia, PA 19126*

Inspection Date

5/30/07

No Critical Violations

6/3/06

No Critical Violations

Two Peas In A Pot
6830 Ogontz Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date

10/6/06

No Critical Violations

Great Wall Chinese Restaurant
6901 Ogontz Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

2/26/08

No Critical Violations

7/13/07

8-06.1.1 (C) Drain line is in need of repair. Leak observed at drain line at prep area handsink. Water observed leaking onto prep area floor. Repair drain line. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sink stoppers observed. Provide three sink stoppers (one per basin) to allow for proper washing, rinsing, and sanitizing of food equipment and utensils as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Owner has completed a food safety class and is waiting to receive his certificate. Application for City of Philadelphia Food Safety Certificate is ready to send. Management instructed to initiate immediate corrective action.

5/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Yummy Kitchen
6901 Ogontz Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

7/31/08

No Critical Violations

Seafood Sensations
7036 Ogontz Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126*

Inspection Date

2/2/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

M & J Market Inc.
7100 Ogontz Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

11/19/07

No Critical Violations

11/5/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10/6/06

No Critical Violations

China House
7141 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

2/8/08

No Critical Violations

1/25/08

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizer observed at time of inspection. Provide an approved sanitizer for proper sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Food preparation and handwashing observed being conducted at three-basin sink. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. Management instructed to initiate immediate corrective action.

5/1/06

No Critical Violations

Ogontz Grill & Sidewalk Cafe
7152 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

9/22/06

No Critical Violations

Sadiki's Fine Dining
7152 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

10/11/07

No Critical Violations

Sneha Food Market
7153 Ogontz Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

1/25/08

No Critical Violations

10/6/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Abners BBQ
7155 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

1/25/08

No Critical Violations

12/15/06

No Critical Violations

12/13/05

No Critical Violations

Brownie's Par Four Bar
7173 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

10/6/06

No Critical Violations

9/22/06

2-10.2 Ice is not protected from contamination. Lid or cover is not provided. No door provided for ice machine. A trash bag is being used in its place. Fix door. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment floors and on shelf behind cooking stove. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Cornbread & Coffee
7175 Ogontz Av Suite: D

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

5/19/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

3/14/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

1/25/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

10/6/06

No Critical Violations

Dawn's Breakfast
7182 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

9/26/07

No Critical Violations

9/12/07

7-01 (K) Rat infestation is present. Numerous rat droppings observed in basement. Eliminate rat infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dawn's Breakfast
7182 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date
8/25/06

No Critical Violations

Oaklane Express Pizza
7202 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date
2/2/07

No Critical Violations

Oak Lane Express Pizza
7204 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date
2/13/08

No Critical Violations

12/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

5/30/06

No Critical Violations

Kyongs Meat Market
7208 Ogontz Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date
12/15/06

No Critical Violations

West Oak Lane Sr. Center
7210 Ogontz Av

Institution: Adult, Other
Philadelphia, PA 19138

Inspection Date
11/27/07

No Critical Violations

12/15/06

No Critical Violations

3/14/06

No Critical Violations

Paul Beale's Flower Shop
7220 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date
12/12/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Golden City Chinese Food Take Out
7228 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

6/16/08

7-01 (L) Mouse infestation is present. There are droppings on shelves and floor perimeters throughout.
19-01.1 Food establishment personnel food safety certified individual is not present. Note: A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.
5-01.1 Food is not protected from contamination. Uncovered foods observed inside walk-in refrigerator. Provide proper lids/coverings to protect food from contamination. Management initiated immediate corrective action.
3-01.1 (A) Potentially hazardous food is stored at improper temperature. Containers of rice and chicken wings were noted at room temperature.

2/9/07

No Critical Violations

Thinking Children Care Center
7232 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

7/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Owner completed class. ServSafe certificate observed and application has been sent in. Management initiated immediate corrective action.

5/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/12/06

No Critical Violations

Rite Aid
7401 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

5/8/07

No Critical Violations

3/12/07

2-01.1 (B) Adulterated or unwholesome food is present. Reeses candy bar observed gnawed through by mice. Remove adulterated and unwholesome food from shelves immediately. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Extensive mouse infestation is observed. Mouse droppings were observed on the shelves in cookie and candy display areas of the store. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

3/8/07

2-01.1 (B) Adulterated or unwholesome food is present. Multiple candy bars and packages of chips and nuts observed gnawed through by mice. Remove adulterated and unwholesome food from shelves immediately. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Extensive mouse infestation is observed. Fresh and old mouse droppings and multiple live mice observed at time of inspection. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/20/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Rite Aid
7401 Ogontz Av

*Retail Food: General Convenience
Philadelphia, PA 19138*

Inspection Date
7/6/06

- 7-01 (L) Mouse infestation is present. Mouse droppings observed throughout the store:
- On shelving in aisles 1, 2, 6, 7, 8, 10, 11 and 12.
 - Cosmetics' shelves
 - Storage area shelving and floor.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Sunoco A Plus Mini Market #7572
7434 Ogontz Av

*Retail Food: Grocery Market
Philadelphia, PA 19138*

Inspection Date
1/24/08

No Critical Violations

11/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application given to manager. Management instructed to initiate immediate corrective action.

9/15/06

No Critical Violations

Ogontz Seafood House
7516 Ogontz Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150*

Inspection Date
1/30/08

No Critical Violations

7/20/06

No Critical Violations

Famous Deli
7522 Ogontz Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150*

Inspection Date
11/19/07

No Critical Violations

9/15/06

No Critical Violations

In and Out
7600 Ogontz Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150*

Inspection Date
5/25/06

No Critical Violations

7/28/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

In and Out Pizza
7600 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

12/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

12/5/07

2-10.2 Ice is not protected from contamination. Soda bottles observed inside ice and no ice scoop observed. Remove all items from ice and provide a scoop to properly dispense of ice. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear prep area shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. Drain line for mens' toilet room is leaking into the basement. Repair immediately. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Three-basin sink observed being used as a hand wasing sink. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. All handwashing should be conducted in the approved hand washing sink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

9/15/06

No Critical Violations

9/1/06

7-01 (A) Fly infestation is present. Numerous flies observed throughout establishment. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear prep area. Clean to remove mouse feces. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

P & P Natural Fruit & Vegetable Juices
7601 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

9/15/06

No Critical Violations

Ogontz Discount
7603 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

2/9/07

No Critical Violations

Memorable Moments Learning Center
7604 Ogontz Av

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

9/12/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Memorable Moments Learning Center
7604 Ogontz Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19138*

Inspection Date

8/8/06

No Critical Violations

8/23/05

No Critical Violations

8/19/05

No Critical Violations

Wong Corporation
7610 Ogontz Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150*

Inspection Date

1/30/08

No Critical Violations

7/6/06

No Critical Violations

Ho Wok
7613 Ogontz Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150*

Inspection Date

9/13/07

No Critical Violations

4/5/07

No Critical Violations

12/29/05

No Critical Violations

Paganos Steaks
7617 Ogontz Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150*

Inspection Date

2/2/07

No Critical Violations

1/20/06

No Critical Violations

Harrys Ogontz Deli
7701 Ogontz Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150*

Inspection Date

11/30/07

No Critical Violations

11/16/07

4-01.1 (A) Food/Food service article storage does not provide protection. No splash guard provided between three-basin sink and prep handsink. Install splash guard. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of multi-use utensils. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Harrys Ogontz Deli
7701 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

9/29/06

No Critical Violations

9/15/06

7-01 (L) Mouse infestation is present. Mouse droppings observed at cooking area floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Sandy's Ogontz Deli
7701 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

6/17/08

No Critical Violations

6/4/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed to obtain license.

9-04 (B) Wiping cloths are used in an unapproved manner. When cloths are not in use store in sanitizer. Management instructed to initiate immediate corrective action.

Hong's Gift Shop
7709 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

6/11/08

No Critical Violations

9/1/06

No Critical Violations

B.B.Q. Town
7711 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

6/11/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

4-01.1 (A) Food/Food service article storage does not provide protection. Beverage cases are not protected from splash contamination.

3/22/07

No Critical Violations

Chong's Seafood
7711 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

9/1/06

No Critical Violations

7- Eleven Store 1408-20854K
7720 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

7- Eleven Store 1408-20854K
7720 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

6/4/08

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout inside perimeter of establishment. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety certificate is needed. Management instructed to initiate immediate corrective action.

Seven Eleven #20854
7720 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

11/21/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear soda syrup room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Non-City certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

9/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

9/1/06

No Critical Violations

Crab and Claw Seafood
7801 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

6/18/08

No Critical Violations

5/18/08

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered container of fish in the walk-in box and a soiled blanket atop of barrels of crabs.
5-04.2 (A) Approved sneeze guards are not provided as required in front of the scale.

7/5/07

No Critical Violations

7/2/07

2-01.4 Food is not properly labeled/packaged. Spices on shelf were not labeled.
2-10.2 Ice is not protected from contamination. Items were observed in ice storage bin.
5-04.2 (A) Approved sneeze guards are not provided as required for scales.
7-01 (A) Fly infestation is present. Fly infestation observed throughout establishment. Remove infestation immediately. Management instructed to initiate immediate corrective action.
8-02.2 An approved air gap is not present for prep sink.
9-04 (A) Sponges are used in an unapproved manner. Sponges observed in single basin Sink.

Sunoco Convenience Store
7900 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sunoco Convenience Store
7900 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

11/16/07

No Critical Violations

9/16/06

No Critical Violations

Bally's II Pizza
7903 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

7/7/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

3-02.1 Refrigeration system does not maintain proper temperatures. The prep unit bain marie was noted at 60° F. ORDERS: REMOVE ALL POTENTIALLY HAZARDOUS FOODS IMMEDIATELY.

5/5/08

19-01.1 Food establishment personnel food safety certified individual is not present.

5/3/08

No Critical Violations

5/1/08

No Critical Violations

4/29/08

No Critical Violations

4/29/08

No Critical Violations

4/27/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bally's II Pizza
7903 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

4/25/08

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Several salad dressings are stored in the small refrigerator/food prep unit which has a temperature 52°: (4) 4oz. blue cheese salad dressing temp. is 53°, (13) 4 oz. caesar salad dressing temp. is 52°, (15) 4 oz. french salad dressing temp. is 54°, (14) 4 oz. italian salad dressing temp. is 54°, (10) 4 oz. russian salad dressing temp. is 53°, (18) 4 oz. honey mustard salad dressing temp. is 55° and (6) 4 oz. ranch salad dressing temp. is 53°, during time of inspection.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/food prep unit temperature is 52°-53° F, during time of inspection. The small refrigerator/food prep unit use will be discontinued until it is properly repaired.

5-01.1 Food is not protected from contamination. Uncovered preped salad, uncovered raw chicken breast and uncovered tomato sauce is not protected from cross-contamination between raw and prepared foods in the walk-in refrigeration unit, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. There are live adult and nymph roaches present in and under the food prep table, roaches are harboring around the basement door frame and the space between the basement door and the wall, during time of inspection. Live adult roaches are observed harboring under the front counter top, during time of inspection.

8-06.1.1 (D) Soil line is in need of repair. Soil line in the rear of the basement is open. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. Employee hands are not washed prior to preping food, during time of inspection. No hand soap or towels at the hand sink in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths used in the food prep area are not stored in a properly labeled container with sanitized solution, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

3/24/08

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. There were live and dead roaches present in the prep area and basement.

3-01.1 (A) Potentially hazardous food is stored at improper temperature. The bain marie was noted at 60°F. ORDERS: REMOVE ALL FOODS FROM UNIT. NOTE: THE OWNER STATES IT WILL BE REPAIRED TODAY.

2/26/08

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bally's II Pizza
7903 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

7/12/07

7-01 (D) Roach infestation is present. Numerous baby and adult roaches observed throughout establishment prep areas and basement. Eliminate extensive roach infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sink stoppers observed. Provide three sink stoppers (one per basin) to allow for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

5/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to owner. Management instructed to initiate immediate corrective action.

1/31/06

No Critical Violations

9/12/05

No Critical Violations

8/9/05

No Critical Violations

7/5/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. ham and other sandwich meats , raw chicken , steak sandwich meats observed in defective prep area bain marie unit at 50 to 55 F. Items placed into top and bottom area of unit at opening time were relocated to walk-in refrigerator. (OWNER STATED THAT FOOD ITEMS WERE PLACED AT PREP REFRIGERATOR 30 MINUTES BEFORE TIME OF INSPECTION).DISCONTINUE USE OF DEFECTIVE PREPARATION REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F.

4-01.1 (A) Food/Food service article storage does not provide protection. Rolls stored in close proximity to front area hand washing sink , no splash guard present - items moved while present

8-06.1.1 (D) Soil line is in need of repair; open hole observed at basement soil line. Management instructed to initiate immediate corrective action.

Mcdonalds #10362
7911 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

5/10/07

No Critical Violations

6/12/06

No Critical Violations

5/25/06

7-01 (L) Mouse infestation is present. Mouse droppings observed along perimeters of storage room and near customer beverage area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. At 3-basin sink - leaking into a bucket. Management instructed to initiate immediate corrective action.

10/4/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mcdonalds #10362
7911 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

8/31/05

7-01 (L) Mouse infestation is present. Mouse droppings observed in storage room and rear room. Live mouse observed in rear room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8/16/05

7-01 (L) Mouse infestation is present. Mouse droppings observed in storage room and rear room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
8-01.2 (D) Hot water temperature is above 125 degrees Fahrenheit. Hot water temperature observed at 160° F.

Littleton's Diner
8001 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

8/1/06

No Critical Violations

7/14/05

No Critical Violations

New Hong Kong Garden
8002 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

3/27/07

No Critical Violations

Lukoil
8005 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

11/21/07

No Critical Violations

Mobil Mini Mart
8005 Ogontz Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

11/16/07

12-01.5.B (5) Hot water at hand washing sink is not provided. No hot water observed at time of inspection. Hot water temperature must be maintained between 110°F and 125°F at all times. Restore hot water to the establishment. Management instructed to initiate immediate corrective action.

9/16/06

No Critical Violations

Crown Fried Chicken
8010 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

6/18/08

19-01.1 Food establishment personnel food safety certified individual is not present.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Crown Fried Chicken
8010 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

5/20/08

- 19-01.1 Food establishment personnel food safety certified individual is not present.
- 10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. The 3 basin sink is defective and needs to be repaired immediately.

5/18/08

- 8-06.1.1 (D) Soil line is in need of repair. The basement is engulfed with sewage waste water throughout. ORDERS: CEASE OPERATION UNTIL THE BASEMENT HAS BEEN COMPLETELY CLEANED, SANITIZED AND A RE-INSPECTION HAS BEEN COMPLETED PRIOR TO REOPENING.
- 3-02.1 Refrigeration system does not maintain proper temperatures. The small refrigerated prep units was noted at 50°F. NOTE: ALL POTENTIALLY HAZARDOUS FOODS WERE REMOVED IMMEDIATELY.
- 4-01.1 (A) Food/Food service article storage does not provide protection. There are uncovered beef ribs inside the walk-in box.
- 7-01 (L) Mouse infestation is present. There are droppings present along the rear storage room floor perimeters.
- 19-01.1 Food establishment personnel food safety certified individual is not present.

9/22/06

No Critical Violations

Lee's Food Market
8014 Ogontz Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

11/9/07

No Critical Violations

7/12/07

No Critical Violations

5/9/07

- 19-01.3 Food establishment personnel food safety certificate is not posted. Owner is signed up for a class to take place at the end of this month. Management initiated immediate corrective action.

4/5/06

No Critical Violations

Peter's Steak House
8016 Ogontz Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

2/2/07

No Critical Violations

9/7/05

No Critical Violations

Logan Development Learning Ctr.
4815 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

2/1/08

No Critical Violations

2/1/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Logan Development Learning Ctr.
4815 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

2/12/07

No Critical Violations

Seng Hong Oriental Grocery
4901 Old York Rd

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

1/23/07

No Critical Violations

11/2/05

No Critical Violations

Dundy Fruit & Meat Distributors
4904 Old York Rd

Wholesale: Warehouse
Philadelphia, PA 19141

Inspection Date

4/25/06

No Critical Violations

Phnom Penh Reaturant
4909 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

11/2/05

No Critical Violations

LATIN STAR
4919 OLD YORK Rd

Retail Food: General Convenience
Philadelphia, PA 19126

Inspection Date

11/9/05

No Critical Violations

Cafe Hung Mai
4929 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

12/1/05

No Critical Violations

Video Light
4929 Old York Rd

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

3/16/06

No Critical Violations

Bungert Video
4935 Old York Rd

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bungert Video
4935 Old York Rd

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date

11/7/05

No Critical Violations

New Mee Wah Market
4949 Old York Rd

*Retail Food: Grocery Market
Philadelphia, PA 19141*

Inspection Date

1/21/07

No Critical Violations

2/8/06

No Critical Violations

Chi Grocery
5002 Old York Rd

*Retail Food: Grocery Market
Philadelphia, PA 19141*

Inspection Date

1/20/07

No Critical Violations

Lina Grocery
5010 Old York Rd

*Retail Food: Grocery Market
Philadelphia, PA 19141*

Inspection Date

9/10/07

No Critical Violations

8/29/07

7-01 (D) Roach infestation is present. Numerous live german roaches observed in the basement.
Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present ; numerous mouse droppings observed in the basement area.

Long Kim Hour Grocery
5010 Old York Rd

*Retail Food: Grocery Market
Philadelphia, PA 19141*

Inspection Date

12/11/06

No Critical Violations

ND Pharmacy
5012 Old York Rd

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date

2/17/06

No Critical Violations

Logan Donut
5016 Old York Rd

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141*

Inspection Date

7/9/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Logan Donut
5016 Old York Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

5/31/08

7-01 (L) Mouse infestation is present. Mouse feces observed on floor perimeters throughout establishment. Management instructed to initiate immediate corrective action.

1/20/07

No Critical Violations

New Sandwich World
5022 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

6/16/08

No Critical Violations

10/3/07

7-01 (K) Rat infestation is present. Rat burros observed in the basement walls. Management instructed to initiate immediate corrective action.

8/29/07

4-01.1 (A) Food/Food service article storage does not provide protection. Food equipment located in the kitchen next to open windows and exposed to dust from street .

Management instructed to initiate immediate corrective action.

7-01 (K) Rat infestation is present. Rat burros observed in the basement walls. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on the floor behind freezer in storage room. Management instructed to initiate immediate corrective action.

12/11/06

No Critical Violations

R&N Mini Market
5111 Old York Rd

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

4/2/08

No Critical Violations

2/2/08

12-01.5.B (5) Hot water at hand washing sink is not provided ; at hand sink in employees bathroom.

19-01.1 Food establishment personnel food safety certified individual is not present.

Water ice only.

7/11/06

No Critical Violations

7/5/06

10-01.1 (A) An approved equipment and utensil washing sink is not provided.

- no utensils sink provided for water ice scoop and plastic storage containers .

Management instructed to initiate immediate corrective action.

Women Against Abuse
5301 Old York Rd

Institution: Adult, Shelter
Philadelphia, PA 19141

Inspection Date

2/5/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Women Against Abuse
5301 Old York Rd

Institution: Adult, Shelter
Philadelphia, PA 19141

Inspection Date

2/2/07

No Critical Violations

Albert Einstein Medical Cntr
5501 Old York Rd

Institution: Hospital
Philadelphia, PA 19141

Inspection Date

2/11/08

2-01.4 Food is not properly labeled/packaged. Pre-packaged deserts in the self-serving refrigeration unit in the cafe area is not properly labeled, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present. Live fruit flies are observed on the wall and ceilings in the dishwashing area, during time of inspection. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled containers with sanitizer solutions in the food prep area, during time of inspection.

Management instructed to initiate immediate corrective action.

12/11/07

3-02.1 Refrigeration system does not maintain proper temperatures. 3-Door refrigeration unit has a temperature of 60°-63°, during time of inspection. Management refused to initiate immediate corrective action by replacing all hazardous foods with freshly made food, during time of inspection.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Pudding and cold preped salads is stored in a refriagation unit with a temperature of 60°-63°, during time of inspection. Management initiated immediate corrective action, manager called for the unit to be repaired, during time of inspection.

5-01.1 Food is not protected from contamination. Food is not protected from unclean equipment or utensils. Uncovered pretzels has bags of bread stored on top of the food item, during time of inspection. Pretzels was removed from use, during time of inspection.

8-02.2 An approved air gap is not present. No air gaps is present in the food preparation sinks, where is needed. Management instructed to initiate immediate corrective action.

5/3/07

No Critical Violations

12/21/06

No Critical Violations

12/1/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

NOTE: DISCONTINUE USE OF DEFECTIVE REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. PUDDING CONTAINERS DISCARDED WHILE PRESENT.

Management instructed to initiate immediate corrective action.

11/6/06

No Critical Violations

10/4/05

No Critical Violations

9/15/05

7-01 (A) Fly infestation is present; flies observed at cafeteria storage area.ELIMINATE FLY INFESTATION. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mcdonalds
5575 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

2/5/08

4-01.1 (A) Food/Food service article storage does not provide protection. Splashguard not provided between hand sink and bread storage shelves. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Mcdonalds #08071
5575 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

3/12/07

7-01 (L) Mouse infestation is present ; numerous mouse droppings in storage shelves in kitchen. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/11/07

5-01.1 Food is not protected from contamination ; splashguard not provided for hand wash sink and bread storage shelves. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present ; numerous mouse droppings on the floor in basement. Management instructed to initiate immediate corrective action.

Green Side Restaurant
5577 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

6/29/07

No Critical Violations

4/4/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; kitchen utensils, slicer machine parts .

Kitchen utensils submerged in soapy water in trash can.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/12/07

5-01.1 Food is not protected from contamination ; manager observed cutting watermelon in customer area. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner ; heavily stained wiping cloths observed on countertops in kitchen. Wiping clothing - must be stored in a container of sanitizing solution -bleach in water.

Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate ; no soap provided for hand wash sink in kitchen. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; kitchen utensils, slicer machine parts .Clogged utensils sink.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Olney Chinese Food Express
5579 Old York Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

7/9/08

No Critical Violations

5/25/08

4-01.1 (A) Food/Food service article storage does not provide protection. Food on shelving and floor surrounded by mouse feces. Management instructed to initiate immediate corrective action.

4-02.1 Raw (chicken, red meat) or unwashed food is not stored below ready-to-eat food (vegetables, cooked foods) in walk-in box. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Food on floor and shelving surrounded by mouse feces. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse feces observed throughout food prep area on floor perimeters and shelving. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized; no 3 bay sink stoppers or sanitizer observed. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Cert. posted; call 215.685.7498 for application for City Cert. Management instructed to initiate immediate corrective action.

McDonald's
5587 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

6/1/08

4-01.1 (A) Food/Food service article storage does not provide protection (REPEAT). Provide partitions between: salad prep sink and prep table/refrigerator, prep area hand sink and bread storage rack. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present (REPEAT). Food safety certified person not present at time of inspection. Management instructed to initiate immediate corrective action.

11/10/05

No Critical Violations

Mr C's BBQ
5724 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/12/06

No Critical Violations

9/28/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment floors and shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Bucket of dirty mop water observed at patron area. Dispose of dirty water immediately after use. Management instructed to initiate immediate corrective action.

Ron's Carribean Cafe
5726 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

8/30/06

7-01 (L) Mouse infestation is present. Mouse dropping observed at front prep area along rear wall.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ron's Carribean Cafe
5726 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

8/11/06

7-01 (A) Fly infestation is present. Numerous flies observed at rear prep area and rear storage area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse dropping observed:

- at rear prep area,
- at soda storage area,
- on wooden shelves at rear storage area, and
- at front prep area.

Clean to remove mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided. Pilot for hot water heater was turned off. Management initiated immediate corrective action.

Close and discontinue all activity until hot water is restored.

Green Farm Produce and Deli
5730 Old York Rd

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

8/30/07

No Critical Violations

Restaurant Breakfast Time
5738 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

8/11/06

No Critical Violations

mine fashion & variety
5800 Old York Rd

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

2/6/08

No Critical Violations

Seafood On Broad
5804 Old York Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

9/7/06

No Critical Violations

KFC
5840 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

12/13/06

No Critical Violations

12/7/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

KFC
5840 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

8/17/05

No Critical Violations

Lizzy's Calypso Restaurant
5922 Old York Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

9/28/06

No Critical Violations

MaMa's Group Day Care
5924 Old York Rd

Institution: Child, Group Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/1/07

No Critical Violations

Shekinah Worship Center Day Care
5927 Old York Rd

Institution: Child, Group Day Care Homes
Philadelphia, PA 19138

Inspection Date

5/19/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

3/14/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

1/29/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

2/12/07

No Critical Violations

2/1/06

No Critical Violations

Sunni Seafood Garden
6049 N Old York Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/4/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sunni Seafood Garden
6049 N Old York Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/3/06

8-01.2 (C) Hot water is not provided. No hot water present at time of inspection. Pilot for hot water heater was not lit. Management instructed to initiate immediate corrective action. Owner attempted to re-light pilot while present, however was unsuccessful.

ORDERS: Close and discontinue all food preparation and sales until hot water is restored to establishment. Maintain hot water between 110°F and 125°F.

Jump 4 Joy
6055 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

10/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required.

10/3/06

No Critical Violations

6/5/06

No Critical Violations

Today's Dreamers Tomorrow's Future
6200 Old York Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/13/06

No Critical Violations

Germantown Evangelical Christian School
6201 Old York Rd

Institution: School, Private
Philadelphia, PA 19141

Inspection Date

5/29/08

No Critical Violations

10/31/07

No Critical Violations

10/24/07

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 73°F at time of inspection. Restore hot water temperature to 110°F immediately. Management instructed to initiate immediate corrective action.

12/5/06

No Critical Violations

1/9/06

No Critical Violations

Germantown Evangelical Church
6201 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Evangelical Church
6201 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/29/08

No Critical Violations

3/29/07

No Critical Violations

3/15/06

No Critical Violations

Hope Church School
6707 Old York Rd

Institution: School, Private
Philadelphia, PA 19126

Inspection Date

5/27/08

7-01 (L) Mouse infestation is present. Mouse feces observed on floor perimeters in dining area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present; REPEAT. Call 215.685.7498 for provider list or variance form. Management instructed to initiate immediate corrective action.

11/30/07

19-01.1 Food establishment personnel food safety certified individual is not present.

10/5/07

No Critical Violations

TEA COUNTRY
6722 OLD YORK Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19126

Inspection Date

2/1/08

No Critical Violations

1/9/08

No Critical Violations

Corfu Pizza
6730 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

2/1/08

4-01.1 (A) Food/Food service article storage does not provide protection ; Provide splashguard between utensil sink and hand wash sink also kitchen utensil storage shelves and mop storage room. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present ; numerous mouse droppings observed on the kitchen floor , utensils room floor.

Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; Kithen utensils.

No sanitizer and sink stoppers observed.

19-04 Food establishment personnel food safety certificate is expired. School certificate observed but not city food safety yet.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Corfu Pizza
6730 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

8/22/07

4-01.1 (A) Food/Food service article storage does not provide protection ; Provide splashguard between utensil sink and hand wash sink also kitchen utensil storage shelves and mop storage room. Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present ; numerous mouse droppings observed on the kitchen floor ,utensils room, storage shelves. Management instructed to initiate immediate corrective action.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; Kithen utensils. No sanitizer and sink stoppers observed.
19-04 Food establishment personnel food safety certificate is expired.

6/14/07

4-01.1 (A) Food/Food service article storage does not provide protection ; Provide splashguard between utensil sinks.
7-01 (L) Mouse infestation is present ; numerous mouse droppings observed on the floor in kitchen , utensils room and basement. Management instructed to initiate immediate corrective action.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; Kithen utensils. No sanitizer and sink stoppers observed.
19-04 Food establishment personnel food safety certificate is expired.

Hope Church Pre-School
6746 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

4/1/08

7-01 (L) Mouse infestation is present. Mouse feces observed in all kitchens in cabinets and floor perimeters. Management instructed to initiate immediate corrective action.
9-02.2 (A) Employee hand wash frequency is inadequate in K-3; no sink provided. **Each classroom teacher service there students during feeding time.** Management instructed to initiate immediate corrective action.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Wash & rinse of multi-use utesils being conducted with no sanitization; large spoons, spatulas, bowls and cups present. Management instructed to initiate immediate corrective action.
12-02.1 (B) Required hand washing sink is not provided in K-3. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Call 215.685.7498 for provider list. Management instructed to initiate immediate corrective action.

11/30/07

4-01.1 (A) Food/Food service article storage does not provide protection ; no splashguard provided between the hand sinks and storage containers and microwave.
Note; if splashguard not provided , remove items from sink area (plastic spoons, food containers).
12-01.5.B (5) Hot water at hand washing sink is not provided ; at hand sink in kitchen #1.
19-01.1 Food establishment personnel food safety certified individual is not present.

12/15/06

No Critical Violations

Anwa Restaurant
6800 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

5/17/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Anwa Restaurant
6800 Old York Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19126

Inspection Date

3/25/07

No Critical Violations

Little Kingdom Land
6829 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

6/24/08

No Critical Violations

2/1/08

9-04 (A) Sponges are used in an unapproved manner ; sponges observed in kitchen 2nd and kitchen 3rd floor. Moist sponge use on food contact surfaces is prohibited.

10-01.1 (A) An approved equipment and utensil washing sink is not provided. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; kitchen utensils.

No utensils sink observed in kitchen. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

5/18/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; kitchen utensils.

No utensils sink observed in kitchen. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided ; at hand wash sink in kitchen.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

Orth Home
6941 Old York Rd

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19126

Inspection Date

6/24/08

7-01 (L) Mouse infestation is present. Mouse feces observed in kitchen cabinets and on floor behind refrigerator. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair under 2 bay sink; leak present. Management instructed to initiate immediate corrective action.

10-01.1 (A) An approved equipment and utensil washing sink is not provided. Square cornered 2 bay provided. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. 3 bay sink not provided.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. Call 215.685.7498 for provider list. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired; 3/01. Call 215.685.7498 for provider list. Management instructed to initiate immediate corrective action.

2/1/08

10-01.1 (A) An approved equipment and utensil washing sink is not provided .
Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired.

Alexandra Orth

A06628

Exp; March1, 2001.

Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Orth Home
6941 Old York Rd

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19126*

Inspection Date

3/25/07

10-01.1 (A) An approved equipment and utensil washing sink is not provided .
Management instructed to initiate immediate corrective action.
19-04 Food establishment personnel food safety certificate is expired.
Alexandra Orth
A06628
Exp; March1, 2001.
Management instructed to initiate immediate corrective action.

3/25/07

10-01.1 (A) An approved equipment and utensil washing sink is not provided .
Management instructed to initiate immediate corrective action.

2/16/07

10-01.1 (A) An approved equipment and utensil washing sink is not provided .
Management instructed to initiate immediate corrective action.

12/19/06

10-01.1 (A) An approved equipment and utensil washing sink is not provided .
Management instructed to initiate immediate corrective action.

9/8/05

No Critical Violations

Ellwood Annex
7000 Old York Rd

*Institution: School, Public
Philadelphia, PA 19126*

Inspection Date

5/16/06

No Critical Violations

9/13/05

No Critical Violations

Ellwood Lower School -Annex
7000 Old York Rd

*Institution: School, Public
Philadelphia, PA 19126*

Inspection Date

2/16/07

No Critical Violations

11/14/06

No Critical Violations

Ellwood Upper School -Annex
7000 Old York Rd

*Institution: School, Public
Philadelphia, PA 19126*

Inspection Date

5/1/08

No Critical Violations

11/8/07

3-02.1 Refrigeration system does not maintain proper temperatures.Storage refrigerator recorded 52F,
49F. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cheltenham York Road Nursing & Rehab.
7101 Old York Rd

Institution: Nursing and Convalescent Home
Philadelphia, PA 19126

Inspection Date

5/27/08

5-01.1 Food is not protected from contamination due to heavy fly infestation in kitchen. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous drain flies observed hovering and stagnant on kitchen walls and food equipment. Management instructed to initiate immediate corrective action.

5/10/08

2-10.2 Ice is not protected from contamination. Inside of ice machine needs cleaning.

7-01 (A) Fly infestation is present. Numerous moisture flies observed in kitchen.

8-06.1.1 (C) Drain line is in need of repair. Service sink drain line is in need of repair

19-01.1 Food establishment personnel food safety certified individual is not present. There is no food safety certified person on site at time of the inspection.

1/17/08

No Critical Violations

12/17/07

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator unit has a temperature of 52°-53° in the Medicine Room, where it is needed, during time of inspection. Small refrigerator unit use will have to be discontinued until repaired.

5/29/07

19-01.1 Food establishment personnel food safety certified individual is not present.

11/21/06

No Critical Violations

11/2/06

9-02.3 (A) Employee is not following good hygienic personal practices. Mop observed at handwashing sink faucet located at 1st floor soiled utility room. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at prep area hand washing sink is not provided. Hot water temperature faucet observed at 63°F. Management instructed to initiate immediate corrective action.

12/20/05

No Critical Violations

7/5/05

No Critical Violations

Linda's Kids R Special
7200 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

5/22/08

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. Provide a 3 bay sink for warewashing; drop-in 2 bay provided (hand washing). Multi-use cups, plates, bowl and containers present. Container used to heat and served foods. Management instructed to initiate immediate corrective action.

4/7/08

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. Provide a 3 bay sink for warewashing; drop-in 2 bay provided (hand washing). Multi-use cups, plates, bowl and containers present. Container used to heat and served foods. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Linda's Kids R Special
7200 Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19126

Inspection Date

1/9/08

19-01.1 Food establishment personnel food safety certified individual is not present.
School certificate present but not city food safety yet.

1/5/07

No Critical Violations

1/6/06

No Critical Violations

Yolanda's kids corner day care.
4815 N Old York Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

11/19/07

No Critical Violations

Womens against abuse day care
5301 N Old york Rd

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

2/5/08

No Critical Violations

2/5/08

No Critical Violations

Shop Express
6900 N Old York Rd

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

4/11/07

No Critical Violations

3/25/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Karen Witherspoon Family Day Care
930 W Olney Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

8/27/07

7-01 (A) Fly infestation is present. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present.

7/30/06

No Critical Violations

Tellup's Tavern
1327 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

12/11/07

19-04 Food establishment personnel food safety certificate is expired.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Tellup's Tavern
1327 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/30/07

No Critical Violations

4/30/07

12-01.5.B (5) Hot water at hand washing sink is not provided ; at hand wash sink in employees bathroom. Management instructed to initiate immediate corrective action.
19-04 Food establishment personnel food safety certificate is expired.

1/10/07

No Critical Violations

1/3/07

4-01.1 (A) Food/Food service article storage does not provide protection; splash guard not observed for hand wash sink and utensils sink. Management instructed to initiate immediate corrective action.
12-01.5.B (5) Hot water at hand washing sink is not provided ; for hand wash sinks in employees bathrooms. Management instructed to initiate immediate corrective action.

Wilson's Prime Meats
1337 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

5/18/07

19-04 Food establishment personnel food safety certificate is expired.

4/30/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; Kitchen utensils. Slicer machine, knives, plastic containers, food trays.kitchen utensils food containers dinnerware.

- Frozen fish stored in 1st compartment of utensils sink.
- Employees have no knowledge of the sanitization process and was not observed being done as required.

Provide for the required washing,rinsing,and sanitizing of the multi utensils and food equipment.
Use and approved sanitizer according to the instructions and concentrations indicated on the label.
Items must be air dried after sanitizing.

Management instructed to initiate immediate corrective action.
19-04 Food establishment personnel food safety certificate is expired.

Wilson's Prime Meats
1337 W Olney Av

Retail Food: Supermarket
Philadelphia, PA 19141

Inspection Date

2/5/08

No Critical Violations

1/7/08

4-01.1 (A) Food/Food service article storage does not provide protection ; partition not present between the food equipment in kitchen and customer area also sneeze guard not present for scales(2).
Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

United Fried Chicken
1339 W Olney Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

8/24/07

7-01 (B) Fruit fly infestation is present. Numerous live fruit flies observed in employees bathroom and kitchen in back area. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present.

5/31/07

19-01.1 Food establishment personnel food safety certified individual is not present.

6/13/06

No Critical Violations

Donut Plus
1349 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

2/5/08

No Critical Violations

1/7/08

4-01.1 (A) Food/Food service article storage does not provide protection; coffe filters at the utensils sink . Management instructed to initiate immediate corrective action.
5-01.1 Food is not protected from contamination ; coffee, sugar, chips stored next to the utensils sink . Management instructed to initiate immediate corrective action.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized ; beef dogs utensils.
Sink not available for the process of sanitization, numerous articles stored in the sink.
11-03.0 Equipment design does not preclude food contamination ; peeling paint on the working table/hot dog roller unit.
19-01.1 Food establishment personnel food safety certified individual is not present.

8/24/07

No Critical Violations

Girls High School
1400 W Olney Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

4/2/08

No Critical Violations

11/30/07

No Critical Violations

11/1/07

8-01.2 (C) Hot water is not provided at time of inspection. Hot water must be provided at all times and the temperature must be maintained between 110°F and 125°F. Restore hot water to the establishment immediately. Management instructed to initiate immediate corrective action.

3/16/07

No Critical Violations

10/19/06

No Critical Violations

5/12/06

No Critical Violations

5/12/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Girls High School
1400 W Olney Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

3/20/06

No Critical Violations

3/7/06

8-01.2 (C) Hot water is not provided - for hand wash , food prep sinks, and utensils sink in kitchen , hot water recorded 79 F; hot water was turn down due to day care request (hot water must be maintained between 100°- 110°F)for hand wash sinks .

Management instructed to initiate immediate corrective action.

Girls High School Comprehensive Day Care
1400 W Olney Av

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

4/2/08

No Critical Violations

4/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed and application for City of Philadelphia Food Safety Certificate given to employee. Management instructed to initiate immediate corrective action.

3/20/06

No Critical Violations

3/7/06

8-01.2 (C) Hot water is not provided - for hand wash in kitchen , hot water recorded 79 F; hot water was previously turn down due to day care request (hot water must be maintained between 100°- 110°F for hand wash sinks).

Management instructed to initiate immediate corrective action.

PATEL NEWSTAND
1400 W OLNEY Av

Retail Food: Mobile Food Vendor
Philadelphia, PA

Inspection Date

4/25/06

No Critical Violations

Widener Memorial School
1400 W Olney Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

3/24/08

No Critical Violations

11/1/07

No Critical Violations

3/16/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Widener Memorial School
1400 W Olney Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

10/19/06

No Critical Violations

5/12/06

No Critical Violations

2/9/06

No Critical Violations

Widener Memorial School Store
1400 W Olney Av

Retail Food: General Convenience
Philadelphia, PA 19141231

Inspection Date

3/24/08

No Critical Violations

3/16/07

No Critical Violations

2/9/06

No Critical Violations

Christian and Andree LaRoche FDC
1453 W Olney Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

12/13/06

No Critical Violations

Lan's Laundromat
1616 W Olney Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

10/20/06

No Critical Violations

New China Chinese & American Food
1620 W Olney Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

7/7/08

No Critical Violations

9/29/06

No Critical Violations

Mario's Pizza
1624 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/13/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mario's Pizza
1624 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/29/06

7-01 (A) Fly infestation is present. Numerous flies observed throughout establishment. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

Sorrento's Pizza
1624 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

2/4/08

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered chicken observed at refrigerator and no splash guard provided between fryers and grill and fryers and hot food holding unit. Provide sanitary coverings for all uncovered foods and splash guard to protect from contamination. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed in basement area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Cloths observed throughout prep area. Wiping cloths must be stored in a sanitizing solution. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sanitizer observed at time of inspection. Provide an approved sanitizer for proper sanitizing of food equipment and multi-use utensils. (Slicer/equipment components, bainmarie pans, food containers used for meats and cheeses, knives, and spatulas.) Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Non-city certificate observed. Application given to owner. Management instructed to initiate immediate corrective action.

9/26/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. One bainmarie temperature observed at 55°F and another refrigerated unit observed at 48°F. All foods (cheese and cream cheese) from 55°F bainmarie moved to an approved refrigerated unit with a holding temperature of 38°F. All deli meats from 48°F refrigerated unit thrown away. All cold food must be maintained at or below 41°F.

ORDERS: Discontinue use of defective refrigerated units until holding temperatures of 41°F or lower are obtained and maintained.

Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered chicken observed at refrigerator and freezer. Provide sanitary coverings for all uncovered foods to protect from contamination. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed at first floor prep area. Eliminate extensive fly infestation. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Cloths observed throughout prep area. Wiping cloths must be stored in a sanitizing solution. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sorrento's Pizza
1624 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/11/07

7-01 (A) Fly infestation is present. Numerous flies observed at first floor prep area and in basement. Eliminate extensive fly infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is signed up for a class to take place tomorrow. Management instructed to initiate immediate corrective action.

Central High School Cafeteria
1700 W Olney Av

Institution: School, Public
Philadelphia, PA 19141

Inspection Date

4/2/08

No Critical Violations

11/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

11/1/07

8-01.2 (C) Hot water is not provided at time of inspection. Hot water temperature must be provided at all times and maintained between 110°F and 125°F. Work order has been placed. Restore hot water to establishment immediately. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

3/19/07

No Critical Violations

10/13/06

No Critical Violations

5/12/06

No Critical Violations

2/14/06

No Critical Violations

La Salle Blue & Gold Dining Commons
1900 W Olney Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/10/07

No Critical Violations

9/26/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at prep area floors. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/20/06

No Critical Violations

LaSalle Campus Store
1900 W Olney Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

LaSalle Campus Store
1900 W Olney Av

*Retail Food: General Convenience
Philadelphia, PA 19141*

Inspection Date

10/20/06

No Critical Violations

LaSalle University Food Service
1900 W Olney Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141*

Inspection Date

12/15/06

No Critical Violations

10/20/06

No Critical Violations

Explorer's Den
2160 W Olney Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

10/15/07

No Critical Violations

10/1/07

7-01 (A) Fly infestation is present. Numerous flies observed throughout the establishment at the time of the inspection. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

8/3/07

No Critical Violations

7/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action. Application given to manager.

7/3/06

No Critical Violations

6/13/06

No Critical Violations

Dunkin Donuts
1345 W Olney St

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141*

Inspection Date

5/31/07

No Critical Violations

Becc's Cafe
1520 W Ontario St

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 191501*

Inspection Date

8/22/07

No Critical Violations

7/10/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Becc's Cafe
1520 W Ontario St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 191501

Inspection Date

7/5/07

10-01.1 (B) An approved sink for manual washing and sanitization is not provided, 3 basin sink is required. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Management instructed to initiate immediate corrective action.

Hogar Crea
5831 N Park Av

Institution: Adult, Other
Philadelphia, PA 19141

Inspection Date

12/10/07

19-01.1 Food establishment personnel food safety certified individual is not present.

12/21/06

No Critical Violations

10/20/05

No Critical Violations

Wynn's Personal Care Home
5912 N Park Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19141

Inspection Date

10/18/07

No Critical Violations

12/21/06

No Critical Violations

8/31/05

No Critical Violations

Tommy Gunns Satellite Kitchen
4146 Pechin St

Retail Food: Commissary
Philadelphia, PA 19128

Inspection Date

9/11/06

No Critical Violations

Rose's Water Ice
4240 Pechin St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/17/08

7-01 (L) Mouse infestation is present, droppings observed on food equipment and floor throughout establishment. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

4/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. The ServSafe certificate is expired. Note: The owner is signed up to take the course in June. Obtain a City certificate upon completion of the course.

4/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. The ServSafe certificate is expired. Take the recertification course and obtain a City certificate.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Rose's Water Ice
4240 Pechin St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

3/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. The ServSafe certificate is expired. Take the recertification course and obtain a City certificate.

Salvation Army Adult Rehab Center
4555 Pechin St

Institution: Adult, Other
Philadelphia, PA 19128

Inspection Date

1/25/08

No Critical Violations

11/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain a city of Philadelphia safety certificate. Management instructed to initiate immediate corrective action.

11/3/06

No Critical Violations

11/4/05

No Critical Violations

Judith Bowen Family Day Care
278 E Penn St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

6/26/07

19-01.1 Food establishment personnel food safety certified individual is not present.

5/1/06

No Critical Violations

Sneekin' & Peekin' Lounge
413 E Penn St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

9/19/07

No Critical Violations

9/18/07

8-01.2 (C) Hot water is not provided at time of inspection. Hot water temperature must be maintained between 110°F and 125°F at all times for proper washing, rinsing, and sanitizing of food equipment and utensils, and proper handwashing.

ORDERS: Discontinue all food service operations and handling, and close until hot water (between 110° and 125°F) is restored to the establishment. Call 215.685.9017 BEFORE re-opening to schedule a reinspection (to ensure compliance) once hot water is restored.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sneekin' & Peekin' Lounge
413 E Penn St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

9/18/07

8-01.2 (C) Hot water is not provided at time of inspection. Hot water temperature must be maintained between 110°F and 125°F at all times for proper washing, rinsing, and sanitizing of food equipment and utensils, and proper handwashing.

ORDERS: Discontinue all food service operations and handling, and close until hot water (between 110° and 125°F) is restored to the establishment. Call 215.685.9017 BEFORE re-opening to schedule a reinspection (to ensure compliance) once hot water is restored.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/10/07

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water faucet handle in womens' toilet room is defective. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/9/06

No Critical Violations

5/8/06

No Critical Violations

Andre's Grocery
433 E Penn St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

7/15/08

No Critical Violations

1/10/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

10/27/06

No Critical Violations

Gina Odige Family Day Care
216 W Penn St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

6/25/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Gina Odige Family Day Care
216 W Penn St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

5/2/06

No Critical Violations

Jemmy Stevens Family Day Care
435 E Phil Elena St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

9/11/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigerator is observed at 46° F. Maintain potentially hazardous foods at, or below, 41° F.

Betty Clark Family Day Care
1010 E Phil Ellena St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

7/14/08

19-01.1 Food safety certified individual is not present. A City Of Philadelphia Food Safety Certificate is needed in order to be in compliance.

6/25/07

19-01.1 Food safety certified individual is not present.

4/13/06

No Critical Violations

Angela Vinson Family Day Care
837 E Phil-Ellena St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

10/18/06

No Critical Violations

10/13/05

No Critical Violations

Cynthia Devoe Family Day Care
117 E Phil-ellena St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

8/13/07

No Critical Violations

8/30/06

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 98° F. Maintain hot water temperature at 110° F.

McCloskey Bright Futures
8500 Pickering Av

Institution: Child, Child Care Centers
Philadelphia, PA 191500

Inspection Date

4/15/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

McCloskey Comprehensive Day Care
8500 Pickering Av

Institution: School, Public
Philadelphia, PA 19150

Inspection Date

4/15/08

No Critical Violations

10/15/07

No Critical Violations

12/4/06

No Critical Violations

10/3/05

No Critical Violations

McCloskey Elementary School
8500 Pickering Av

Institution: School, Public
Philadelphia, PA 19150

Inspection Date

4/15/08

No Critical Violations

10/15/07

No Critical Violations

3/27/07

No Critical Violations

3/13/07

8-01.2 (C) Hot water is not provided. No hot water is provided at time of inspection. Building engineer stated that a work order has been placed and they are just waiting for the piece to arrive. Restore hot water to school and maintain hot water temperature between 110°F and 125°F. Management instructed to initiate immediate corrective action.

12/4/06

No Critical Violations

5/18/06

No Critical Violations

11/9/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on kitchen floor perimeters and storage room floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/26/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on kitchen floor perimeters and storage room floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/26/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on kitchen floor perimeters and storage room floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/3/05

No Critical Violations

McCloskey Head Start
8500 Pickering Av

Institution: Child, Child Care Centers
Philadelphia, PA 191501

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

McCloskey Head Start
8500 Pickering Av

Institution: Child, Child Care Centers
Philadelphia, PA 191501

Inspection Date

4/15/08

No Critical Violations

Deborah Daniels Family Day Care
7263 N Pittville Av

Institution: Child, Family Day Care Homes
Philadelphia, PA

Inspection Date

1/6/06

No Critical Violations

Grandmom's Daycare Learning Center
164 E Pleasant St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

7/14/08

No Critical Violations

Marilyn Dickens Family Day Care
118 W Pomona St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

6/25/07

No Critical Violations

6/1/06

No Critical Violations

CVS #2783
518 Port Royal Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

10/3/07

No Critical Violations

9/17/06

No Critical Violations

Blessed Katharine Drexel Residence
7919 Forrest Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19150

Inspection Date

3/10/06

No Critical Violations

Ruby Tarboro's Group Day Care
21 E Price St

Institution: Child, Group Day Care Homes
Philadelphia, PA 19144

Inspection Date

7/9/08

No Critical Violations

5/8/08

3-02.1 Refrigeration system does not maintain proper temperatures. The refrigerator was noted at 50° F.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ruby Tarboro's Group Day Care
21 E Price St

Institution: Child, Group Day Care Homes
Philadelphia, PA 19144

Inspection Date

4/30/07

No Critical Violations

4/20/06

No Critical Violations

Saint Vincent de Paul Soup Kitchen
109 E Price St

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

10/2/07

No Critical Violations

7/11/06

No Critical Violations

7/29/05

No Critical Violations

7/15/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on floor, shelves and windowsills in storage rooms. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Jaquez Grocery
301 E Price St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

3/10/08

No Critical Violations

2/4/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner completed a class on September 25, 2007, and sent in application, etc. in November. Management instructed to initiate immediate corrective action.

12/29/06

No Critical Violations

Jeannette's Mini Market
1100 E Price St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

6/11/08

No Critical Violations

3/31/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

3/10/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. There are droppings present along some of the retails.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jeannette's Mini Market
1100 E Price St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

2/7/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Karina Mini Market
1100 E Price St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

5/16/07

No Critical Violations

Cubicle Lounge
7801 Provident Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

6/3/06

No Critical Violations

6/3/06

No Critical Violations

Family Day Care
7955 Provident St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

9/8/06

No Critical Violations

John B Kelly School
5100 Pulaski Av

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

4/4/08

No Critical Violations

10/11/07

No Critical Violations

2/15/07

No Critical Violations

10/11/06

No Critical Violations

9/13/05

5-01.1 Food is not protected from contamination. Items in service line steam table are located immediately next to cracked glass panel in sneeze guard.

9/12/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Deli meats, cheese and milk in defective walk-in box. Internal temperatures observed at 45° F. Air temperature observed at 60° F. Maintain temperatures below 41° F. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Lee's Market
5254 Pulaski Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

2/19/08

No Critical Violations

1/30/08

7-01 (D) Roach infestation is present. Roaches observed in prep area. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper is present. Provide 3 sink stoppers for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

1/14/07

No Critical Violations

Canaan Baptist Day Care
5430 Pulaski Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

9/6/07

No Critical Violations

4/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. The director is enrolled in the class. She takes the exam April 26th. Management instructed to initiate immediate corrective action.

3/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/20/06

No Critical Violations

2/27/06

No Critical Violations

2/2/06

No Critical Violations

J.B. Kelly School
5116 Pulaski St

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

5/15/06

No Critical Violations

Trinity Head Start
19 W Queen Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

10/25/07

No Critical Violations

2/15/07

No Critical Violations

11/20/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Aplus Mini Market #060212
100 W Queen Ln

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

2/19/08

No Critical Violations

1/30/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate is not available. Management instructed to initiate immediate corrective action.

1/14/07

No Critical Violations

Queen Lounge
255 W Queen Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/30/08

No Critical Violations

7/8/05

No Critical Violations

Hung Hing Restaurant
348 W Queen Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

3/22/07

No Critical Violations

2/28/07

7-01 (L) Mouse infestation is present. Monk droppings observed on the storage shelves and prep area floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized.

- No sanitizer is present.

- One sink stopper is present. A total of three sink stoppers are needed.

Provide an approved sanitizer and three sink stoppers to properly wash, rinse and sanitize food equipment, dishware and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/7/05

No Critical Violations

Queen Lane Montessori School
433 W Queen Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

11/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner has completed the class, but has not taken the test. Complete the course, and obtain a city of Philadelphia food safety certificate.

6/8/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a City of Philadelphia food safety certificate. Note: The owners are planning on attending a class this summer.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Queen Lane Montessori School
433 W Queen Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

4/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a City of Philadelphia food safety certificate.

4/25/06

No Critical Violations

4/10/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on kitchen floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (B) Cold water is not provided. At handsink.

Drexel University Bookstore
2900 W Queen Ln

Retail Food: General Convenience
Philadelphia, PA 19129

Inspection Date

12/21/07

No Critical Violations

11/14/06

No Critical Violations

Queen Lane Student Cafe
2900 W Queen Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

12/21/07

No Critical Violations

11/14/06

No Critical Violations

Bourbon Blue
2 Rector St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/28/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bourbon Blue
2 Rector St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/12/08

2-10.2 Ice is not protected from contamination in portable ice bins. Management initiated immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection, splashguard lacking between handwash sink and 3 basin sink. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor in the establishment, during time of inspection. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths at bar and kitchen area are not stored in a properly labeled container with sanitizing solution, during time of inspection.

Management instructed to initiate immediate corrective action.

10-02.1 Food equipment needs cleaning.

*Metal support table/small refrigeration in the kitchen, soda gun holsters at both bars are not clean.

*Mice droppings are observed on the kitchen shelves and bar cabinets during time of inspection.

* Old food is observed in the bowl of the floor mixer near the scrap table in the kitchen during time of inspection.

11-01.1 (B) Food equipment is improperly operated. Food equipment is stored in the hand sinks in the bar area, during time of inspection. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bourbon Blue
2 Rector St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/1/08

2-10.2 Ice is not protected from contamination. Glass containers and beverage containers are stored in drink ice in the both ice bins in both bars areas, during time of inspection. Metal bowl with sliced lemon is stored in large bowl of drink ice. Ice machines in the basement and in the kitchen has mold present, during time of inspection. Cup which is used to dispenser the ice is left in brown ice bin in the server station near the bar, during time of inspection. Ice scoop is stored on top of dirty ice machine in the basement, during time of inspection. The use of both ice machines will need to be discontinued until it is properly washed, rinsed and sanitized.

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Cheesecake temp. 57°F which is stored on the cutting board of the food prep table, ambient temp. is 86°F, during time of inspection.

(1) 20 lbs. of Applewood Sliced Bacon is left out on the food prep table, ambient temp. in the kitchen area, during time of inspection. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Raw shrimp temp. is 50°F and season rice temp. 50°F which stored in the food prep unit with out a cover, during time of inspection. Freezer bag with sliced ham temp. is 53°F. Serveral types of cheese temp. range is 57°F-62°F.

Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. 2-Door reach-in refrigeration unit temp. is 68°F. This food equipment use will need to be discontinued until it is properly repaired.

7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor in the establishment, during time of inspection. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. Employee hands are not washed properly at both bars areas, no hand soap and hand towels are observed at the hand sink stations and food equipments is stored in all of the bars hand sink stations, during time of inspection. Employee hands are not washed properly, the Sanitarian observed the server dip his hands in the rinse water and sanitizer water in the 3-basin sink to wash his hands, during time of inspection.

Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths in the food prep table and in the dining are not stored in a properly labeled container with sanitizing solution, during time of inspection. Management instructed to initiate immediate corrective action.

10-02.1 Food equipment needs cleaning.

*Metal support table/small refrigeration in the kitchen is not clean, during time of inspection.

*Mice droppings are observed on the shelves through-out the establishment, during time of inspection.

* Old food is observed in the bowl of the floor mixer near the scrap table in the kitchen during time of inspection.

* Fan-guards are not clean in the refrigeration unit.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Sanitizing solution and the rinse water is not clean at the 3-basin sink, during time of inspection. Server was observed dipping his hands into the rinse water and sanitizer solution during time of inspection. Management instructed to initiate immediate corrective action.

11-01.1 (B) Food equipment is improperly operated.

* SODA-GUN HOLDERS AT THE BAR IS IN UNSANITARY CONDITIONS, DURING TIME OF INSPECTION

* Food equipments is stored in the floor mop sink in the kitchen area.

* Food equipments is stored in the hand sinks in the bar area, during time of inspection.

Management instructed to initiate immediate corrective action.

2/1/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The Couch Tomato Cafe
100 Rector St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/24/08

No Critical Violations

6/13/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Several different types of cheese has temp. range of 55°F-63°F in the refrigerator/pizza prep during time of inspection. Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. Refrigerator/pizza prep unit temp. is 49° F during time of inspection, food items will need to be relocated to properly working refrigerator. Refrigerator/pizza prep unit use will need to be discontinued until properly repaired.

5-01.1 Food is not protected from contamination. Food items are not covered in the refrigeration units, duringtime of inspection.

5-04.1 (A) Displayed food is not protected from contamination. Display case enclosure is not provided for the bar-b-que chicken pizza which is stored at the front counter, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Live flies are observed in the food prep area in the basement, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor under and/or behind the food equipments. Management instructed to initiate immediate corrective action.

9-04 (A) Sponges are used in an unapproved manner. Sponge is observed in the food prep area, duringtime of inspection. Sponges will need to be removed from use, immediately.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizing solutions in the food prep areas, during time of inspection.

Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Improper order of operation was taken place in the 3-basin sink in thebasement, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Several individuals are missing certificate from Dept. of Public Health, manager has application. Management instructed to initiate immediate corrective action.

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures. Washware unit has 0 PPM, during time of inspection. Management instructed to initiate immediate corrective action.

8/24/07

5-01.1 Food is not protected from contamination. A splash guard is needed between the handsink and 3-basin sink in the basement. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain city of Philadelphia food safety certificates.

Note: The manager stated the applications and money orders have been sent in to the Health Department. He showed reciepts for the money orders.

6/26/07

5-01.1 Food is not protected from contamination. A splash guard is needed between the handsink and 3-basin sink in the basement. Water is dripping from the ceiling in the basement. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain city of Philadelphia food safety certificates.

5/13/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

East Falls Beverages
4024 Ridge Av

Retail Food: Other
Philadelphia, PA 19129

Inspection Date

5/28/08

No Critical Violations

Creative Minds Child Care Development
4068 Ridge Av

Institution: Child, Child Care Centers
Philadelphia, PA 19129

Inspection Date

7/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Note: The city application has been sent in to the Health Dept.

5/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Creative Minds Day Care
4137 Ridge Av

Institution: After School Program
Philadelphia, PA 19129

Inspection Date

1/24/08

No Critical Violations

11/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/3/06

No Critical Violations

11/4/05

No Critical Violations

A-Plus Mini Market #060182
4168 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

6/25/08

19-01.1 Food establishment personnel food safety certified individual is not present. Note; A ServSafe certificate is present. Management instructed to initiate immediate corrective action.

5/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note; A SarvSafe certificate is present. A City of Philadelphia Food Safety Certified person must be present at all times. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

A-Plus Mini Market #060182
4168 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

4/29/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Utensils and coffee pots are not properly cleaned and sanitized. Three sink stoppers, and an approved sanitizer, are required for the proper wash-rinse-sanitize procedure for utensils and coffee pots. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certified person must be present at all times. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping clothes are not stored in sanitizing solution.

3/21/06

No Critical Violations

Johnny Mananas
4201 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

6/26/08

5-01.1 Food is not protected from contamination, open bulk bins of food in basement are stored directly under utility lines and pipe with chipping paint. Management initiated immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair, beer well at bar is not draining. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/24/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/5/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The small prep refrigerator, next to the cooking line, with cheese and sour cream, is observed at 60° F. Maintain all potentially hazardous foods below 41° F. Items were moved to the other prep area refrigerator, at proper temperature. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Flies observed in the basement. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Johnny Mananas
4201 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

9/4/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The small prep refrigerator, with cut vegetables, eggs, guacomole, cheese, salad dressing, salsa and tortillas, is observed at 57° F. Maintain all potentially hazardous foods below 41° F. Items were moved to the other prep area refrigerator, at proper temperature. Management instructed to initiate immediate corrective action.
7-01 (L) Mouse infestation is present. Mouse droppings observed on the basement shelves and floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
7-01 (A) Fly infestation is present. Flies observed in the basement. Eliminate fly infestation. Management instructed to initiate immediate corrective action.
12-01.5.B (4) Cold water at hand washing sink is not provided in the basement. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

7/28/06

No Critical Violations

7/27/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The small prep refrigerator, with cut vegetables and tortillas, is observed at 62° F. Maintain below 41° F. All items were moved to the another prep area refrigerator, at proper temperature.

12/16/05

No Critical Violations

11/30/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on basement floor, boxes and tub. Management instructed to initiate immediate corrective action.

Major Wing Lee Grocery Market
4207 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

12/5/07

No Critical Violations

10/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

3/20/07

No Critical Violations

3/15/07

12-01.5.B (4) Cold water at hand washing sink is not provided. The prep area handsink is shutoff due to a leak. Management instructed to initiate immediate corrective action.

Mr. Dang stated a plumber is scheduled to fix the problem on 3/16/07.

12-01.5.B (5) Hot water at hand washing sink is not provided. The prep area handsink is shutoff due to a leak. Management instructed to initiate immediate corrective action.

12/1/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Major Wing Lee Grocery Market
4207 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

11/30/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Walk-in refrigerator unit with hot dogs and milk. Temperature observed at 49° F. Items moved to another unit at proper temperature. Maintain potentially hazardous foods below 41° F.

Management initiated immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized - slicer components, knives and prep utensils. No sink stoppers present. Provide 3 sink stoppers for the required washing, rinsing and sanitizing of multi use utensils and food equipment. Management instructed to initiate immediate corrective action.

Shan Chuan Restaurant
4211 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

2/25/07

No Critical Violations

9/19/05

No Critical Violations

Pour House
4213 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

2/8/07

No Critical Violations

1/23/07

No Critical Violations

1/22/07

No Critical Violations

1/21/07

8-01.2 (C) Hot water is not provided. The hot water heater is broken.

ORDERS: YOU ARE ORDERED TO CLOSE UNTIL HOT WATER IS PROVIDED TO THE ESTABLISHMENT.

The management shut down, and discontinued all food preparation and handling activity.

Contact the district office when hot water is restored.

Supervisor - Paul Nemchik (215) 685-9017 / (215) 685-9018

7-01 (L) Mouse infestation is present. Mouse droppings observed on the prep area shelving and floor.

Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Establishment has no oil waste recycling company to pick up used oil.

-Provide a metal oil drum(s) and recycling company for used deep fryer cooking oil.

Slices Pizza
4249 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191291

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Slices Pizza
4249 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191291

Inspection Date

9/20/07

No Critical Violations

8/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Note: The owner has submitted the City of Philadelphia food safety certificate application.

7/23/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the prep area floor and shelving. Eliminate mouse infestation. Management instructed to initiate immediate corrective action. 19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate.

10/13/06

No Critical Violations

8/21/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelves and floor in rear prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/21/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelves and floor in rear prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

6/24/06

7-01 (A) Fly infestation is present. A few flies observed. Management instructed to initiate immediate corrective action. 7-01 (L) Mouse infestation is present. Mouse droppings observed on multiple shelves in prep areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Amoco Split Second #4657
4268 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

9/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Note: The manager has sent in the city food safety application. Management instructed to initiate immediate corrective action.

5/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Note: The manager has sent in the city food safety application. Management instructed to initiate immediate corrective action.

4/29/07

10-01.1 (A) An approved equipment and utensil washing sink is not provided. No sink is provided for the hot dog tongs. The toilet room sink is the only sink available, and is not approved for this function. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certified person must be present at all times. Management instructed to initiate immediate corrective action.

3/22/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dunkin Donuts
4268 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

9/25/07

No Critical Violations

Dunkin' Donuts
4268 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19129

Inspection Date

6/25/07

No Critical Violations

4/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are available. Obtain City of Philadelphia Food Safety Certificates. Management instructed to initiate immediate corrective action.

Bob's Bait & Tackle
4863 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19129

Inspection Date

7/7/08

19-01.1 Food establishment personnel food safety certified individual is not present.

Tommy Gunns American BBQ
4901 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Tommy Gunns American BBQ
4901 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

6/29/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

* Sausage stored on the food prep station has a temp. of 68°F, during time of inspection

* Cooked seasoned chicken stored on the food prep station has a temp. of 58°F, during time of inspection.

Ambient temperature in the food prep area is 95°F, during time of inspection. All listed food products removed from use, immediately during time of inspection.

4-01.1 (A) Food/Food service article storage does not provide protection. Food items in the food prep sink is not protected from splash contamination from the 3-basin sink, during time of inspection.

Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Live flies are observed in the establishment, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed on the floor under and/or behind the food equipments, during time of inspection. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. Employee hands are not washed properly, lacking running hot water at the hand washing station, during time of inspection.

Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution. Management instructed to initiate immediate corrective action.

17-0 (A) Exterior premises are not clean. Excess refuse is present in the trash container storage area, during time of inspection. Management instructed to initiate immediate corrective action. (TICKET ISSUED)

17-0 (B) Exterior premises provide rodent or insect attraction or harborage. Refuse is present on the ground and excessive amount of cardboard items are observed during time of inspection. Management instructed to initiate immediate corrective action. (TICKET ISSUED)

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, during time of inspection. Manager has list of providers and application from the Dept. of Public Health.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Manager explained improper order of operation in the 3-basin sink: wash, rinse & dry. Management instructed to initiate immediate corrective action by properly washing, rinsing and sanitizing in the 3-basin sink, immediately.

4/10/07

No Critical Violations

9/11/06

No Critical Violations

5/26/06

No Critical Violations

Restaurant Depot
5002 Ridge Av

Wholesale: Processor
Philadelphia, PA 19128

Inspection Date

6/20/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Restaurant Depot
5002 Ridge Av

*Wholesale: Processor
Philadelphia, PA 19128*

Inspection Date

5/7/07

7-01 (L) Mouse infestation is present. Mouse droppings observed at produce and rear area storage room. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

8-02.2 An approved air gap is not present. Inadequate air gap observed at refrigeration unit condensate. Management instructed to initiate immediate corrective action.

8/4/06

No Critical Violations

7/21/06

7-01 (L) Mouse infestation is present. Mouse droppings present along the ledge in refrigerated section, and in the battery room. Management instructed to initiate immediate corrective action.

All Star Pizza
5154 Ridge Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128*

Inspection Date

6/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

4/11/06

No Critical Violations

12/19/05

No Critical Violations

Green's Corner
5243 Ridge Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128*

Inspection Date

8/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: The city of Philadelphia food safety certificate application was mailed in approx. two months ago. Management instructed to initiate immediate corrective action.

6/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/15/06

No Critical Violations

Commissary Food Market
5255 Ridge Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128*

Inspection Date

6/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Commissary Food Market
5255 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

4/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/8/06

No Critical Violations

Northern Home for Children
5301 N Ridge Av

Institution: Adult, Other
Philadelphia, PA 19128

Inspection Date

6/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. An employee took the class, and did not pass. He is retook the class and is waiting for the results. Management instructed to initiate immediate corrective action.

4/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. An employee is signed'sfor the class. He starts on April 16th. Management instructed to initiate immediate corrective action.

3/15/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/8/06

No Critical Violations

Speedy Beverage
5408 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/7/08

5-01.1 Food is not protected from contamination. Food items is not protected from draining or overhead leakage in the walk-in refrigerator unit, where the kegs are stored, during time of inspection. Food items is not protected from overhead leakage or condensation in the 2-door reach-in freezer unit where the 40 lb. bags of ice is stored, during time of inspection. Management instructed to initiate immediate corrective action, food items will need to be relocated to another location, until the proper repairs are made.

9-02.3 (A) Employee observed not following good hygienic personal practices. Soiled toilet paper is observed in the trash can in the employee restroom, during time of inspection. Management instructed to initiate immediate corrective action.

13-02 (B) Ceiling is not in good repair.

*Chipped paint is observed in the storage area near the employee restroom, during time of inspection.

* Damaged ceiling is observed in the storage area near the employee restroom, during time of inspection. Management instructed to initiate immediate corrective action.

13-02 (D) Walls are not in good repair.

* Walls are damaged in the drive-thru area and in the storage area near the employee restroom, where it is needed, during time of inspection.

1/30/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dairyland
5420 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

6/29/08

- 2-01.1 (B) Adulterated or unwholesome food is present. Carmel is stored in rusty can on the floor, during time of inspection. Employee initiated immediate corrective action by disguarding of the food item.
- 2-10.2 Ice is not protected from contamination. Ice scoop is stored on top of ice machine, during time of inspection.
- 5-01.1 Food is not protected from contamination. Food items is not protected from overhead leakage or condensation in both walk-in refrigeration unit, during time of inspection. Management instructed to initiate immediate corrective action.
- 9-02.1 Employee hands are not washed prior to food handling activities. Employee hands are not washed properly due to missing hand soap and hand towels at the hand washing station in the food prep area, during time of inspection.
- 9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution, during time of inspection. Wiping cloths are not clean.
- 10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Food equipments are not properly washed, rinsed and sanitized in the 3-basin sink, during time of inspection. Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, during time of inspection, employee has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

1/30/07

No Critical Violations

Custard & Cakes Creamery
5461 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

6/29/08

No Critical Violations

6/3/07

No Critical Violations

6/24/06

No Critical Violations

Ivy Ridge Personal Care
5627 Ridge Av

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19128

Inspection Date

9/28/07

No Critical Violations

8/3/07

- 12-01.5.B (5) Hot water at hand washing sink is not provided. The maximum temperature observed was 81° F at the kitchen handsink. Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. A city of Philadelphia food safety certificate is needed. Management instructed to initiate immediate corrective action.

8/4/06

No Critical Violations

8/11/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

7 - 11 Store
5632 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/24/08

No Critical Violations

5/27/08

7-01 (L) Mouse infestation is present, dead mouse on trap, fresh droppings observed at soda system.

7/31/07

No Critical Violations

6/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/14/06

No Critical Violations

Amoco Food Shop #4516
5643 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

10/30/07

No Critical Violations

10/30/07

No Critical Violations

1/21/07

No Critical Violations

Dunkin Donuts
5643 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

11/13/07

No Critical Violations

10/30/07

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Cheese, bacon observed at 45° F refrigeration unit. Maintain all perishable food below 41°F. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Cheese, bacon observed at 45°F refrigeration unit. Maintain all perishable food below 41°F. Management instructed to initiate immediate corrective action.

Schock's Automotive
5650 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/29/08

No Critical Violations

4/1/07

No Critical Violations

1/12/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Roxborough Getty
5700 Ridge Av

*Retail Food: General Convenience
Philadelphia, PA 19128*

Inspection Date

1/30/07

No Critical Violations

Roxborough Memorial Hospital
5800 Ridge Av

*Institution: Hospital
Philadelphia, PA 19128*

Inspection Date

7/17/08

5-01.1 Food is not protected from contamination. Discontinue storing raw food over prepared in walk in freezer. Management instructed to initiate immediate corrective action.

6-01.2 (B) Food utensils and contact surfaces are not cleaned and sanitized. Remove potted plant from food prep area of cafeteria.

8/16/07

No Critical Violations

5/15/07

No Critical Violations

11/20/06

No Critical Violations

5/19/06

No Critical Violations

9/16/05

No Critical Violations

Ridgeway Pizza
5909 Ridge Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128*

Inspection Date

6/1/08

No Critical Violations

6/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a City of Philadelphia Food Safety certificate. Management instructed to initiate immediate corrective action.

Note: The city application was mailed in several weeks ago.

4/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a City of Philadelphia Food Safety certificate. Management instructed to initiate immediate corrective action.

12/19/05

No Critical Violations

Beijing Garden
5911 Ridge Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Beijing Garden
5911 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/25/08

3-02.1 Refrigeration system does not maintain proper temperatures, small refrigerator/food prep unit has a temperature range of 44°. Food service equipment use discontinued until repaired.

5-01.1 Food is not protected from contamination. Food is not protected from cross-contamination between raw and prepared foods in the refrigeration units. Prepared animal foods were stored next to RTE vegetables & fruits. Cups are used as scoopers in bulk bins. Management instructed to initiate immediate corrective action. Management initiated immediate corrective action.

7-01 (A) Fly infestation is present. Live flies are observed in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present by droppings observed on single-use paper bag shelf.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a container with the sanitizer solution. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Certified individual did demonstrate proper cleaning method of washing, rinsing and sanitizing in the 3-basin sink, however, Sanitarian advised to allow rinse water to run over equipment and drain & Sanitizer was 200ppm. Management instructed to initiate immediate corrective action, Sanitarian advised the owner to use 1 cap per gallon of water to reach 50ppm.

10-02.2 (B) Food equipment and utensils are improperly sanitized, sanitizer was 200 ppm. Management initiated immediate corrective action, Sanitarian educated owner of proper measurement of chemical.

10-02.4 Unapproved sanitizer is being used, 101 Bleach is not for commercial use. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Beijing Garden
5911 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

5/31/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Perishable food items in the small refrigeration/food prep unit temperature range is 47°F-50°F, during time of inspection. Chopped pork temp. is 61°F, cooked shrimp temp. 56°F, chopped cooked chicken meat 60°F, raw beef temp. 56°F and seasoned raw shrimp temp. 60°F, during time of inspection. Small refrigerator/food prep unit use will have to be discontinued until it is properly repaired.

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator/food prep unit has a temperature range is 47°F-to50°F. Small refrigerator/ food prep unit use will be discontinued until it is needed repaired.

5-01.1 Food is not protected from contamination. Food is not protected from cross-contamination between raw and prepared foods in the refrigeration units, during time of inspection. Uncovered dry food items are observed on the shelves during time of inspection. Uncovered fried shrimps are not protected from flies during the cooling down period during the food preparation, duringtime of inspection. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Live flies are observed in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed in the establishment during time of inspection.

9-02.3 (A) Employee observed not following good hygienic personal practices. Employee and owner are placing soiled toilet paper in to the trash can in the empolyee, sign was posted advising individuals to placed the soiled toilet paper in to the trash can, during time of inspection Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with the sanitizer solution, during time of inspection. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Certified individual did not demonstrate proper cleaning method of washing, rinsing and sanitizing in the 3-basin sink, duringtime of inspection. Management instructed to initiate immediate corrective action, Sanitarian advised the owner to wash, rinse and sanitize in the 3-basin sink.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. No sink stoppers are not provided in all basins at the 3-basin sink, during time of inspection. Management instructed to initiate immediate corrective action.

5/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: The owner mailed in the application on the date of the last inspection. Management instructed to initiate immediate corrective action.

4/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a City food safety certificate. Management instructed to initiate immediate corrective action.

Rite Aid #0822
5911 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

7/24/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Rite Aid #0822
5911 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/1/08

5-01.1 Food is not protected from contamination. Ice cream products is not protected from overhead leakage in the reach-in freezer unit in the retail area, during time of inspection. Ice cream products will need to be removed from under the leaking cooling unit, immediately.

13-01.1 (A) Floor is not clean. Large amount of dead flies is observed on the floor in the basement storage area, during time of inspection. Management instructed to initiate immediate corrective action.

4/1/07

No Critical Violations

1/3/06

No Critical Violations

Nevash's Water Ice
5925 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

6/10/08

No Critical Violations

6/3/07

No Critical Violations

6/9/06

No Critical Violations

Acme Market #7762
5947 Ridge Av

Retail Food: Supermarket
Philadelphia, PA 19128

Inspection Date

9/24/07

No Critical Violations

7/23/07

12-01.5.B (5) Hot water at hand washing sink, at the seafood area, was not provided at the time of inspection.

6/19/07

5-01.1 Food is not protected from contamination. Food container observed in ice bin at seafood area.

5-04.2 (A) Approved sneeze guards are not provided for scales as required. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Flies observed in deli, seafood, and produce area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink observed at seafood area was not provided. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink observed at seafood area was not provided at time of inspection.

5/20/06

No Critical Violations

China House
6001 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

China House
6001 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

6/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner is currently taking the class. Management instructed to initiate immediate corrective action.

4/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/21/06

No Critical Violations

Manhattan Bagel
6001 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

6/15/08

5-01.1 Food is not protected from contamination. Uncovered muffins is observed on the shelves in the walk-in refrigerator unit, during time of inspection. Management instructed to initiate immediate corrective action.

8-01.2 (B) Cold water is not provided. No cold water at the hand wash station in the front food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided. No hot water at the hand sink station in the front food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individual is not present, during time of inspection. Manager has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

6/21/07

No Critical Violations

4/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a current city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/26/06

No Critical Violations

Papa John's
6001 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/24/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/4/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Papa John's
6001 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 191281

Inspection Date

10/11/06

No Critical Violations

1/26/06

No Critical Violations

Wings To Go
6001 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/24/08

4-01.1 (A) Food/Food service article storage does not provide protection, splash guard lacking between garbage grinder sink and 3 compartment sink.

19-01.1 Food establishment personnel food safety certified individual is not present, city certificate not posted. Management instructed to initiate immediate corrective action.

6/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Complete a food safety course and obtain a City of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Complete a food safety course and obtain a City of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

4/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. Complete a foodsafety course and obtain a City of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/26/06

No Critical Violations

Inter Community Action Center
6012 Ridge Av

Institution: Adult, Other
Philadelphia, PA 19128

Inspection Date

6/19/07

No Critical Violations

6/15/06

No Critical Violations

Primo Hoagies
6024 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/10/08

No Critical Violations

Starbucks Coffee Company
6024 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Starbucks Coffee Company
6024 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

11/16/07

No Critical Violations

God's Garden Preschool
6035 Ridge Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

2/14/08

No Critical Violations

11/8/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/15/05

No Critical Violations

Minas Pizza
6046 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

8/2/07

No Critical Violations

5/20/06

No Critical Violations

Michael's Water Ice
6050 Ridge Av

Retail Food: Other
Philadelphia, PA 19128

Inspection Date

5/13/06

No Critical Violations

Bob's Diner
6053 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

5/30/07

No Critical Violations

4/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. The manager is ServSafe certified. Obtain a City certificate. Management instructed to initiate immediate corrective action.

5/13/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Coyle's Cafe
6080 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/31/08

- 4-01.1 (A) Food/Food service article storage does not provide protection, splashguard is missing between hand sink & patron cups and lids. Management instructed to initiate immediate corrective action.
- 4-02.3 Animal origin food is not stored separate from other ready-to-eat food in 2-door reach-in refrigerator in kitchen. Management instructed to initiate immediate corrective action.
- 4-03.4 Patron glasses are stored beneath dripping water line under bar counter. Management instructed to initiate immediate corrective action.
- 9-04 (B) Wiping cloths are used in an unapproved manner, cloths were stored on bar counter instead of in clean sanitizing solution. Management instructed to initiate immediate corrective action.
- 10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized, equipment is not being rinsed between washing & sanitizing. Management instructed to initiate immediate corrective action.
- 10-02.3 Equipment used for cleaning/sanitizing is improperly operated, 3 basin sink is set up for washing, sanitizing & airdrying. Management instructed to initiate immediate corrective action.
- 10-04.0 Oversized equipment is not properly washed or sanitized, walk-in unit in basement has unsealed, uncleanable, unfinished walls, floor & shelves. Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/6/08

- 3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The bainmarie, with salad dressing and cheese, is observed at 55° F. Items were removed while present. Discontinue use of this refrigeration unit until the temperature can be maintained below 41° F. Management initiated immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/22/06

No Critical Violations

1/12/06

No Critical Violations

7 Eleven - 23335C
6101 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/17/08

- 2-01.4 Food is not properly labeled, brownies and cookies were re-packaged for self-service at counter. Management instructed to initiate immediate corrective action.
- 3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit, wall refrigerator storing Hot Pockets and Lunchables with meat ingredients, unit thermometer reads 43°F, products read 44-46°F. Management instructed to initiate immediate corrective action.
- 19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. Management instructed to initiate immediate corrective action.

9/28/07

- 19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. Management instructed to initiate immediate corrective action.

8/2/07

- 19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

7 Eleven - 23335C
6101 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/24/06

No Critical Violations

Morrison Drug Store
6113 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

8/2/07

No Critical Violations

6/24/06

No Critical Violations

Peck Miller's Bar
6119 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

3/25/08

5-01.1 Food is not protected from contamination, dirty cooking oil in kitchen fryer.

2-10.2 Ice is not protected from contamination, drink ice is stored in plastic bin behind bar lacking proper drainage.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized, sinks not set up to properly wash/rinse/sanitize.

12-01.5.B (4) Cold water at hand washing sink is not provided, ladies'.

8-06.1.1 (A) Liquid waste is not disposed of properly, dirty used cooking oil in fryer.

1/29/07

No Critical Violations

8/25/06

No Critical Violations

8/11/06

4-01.1 (A) Food/Food service article storage does not provide protection. Beer cases are stored on the floor in the basement. This area has extensive dusty and debris.

7-01 (B) Fruit fly infestation is present. Fruit flies observed in kitchen and men's room. Eliminate fruit fly infestation. Management instructed to initiate immediate corrective action.

8/11/06

4-01.1 (A) Food/Food service article storage does not provide protection. Beer cases are stored on the floor in the basement. This area has extensive dusty and debris.

7-01 (B) Fruit fly infestation is present. Fruit flies observed in kitchen and men's room. Eliminate fruit fly infestation. Management instructed to initiate immediate corrective action.

Subway
6125 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

11/22/06

No Critical Violations

8/11/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jade Court
6127 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/4/08

No Critical Violations

10/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety recertification class, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/24/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one functional sink stopper is present. Provide three sink stoppers for the proper wash, rinse and sanitize process. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety recertification class, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/25/06

No Critical Violations

8/11/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelves and floor in the rear prep area, closet and basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Roma's Pizza
6129 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

9/19/07

No Critical Violations

7/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate.

1/3/06

No Critical Violations

12/19/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves and the floor in rear prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action. Eliminate mouse infestation.

8/30/05

7-01 (L) Mouse infestation is present. Mouse droppings observed in basement floor. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action. Eliminate mouse infestation.

King's General
6135 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

2/8/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

King's General
6135 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

1/30/07

8-01.2 (C) Hot water is not provided. The hot water heater is defective.

Note: Establishment sells a limited amount of prepackaged foods only. Management instructed to initiate immediate corrective action.

Family Dollar Store
6138 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

7/25/05

No Critical Violations

Family Dollar Store - #5633
6138 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/14/08

7-01 (L) Mouse infestation is present.

* Mice droppings are observed on the floor and on the pallets in the stockroom, during time of inspection.

* Mice droppings are observed on the shelves in the retail area, during time o inspection. Management instructed to initiate immediate corrective action.

1/30/07

No Critical Violations

Lennie's Homeplate Deli
6143 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

12/24/07

No Critical Violations

10/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/24/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8/31/06

No Critical Violations

Taylor's Restaurant
6144 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128262

Inspection Date

10/19/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Taylor's Restaurant
6144 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128262

Inspection Date

9/19/07

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures. The data plate states wash/rinse temperature should be a minimum of 120° F. Temperature only reached 110° F. Use the 3-basin sink to wash-rinse-sanitize all dishware, utensils and food containers. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. The dishwasher is feeding directly from a bottle of bleach. Sanitizing should be done at 50 ppm chlorine, as directed on the machine. Dilute bleach to 50 ppm, or 1 teaspoon of bleach per gallon of water. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings are observed in the rear area of the basement on shelves, floor and dishes. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate.

9/20/06

No Critical Violations

8/31/06

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the basement floor. Management instructed to initiate immediate corrective action.

10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures. Data plate states wash/ rinse temperature should be a minimum of 120° F. Temperature only reached 100° F. Use 3-basin sink to wash-rinse-sanitize until corrected. Management instructed to initiate immediate corrective action.

Cafe Roma Bakery
6147 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/30/07

No Critical Violations

Rose's Pizza
6151 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

8/11/06

No Critical Violations

Edible Arrangements
6153 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/25/08

No Critical Violations

9/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Note: The owner is attending a ServSafe course in October. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Edible Arrangements
6153 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Jim's Soft Pretzel Bakery
6153 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/24/08

5-01.1 Food is not protected from contamination, cup holder stem on soda system.
19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

9/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

7/31/07

4-01.1 (A) Food/Food service article storage does not provide protection. Gloves are stored on unclean surface.
5-01.1 Food is not protected from contamination. A splash guard is needed between the hand washing sink and prep sink.
10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Sanitizer is present, but not in use. Follow the proper wash-rinse-sanitize procedure for utensils, food containers and trays. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Family Produce Market
6160 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

5/12/08

No Critical Violations

2/29/08

8-01.2 (C) Hot water is not provided.

Royal Bargain Dollar Store
6174 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

5/9/07

No Critical Violations

Roxburger
6190 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Roxburger
6190 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

6/27/08

5-01.1 Food is not protected from contamination, cup and metal bucket are used to scoop ice from ice bins. Management instructed to initiate immediate corrective action.

8-02.2 An approved air gap is not present above flood rim at catch basin in front area of basement. Management instructed to initiate immediate corrective action.

9-04 (A) Sponges are used in an unapproved manner, sponges were stored on icecream station hand sink. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner, cloths stored on food prep areas not in sanitizer between uses. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

10/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

7/23/07

No Critical Violations

6/29/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigerator, near the cooking line, is not maintaining proper temperature. The temperature was recorded at 59° F. Maintain all potentially hazardous foods below 41° F. Items removed while present. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings are found on the employee restroom and prep area floors. Mouse droppings were also observed on the basement shelves and floor. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

The Roxy
6190 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA

Inspection Date

5/20/06

No Critical Violations

Dunkin Donuts
6191 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/13/08

No Critical Violations

12/21/06

No Critical Violations

6/24/06

No Critical Violations

Ridge Smoke Depot
6200 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ridge Smoke Depot
6200 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

5/9/07

No Critical Violations

6/24/06

No Critical Violations

Sunoco A plus Mini Market #07194
6201 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

1/18/08

No Critical Violations

11/13/07

No Critical Violations

11/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present, but no city certificates. The manager stated that City applications have been sent in for both Bilal Hubert and Celenia Bailey. Management instructed to initiate immediate corrective action.

2/25/07

19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. ServSafe certificate is present, but no city certificate. Management instructed to initiate immediate corrective action.

12/28/05

No Critical Violations

Roxborough High School
6400 Ridge Av

Institution: School, Public
Philadelphia, PA 19128

Inspection Date

4/24/08

5-04.2 (A) Approved sneeze guards are not provided as required, open gap between horizontal and vertical glass, cracked glass.

7-01 (L) Mouse infestation is present, fresh droppings observed on floor areas.

8-02.2 An approved air gap is not present, food prep sink.

10/12/07

No Critical Violations

2/16/07

No Critical Violations

12/1/06

No Critical Violations

5/5/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Roxborough High Shop-Rite Store
6498 Ridge Av

Institution: School, Public
Philadelphia, PA 19128

Inspection Date

5/5/06

No Critical Violations

Roxborough High - Shop-Rite Store
6498 Ridge Av

Institution: School, Public
Philadelphia, PA 19128

Inspection Date

4/24/08

No Critical Violations

10/12/07

No Critical Violations

12/1/06

No Critical Violations

Henry H. Houston II Post #003
6600 Ridge Av

Retail Food: Restaurant, Private Club
Philadelphia, PA 19128

Inspection Date

5/14/08

19-01.1 Food establishment personnel food safety certified individual is not present.

4/11/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Bar sink at the banquet room does not have faucets to reach all 3 basins to provide proper washing, rinsing, and sanitizing. of glassware

19-01.1 Food establishment personnel food safety certified individual is not present.

4/11/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Bar sink at the banquet room does not have faucets to reach all 3 basins to provide proper washing, rinsing, and sanitizing. of glassware

19-01.1 Food establishment personnel food safety certified individual is not present.

4/11/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Bar sink at the banquet room does not have faucets to reach all 3 basins to provide proper washing, rinsing, and sanitizing. of glassware

19-01.1 Food establishment personnel food safety certified individual is not present.

2/1/08

7-01 (L) Mouse infestation is present. Mouse dropping observed on the kitchen floor along the wall.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Bar sink at the banquet room does not have faucets to reach all 3 basins to provide proper washing, rinsing, and sanitizing. of glassware

12/6/06

No Critical Violations

Wawa Food Market #244
6608 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wawa Food Market #244
6608 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

6/29/08

19-01.1 Food establishment personnel food safety certified individual is not present. Certified individuals are missing certified from Dept. of Public Health, manager has application.

6/26/07

No Critical Violations

1/12/06

No Critical Violations

Roman's Pizza
6613 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/21/08

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the floor perimeters and shelves in the prep area and basement. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. There are numerous dead roaches present in the soda display case and a live roach observed on a glue trap.

6/16/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Meats, milk and cheese items presently stored in the main walk-in box where food temperatures were observed to be between 46 F and 49 F. Owner agreed to relocate items to alternate refrigerators.

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the floor and shelves in the prep area and basement. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner has attended a food safety course and received the certificate, no city certificate obtained.

10/10/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the floor and shelves in the prep area and basement. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner has attended a food safety course and mailed in his city certificate application. Management instructed to initiate immediate corrective action.

7/11/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the prep area floor and shelves. A dead mouse was found in the rear room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection.

- Uncovered food items are present in the prep area refrigeration/freezers units.

- Raw chicken is stored next to uncovered onion rings and pepperoni in the freezer.

6/26/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the prep area floor and shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

1/24/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Lucky Garden Restaurant
6631 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

10/3/07

No Critical Violations

9/19/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper is present. Provide a total of three for the proper wash-rinse-sanitize process. Management instructed to initiate immediate corrective action.

9/5/06

No Critical Violations

8/21/06

7-01 (I) Ant infestation is present. Live ants observed on shelf with MSG, flour and rice containers. Management instructed to initiate immediate corrective action.
5-01.1 Food is not protected from contamination. Ants observed in MSG container.

The New Ridge Diner & Restaurant
6750 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/8/08

4-01.1 (A) Food/Food service article storage does not provide protection, splash guard lacking between hand wash sink and prep sink.
5-03.2 (B) Hazardous chemicals are not properly used, fly strips over food equipment.
10-02.2 (D) Sanitizer concentration is inadequate, must be 50ppm, dish wash unit, at time 0 ppm.
7-01 (A) Fly infestation is present, kitchen.

11/23/07

No Critical Violations

9/19/07

8-06.1.1 (C) Drain line is in need of repair. The prep area hand washing drain line leaks. A drip is present at the dishwasher drain line.
19-01.1 Food establishment personnel food safety certified individual is not present. The owners have attended a ServSafe class. Obtain city of Philadelphia food safety certificates.

9/12/06

No Critical Violations

9/5/06

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water temperature observed at 78° F at beverage counter hand sink. Maintain hot water between 110 - 125° F. Management instructed to initiate immediate corrective action.

8/21/06

7-01 (A) Fly infestation is present. Numerous flies observed in prep and customer areas. Management instructed to initiate immediate corrective action.
8-06.1.1 (C) Drain line is in need of repair. Leak observed at prep area hand sink. Management instructed to initiate immediate corrective action.
12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water temperature observed at 81° F at beverage counter hand sink. Maintain hot water between 110 - 125° F. Management instructed to initiate immediate corrective action.

Hollywood Video
6758 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Hollywood Video
6758 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/30/08

5-01.1 Food is not protected from contamination, mouse droppings were found in 13 popcorn containers on retail shelves, Sanitarian instructed Manager to discard of food. Product removed from sale/use.

7-01 (L) Mouse infestation is present. Mouse droppings are observed throughout facility on shelves in storage room, in retail shelves with popcorn, on utility cabinets in soda room and on floors in all rooms; storage, toilet and soda room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided at handsink in toilet room. Management instructed to initiate immediate corrective action.

9/10/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the shelving and floor in the storage rooms. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided. The hot water temperature is observed at 83° F. Maintain hot water between 110 -125° F. Management instructed to initiate immediate corrective action.

8/31/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the shelving and floor in the storage rooms.

8-01.2 (C) Hot water is not provided. The hot water temperature is observed at 78° F. Maintain hot water between 110 -125° F. Management instructed to initiate immediate corrective action.

8/4/06

No Critical Violations

Pop Pop's II
6786 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

3/28/07

No Critical Violations

1/12/06

No Critical Violations

Parker Pub
6800 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

10/1/07

No Critical Violations

8/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/10/06

No Critical Violations

1/3/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

PTG Restaurant & Catering
6813 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

4/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: A ServSafe certified person is present. The chef sent in the City application on the date of the last inspection.

3/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a City food safety certificate. Note: A ServSafe certified person is present.

Shop Rite Market - #519
6901 Ridge Av

Retail Food: Supermarket
Philadelphia, PA 19128

Inspection Date

8/27/07

4-01.1 (A) Food/Food service article storage does not provide protection.No splashguard observed between prep sink and 3 basin sink at produce area. Management instructed to initiate immediate corrective action.

8-02.2 An approved air gap is not present for walk in box condensation drainage system.

10/30/06

No Critical Violations

10/13/06

12-02.1 (B) Required hand washing sinks are not provided. No hand washing sink is available at the hot dog /water ice service area. Management instructed to initiate immediate corrective action.

1/24/06

No Critical Violations

Dollar Tree
7100 Ridge Av

Retail Food: General Convenience
Philadelphia, PA

Inspection Date

10/6/05

No Critical Violations

Dollar Tree - #1436
7100 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/7/08

2-01.1 (D) Defective food containers are present. Dented cans are observed on the shelves in the retail area, during time of inspection. All damaged can food products will need to be removed from sale, immediately.

4-01.1 (B) Food/Food service article storage does not provide proper elevation. Storage method in the rear stock room area does not permit visual inspection, during time of inspection. Beverages in the rear stock room area are not elevated at least six (6) inches above the floor, during time of inspection. Storage method in the rear stock room area does not permit for cleaning, during time of inspection.

13-01.1 (A) Floor is not clean. Floor is not clean in the retail area and floor in the rear stock rooms area, during time of inspection. Management instructed to initiate immediate corrective action.

2/18/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dunkin Donuts/Baskin Robbins
7104 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/13/08

No Critical Violations

12/21/06

No Critical Violations

11/4/05

No Critical Violations

Blockbuster Video - #42043
7114 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

8/31/07

No Critical Violations

7/27/06

No Critical Violations

Eiselens Pastry Shoppe
7130 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/24/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. An application was given to Mr. Rick Eiselen.

12-01.5.B (5) Hot water at hand washing sink is not provided in toilet room with water heater. Management instructed to initiate immediate corrective action.

1/25/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate.

11/28/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed on the floor perimeters and front and rear rooms shelving. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate.

9/5/06

No Critical Violations

8/22/06

7-01 (L) Mouse infestation is present. Mouse droppings observed along the perimeters in front display area, storage and rear areas. Management instructed to initiate immediate corrective action.

12/7/05

No Critical Violations

9/14/05

7-01 (L) Mouse infestation is present - mouse droppings observed on shelving in rear / storage work area .

8/24/05

7-01 (L) Mouse infestation is present - mouse droppings observed on shelving in front display area and in rear work area .

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Rita's Water Ice
7132 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

5/16/08

No Critical Violations

3/24/08

No Critical Violations

4/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain City food safety certificates.

3/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain City food safety certificates.

Candy's Hallmark
7134 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

11/28/07

No Critical Violations

9/12/06

No Critical Violations

Candy's Hallmark Shoppe
7134 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

9/5/06

No Critical Violations

Mr. P Pizza and Pasta
7138 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/26/07

No Critical Violations

7/12/07

7-01 (L) Mouse infestation is present. Mouse droppings are found on the shelves and floor throughout the store. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/6/06

No Critical Violations

5/20/06

7-01 (L) Mouse infestation is present. Mouse dropping observed on the floor near the pasta cooker and on the shelves under the front counter. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
7-01 (A) Fly infestation is present. A few flies observed in rear prep area. Management instructed to initiate immediate corrective action.
8-06.1.1 (C) Drain line is in need of repair. Leak under 3-basin sink.
4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered items - meatballs, sauce.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Ruby Chinese Restaurant
7140 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

8/31/07

No Critical Violations

8/31/06

No Critical Violations

Roxy's Sandwich Grille
7146 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

8/31/06

No Critical Violations

Jaffe Drugs
7150 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

7/6/07

No Critical Violations

5/20/06

No Critical Violations

Asiana Cuisine Enterprise in SuperFresh
7162 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

11/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/13/07

16-0 Process controls are inadequate.

NOTE: NO pH METER, HACCP, LOGBOOK OBSERVED AT PREPARATION AREA. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Asiana Sushi
7162 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

12/7/07

No Critical Violations

Super Fresh #70982
7162 Ridge Av

Retail Food: Supermarket
Philadelphia, PA 19128

Inspection Date

8/30/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Roxborough YMCA
7201 Ridge Av

Institution: Day Camp
Philadelphia, PA 19128

Inspection Date

6/19/07

No Critical Violations

6/23/06

No Critical Violations

YMCA- Roxborough Child Care
7201 Ridge Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

6/30/08

19-01.1 Food establishment personnel food safety certified individual is not present, obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

12/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/18/06

No Critical Violations

10/19/05

No Critical Violations

10/19/05

No Critical Violations

CVS Pharmacy #1122
7219 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/25/08

No Critical Violations

6/24/08

2-01.1 (D) Defective food containers are present. Dented cans of ENFAMIL and Beefaroni were observed on the shelf in the retail area, during time of inspection. Management instructed to initiate immediate corrective action.

5/25/08

2-01.1 (D) Defective food containers are present. Dented can of ENFAMIL was observed on the shelf in the retail area, during time of inspection. Management instructed to initiate immediate corrective action.

1/29/07

No Critical Violations

Seven Eleven #11340
7607 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Seven Eleven #11340
7607 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

9/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

7/13/07

No Critical Violations

7/12/07

8-01.2 (C) Hot water is not provided. The hot water heater is broken.

ORDERS: Discontinue all food preparation and food handling activities until hot water, at a minimum of 110° F, is restored.

Management agreed to discontinue food preparation until the hot water is restored. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

5/21/06

No Critical Violations

Casselli's Restaurant
7620 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

11/18/06

2-10.2 Ice is not protected from contamination. Cooling plate maintained in ice bin at bar/ exposed ice bin at second fl. bar (extends to dining area). Manager agreed to take immediate corrective action. .
8-06.1.1 (C) Drain line is in need of repair- drain pipe for dishwashing machine broken.

11/18/06

2-10.2 Ice is not protected from contamination. Cooling plate maintained in ice bin at bar/ exposed ice bin at second fl. bar (extends to dining area). Manager agreed to take immediate corrective action. .
8-06.1.1 (C) Drain line is in need of repair- drain pipe for dishwashing machine broken.

Matthew Beverage Center
7631 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

2/7/07

No Critical Violations

Ades Italian Water Ice
7706 Ridge Av

Retail Food: Other
Philadelphia, PA 19128314

Inspection Date

8/22/06

No Critical Violations

Ridge Water Ice
7706 Ridge Av

Retail Food: Other
Philadelphia, PA 19128314

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ridge Water Ice
7706 Ridge Av

Retail Food: Other
Philadelphia, PA 19128314

Inspection Date
6/3/08

19-01.1 Food establishment personnel food safety certified individual is not present. No one in the establishment is certified during time of inspection. Management instructed to initiate immediate corrective action.

Harry's Gulf
7728 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date
6/7/08

No Critical Violations

2/7/07

No Critical Violations

Amoco Food Shop
7731 Ridge Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date
6/7/08

17-0 (A) Exterior premises are not clean. Excess refuse is present in the exterior area along of the fence and in the front of the establishment, during time of inspection. (1ST WARNING)

2/7/07

No Critical Violations

Les Petits Cherubs Day Care
7901 Ridge Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date
10/3/07

No Critical Violations

10/18/06

No Critical Violations

10/19/05

No Critical Violations

10/19/05

No Critical Violations

Maria's Summit Restaurant
8100 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date
2/11/07

No Critical Violations

T and F Farmers Pride
8101 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date
8/22/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

T and F Farmers Pride
8101 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

3/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: Several employees have recently taken the ServSafe course. The owner has not yet submitted the city certificate application. Management instructed to initiate immediate corrective action.

2/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. Servsafe certified employee only - no city certificate. Management instructed to initiate immediate corrective action.

8/10/05

No Critical Violations

Jane Munn Day Care
8131 Ridge Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

6/19/07

No Critical Violations

6/6/06

No Critical Violations

Mike's Sunoco
8901 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

7/12/07

No Critical Violations

5/21/06

No Critical Violations

Graham's Pub & J K Beer To Go
8919 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

9/10/07

No Critical Violations

7/12/07

19-01.1 Food establishment personnel food safety certified individual is not present. Take an approved food safety course, and obtain a city of Philadelphia food safety certificate.

5/21/06

No Critical Violations

Lucky Star Chinese Restaurant
8919 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

2/18/07

No Critical Violations

9/22/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pina's Pizza & Italian Restaurant
8919 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 191281

Inspection Date

4/25/07

No Critical Violations

5/21/06

No Critical Violations

Spoons Coffee House
8919 Ridge Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

2/12/07

No Critical Violations

11/29/05

No Critical Violations

11/23/05

No Critical Violations

Shell
8965 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

6/18/07

No Critical Violations

2/18/07

No Critical Violations

Shell Ridge
8965 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

2/14/08

No Critical Violations

1/29/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized - coffee pots and utensils. Three sink stoppers are needed for the proper wash-rinse-sanitize dishwashing procedure. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. The toilet room hand sink cannot be used because the faucet head is not present. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. The toilet room hand sink cannot be used because the faucet head is not present. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

Pep Boys
9101 Ridge Av

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pep Boys
9101 Ridge Av

*Retail Food: General Convenience
Philadelphia, PA 19128*

Inspection Date

5/21/06

No Critical Violations

Pep Boys - #144
9101 Ridge Av

*Retail Food: General Convenience
Philadelphia, PA 19128*

Inspection Date

7/12/07

No Critical Violations

Friendly's
9165 Ridge Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128*

Inspection Date

7/10/08

No Critical Violations

5/30/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Low temp dishwasher not maintaining proper sanitizing level; instructed to use 3 compartment use until dishwasher maintains proper concentration level.

1/29/08

No Critical Violations

1/19/07

No Critical Violations

11/22/06

No Critical Violations

3/22/06

No Critical Violations

Cook-Wissahickon Head Start
500 Righter St

*Institution: Child, Child Care Centers
Philadelphia, PA 19128*

Inspection Date

4/9/08

No Critical Violations

10/24/07

No Critical Violations

2/16/07

No Critical Violations

12/4/06

No Critical Violations

Cook-Wissahickon School
500 Righter St

*Institution: School, Public
Philadelphia, PA 191280*

Inspection Date

4/9/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cook-Wissahickon School
500 Righter St

Institution: School, Public
Philadelphia, PA 191280

Inspection Date

10/24/07

No Critical Violations

2/16/07

No Critical Violations

9/25/06

No Critical Violations

5/17/06

No Critical Violations

9/15/05

No Critical Violations

Heaven Sent Family Day Care
733 E Rittenhouse St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

8/30/06

No Critical Violations

8/23/05

No Critical Violations

Sharon Roundtree Family Day Care
735 E Rittenhouse St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

2/6/06

No Critical Violations

Isabelle Jones Family Day Care
739 E Rittenhouse St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

8/30/06

No Critical Violations

8/23/05

No Critical Violations

Stefanania McClure Family Day Care
909 E Rittenhouse St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/5/06

No Critical Violations

Ernestine Spady Family Day Care
1151 E Rittenhouse St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

4/21/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Diane Randall Family Day Care
1314 E Rittenhouse St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

8/13/07

No Critical Violations

8/30/06

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 88° F. Maintain hot water at 110° F.

8/23/05

No Critical Violations

All About Kidz
633 W Rittenhouse St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

8/9/07

No Critical Violations

8/15/06

No Critical Violations

4/10/06

4-01.1 (A) Food/Food service article storage does not provide protection.
- infants bottle warmer stored on hand wash sink adjacent diapering station in infants room , creating a possible hazard/cross contamination .

Management instructed to initiate immediate corrective action.

10-01.1 (A) An approved equipment and utensil washing sink is not provided.
- no 3 basin sink observed for kitchen; required utensils sink not provided .
- childrens cups, spoons, plates, observed being washed, rinsed in hand wash sink in kitchen
Management instructed to initiate immediate corrective action.

3/27/06

10-01.1 (A) An approved equipment and utensil washing sink is not provided.
- no 3 basin sink observed for kitchen; required utensils sink not provided .
- childrens cups, spoons, plates, observed being washed, rinsed in hand wash sink.

Management instructed to initiate immediate corrective action.

Happy Feet Child Care Center
633 W Rittenhouse St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

10/29/07

No Critical Violations

Park Drive Manor Deli
633 W Rittenhouse St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

4/2/07

No Critical Violations

3/27/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ben & Jerry's Truck #000182
9999 Roamer St

*Vendor: Special Event Permanent
Philadelphia, PA*

Inspection Date

5/12/06

No Critical Violations

8/2/05

No Critical Violations

T. Hogan's Pub
5109 Rochelle Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127*

Inspection Date

1/5/07

No Critical Violations

1/5/07

No Critical Violations

Chongs Market
1801 Rockland Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127*

Inspection Date

2/6/08

No Critical Violations

9/11/06

No Critical Violations

Get Me Started Phase II Group Day Care
24 Rockland St

*Institution: Child, Group Day Care Homes
Philadelphia, PA 19144*

Inspection Date

2/7/08

19-04 Food establishment personnel food safety certificate is expired. Attend an approved Food Safety class and obtain a City of Philadelphia Food Safety Certificate.

Food Safety Certificate Information: (215) 685-7489
Management instructed to initiate immediate corrective action.

2/13/07

No Critical Violations

2/2/06

No Critical Violations

Rodriguez Grocery
922 W Rockland St

*Retail Food: Grocery Market
Philadelphia, PA 19141*

Inspection Date

10/25/05

No Critical Violations

Pearlie Studivant Family Day Care
930 W Rockland St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pearlie Studivant Family Day Care
930 W Rockland St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/16/06

No Critical Violations

10/18/05

No Critical Violations

Community Variety Grocery
1116 W Rockland St

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

2/9/07

No Critical Violations

1/28/07

8-01.2 (C) Hot water is not provided ; for hand wash sink in employees bathroom.
Management instructed to initiate immediate corrective action.

Rasmey Logan Store
1214 W Rockland St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

8/21/06

No Critical Violations

Jaquez Grocery
1305 W Rockland St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

8/16/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

NOTE: DISCONTINUE TO USE DEFECTIVE DELI CASE REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MANTAIN 41°F.ITEMS MOVED TO ALTERNATIVE 41°F REFRIGERATION UNIT WHILE PRESENT.

Management instructed to initiate immediate corrective action.

Sime Grocery
1305 W Rockland St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

11/13/06

No Critical Violations

Chi Food Market
1335 W Rockland St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

1/21/07

No Critical Violations

5/10/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jo Jo Grocery
1339 W Rockland St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

1/20/07

No Critical Violations

Faison Personal Care Home
1435 W Rockland St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19141

Inspection Date

1/15/08

No Critical Violations

1/5/07

No Critical Violations

1/5/06

No Critical Violations

Kecia Cox Family Day Care
1842 W Rockland St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/19/05

No Critical Violations

Ruben Grocery
6901 Rodney St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

9/28/06

No Critical Violations

Linda Ferebee FDC
1814 Roselyn St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

10/17/06

No Critical Violations

10/18/05

No Critical Violations

Brick House Bar & Grill
326 Roxborough Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

6/14/07

No Critical Violations

Little Frankie's Bar & Grill
326 Roxborough Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/13/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Little Frankie's Bar & Grill
326 Roxborough Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/5/06

No Critical Violations

The Pierog Kitchen
648 Roxborough Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

2/14/08

7-01 (D) Roach infestation is present. Cockroaches observed in the basement. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings are present on the basement shelves and floor. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

1/29/08

7-01 (L) Mouse infestation is present. Mouse droppings are present in the basement. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

1/23/07

No Critical Violations

F & S GROCERY STORE
400 E ROXBOROUGH Av

Retail Food: Grocery Market
Philadelphia, PA 19128

Inspection Date

1/23/07

No Critical Violations

Upsal Variety Store
7700 Rugby St

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

9/21/06

No Critical Violations

China Garden Restaurant
1023 W Ruscomb St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

10/10/06

No Critical Violations

Duran Grocery
1025 W Ruscomb St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

3/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Duran Grocery
1025 W Ruscomb St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

2/26/07

5-01.1 Food is not protected from contamination; dust and debris on sodas in basement storage shelves. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present ; numerous mouse droppings observed on soda storage shelves in basement. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/4/07

4-01.1 (A) Food/Food service article storage does not provide protection; sodas stored adjacent hand wash sink, slashguard not provided. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present ; numerous mouse droppings observed on soda storage shelves in basement. Management instructed to initiate immediate corrective action.

9/21/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Eggs and cooked ham observed at 48°F prep area refrigerator.

NOTE: DISCONTINUE TO USE DEFECTIVE PREP REFRIGERATOR OBSERVED AT 48°F UNTIL IT IS REPAIRED AND CAN MANTAIN 41°F. PERISHABLE ITEMS MOVED TO 41° F ALTERNATIVE REFRIGERATION UNIT WHILE PRESENT. Management instructed to initiate immediate corrective action.

7/13/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Eggs and cooked ham observed at 50°F prep area refrigerator.

NOTE: DISCONTINUE TO USE DEFECTIVE PREP REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MANTAIN 41°F. PERISHABLE ITEMS MOVED TO 41° F ALTERNATIVE REFRIGERATION UNIT WHILE PRESENT. Management instructed to initiate immediate corrective action.

10/20/05

No Critical Violations

Loving Heart Christian Learning Center
1301 W Ruscomb St

Institution: Child, Child Care Centers
Philadelphia, PA 19141

Inspection Date

5/21/07

No Critical Violations

Tavarez Grocery
1540 W Ruscomb St

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

1/12/07

No Critical Violations

11/23/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Far East Restaurant
1800 W Ruscomb St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

10/2/07

19-04 Food establishment personnel food safety certificate is expired. Owner has completed the class, sent in the application, and is waiting to receive the certificate from the City. Management instructed to initiate immediate corrective action.

6/26/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

RT Ruscomb Grocery
1848 W Ruscomb St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

12/29/06

No Critical Violations

Phila University - Ravenhill Cafeteria
3101 School House Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

5/25/07

No Critical Violations

3/22/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigeration unit, at the breakfast station, was observed at 64° F. Maintain all potentially hazardous foods below 41° F. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination.

- Dessert goods, bagels, donuts, cream cheese, and peanut butter and jelly containers are not covered or protected by sneeze guards.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificates are present, ServSafe only. Note: The management has submitted the city applications.

Management instructed to initiate immediate corrective action.

3/22/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigeration unit, at the breakfast station, was observed at 64° F. Maintain all potentially hazardous foods below 41° F. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination.

- Dessert goods, bagels, donuts, cream cheese, and peanut butter and jelly containers are not covered or protected by sneeze guards.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificates are present, ServSafe only. Note: The management has submitted the city applications.

Management instructed to initiate immediate corrective action.

2/22/07

5-01.1 Food is not protected from contamination.

- Dessert goods, bagels and cream cheese containers are not covered or protected by sneeze guards.

- Not all salad toppings are stored under the sneeze guard. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No city certificates are present, ServSafe only. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

PHILA UNIVERSITY- RAVENHILL CAFETERIA
3101 School House Ln

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

8/12/05

No Critical Violations

Pa. School for the Deaf&Early Intrvntion
100 W School House Ln

*Institution: School, Private
Philadelphia, PA 19144*

Inspection Date

5/8/08

No Critical Violations

Pennsylvania School for the Deaf
100 W School House Ln

*Institution: School, Private
Philadelphia, PA 19144*

Inspection Date

10/31/07

No Critical Violations

10/15/07

7-01 (L) Mouse infestation is present. Mouse droppings are observed in the school's food storage room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

2/20/07

No Critical Violations

11/17/06

No Critical Violations

Pennsylvania School for the Deaf
100 W School House Ln

*Institution: School, Private
Philadelphia, PA 19144*

Inspection Date

5/17/06

No Critical Violations

9/9/05

No Critical Violations

Maplewood Manor Center
125 W School House Ln

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19144*

Inspection Date

7/9/08

19-01.3 Food establishment personnel food safety certificate is not posted.

4-02.1 Raw or unwashed food is not stored below ready-to-eat food. Raw liver stored over cooked in walkin box.

4-01.1 (A) Food/Food service article storage does not provide protection. Head of syrup dispenser stored in stagnant water.

8/28/07

19-01.1 Food establishment personnel food safety certified individual is not present.No city food safety certificate observed.

19-01.3 Food establishment personnel food safety certificate is not posted.

3/20/07

19-01.1 Food establishment personnel food safety certified individual is not present.No city food safety certificate observed.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Maplewood Manor Center
125 W School House Ln

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19144*

Inspection Date

11/21/06

No Critical Violations

9/26/05

No Critical Violations

Teen Challenge
156 W School House Ln

*Institution: Adult, Other
Philadelphia, PA 19144*

Inspection Date

3/22/07

No Critical Violations

3/8/07

7-01 (L) Mouse infestation is present. Several mouse droppings were found in the storage room. Management instructed to initiate immediate corrective action.

Iris House
235 W School House Ln

*Institution: MHMR, Inpatient Facilities
Philadelphia, PA 19144*

Inspection Date

4/25/07

No Critical Violations

4/25/07

No Critical Violations

4/9/07

7-01 (L) Mouse infestation is present. Mouse droppings observed in the kitchen cabinet. Management instructed to initiate immediate corrective action.

4/25/06

No Critical Violations

4/7/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves in kitchen and storeroom. Management instructed to initiate immediate corrective action.

Douglas House
243 W School House Ln

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

6/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain City of Philadelphia food safety certificates. Management instructed to initiate immediate corrective action.

4/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain City food safety certificates. Management instructed to initiate immediate corrective action.

4/10/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

William Penn Charter School
3000 W School House Ln

Institution: School, Private
Philadelphia, PA 19144

Inspection Date

1/25/08

No Critical Violations

11/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/27/06

No Critical Violations

3/15/06

No Critical Violations

Jewish Employment & Vocational Services
3005 W School House Ln

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144

Inspection Date

3/6/07

No Critical Violations

3/15/06

No Critical Violations

Philadelphia University Tuttleman Center
3300 W School House Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

2/22/07

No Critical Violations

2/27/06

No Critical Violations

Philadelphia University - Kanbar Center
3464 W School House Ln

Institution: School, Private
Philadelphia, PA 19144

Inspection Date

2/22/07

No Critical Violations

2/22/07

No Critical Violations

Philadelphia University DBA Parkhurst D.
3243 W School House Ln

Institution: School, Private
Philadelphia, PA 19144

Inspection Date

9/26/06

No Critical Violations

9/8/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Philly Chili Wagon
3502 Scotts Ln Suite: 2

Retail Food: Mobile Food Vendor
Philadelphia, PA 19129

Inspection Date

8/1/05

No Critical Violations

The Bakery At The Mills
3502 Scotts Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

1/9/06

No Critical Violations

1/9/06

No Critical Violations

Eillen Durso FDC
411 a Seville St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19128

Inspection Date

2/21/07

No Critical Violations

12/1/05

No Critical Violations

Ummtaahir's Interactive Learning
53 W Seymour St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

6/26/07

No Critical Violations

Fitler Academics Plus
150 W Seymour St

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

4/8/08

12-02.1 (B) Required hand washing sinks are not provided at food prep area.

7-01 (L) Mouse infestation is present, fresh droppings observed behind walkin.

10/11/07

No Critical Violations

2/15/07

No Critical Violations

11/10/06

No Critical Violations

5/31/06

No Critical Violations

5/17/06

7-01 (L) Mouse infestation is present. Mouse feces observed on floor in food prep area. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. No sinks provided in food prep area. Management instructed to initiate immediate corrective action.

12-02.1 (B) Required hand washing sinks are not provided at food prep area.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Fitler Academics Plus
150 W Seymour St

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

12/13/05

No Critical Violations

12/13/05

No Critical Violations

Xiomara Grocery
152 E Sharpnack St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

12/13/07

No Critical Violations

12/12/07

8-01.2 (C) Hot water is not provided at time of inspection.

ORDERS: Discontinue all food preparation until hot water temperature between 110°F and 125°F is restored to establishment. Due to the serious nature of these conditions, the management of this establishment has agreed to immediately suspend food preparation operation. This operation will not resume until a reinspection has verified that the present conditions have been corrected and that the establishment can safely resume food preparation operation. Please contact the undersigned at the phone number listed below to arrange for an inspection.

Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No certificate observed at time of inspection. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

11/27/06

No Critical Violations

11/13/06

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Deli case temperature observed at 59°F. Cold food must be maintained below 41°F at all times. Items observed in deli case:

- 5 lbs. deli ham,
- 10 lbs. deli salami,
- 10 lbs. deli turkey,
- 12 lbs. deli cheese, and
- 14 cartons of eggs.

ORDERS: DISPOSE OF SPOILED FOODS IMMEDIATELY AND DISCONTINUE USE OF DELI CASE UNTIL IT IS REPAIRED TO HOLD AN ACCURATE TEMPERATURE OF 41°F OR LOWER.

Management initiated immediate corrective action. Owner disposed of deli meats, cheeses, and eggs while this sanitarian was present. A repairman was called to fix the deli case.

10/27/06

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed in basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Zabala's Grocery
152 E Sharpnack St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

6/11/08

No Critical Violations

5/22/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to obtain a food license.

Charles Young American Legion Post #682
159 E Sharpnack St

Retail Food: Restaurant, Private Club
Philadelphia, PA 19119

Inspection Date

6/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. Manager stated that two employees were signed up and enrolled in a course. Management initiated immediate corrective action.

4/12/07

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. Sink is not three compartment. Two-basin sink present. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. A three-compartment sink is required for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Kim Cooper Family Day Care
427 E Sharpnack St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

6/26/07

No Critical Violations

5/2/06

No Critical Violations

House of Despot
75 W Sharpnack St

Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19119

Inspection Date

2/16/06

No Critical Violations

Sharon Knox Family Day Care
141 W Sharpnack St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

10/31/06

No Critical Violations

9/20/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Shawmont - Bright Futures
535 Shawmont Av

Institution: Child, Child Care Centers
Philadelphia, PA 19128

Inspection Date

3/24/08

No Critical Violations

10/17/07

No Critical Violations

6/18/07

8-06.1.1 (C) Drain line is in need of repair. The handsink backs up and does not drain properly.

Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. The prep area handsink is not in use due to a draining problem. Management instructed to initiate immediate corrective action.

2/12/07

8-06.1.1 (C) Drain line is in need of repair. The handsink backs up and does not drain properly.

Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. The prep area handsink is not in use due to a draining problem. Management instructed to initiate immediate corrective action.

12/4/06

No Critical Violations

Shawmont School
535 Shawmont Av

Institution: School, Public
Philadelphia, PA 19128

Inspection Date

3/24/08

No Critical Violations

10/17/07

No Critical Violations

10/17/07

No Critical Violations

6/18/07

8-06.1.1 (C) Drain line is in need of repair at the prep area handsink. The sink backs up and does not drain properly. Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. The prep area hand sink is not in use due to a draining problem. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present at the time of inspection. Management instructed to initiate immediate corrective action.

2/12/07

8-06.1.1 (C) Drain line is in need of repair at the prep area handsink. The sink backs up and does not drain properly. Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. The prep area hand sink is not in use due to a draining problem. Management instructed to initiate immediate corrective action.

10/30/06

No Critical Violations

5/17/06

No Critical Violations

4/19/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Castle Roxx Cafe
105 Shurs Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

11/30/07

No Critical Violations

11/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

9/15/06

No Critical Violations

C. J. & Eck's Manayunk
384 Shurs Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

12/5/07

No Critical Violations

10/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain city of Philadelphia food safety certificates. Management instructed to initiate immediate corrective action.

8/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain city of Philadelphia food safety certificates. Management instructed to initiate immediate corrective action.

5/26/06

No Critical Violations

The Garage
443 Shurs Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

10/19/07

19-01.1 Food establishment personnel food safety certified individual is not present - only a serve safe certificate is present.

7/6/07

19-01.1 Food establishment personnel food safety certified individual is not present - only a serve safe certificate is present.

The Ugly Moose
443 Shurs Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

10/19/07

3-08.3 Hot holding equipment is improperly used for food reheating , Kitchen hot holding unit .
3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Cooked chicken in prep area refrigeration unit found to be at 55 F , perishable items moved to alternate refrigeration unit or placed on ice. discontinue use until repaired.
19-01.1 Food establishment personnel food safety certified individual is not present. Owner has a serve safe certificate but no City certificate.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The Ugly Moose
443 Shurs Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. Owner has a serve safe certificate but no City certificate.

7/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. Owner has a serve safe certificate but no City certificate.

9/15/06

No Critical Violations

Keenan's Valley View Inn
7150 Silverwood St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The chef and owner completed the ServSafe course. Obtain city of Philadelphia food safety certificates. Management instructed to initiate immediate corrective action.

5/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The chef is currently taking the ServSafe course. Complete the course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

4/28/06

No Critical Violations

4/19/06

8-01.2 (C) Hot water is not provided:

- 3-basin sink in the kitchen. Defective tankless instant water heater. Discontinue use of this sink for washing/sanitizing of equipment, dishware and multi-use utensils. Note: Dishwasher is in use.

- 3-basin sink in the Angel room bar. Hot water is shut off. Discontinue use of this sink for washing/sanitizing of glassware and multi-use utensils. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. For sink in the rear of the prep area. Hot water is shut off. Management instructed to initiate immediate corrective action.

Australia Ackiss Family Day Care
6535 Smedley St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

9/6/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigerator is observed at 45° F. Maintain potentially hazardous foods at, or below, 41° F.

7-01 (D) Roach infestation is present. Live and dead roaches observed in the sink and elsewhere. Eliminate roach infestation.

8-01.2 (C) Hot water is not provided. Hot water temperature observed below 100° F. maintain hot water temperature at 110° F.

8/24/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cynthia Allen Family Day Care
6430 N Smedley St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

8/27/07

No Critical Violations

Brenda Johnson Family Day Care
6454 N Smedley St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

9/6/06

No Critical Violations

8/22/05

No Critical Violations

Jaquez Grocery
1100 W Somerville Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

5/9/08

No Critical Violations

7/31/07

No Critical Violations

5/30/07

7-01 (C) Grain beetle infestation is present ; numerous grain beetle observed at cornmeal storage shelves. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present.

3/1/06

No Critical Violations

Yono's Bayou Cafe'
1320 W Somerville Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

11/29/06

No Critical Violations

Rhonda Ewell Family Day Care
7233 Sommers Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

1/15/08

No Critical Violations

6/13/06

No Critical Violations

Shirley Purnell's Day Care
7406 Sommers Rd

Institution: Child, Group Day Care Homes
Philadelphia, PA 19138

Inspection Date

11/16/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Shirley Purnell's Day Care
7406 Sommers Rd

Institution: Child, Group Day Care Homes
Philadelphia, PA 19138

Inspection Date

11/20/06

No Critical Violations

Taylor's Breakfast & Lunch # 865
1432 Sparks St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19141

Inspection Date

5/2/07

12-01.5.B (5) Hot water at hand washing sink is not provided.No propane gas available. Hot water is made at coffee maker. Management instructed to initiate immediate corrective action.

21-04.4 (B) Handwashing facilities are inadequate. Management instructed to initiate immediate corrective action.

4/13/06

No Critical Violations

Lane Family Day Care
1942 W Sparks St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

11/27/06

No Critical Violations

8/29/05

No Critical Violations

J & J Grocery
2001 W Spencer St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

5/12/08

No Critical Violations

J&J Mini Market
2001 W Spencer St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

2/12/07

No Critical Violations

Pastorius Elementary School
5650 Sprague Av

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

4/4/08

No Critical Violations

10/22/07

No Critical Violations

3/19/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Pastorius Elementary School
998 E Chelton Av

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

3/6/07

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 83°F throughout school. Hot water temperature must be maintained between 110°F and 125°F at all times. Management instructed to initiate immediate corrective action.

2/27/07

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 83°F. Hot water temperature must be maintained between 110°F and 125°F at all times. Management instructed to initiate immediate corrective action.

11/28/06

No Critical Violations

5/10/06

No Critical Violations

9/12/05

No Critical Violations

Grand Food Market
6700 Sprague St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19119

Inspection Date

1/3/07

No Critical Violations

Pamela Jones Family Day Care
5659 Sprauge St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

4/21/06

No Critical Violations

Lankenau Motivational Program
201 Spring Ln

Institution: School, Public
Philadelphia, PA 19128

Inspection Date

4/25/08

5-04.2 (A) Approved sneeze guards are not provided as required, missing side protection, steam table.
8-02.2 An approved air gap is not present, at food prep sink.

10/17/07

No Critical Violations

2/12/07

No Critical Violations

10/30/06

No Critical Violations

5/17/06

No Critical Violations

9/16/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The Renfrew Center
475 Spring Ln

Institution: Hospital
Philadelphia, PA 19128

Inspection Date

4/21/08

No Critical Violations

6/7/07

No Critical Violations

3/19/07

19-01.1 Food establishment personnel food safety certified individual is not present.

1/9/07

No Critical Violations

6/14/06

No Critical Violations

9/19/05

No Critical Violations

Juanita McClure-Benton Family Day Care
950 E Stafford St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

8/31/06

No Critical Violations

9/1/05

No Critical Violations

Lil Bits Day Care
1126 E Stafford St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

11/17/06

No Critical Violations

9/1/05

No Critical Violations

St. Bridget School
3636 Stanton Av

Institution: School, Archdiocese
Philadelphia, PA 19129

Inspection Date

10/30/07

No Critical Violations

1/31/07

No Critical Violations

11/29/06

No Critical Violations

5/22/06

No Critical Violations

4/28/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Golden Palace Chinese Restaurant
1400 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/19/06

No Critical Violations

Seven Eleven #1408-19624F
1820 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

3/18/08

No Critical Violations

11/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-City certificate observed. City of Philadelphia Food Safety Certificate required. Application given to manager. Management instructed to initiate immediate corrective action.

9/19/06

No Critical Violations

Nicky's Spot
1945 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

9/27/07

No Critical Violations

9/19/06

No Critical Violations

Sun's Market
2101 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

5/11/07

No Critical Violations

3/14/06

No Critical Violations

Golden Chinese Restaurant
2136 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

7/29/08

No Critical Violations

7/21/08

7-01 (D) Roach infestation is present along the basement trap door entrance.
4-01.1 (A) Food/Food service article storage does not provide protection. Numerous uncovered frozen meats inside freezers.

Golden Restaurant
2136 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Golden Restaurant
2136 Stenton Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

9/5/07

No Critical Violations

8/2/07

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed at prep and storage areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils, as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

6/22/06

No Critical Violations

Amoco Food Shop #4504
2211 Stenton Av

*Retail Food: General Convenience
Philadelphia, PA 19138*

Inspection Date

3/19/08

No Critical Violations

12/28/06

No Critical Violations

12/27/05

No Critical Violations

7/8/05

No Critical Violations

McDonald's #23151
2211 Stenton Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date

10/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificates required. Non City Certificates observed. Applications for City certificates sent in back in May for Deborah Jackson and Naya Holloway. Management initiated immediate corrective action. Applications were sent to the City in early May.

10/17/07

5-01.1 Food is not protected from contamination. The lid of the hamburger freezer next to one prep area handsink is observed open. Lid is to remain closed so as to protect contents of freezer from contamination during hand washing. Management instructed to initiate immediate corrective action.
7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed at patron drink station. Eliminate fruit fly infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificates required. Non City Certificates observed. Management initiated immediate corrective action. Applications were sent to the City in early May.

6/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificates required. Non City Certificates observed. Management initiated immediate corrective action. Applications were sent to the City in early May.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

McDonald's #23151
2211 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

9/1/06

12-01.5.B (4) Cold water at hand washing sink is not provided. Both prep area hand sinks have no cold water faucet handles.

(Note: Water temperature observed at 118° F at hand sink with hot water only.)

12-01.5.B (5) Hot water at hand washing sink is not provided. One of two prep area hand sinks has no hot water faucet handle. Management instructed to initiate immediate corrective action.

8/18/06

12-01.5.B (4) Cold water at hand washing sink is not provided. Both prep area hand sinks have no cold water faucet handles.

(Note: Water temperature observed at 118° F at hand sink with hot water only.)

12-01.5.B (5) Hot water at hand washing sink is not provided. One prep area hand sink has no hot water faucet handle. Management instructed to initiate immediate corrective action.

8/3/06

7-01 (A) Fly infestation is present. Flies observed in prep, storage and customer areas. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. Both prep area hand sinks have no cold water faucet handles.

(Note: Water temperature observed at 115° F at hand sink with hot water only.)

12-01.5.B (5) Hot water at hand washing sink is not provided. One prep area hand sink has no hot water faucet handle. Management instructed to initiate immediate corrective action.

2-10.2 Ice is not protected from contamination. Employee beverage bottle is stored in ice.

8/2/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.

Walk-in freezer temperature observed at 60° F. 2 boxes of sausage, 6 boxes of eggs, 1 box of hamburgers, 11 boxes of chicken and 1 box of fish are present.

Food items are condemned due to lack of temperature control for unknown period of time. Subject food items are not permitted to be sold or given away. Items must be maintained on the premises until an approved disposal plan is provided. Contact the district environmental health office by telephone prior to any removal of retained items.

(215) 685-9017.

Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Flies observed in prep, storage and customer areas. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. Both prep area hand sinks have no cold water faucet handles.

(Note: Water temperature observed at 115° F at hand sink with hot water only.)

12-01.5.B (5) Hot water at hand washing sink is not provided. One prep area hand sink has no hot water faucet handle. Management instructed to initiate immediate corrective action.

2-10.2 Ice is not protected from contamination. Employee beverage bottle is stored in ice.

Herman's Luncheonette
4800 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/25/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Martin Luther King High School
6100 Stenton Av

Institution: School, Public
Philadelphia, PA 19138

Inspection Date

4/10/08

13-03 Utility lines are improperly sealed or installed. There are sockets and electrical lines running across the floor in the 2nd and 3rd floor lunchroom serving lines making severe and dangerous working conditions for the food service staff. ORDERS: THE ELECTRICAL LINES ARE TO BE REROUTED AWAY AND OFF OF THE SERVING LINE FLOORS.

1/16/08

No Critical Violations

10/19/07

No Critical Violations

2/26/07

No Critical Violations

11/7/06

No Critical Violations

5/11/06

No Critical Violations

2/22/06

No Critical Violations

1/31/06

7-01 (L) Mouse infestation is present. Mouse droppings observed in first floor student cafeteria, near vending machines. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

1/9/06

7-01 (L) Mouse infestation is present. Mouse droppings observed in student cafeteria areas and pantrys. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
7-01 (I) Ant infestation is present. Red ants observed in first floor pantry handsink. Management instructed to initiate immediate corrective action.

KFC
6240 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

11/30/06

No Critical Violations

Pizza Hut/WingStreet
6242 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

11/30/06

No Critical Violations

Crown Fried Chicken
6307 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

3/20/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Crown Fried Chicken
6307 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

11/8/06

No Critical Violations

10/27/05

No Critical Violations

Halal Bilal Steak and Take
6320 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/18/06

No Critical Violations

9/27/06

7-01 (A) Fly infestation is present. Numerous flies observed throughout establishment. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment (under cooking equipment, around perimeters, and on shelves). Eliminate mouse infestation.

Management instructed to initiate immediate corrective action.

T & H Pizza
6320 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

11/8/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. No hot water provided at prep area handsink at time of inspection, however, hot water was provided at all other sinks. Repair so hot water is provided at handsink at all times. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

Moms Bakery
6321 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

12/1/06

No Critical Violations

11/17/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment perimeters. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

CVS Pharmacy #2120
6344 Stenton Av

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

10/5/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

CVS Pharmacy #2120
6344 Stenton St

*Retail Food: General Convenience
Philadelphia, PA 19138*

Inspection Date

9/18/06

No Critical Violations

Sonny's Place
6364 Stenton Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date

5/15/07

No Critical Violations

7/22/05

No Critical Violations

Tony Rumble's
6364 Stenton Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date

6/23/08

No Critical Violations

4/21/08

19-01.1 Food establishment personnel food safety certified individual is not present.

Good News Learning Center
6366 Stenton Av

*Institution: Child, Child Care Centers
Philadelphia, PA 19138*

Inspection Date

12/19/07

No Critical Violations

12/18/07

8-01.2 (C) Hot water is not provided at time of inspection. Hot water temperature must be maintained between 100°F and 110°F at all times.

ORDERS: Immediately suspend establishment operation due to lack of hot water. Establishment operation will not resume until a reinspection has verified that the present conditions have been corrected and that the establishment can safely resume operation.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

10/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

4/11/06

No Critical Violations

Stenton Seafood
6372 Stenton Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Stenton Seafood
6372 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

11/8/06

No Critical Violations

7/22/05

No Critical Violations

Charley B's II
6402 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

11/14/06

No Critical Violations

11/7/06

No Critical Violations

Rita's Water Ice
6901 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

7/8/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance. Management initiated immediate corrective action.

5/7/08

19-01.1 Food establishment personnel food safety certified individual is not present. Management initiated immediate corrective action.

6/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates observed. Applications for City of Philadelphia Food Safety Certificates were sent in back in April. Management initiated immediate corrective action.

4/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates observed. Applications for City of Philadelphia food safety certificate given to manager. Management instructed to initiate immediate corrective action.

Gil Restaurant
7111 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

1/28/08

No Critical Violations

1/22/08

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit. Cooked hamburgers on grill in a pan were observed stored at 90 F awaiting re cooking. Items reheated while present and procedures to assure proper temperature control instituted.

4-01.1 (A) Food/Food service article storage does not provide protection.

- open food containers present on the walk-in food

- required splash guard between prep area hand washing sink and gas range not provided

- lemon slice at customer self service coffee station. covered condiment display unit at coffee station for lemon slice not present as required

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Gil Restaurant
7111 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

1/30/07

No Critical Violations

11/14/06

No Critical Violations

11/9/06

No Critical Violations

Checkers #334
7115 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

1/28/08

No Critical Violations

1/2/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

9/18/06

No Critical Violations

West Oak Lane Charter School
7115 Stenton Av

Institution: School, Charter
Philadelphia, PA 19138

Inspection Date

2/11/08

No Critical Violations

10/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/13/07

No Critical Violations

11/7/06

No Critical Violations

5/16/06

No Critical Violations

10/14/05

No Critical Violations

Stenton Pizza
7171 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

2/21/07

No Critical Violations

2/15/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Stenton Pizza
7171 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

1/31/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves in rear. Management instructed to initiate immediate corrective action.

Beverly Healthcare Stenton
7310 Stenton Av

Institution: Nursing and Convalescent Home
Philadelphia, PA 19150

Inspection Date

8/22/07

7-01 (B) Fruit fly infestation is present. Fruit flies observed at prep area. ELIMINATE FRUIT FLY INFESTATION.

19-01.3 Food establishment personnel food safety certificate is not posted.

1/2/07

No Critical Violations

5/3/06

No Critical Violations

Golden Living Center
7310 Stenton Av

Institution: Nursing and Convalescent Home
Philadelphia, PA 19150

Inspection Date

7/9/08

19-01.3 Food establishment personnel food safety certificate is not posted.

7-01 (D) Roach infestation is present. Live roaches observed behind ranges in kitchen

Young's Deli
7401 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

1/2/08

No Critical Violations

12/18/07

5-04.2 (A) Approved sneeze guards are not provided as required. Provide sneeze guard for scale to protect food from contamination. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Several fresh mouse droppings observed at rear storage and prep areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9-04 (A) Sponges are used in an unapproved manner. Sponges observed at three-basin sinks.

Management instructed to initiate immediate corrective action. Moist sponge use on food contact surfaces is prohibited.

9-04 (B) Wiping cloths are used in an unapproved manner. Cloths are not stored in sanitizing solution. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only one sink stopper observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

9/18/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Global International Market
7405 Stenton Av

Retail Food: Grocery Market
Philadelphia, PA 19150

Inspection Date

9/18/06

No Critical Violations

Discount Kingdom
7409 Stenton Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

10/25/06

No Critical Violations

Moy Fong Restaurant
7411 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

4/10/08

No Critical Violations

4/3/08

7-01 (L) Mouse infestation is present. There are droppings present on shelves and floor perimeters throughout the prep area and basement.

4-01.1 (A) Food/Food service article storage does not provide protection. There are numerous uncovered foods present inside refrigerated units.

11/8/06

No Critical Violations

10/25/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Holiday Express Pizza
7415 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

9/18/06

No Critical Violations

Happy Hill Learning Center
7909 Stenton Av

Institution: Child, Child Care Centers
Philadelphia, PA 19150

Inspection Date

11/8/07

No Critical Violations

11/22/06

No Critical Violations

11/8/06

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed on kitchen shelves and floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/3/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Queen Express Pizza
8101 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

11/14/06

No Critical Violations

9/12/05

No Critical Violations

8/26/05

7-01 (A) Fly infestation is present. Numerous flies observed in prep area and basement. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on basement floor and shelves.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

China Garden
8103 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

8/31/06

No Critical Violations

2/8/06

No Critical Violations

8/15/05

No Critical Violations

7/22/05

7-01 (D) Roach infestation is present. A few live roaches observed on rear room floor. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves and floor in rear prep area.

Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Kentucky Fried Chicken
8113 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

1/19/07

No Critical Violations

11/28/06

No Critical Violations

11/14/06

12-02.2 (A) Hand washing sink is not readily available for use. Both prep area handsinks do not work.

Repair sinks to allow for hand washing at all times. Management instructed to initiate immediate corrective action.

Stenton Beer and Soda Mart
8119 Stenton Av

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

12/3/07

No Critical Violations

11/7/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Ruben's Marc
8131 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

8/22/07

No Critical Violations

3/8/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/8/07

No Critical Violations

Village Tavern
8131 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

8/23/05

No Critical Violations

Ritas Water Ice
8201 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

6/19/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

8/15/05

No Critical Violations

7/22/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on floor and shelves in garage. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Rita's Water Ice
8201 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

7/23/08

No Critical Violations

5/21/08

19-01.3 Food establishment personnel food safety certificate is not posted. A Safe Serve Certificate is present; a City of Philadelphia Food Safety Certificate is needed in order to obtain a food license.

8215 Caterers Inc.
8215 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

3/20/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Lakey's Restaurant
8215 Stenton Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

2/13/07

12-01.5.B (5) Hot water at hand washing sink is not provided at banquet area toilet rooms and banquet bar area hand washing sinks due to frozen pipes.

2/12/07

12-01.5.B (5) Hot water at hand washing sink is not provided. banquet area bathrooms and banquet bar area hand washing sink where water pipes are frozen.

6/24/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit , perishable items in main kitchen refrigerator , containers of prepared potato salad and pasta salad observes at 45 - 47 F ordered removed to alternate refrigeration because of inadequate temperature control . Items relocated to alterate units while present .
Discontinue use of this refrigeration unit repaired .

5/29/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit , perishable items in main kitchen refrigerator , containers of prepared potato salad and sour cream observes at 60 F ordered discarded because of inadequate temperature control . other items relocated to alterate units while present .

Rite Aid #2709
8243 Stenton Av

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

1/30/07

No Critical Violations

8/31/06

No Critical Violations

Sunoco A Plus Mini Market # 7289
8261 Stenton Av

Retail Food: Grocery Market
Philadelphia, PA 19118

Inspection Date

12/3/07

No Critical Violations

8/31/06

No Critical Violations

Stenton Amoco Station
8301 Stenton Av

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

7/13/07

No Critical Violations

11/14/06

No Critical Violations

9/1/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

STENTON AMOCO STATION
8301 Stenton Av

Retail Food: General Convenience
Philadelphia, PA 19118

Inspection Date

8/23/05

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. DISCONTINUE USE OF DEFECTIVE OBSERVED AT 53°F FOR PERISHABLE FOOD AS MILK AND BACON UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F OR BELOW. 9 HALF GALLONS AND 4 POUNDS OF BACON DISPOSED WHILE PRESENT Management instructed to initiate immediate corrective action.

New Roxie Food Market
8315 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

10/31/07

No Critical Violations

10/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city certificate observed. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action. Application given to owner.

Roxies Food Market
8315 Stenton Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118

Inspection Date

3/14/07

No Critical Violations

8/31/06

No Critical Violations

June's Breakfast & Lunch
6338 Stenton St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

11/14/06

No Critical Violations

Kim Jones Family Day Care
5821 Stockton St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

8/31/06

No Critical Violations

Coffee Serve - distributors
3001 Stokley St

Wholesale: Warehouse
Philadelphia, PA 19129

Inspection Date

7/16/08

No Critical Violations

Norwood Fontbonne Academy-Lower Campus
1 E Sunset Av

Institution: School, Private
Philadelphia, PA 19118

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Norwood Fontbonne Academy-Lower Campus
1 E Sunset Av

Institution: School, Private
Philadelphia, PA 19118

Inspection Date

12/10/07

No Critical Violations

Norma Turnbull Family Day Care
6459 N Sydenham St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19126

Inspection Date

7/9/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

8/22/05

No Critical Violations

Jones Family Day Care
119 W Sylvania St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

6/25/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Food Safety Course Information: 215-685-7489

2/17/06

No Critical Violations

Willowcrest
1200 W Tabor Rd

Institution: Nursing and Convalescent Home
Philadelphia, PA 19141

Inspection Date

12/21/07

3-02.1 Refrigeration system does not maintain proper temperatures. Small refrigerator unit in the pantry room on the 2 nd floor has a temperature of 50°, during time of inspection. Refrigeration units use will need to be discontinued until it is repaired.

12/12/07

3-01.1 (A) Potentially hazardous food is stored at improper temperature. (4) Small containers of pudding, (10) 1/2 pint of low fat skim milk, (18) 1/2 pint of reduced fat milk, (6) 1/2 pint of milk, (10) 6 oz. shakes, (12) 6 oz. no sugars shakes, (21) 8 oz. dairy thick, (4) 6 oz. Light & Fit yogurt, (1) small container of cold salad. All food listed products was removed from use, during time of inspection.

3-02.1 Refrigeration system does not maintain proper temperatures. 3-Door refrigeration unit temperature is 51°, during time of inspection. Small refrigerator unit has a temperature of 49°, during time of inspection. Refrigeration units use will need to be discontinued until it is repaired.

5/17/07

No Critical Violations

11/7/06

No Critical Violations

9/14/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Norma Haskins Family Day Care
8122 Temple Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

1/4/07

No Critical Violations

10/13/05

No Critical Violations

Grill's Bar
3847 Terrace St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/29/07

No Critical Violations

Santucci Brothers Pizza
3862 Terrace St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

2/11/07

No Critical Violations

10/11/05

No Critical Violations

10/11/05

No Critical Violations

Mary's Luncheonette
3904 Terrace St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/29/07

No Critical Violations

Today Mini Market
7353 Thouron Av

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

7/14/08

No Critical Violations

6/12/08

7-01 (A) Fly infestation is present throughout the prep area.

8-06.1.1 (C) Drain line is in need of repair. There is a leaking drain pipe at the basement catch basin sink.

2/21/07

No Critical Violations

12/29/05

No Critical Violations

Candace Kids Family Day Care
7700 Thouron Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Candace Kids Family Day Care
7700 Thouron Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

7/7/06

No Critical Violations

12/14/05

No Critical Violations

Sojourner Truth School
8034 Thouron Av

*Institution: School, Private
Philadelphia, PA 19150*

Inspection Date

12/14/06

No Critical Violations

3/15/06

No Critical Violations

Katiya Sturgis Family Day Care
8302 Thouron Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

5/23/06

No Critical Violations

1/11/06

No Critical Violations

Little Explorers Academy Family Day Care
8302 Thouron Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

6/23/08

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

7/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Dorothy Dawkins Family Day Care
8547 Thouron Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

1/5/07

No Critical Violations

9/22/05

No Critical Violations

Umm Bear Love & Care Family Day Care
7918 Thouron St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

9/11/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Umm Bear Love & Care Family Day Care
7918 Thouron St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

5/3/06

No Critical Violations

Jennifer J. Mill Family Day Care
7964 Thouron St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

8/30/05

No Critical Violations

Jennifer Mills Family Day Care
7964 Thouron St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

6/23/08

No Critical Violations

9/6/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The refrigerator is observed at 45° F. Maintain potentially hazardous foods at, or below, 41° F.

8-01.2 (C) Hot water is not provided. Hot water temperature observed at 98° F. Maintain hot water at 110° F.

F S Edmonds School
8025 E Thouron St

Institution: School, Public
Philadelphia, PA 19150

Inspection Date

4/23/08

No Critical Violations

10/15/07

No Critical Violations

3/13/07

No Critical Violations

12/12/06

No Critical Violations

5/18/06

No Critical Violations

10/14/05

No Critical Violations

Brothers Old Style Deli
3492 Tilden St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

4/30/08

No Critical Violations

3/31/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Brothers Old Style Deli
3492 Tilden St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19129

Inspection Date

3/3/08

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Pork roll temperature is 74° F and pork sausage patties temperatures is 78°F, ambient temperature is 73° F in the food prep area, during time of inspection. Listed food products will need to be removed from sale.

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit. Fried chicken in the hot holding unit temperature range is 69° F to 102° F and meatballs temperature in the hot holding unit is 123° F, during time of inspection. The listed food items will need to be recooked to 165° F, before it is used.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping cloths are not stored in a properly labeled container with sanitizer solution in the food prep area, during time of inspection. Management instructed to initiate immediate corrective action.

10-04.0 Oversized equipment is not properly washed or sanitized. Meat slicers are not properly sanitized as required, during time of inspection. Management instructed to initiate immediate corrective action, Sanitarian explained proper cleaning and sanitizing procedure to the manager, during time of inspection.

12/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. A city of Philadelphia food safety certificate is not present. Note: A ServSafe certificate is present. The manager stated that the city certificate application has been sent in to the Health Dept.

10/29/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. No sink stoppers are available. Provide three sink stoppers for the proper washing, rinsing and sanitizing of food containers and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Note: A ServSafe certificate is present.

3/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Provide a city food safety certificate. The manager, Kristine Ferioli, had taken the ServSafe class. She is waiting to receive a new copy of her certificate from them, so that she can submit it for a city certificate.

2/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. Provide a city food safety certificate. Management instructed to initiate immediate corrective action.

11/16/05

No Critical Violations

BrightSpaceChildCare-StentonFM
1300 E Tulpehocken St

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

8/1/05

No Critical Violations

Gaudenzia New Image
1300 E Tulpehocken St

Institution: Adult, Shelter
Philadelphia, PA 19138

Inspection Date

6/6/07

No Critical Violations

8/10/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Gaudenzia New Image
1300 E Tulpehocken St

Institution: Adult, Shelter
Philadelphia, PA 19138

Inspection Date

5/17/06

No Critical Violations

8/1/05

No Critical Violations

Gaudenzia New Image- Child Care
1300 E Tulpehocken St

Institution: Child, Child Care Centers
Philadelphia, PA

Inspection Date

8/1/05

No Critical Violations

Stenton Family Manor
1300 E Tulpehocken St

Institution: Adult, Shelter
Philadelphia, PA 19138

Inspection Date

6/4/07

7-01 (L) Mouse infestation is present. Mouse droppings observed at storage area. ELIMINATE MOUSE INFESTATION. Feces contaminated surfaces are observed.

8-06.1.1 (C) Drain line is in need of repair. Stagnant water observed at basement floor. Management instructed to initiate immediate corrective action.

8/24/06

No Critical Violations

8/10/06

7-01 (L) Mouse infestation is present. Mouse droppings observed:

- on the kitchen floor perimeters

- on the floor of basement rooms with paper goods and unused walk-in freezers. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

5/17/06

7-01 (L) Mouse infestation is present; mouse droppings observed at basement storage area floor. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair; hole and leaking observed at prep area drain line.

Management instructed to initiate immediate corrective action.

8/1/05

No Critical Violations

Stenton Family Manor- Kitchen
1300 E Tulpehocken St

Institution: Adult, Shelter
Philadelphia, PA 19138

Inspection Date

8/1/05

No Critical Violations

Tejada Grocery
1601 E Tulpehocken St

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

11/15/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Anna Bowman Family Day Care
1642 E Tulpehocken St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

9/6/06

No Critical Violations

8/24/05

No Critical Violations

Jackie Houser Family Day Care
2030 E Tulpehocken St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

11/27/06

No Critical Violations

Unitarian Universalist House
224 W Tulpehocken St

*Institution: Nursing and Convalescent Home
Philadelphia, PA 19144*

Inspection Date

7/22/08

4-02.1 Raw or unwashed food is not stored below ready-to-eat food. Raw ground beef stored over cooked chili in refrigerator. Corrected while present.

5/14/07

No Critical Violations

4/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. DISCONTINUE USE OF DEFECTIVE DOMESTIC REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. MILK CONTAINERS OBSERVED AT 50°F. ITEMS DISCARDED WHILE PRESENT.

Management instructed to initiate immediate corrective action.

8-02.2 An approved air gap is not present at drain line system. Inadequate air gap observed.

Management instructed to initiate immediate corrective action.

10/25/06

No Critical Violations

10/25/06

No Critical Violations

9/28/06

7-01 (L) Mouse infestation is present. Mouse droppings observed at rear storage area floor. ELIMINATE MOUSE INFESTATION. Management instructed to initiate immediate corrective action.

9/21/05

No Critical Violations

Delores Biddle's Child Care
6525 N Uber St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

2/26/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Bo Shing Chinese Restaurant
6601 N Uber St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

2/21/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner has completed class and sent in application, money order, and copy of ServSafe certificate. Management initiated immediate corrective action.

1/9/08

No Critical Violations

9/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner completed a class in July and sent in application in August. Management initiated immediate corrective action.

6/13/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is signed up for a class to take place Monday, June 18th. Management instructed to initiate immediate corrective action.

12/12/06

No Critical Violations

Dobson School
4600 Umbria St

Institution: School, Public
Philadelphia, PA 19127

Inspection Date

4/7/08

No Critical Violations

10/23/07

No Critical Violations

2/1/07

No Critical Violations

9/25/06

No Critical Violations

5/17/06

No Critical Violations

9/19/05

No Critical Violations

9/19/05

No Critical Violations

Spanky's Pub
4630 Umbria St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

7/29/08

7-01 (B) Fruit fly infestation is present, bar area.

8-01.2 (B) Cold water is not provided, at 3 compartment sink.

8-06.1.1 (D) Soil line is in need of repair, open.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Spanky's Pub
4630 Umbria St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/5/08

10-02.2 (B) Food equipment and utensils are improperly sanitized. Provide 3 sink stoppers for the 3-basin sink for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10/17/06

No Critical Violations

9/17/06

2-10.2 Ice is not protected from contamination. (Several insanitary beverage cold plates stored in drink ice in the bar area.) Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Uncovered pot of grease stored on floor in kitchen, during time of inspection. Food items is not protected from cross-contamination between raw and prepared foods in small refrigerator/food prep unit. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. (Feces contaminated surfaces are observed on floor in basement area and on floor in bar area.) Management instructed to initiate immediate corrective action.

Marchianos Bakery
4653 Umbria St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19127

Inspection Date

6/1/07

No Critical Violations

5/14/06

No Critical Violations

Sam's Deli
4660 Umbria St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

1/31/08

No Critical Violations

1/5/07

No Critical Violations

Union Jack's Pub
4801 Umbria St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

2/7/08

7-01 (L) Mouse infestation is present. Mouse droppings are present below the steam table and cooking line. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

9-02.2 (A) Employee hand wash frequency is inadequate. No hand washing sink present in the prep area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Union Jack's Pub
4801 Umbria St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19127

Inspection Date

10/10/06

No Critical Violations

9/17/06

No Critical Violations

Javies
4901 Umbria St

Retail Food: General Convenience
Philadelphia, PA 19128

Inspection Date

7/9/08

No Critical Violations

7/9/08

8-01.2 (C) Hot water is not provided.

6/30/08

8-01.2 (C) Hot water is not provided.

8/31/07

No Critical Violations

7/21/06

No Critical Violations

4/19/06

No Critical Violations

Jack's Restaurant & Grille
5001 Umbria St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

9/16/06

No Critical Violations

Phoebe's Bar-B-Q
5002 Umbria St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Phoebe's Bar-B-Q
5002 Umbria St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/17/08

3-01.1 (C) Hot food is not maintained above 140 degrees Fahrenheit. Mac & cheese temperature 128°F at the hot food holding unit in the front counter area, during time of inspection. Food item will need to be reheated to 165°F and held for 15 seconds before being sold to the patrons, immediately.

4-01.1 (A) Food/Food service article storage does not provide protection. Food items in the front food area is not protected from splash contamination from the hand washing station in the front food prep area. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Food items preped in the rear prep area do not have overhead protection (very high ceiling where birds, insects and other vectors can come in contact or contaminate food items), garage area with no doors. Management instructed to initiate immediate corrective action no food can be preped in this area, until approved by the Phila. Dept. of Public Health.

5-04.2 (A) Approved sneeze guards are not provided as required. No sneeze guard is provided at the food prep table/cutting board at the front counter on top of the hot holding/display unit, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Live flies are observed in the rear food prep area where the 2-basin sink is location, during time of inspection. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mice droppings are observed in the establishment during time of inspection. Management instructed to initiate immediate corrective action.

10-02.3 Equipment used for cleaning/sanitizing is improperly operated. Sink stoppers are provided for all basins in the 3-basin sink, during time of inspection. Management instructed to initiate immediate corrective action.

10-04.0 Oversized equipment is not properly washed or sanitized. Large food equipments are washed and rinsed in the 2-basin sink in the rear food prep area, during time of inspection. 3-Basin sink in the establishment has small basins. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. No one is certified in the establishment, owner has list of providers and application from Dept. of Public Health. Management instructed to initiate immediate corrective action.

Produce Point
5002 Umbria St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

9/16/06

2-01.4 Food is not properly labeled/packaged.(Pre-packed containers of nuts and plums are not properly labeled, during time of inspection.) Management instructed to initiate immediate corrective action.

3-01.1 (A) Potentially hazardous food is stored at improper temperature.(Baked turkey temperature is 73°, ambient temperature is 54°, during time of inspection. Stuffed tomatos with rice temperture is 57°, ambient temperture is 54°, during time of inspection. The turkey and stuffed tomatos will need to be need to be discard, if not sold by 1:40 PM 9/16/2006.) Management instructed to initiate immediate corrective action.

Domino Diner
5110 Umbria St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

7/28/08

No Critical Violations

1/10/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Domino Diner
5110 Umbria St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

12/12/07

- 3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. A container of sausage observed at 53° F. Items was moved into the refrigerator.
- 5-01.1 Food is not protected from contamination. Raw, uncovered chicken is stored next to butter packets. Management instructed to initiate immediate corrective action.
- 8-06.1.1 (C) Drain line is in need of repair. The prep area hand washing sink's drain line is leaking.

12/12/07

- 3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. A container of sausage observed at 53° F. Items was moved into the refrigerator.
- 5-01.1 Food is not protected from contamination. Raw, uncovered chicken is stored next to butter packets. Management instructed to initiate immediate corrective action.
- 8-06.1.1 (C) Drain line is in need of repair. The prep area hand washing sink's drain line is leaking.

10/2/06

No Critical Violations

9/16/06

- 2-10.2 Ice is not protected from contamination.(Moldy ice machine in food prep area.) Management instructed to initiate immediate corrective action.
- 3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit.(Raw eggs stored on top of prep table near cooking grill ambient temperature is 104°, during time of inspection.) Management instructed to initiate immediate corrective action.
- 3-02.1 Refrigeration system does not maintain proper temperatures.(2-Door refrigeration unit temperature is 56°at the front counter where juices are stored, during time of inspection. Small refrigerator/food prep unit temperature is 55° across from grill unit in kitchen. 2-Door reach-in refrigerator temperature is 52° located next to walk-in refrigerator unit in kitchen.) Management instructed to initiate immediate corrective action.
- 5-01.1 Food is not protected from contamination. Food items is not protected from cross-contamination between raw and prepared foods in reach-in refrigerations and walk-in refrigeration unit. Containers of juices is not covered, during time of inspection. Food items is not protected from overhead leakage or condensation in both walk-in refrigeration unit.
- 7-01 (L) Mouse infestation is present. (Feces contaminated surfaces are observed along perimeter of floor in the kitchen area.) Management instructed to initiate immediate corrective action.
- 8-06.1.1 (C) Drain line is in need of repair.(Sink is leaking beside to ice machine in the food prep unit. Drain line is leaking under the scrap sink in the kitchen area.) Management instructed to initiate immediate corrective action.
- 9-04 (B) Wiping cloths are used in an unapproved manner. (Wiping cloths are not stored in sanitizing solution in kitchen and in food prep area.) Management instructed to initiate immediate corrective action.
- 10-05.1 (B) Warewasher does not maintain proper washing and sanitizing temperatures. Food service equipment use discontinued until repaired, the establishment will need to wash, rinse and sanitizer all food equipment in the 3-basin sink, until the dishwasher is working properly.

Umbria Golf Center
7200 Umbria St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

7/3/08

No Critical Violations

5/6/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Umbria Golf Center
7200 Umbria St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

5/6/08

7-01 (L) Mouse infestation is present: droppings observed inside sink cabinet.

12-01.5.B (5) Hot water at hand washing sink is not provided: no hot water tank at toilet rooms available.

19-01.1 Food establishment personnel food safety certified individual is not present: popping popcorns only, operator requested variance.

5/23/07

No Critical Violations

Tina's Lil Busy Bodies
125 E Upsal St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

7/11/08

No Critical Violations

2/28/07

No Critical Violations

Blair Christian Academy
220 W Upsal St

Institution: School, Private
Philadelphia, PA 19119

Inspection Date

5/22/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: The city of Philadelphia food safety certificate application has been mailed in. Management instructed to initiate immediate corrective action.

1/23/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Note: The city of Philadelphia food safety certificate application has been mailed in. Management instructed to initiate immediate corrective action.

11/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/10/06

No Critical Violations

11/7/05

No Critical Violations

Interim House
333 W Upsal St

Institution: MHMR, Inpatient Facilities
Philadelphia, PA 19119

Inspection Date

5/21/08

No Critical Violations

4/12/07

No Critical Violations

4/11/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Tilden Food Market
3539 Vaux St

Retail Food: Grocery Market
Philadelphia, PA 19129

Inspection Date

5/25/07

No Critical Violations

3/2/06

No Critical Violations

11/16/05

No Critical Violations

Dorothy Armour Family Day Care
1301 Vernon Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

10/10/06

No Critical Violations

10/13/05

No Critical Violations

Silver Star Chinese Restaurant
1453 Vernon Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

9/12/07

No Critical Violations

11/17/06

No Critical Violations

Elizabeth Smith Family Day Care
335 E Vernon Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19119

Inspection Date

9/12/06

No Critical Violations

9/2/05

No Critical Violations

Pleasant Little People Family Day Care
911 E Vernon Rd

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

2/21/07

No Critical Violations

2/17/06

No Critical Violations

Jame's Food Market
1431 E Vernon St

Retail Food: Grocery Market
Philadelphia, PA 19150

Inspection Date

10/23/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

M & F Food Market
1431 E Vernon Rd

Retail Food: Grocery Market
Philadelphia, PA 19150

Inspection Date

9/12/07

No Critical Violations

7/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

All Aboard Seafood
1443 E Vernon Rd

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

5/11/07

No Critical Violations

Island Delight
1457 E Vernon Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

7/8/08

7-01 (A) Fly infestation is present throughout the prep area.

7-01 (D) Roach infestation is present along the basement stairway.

5/6/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate is required. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present throughout the prep area.

12/17/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

12/3/07

2-01.4 Food is not properly labeled/packaged. Cheese at display case is not labeled. Management instructed to initiate immediate corrective action.

5-01.1 Food is not protected from contamination. Incense observed burning over box of produce and smoker observed at outside rear yard. Remove incense and smoker. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Several roaches observed throughout establishment. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Cloths are not stored in sanitizing solution and observed with roaches on them. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. No sink stoppers observed at time of inspection. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

12/1/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Island Delight
1457 E Vernon Rd

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

11/17/06

7-01 (A) Fly infestation is present. Flies observed throughout establishment. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

10/19/06

No Critical Violations

Yummy Yummy Restaurant
1437 E Vernon St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

12/3/07

No Critical Violations

11/19/07

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered foods observed throughout establishment refrigeration units. Provide proper sanitary covering for all uncovered foods. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Cloths are not stored in sanitizing solution. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Only two sink stoppers observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

Golden Dragon Chinese Food Restaurant
1503 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

7/16/08

7-01 (L) Mouse infestation is present. There are droppings present along the prep area perimeters.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered foods observed at walk-in units. Provide proper sanitary covering for all uncovered foods. Management instructed to initiate immediate corrective action.

6/18/07

No Critical Violations

6/7/06

No Critical Violations

5/23/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on basement shelving. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered bin of flour on the floor.

Harris Drugs
1512 Wadsworth Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

10/23/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Perfect Pizza
1514 Wadsworth Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

7/23/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to obtain a food license.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. There is only one sink stopper present.

5/21/08

7-01 (A) Fly infestation is present throughout the prep area.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered food items present inside a refrigerated unit.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. There is only one sink stopper present.

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to obtain a food license.

Papa's Perfect Pizza
1514 Wadsworth Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

7/23/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. packages of deli meats observed in bain marie unit observed at approx. 55 f . Relocated to freezer while present.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at basement storage shelving .

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

7/23/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. packages of deli meats observed in bain marie unit observed at approx. 55 f . Relocated to freezer while present.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at basement storage shelving .

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

6/18/07

7-01 (L) Mouse infestation is present. Numerous (L) mouse droppings observed at basement floors and shelves and at prep area shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/11/07

No Critical Violations

3/15/07

No Critical Violations

11/6/06

5-01.1 Food is not protected from contamination. Uncovered foods observed at prep area walk-in refrigerator. Provide covers for all food containers. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous (L) mouse droppings observed at basement floors and shelves and at prep area shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Papa's Perfect Pizza
1514 Wadsworth Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

10/23/06

7-01 (A) Fly infestation is present. Numerous flies observed at prep area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Fruit Basket
1520 Wadsworth Av

Retail Food: Grocery Market
Philadelphia, PA 19150

Inspection Date

7/18/08

No Critical Violations

7/11/08

7-01 (A) Fly infestation is present. There is an excessive amount of flies throughout the entire establishment.

10/23/06

No Critical Violations

Wadsworth Pizzeria
1523 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

7/16/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance.

7-01 (A) Fly infestation is present throughout the establishment.

7-01 (L) Mouse infestation is present. There are droppings present throughout the shelves and floor perimeters.

12/4/06

No Critical Violations

11/20/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves near bain marie. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/8/05

No Critical Violations

Sam's Meat
1524 Wadsworth Av

Retail Food: Grocery Market
Philadelphia, PA 19150

Inspection Date

6/18/07

No Critical Violations

2/24/06

No Critical Violations

Wadsworth Fry House
1525 Wadsworth Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wadsworth Fry House
1525 Wadsworth Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19150

Inspection Date

11/16/07

No Critical Violations

10/23/06

No Critical Violations

Pat's Carribean Market
1527 Wadsworth Av

Retail Food: Grocery Market
Philadelphia, PA 19150

Inspection Date

7/11/08

7-01 (A) Fly infestation is present throughout the establishment.

7-01 (B) Fruit fly infestation is present around a box of tomatoes. (DISCARDED IMMEDIATELY)

5/22/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

5/8/07

7-01 (A) Fly infestation is present. Multiple flies observed at rear prep area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.

7-01 (D) Roach infestation is present. Numerous roaches observed throughout rear area walls, floors, and ceilings. Eliminate roach infestation. Management instructed to initiate immediate corrective action.

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

3/13/06

No Critical Violations

2/24/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor in the rear area.

2/24/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor in the rear area.

Hummingbird Restaurant
1530 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

11/6/06

No Critical Violations

Classic Pizza Shop
1532 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

11/6/06

No Critical Violations

Classic Sub Shop & Pizza
1532 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Classic Sub Shop & Pizza
1532 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

7/30/07

No Critical Violations

5/22/07

19-01.1 Food establishment personnel food safety certified individual is not present. Chester County Food Safety Certificate observed. Management instructed to initiate immediate corrective action.

Aladdin Pizza
1540 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

11/6/06

No Critical Violations

Big Daddy's BBQ
1540 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

5/9/07

No Critical Violations

Papa John's
1555 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

10/30/07

No Critical Violations

10/5/06

No Critical Violations

Green Garden
1556 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

11/20/06

No Critical Violations

11/6/06

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered food items in walk-in refrigerators and freezers. Provide cover for all food item containers. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at basement and prep areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Green Garden Restaurant
1556 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

4/15/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Little Treasures Day Care Center
1562 Wadsworth Av

Institution: Child, Child Care Centers
Philadelphia, PA 19150

Inspection Date

3/5/08

No Critical Violations

1/7/08

2-01.1 (A) Food is not from an approved source. Lunches are prepared by another Little Treasures Day Care Center which has not yet been approved for a Food License by Environmental Health Services. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Application given to supervisor. Management instructed to initiate immediate corrective action.

1/8/07

2-01.1 (A) Food is not from an approved source. Lunches are prepared by another Little Treasures Day Care Center which has not yet been approved for a Food License by Environmental Health Services. Management instructed to initiate immediate corrective action.

11/1/05

2-01.1 (A) Food is not from an approved source. Lunches are prepared at another day care which has not yet been approved for a Food License by Environmental Health Services. Management instructed to initiate immediate corrective action.

CVS Pharmacy #2113
1600 Wadsworth Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

10/1/07

No Critical Violations

10/2/06

No Critical Violations

Family Dollar
1600 Wadsworth Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

3/5/07

No Critical Violations

1/2/07

No Critical Violations

12/18/06

7-01 (L) Mouse infestation is present. Fresh mouse droppings observed at rear storage area and under food stocked shelves at patron area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10/13/06

No Critical Violations

10/2/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in storage room . Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Family Dollar
1600 Wadsworth Av

Retail Food: General Convenience
Philadelphia, PA 19150

Inspection Date

10/2/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in storage room .
Eliminate mouse infestation.
Management instructed to initiate immediate corrective action.

3/13/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed in dog food aisle, food aisles, entrance area and storage room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Agape Community Outreach Child Care
1609 Wadsworth Av

Institution: Child, Child Care Centers
Philadelphia, PA 19150

Inspection Date

1/22/08

No Critical Violations

1/7/08

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

1/17/07

No Critical Violations

1/17/07

No Critical Violations

Bilalian Food Corp.
1614 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

2/21/07

No Critical Violations

1/11/06

No Critical Violations

12/27/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelves and floor in rear storeroom and floor behind equipment in prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

7/11/05

No Critical Violations

Dunkin Donuts /Baskin Robbins
1636 Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

10/23/06

No Critical Violations

DUNKIN DONUTS/BASKIN ROBBINS
1636 WADSWORTH Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

DUNKIN DONUTS/BASKIN ROBBINS
1636 WADSWORTH Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

10/14/05

No Critical Violations

Smart Start Academy Child Care
1507 E Wadsworth Av

Institution: Child, Child Care Centers
Philadelphia, PA 19150

Inspection Date

7/11/08

19-01.1 Food establishment personnel food safety certified individual is not present. A City of Philadelphia Food Safety Certificate is needed in order to be in compliance. Management initiated immediate corrective action.

7-01 (L) Mouse infestation is present. There were droppings present in bldg. #2 kitchen floor perimeters and sink cabinetry.

8-06.1.1 (A) Liquid waste is not disposed of properly. There is some stagnant water present along the basement floor.

5/8/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management initiated immediate corrective action.

4/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/8/07

No Critical Violations

4/10/06

7-01 (K) Rat infestation is present - several rat feces observed in basement floor in building A
Management instructed to initiate immediate corrective action and eliminate rat infestation

8-06.1.1 (D) Soil line is in need of repair - open floor drain / sewage pipes in basement bathrooms ;
seal holes in basement flooring, where toilet was previous installed.

Management instructed to initiate immediate corrective action.

3/28/06

7-01 (K) Rat infestation is present - several rat feces observed in basement floor in building A
Management instructed to initiate immediate corrective action and eliminate rat infestation

8-06.1.1 (D) Soil line is in need of repair - open floor drain / sewage pipes in basement bathrooms ;
seal holes in basement flooring.

Management instructed to initiate immediate corrective action.

Breakfast Junction
1517 E Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

7/11/08

7-01 (A) Fly infestation is present in the seating area.

7-01 (D) Roach infestation is present along the prep sink counter.

7-01 (L) Mouse infestation is present. There are droppings along the floor perimeters throughout.

19-01.1 Food establishment personnel food safety certified individual is not present. Non-city food safety certificate (KAGRO) posted and application for City of Philadelphia Food Safety Certificate has been issued. Management initiated immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Breakfast Junction
1517 E Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

3/30/07

No Critical Violations

11/20/06

No Critical Violations

7/10/06

No Critical Violations

Mello's Island Life Cafe
1529 E Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

11/20/06

No Critical Violations

Seafood Sensations
1529 E Wadsworth Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19150

Inspection Date

4/11/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters of establishment. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed only. Owner sent in application for City of Philadelphia Food Safety Certificate. Management initiated immediate corrective action.

3/27/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed around perimeters of establishment. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed only. Management instructed to initiate immediate corrective action.

Wagner Restaurant
1066 Wagner Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

1/21/07

No Critical Violations

New Star Chinese Restaurant
1080 Wagner Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141

Inspection Date

2/9/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

*New Star Chinese Restaurant
1080 Wagner Av*

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19141*

Inspection Date

1/21/07

7-01 (L) Mouse infestation is present ; numerous mouse droppings observed on the floor in storage room.

*Fair Havens Day Care
1250 Wagner Av*

*Institution: Child, Child Care Centers
Philadelphia, PA 19141*

Inspection Date

8/28/07

No Critical Violations

*L & C Restaurant
1350 Wagner Av*

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141*

Inspection Date

2/2/08

No Critical Violations

1/21/07

No Critical Violations

AROUND THE CLOCK DAYCARE
1030 W WAGNER Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

7/30/06

No Critical Violations

*Monique family day care
1019 W Wagner St*

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

4/23/07

No Critical Violations

3/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

*Curious Little Minds
5156 Wakefield St*

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

4/8/08

No Critical Violations

*Jaquez Mini Market
5169 Wakefield St*

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

5/6/08

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Jaquez Mini Market
5169 Wakefield St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

3/31/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. At time of inspection, a mop was stored inside sink and no sink stoppers or sanitizer observed. Remove mop and provide three sink stoppers (one per basin) and sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. There are droppings present along the retail, prep and storage area shelves and perimeters.

12/27/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. At time of inspection, a mop was stored inside sink and no sink stoppers or sanitizer observed. Remove mop and provide three sink stoppers (one per basin) and sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is enrolled in a class. Management instructed to initiate immediate corrective action.

12/11/07

5-01.1 Food is not protected from contamination. No splash guard present between prep area handsink and fryers. Provide splash guard to protect food from contamination. Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required. No sneeze guard provided for deli scale. Provide sneeze guard to protect food from contamination. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment floors and shelves. Eliminate mouse infestation Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Cloths are not stored in sanitizing solution. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Three-basin sink is for washing, rinsing, and sanitizing of food equipment and multi-use utensils only. At time of inspection, multiple beverage cases were blocking access to three-basin sink and no sink stoppers or sanitizer observed. Remove beverage cases and provide three sink stoppers (one per basin) and sanitizer for proper washing, rinsing, and sanitizing of food equipment and multi-use utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner is enrolled in a class next week. Management instructed to initiate immediate corrective action.

12/28/06

No Critical Violations

12/13/06

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Items observed stored inside and in front of three-basin sink. Remove items so food equipment and utensils can be properly cleaned and sanitized. Management instructed to initiate immediate corrective action.

10-03.0 Utensils are not air dried after sanitization. No drying rack above three-basin sink. Provide drying rack. Management instructed to initiate immediate corrective action.

2/17/06

No Critical Violations

9/23/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wister School
5200 Wakefield St

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

4/8/08

No Critical Violations

11/13/07

No Critical Violations

3/19/07

No Critical Violations

12/11/06

No Critical Violations

5/17/06

No Critical Violations

10/3/05

No Critical Violations

Wister School Bright Future
5200 Wakefield St

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

4/8/08

No Critical Violations

3/19/07

No Critical Violations

12/11/06

No Critical Violations

5/17/06

No Critical Violations

Millie's Hideout
5201 Wakefield St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

1/11/07

No Critical Violations

12/28/06

No Critical Violations

Johnson Family Day Care
5245 Wakefield St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

9/12/06

No Critical Violations

9/20/05

No Critical Violations

A Plus Mini Market #008176
630 Walnut Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

A Plus Mini Market #008176
630 Walnut Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128

Inspection Date

5/12/08

No Critical Violations

1/31/08

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a City of Philadelphia Food Safety Certificate. Application issued. Management instructed to initiate immediate corrective action.

1/8/07

No Critical Violations

Walnut Lane Golf Club
800 Walnut Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

4/26/07

No Critical Violations

3/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. The Serve Safe certificate is present. Obtain a City food safety certificate. Management instructed to initiate immediate corrective action.

1/13/06

No Critical Violations

1/11/06

4-01.1 (A) Food/Food service article storage does not provide protection - splash guard as required at both sides of kitchen hand washing sink is not provided.

Simons Child Care Center
1601 Walnut Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

6/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

5/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/12/06

No Critical Violations

Francine Dennis Family Day Care
18 E Walnut Ln

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

8/13/07

No Critical Violations

6/1/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

J-Care Early Learning
47 E Walnut Ln

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

2/21/07

No Critical Violations

2/23/06

No Critical Violations

Gomez Grocery
82 E Walnut Ln

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19128*

Inspection Date

5/12/08

No Critical Violations

3/11/08

19-01.1 Food establishment personnel food safety certified individual is not present at time of inspection. Food Safety and Salud Certificate only.

10/26/06

No Critical Violations

United Food Market
500 E Walnut Ln

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

11/9/06

No Critical Violations

10/26/06

5-04.2 (A) Approved sneeze guards are not provided as required for scale at prep area. Provide sneeze guard to protect from contamination. Management instructed to initiate immediate corrective action.

10-01.4 (B) Clean equipment and utensil storage facilities are not provided. No drying rack present at three-basin sink. Provide drying rack to allow for air-drying after washing and sanitizing. Management instructed to initiate immediate corrective action.

11-09.3 Food equipment is not properly installed. No splash guard present between three-basin and hand washing sinks. Provide splash guard to prevent contamination. Management instructed to initiate immediate corrective action.

12-02.2 (A) Hand washing sink is not readily available for use. Valves at prep area handsink are turned off because handles are loose and water does not turn off. Fix handles so hand washing sink is readily available for use at all times. Management instructed to initiate immediate corrective action.

Dianna's Learning Tree
1514 E Walnut Ln

*Institution: Child, Group Day Care Homes
Philadelphia, PA 19144*

Inspection Date

5/16/07

No Critical Violations

5/3/06

No Critical Violations

Serrata Grocery
7453 E Walnut Ln

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Serrata Grocery
7453 E Walnut Ln

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

5/16/07

No Critical Violations

2/15/06

No Critical Violations

Green Tree School
143 W Walnut Ln

*Institution: School, Private
Philadelphia, PA 19144*

Inspection Date

1/23/08

No Critical Violations

11/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

11/16/06

No Critical Violations

3/17/06

No Critical Violations

Forever Friends Child Care
546 W Walnut Ln

*Institution: Child, Child Care Centers
Philadelphia, PA 19128*

Inspection Date

2/7/08

No Critical Violations

2/2/07

No Critical Violations

2/2/06

No Critical Violations

Alma's Family Day Care
4943 N Warnock St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

7/16/08

No Critical Violations

Burley Family Day Care
6033 N Warnock St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

8/6/07

No Critical Violations

Dunkin' Donuts
1325 Washington Ln

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dunkin' Donuts
1325 Washington Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

10/10/07

No Critical Violations

9/20/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to manager. Management instructed to initiate immediate corrective action.

8/2/06

No Critical Violations

Kidsville Day Care Center
1340 Washington Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

11/14/07

No Critical Violations

11/17/06

No Critical Violations

10/27/05

No Critical Violations

Roosevelt Middle School
300 E Washington Ln

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

4/22/08

No Critical Violations

11/13/07

No Critical Violations

3/13/07

No Critical Violations

11/16/06

No Critical Violations

5/8/06

No Critical Violations

9/8/05

No Critical Violations

Roosevelt Middle School Day Care Center
300 E Washington Ln

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

4/22/08

No Critical Violations

12/4/07

No Critical Violations

3/13/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Roosevelt Middle School Day Care Center
300 E Washington Ln

Institution: School, Public
Philadelphia, PA 19144

Inspection Date

11/16/06

No Critical Violations

5/8/06

No Critical Violations

9/8/05

No Critical Violations

Reyes Grocery
457 E Washington Ln

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

6/23/08

19-01.1 Food establishment personnel food safety certified individual is not present at the time of inspection.

7-01 (J) Other insect infestation is present. Flea infestation in the basement area.

9/10/07

No Critical Violations

6/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management instructed to initiate immediate corrective action.

6/1/06

No Critical Violations

Stevez Grocery
457 E Washington Ln

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

7/2/08

No Critical Violations

Community Comprehensive Child Care
512 E Washington Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

2/8/06

No Critical Violations

Community Comprehensive Learning Center
518 E Washington Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

5/22/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

3/17/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Community Comprehensive Learning Center
518 E Washington Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

2/1/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

2/20/07

No Critical Violations

ARTrageous Kids Childcare
542 E Washington Ln

Institution: Child, Family Day Care Homes
Philadelphia, PA 19144

Inspection Date

8/7/07

No Critical Violations

Heritage Mobil Mart
800 E Washington Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/24/06

No Critical Violations

Lukoil
800 E Washington Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

7/30/08

No Critical Violations

12/11/06

No Critical Violations

Rite Aid #1288
1315 E Washington Ln

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

7/20/08

7-01 (A) Fly infestation is present. There are a few flies present in the rear storage area near the walk-in box.

6/14/07

No Critical Violations

6/4/06

No Critical Violations

Auto Zone
1416 E Washington Ln

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

9/24/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

River's Gym and Health Center
1424 E Washington Ln

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

9/24/06

No Critical Violations

Ida's Learning Center
1428 E Washington Ln

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

9/21/07

No Critical Violations

9/20/07

12-01.5.B (5) Hot water at hand washing sink is not provided. No hot water observed at time of inspection. Hot water temperature of 110°F must be provided at all times.

ORDERS: You are required to fix the hot water heater and provide hot water to the establishment before you open on the next business day. You must call this Sanitarian for a reinspection to determine compliance before re-opening for business.

Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

8/15/06

No Critical Violations

No. One Chinese Restaurant
1430 E Washington Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

3/28/07

19-04 Food establishment personnel food safety certificate is expired. Owner completed a re-certification class through the JNA Institute and sent in the application for City of Philadelphia Food Safety Certificate on March 15th, 2007. Management initiated immediate corrective action.

2/23/07

19-04 Food establishment personnel food safety certificate is expired. Management instructed to initiate immediate corrective action.

11/16/06

No Critical Violations

8/25/05

No Critical Violations

Carolyn Green Family Day Care
1510 E Washington Ln

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/14/06

No Critical Violations

9/2/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Johnson Family Day Care
1714 E Washington Ln

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

12/23/05

No Critical Violations

Penny Packer Elementary School
1800 E Washington Ln

*Institution: School, Public
Philadelphia, PA 19138*

Inspection Date

5/22/08

No Critical Violations

11/5/07

No Critical Violations

2/23/07

No Critical Violations

11/8/06

No Critical Violations

5/18/06

No Critical Violations

10/20/05

No Critical Violations

Atomic Wings
1901 E Washington Ln

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

7/20/08

7-01 (L) Mouse infestation is present. There are droppings present along some floor perimeters and shelves.

4-01.1 (A) Food/Food service article storage does not provide protection. Uncovered foods in the walk-in box.

4/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe observed. Owner has sent in application for City of Philadelphia Food Safety Certificate. Management initiated immediate corrective action.

3/7/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/21/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed on shelves and around perimeters of prep area. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

11/25/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Atomic Wings
1901 E Washington Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

11/17/05

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. Kitchen utensils/knives and food containers .

- One sink stopper present - Three sink stoppers are required.
- No sanitizer present in establishment.
- Employee had no knowledge of the sanitization process and it was not observed being done as required .

Provide for the required washing , rinsing and sanitizing of multi use utensils and food equipment .
Use an approved sanitizer according to the instructions and concentrations indicated indicated on the label. Items must be air dried after sanitizing

Washington Lane Mini Market
1901 E Washington Ln

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

9/27/06

No Critical Violations

Washington Lane Discount
1905 E Washington Ln

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

7/30/08

No Critical Violations

9/27/06

No Critical Violations

Dollar Plus Outlet
1909 E Washington Ln

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

7/23/08

No Critical Violations

9/24/06

No Critical Violations

C & C Sunrise
1916 E Washington Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

7/30/08

7-01 (L) Mouse infestation is present. There are droppings present along the cooking line perimeters.

11/5/07

No Critical Violations

10/31/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Sunrise Breakfast
1916 E Washington Ln

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

1/30/07

No Critical Violations

9/27/06

No Critical Violations

Liberty Pharmacy
1926 E Washington Ln

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

9/27/06

No Critical Violations

China Star
1930 E Washington Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

2/1/08

No Critical Violations

10/10/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

9/20/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at prep area shelves and floor. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

4/20/06

No Critical Violations

Lisa Seafood
1932 E Washington Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

7/30/08

5-04.2 (A) Approved sneeze guards are not provided as required in front of the scale.
8-06.1.1 (C) Drain line is in need of repair under the prep area 3 basin sink.

5/17/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management initiated immediate corrective action. Owner is taking class with KAGRO until June 5th, 2007.

5/3/07

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed at rear area floor and shelving. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper observed. Provide three sink stoppers (one per basin) for proper washing, rinsing, and sanitizing of food equipment and utensils as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. List of providers and application given to owner. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Lisa Seafood
1932 E Washington Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/12/06

No Critical Violations

9/24/06

7-01 (L) Mouse infestation is present. Numerous mouse droppings observed throughout establishment: under cooking equipment, in rear storage room, and on food storage shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Choo's Produce
1940 E Washington Ln

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

6/14/07

No Critical Violations

3/1/06

No Critical Violations

Pike's Seafood
1940 E Washington Ln

Retail Food: Grocery Market
Philadelphia, PA 19138

Inspection Date

11/28/07

No Critical Violations

11/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

10/17/07

5-04.2 (A) Approved sneeze guards are not provided as required for scales.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Tennille's Water Ice cart #001036
77 W Washington Ln

Retail Food: Mobile Food Vendor
Philadelphia, PA 19144

Inspection Date

7/13/07

No Critical Violations

Minh Lee's Market
280 W Washington Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

5/21/07

No Critical Violations

6/17/06

No Critical Violations

The Dugout Deli
282 W Washington Ln

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

The Dugout Deli
282 W Washington Ln

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

1/18/07

No Critical Violations

Mom & Pop Restaurant
4523 Wayne Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

5/4/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner has submitted his City of Philadelphia food safety certificate application. Management instructed to initiate immediate corrective action.

3/27/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner completed the course, and is awaiting his test results. Management instructed to initiate immediate corrective action.

2/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

10/25/05

No Critical Violations

Beijing Garden Chinese Restaurant
4527 Wayne Av

*Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144*

Inspection Date

2/12/08

No Critical Violations

7/16/07

No Critical Violations

6/14/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Application given to owner. Management instructed to initiate immediate corrective action.

3/1/07

No Critical Violations

7/12/06

No Critical Violations

Edwards Personal Care Home
4552 Wayne Av

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Edwards Personal Care Home
4552 Wayne Av

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

7/30/07

3-02.1 Refrigeration system does not maintain proper temperatures. The only available refrigerator is at 62° F. Maintain all potentially hazardous foods below 41° F. Management instructed to initiate immediate corrective action.

Note: No potentially hazardous foods were stored in the refrigerator at the time of inspection. All items are being kept in the freezer.

ORDERS: Do not use the refrigerator for potentially hazardous foods until it is repaired, and can maintain a temperature below 41° F.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

7/13/07

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. The only available refrigerator is at 55° F. Maintain all potentially hazardous foods below 41° F. Management instructed to initiate immediate corrective action.

Note: No potentially hazardous foods were stored in the refrigerator at the time of inspection.

ORDERS: Do not use the refrigerator for potentially hazardous foods until it is repaired, and can maintain a temperature below 41° F.

7-01 (L) Mouse infestation is present. Mouse droppings are present on the basement shelves.

Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only two sink stoppers are present. A total of three are needed for the proper wash-rinse-sanitize process. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Penny Saver Market
4562 Wayne Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

3/21/07

No Critical Violations

1/19/06

No Critical Violations

James-Marie Personal Care Home
4627 Wayne Av

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

12/6/06

No Critical Violations

12/30/05

No Critical Violations

12/15/05

7-01 (L) Mouse infestation is present. Mouse droppings observed on kitchen floor, rear room shelves and in the basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Charley B's Place
4851 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The owner is currently taking the course. Management instructed to initiate immediate corrective action.

5/3/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

4/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/19/06

No Critical Violations

T & K Grocery Store
4907 Wayne Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

1/27/08

No Critical Violations

1/14/07

No Critical Violations

Michael's Laundromat
4927 Wayne Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

8/29/07

No Critical Violations

8/30/06

No Critical Violations

Kenny's Seafood & Steak
4931 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

5/10/07

No Critical Violations

5/24/06

No Critical Violations

New Kitchen
4938 Wayne Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

4/9/07

No Critical Violations

New Kitchen Restaurant
4938 Wayne Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Kitchen Restaurant
4938 Wayne Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

4/15/08

No Critical Violations

Knappy Knicky's & Company
4939 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

6/7/06

No Critical Violations

5/24/06

4-01.1 (A) Food/Food service article storage does not provide protection. Food preparation is being conducted on the sidewalk, in front of the store. Discontinue use of drum for cooking.
8-06.1.1 (C) Drain line is in need of repair. Leaking in basement. Management instructed to initiate immediate corrective action.

Wayne Superette
4942 Wayne Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

12/10/07

No Critical Violations

10/12/06

No Critical Violations

7/7/06

No Critical Violations

6/17/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on dog food shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Peter's Steaks and Hoagies
4948 Wayne Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

8/29/07

No Critical Violations

8/9/06

No Critical Violations

Jay's Variety
5006 Wayne Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

8/29/07

No Critical Violations

8/9/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Shakir's Restaurant & Ice Cream Cafe
5009 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

11/26/07

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor in the rear room and basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Utensils and food containers are not properly sanitized. Two sink stoppers are present. A total of three are needed for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia food safety certificate. Note: The owner is signed up for a course beginning December 19th. Management instructed to initiate immediate corrective action.

9/18/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Utensils and food containers are not properly sanitized. Two sink stoppers are present. A total of three are needed for the proper wash-rinse-sanitize procedure. Management instructed to initiate immediate corrective action.

9/19/06

No Critical Violations

Ed's Pizza House
5022 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

4/25/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Sink stoppers and sanitizer are not available. Provide 3 sink stoppers and an approved sanitizer for the proper wash-rinse-sanitize procedure for dishware and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

3/29/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Sink stoppers and sanitizer are not available. Provide 3 sink stoppers and an approved sanitizer for the proper wash-rinse-sanitize procedure for dishware and utensils. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

1/25/06

No Critical Violations

CRIVS Precious Children's Child Care
5040 Wayne Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

10/2/07

No Critical Violations

10/17/06

No Critical Violations

10/5/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kang's Mini Market
5101 Wayne Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

1/30/08

No Critical Violations

12/7/06

No Critical Violations

Little Angels Day Care Center
5114 Wayne Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

10/2/07

No Critical Violations

10/18/06

No Critical Violations

5/4/06

No Critical Violations

10/5/05

No Critical Violations

Sally Watson House Crisis Nursery
5128 Wayne Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

11/6/07

No Critical Violations

11/2/06

No Critical Violations

11/1/05

No Critical Violations

Progressive Supermarket
5348 Wayne Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

8/28/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action. Note: The manager is signed up for the class.

7/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

7/2/07

4-01.1 (A) Food/Food service article storage does not provide protection. The water ice scoop is stored in an open bucket of stagnant water in the customer area. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Progressive Supermarket
5348 Wayne Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

11/9/06

No Critical Violations

10/26/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the shelf with cat food and in the rear storage room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

8/9/06

2-01.1 (D) Defective food containers are present. Dented can of Princella cut sweet potatoes on shelf.
3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Display refrigerator, in rear area, observed at 60° F. Hot dogs, butter, sour cream, and cheese present. Management stated that items were only there temporarily and moved them to an empty display refrigerator at proper temperature. Management initiated immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection. Water ice scoop is stored in an open bucket of stagnant water in customer area.

7-01 (A) Fly infestation is present. Flies observed near potatoes/onions. Management instructed to initiate immediate corrective action.

7-01 (L) Mouse infestation is present. Mouse droppings observed on shelf with mop heads and in rear storage room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized - kitchen utensils, slicer components and food containers.

- Only one sink stopper is present. Provide 3 sink stoppers.

Provide for the required washing , rinsing and sanitizing of multi use utensils and food equipment .
Use an approved sanitizer according to the instructions and concentrations indicated indicated on the label.

Gaudenzia Re-Entry House
5401 Wayne Av

Institution: Adult, Shelter
Philadelphia, PA 19144

Inspection Date

12/4/07

No Critical Violations

12/7/06

No Critical Violations

12/6/05

No Critical Violations

New Courtland Life Program
5457 Wayne Av

Institution: Adult, Adult Day Care
Philadelphia, PA 19144

Inspection Date

5/7/08

No Critical Violations

4/22/08

10-01.1 (A) An approved equipment and utensil washing sink is not provided, 3 compartment sink is lacking, currently using a pre wash sink, and high temp. dish wash unit.

3/26/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

New Courtland Life Program
5457 Wayne Av

Institution: Adult, Adult Day Care
Philadelphia, PA 19144

Inspection Date

3/22/07

No Critical Violations

Delaware Valley Charter High School
5538 Wayne Av

Institution: School, Charter
Philadelphia, PA 19144

Inspection Date

5/8/06

No Critical Violations

Germantown Settlement Charter School
5538 Wayne Av

Institution: School, Charter
Philadelphia, PA 19144

Inspection Date

6/2/08

No Critical Violations

10/16/07

No Critical Violations

2/20/07

No Critical Violations

11/2/06

No Critical Violations

10/27/06

No Critical Violations

Victor's Tavern
5550 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/28/07

No Critical Violations

8/9/06

No Critical Violations

Dollar General Store
5753 Wayne Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

5/14/08

7-01 (L) Mouse infestation is present, live mouse on glue trap, fresh droppings throughout floor areas.

5/23/07

No Critical Violations

6/11/06

No Critical Violations

Dunkin' Donuts
5753 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dunkin' Donuts
5753 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

5/23/07

No Critical Violations

6/11/06

No Critical Violations

Sav-A-Lot #269
5753 Wayne Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

6/11/06

No Critical Violations

Save A Lot - #269
5753 Wayne Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

6/15/07

No Critical Violations

5/23/07

7-01 (L) Mouse infestation is present. Mouse droppings observed on the baby food and soda shelves. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
10-01.1 (A) An approved equipment and utensil washing sink is not provided. Knives and a scale are used. A 3-basin sink is required for washing, rinsing and sanitizing of these items. Management instructed to initiate immediate corrective action.
10-02.2 (B) Food equipment and utensils are improperly sanitized. No sink is provided for the proper wash, rinse and sanitize procedure. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Urban Cafe
5815 Wayne Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

5/10/07

No Critical Violations

4/9/07

No Critical Violations

3/29/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/20/07

7-01 (L) Mouse infestation is present. Mouse droppings observed on the basement floor. Management instructed to initiate immediate corrective action.

2/6/07

7-01 (L) Mouse infestation is present. Mouse droppings observed on the basement floor. Management instructed to initiate immediate corrective action.

1/25/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kaysim Court Manor
5909 Wayne Av

*Institution: Adult, Personal Care Boarding Home
Philadelphia, PA 19144*

Inspection Date

7/27/07

No Critical Violations

7/5/07

12-01.5.B (5) Hot water at hand washing sink is not provided at the prep area handsink. Management instructed to initiate immediate corrective action.

7/31/06

No Critical Violations

7/10/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on food storage shelves and the floor, in the basement. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. Sink is not working.

12-01.5.B (5) Hot water at hand washing sink is not provided. Sink is not working.

7/29/05

No Critical Violations

Steve Turner Family Day Care
5927 Wayne Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

11/14/07

No Critical Violations

11/14/07

No Critical Violations

Anna Lane Lingelbach School
6300 Wayne Av

*Institution: School, Public
Philadelphia, PA 19144*

Inspection Date

2/28/08

12-01.5.B (4) Cold water at hand washing sink is not provided, handle missing, staff, girls.

10/11/07

No Critical Violations

3/6/07

No Critical Violations

2/20/07

7-01 (L) Mouse infestation is present. Mouse droppings are present along the floor perimeters, in the storage/office room. Management instructed to initiate immediate corrective action.

11/10/06

No Critical Violations

5/23/06

No Critical Violations

5/9/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor of the storerooms and kitchen perimeters.

9/9/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Green Tree School
6400 Wayne Av

Institution: School, Private
Philadelphia, PA 19144

Inspection Date

1/23/08

No Critical Violations

11/21/07

19-01.1 Food establishment personnel food safety certified individual is not present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/16/06

No Critical Violations

2/15/06

No Critical Violations

Sue's House
6513 Wayne Av

Institution: Child, Group Day Care Homes
Philadelphia, PA 19144

Inspection Date

2/5/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a city of Philadelphia Food Safety certificate.

Food Safety Course Information:

(215) 685-7494

(215) 685-7489

2/2/07

No Critical Violations

2/3/06

No Critical Violations

New Canton Restaurant
5817 Wayne St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

8/30/07

No Critical Violations

8/14/06

No Critical Violations

8/9/06

No Critical Violations

Wafiyah's Day Care
803 W Wellens Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19141

Inspection Date

8/30/07

No Critical Violations

Guido's Festival of Foods #887
144 Wendover St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19127

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Guido's Festival of Foods #887
144 Wendover St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19127

Inspection Date

4/7/08

No Critical Violations

5/4/07

No Critical Violations

4/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

2/16/06

No Critical Violations

Dalessandro's Steaks
600 Wendover St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

6/5/08

No Critical Violations

5/28/08

4-01.1 (A) Food/Food service article storage does not provide protection, splash guard lacking between hand wash sink and 3 compartment sink 1st floor.

4-03.4 Food is stored beneath unprotected sewer lines or dripping water lines. The 2-basin sink is next to the soil line, food stored at 2nd soil line. Management instructed to initiate immediate corrective action.

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. No 3-basin sink is present in the basement prep area. Management instructed to initiate immediate corrective action.

5-03.2 (B) Hazardous chemicals are not properly used, fly strips not placed properly.

5-01.1 Food is not protected from contamination, onions stored next to bleach on basement floor level.

7-01 (B) Fruit fly infestation is present, observed on wall areas.

10-02.2 (B) Food equipment and utensils are improperly sanitized. The slicer machine components are not sanitized. The proper wash-rinse-sanitize procedure must be followed. A 3-basin sink must be used along with an approved sanitizer. Management instructed to initiate immediate corrective action.

2/14/08

4-03.4 Food is stored beneath unprotected sewer lines or dripping water lines. The 2-basin sink is next to the sewer line. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping clothes are not stored in sanitizing solution.

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. No 3-basin sink is present in the basement prep area. An employee stated that the 2-basin sink is used. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. The slicer machine components are not sanitized. An employee stated that he uses the 2-basin sink with soap and water. The proper wash-rinse-sanitize procedure must be followed. A 3-basin sink must be used along with an approved sanitizer. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water faucet handle is missing at the first floor toilet room. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend a food safety course and obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dalessandro's Steaks
600 Wendover St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19128

Inspection Date

1/29/08

4-02.1 Raw or unwashed food is not stored below ready-to-eat food. Thawing beef is stored on top of beverages in the basement storage area. Management instructed to initiate immediate corrective action.

4-03.4 Food is stored beneath unprotected sewer lines or dripping water lines. The 2-basin sink is next to the sewer line. Management instructed to initiate immediate corrective action.

9-02.1 Employee hands are not washed prior to food handling activities. Employee did not wash hands prior to food handling after picking meat off of the floor and handling trash. Management instructed to initiate immediate corrective action.

9-02.3 (B) Employees are smoking in unapproved areas. An ashtray, with cigarettes, observed at basement area. Management instructed to initiate immediate corrective action.

9-04 (B) Wiping cloths are used in an unapproved manner. Wiping clothes are not stored in sanitizing solution.

10-01.1 (B) An approved sink for manual washing and sanitization is not provided. No 3-basin sink is present in the basement prep area. An employee stated that the 2-basin sink is used. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. The slicer machine components are not sanitized. An employee stated that he uses the 2-basin sink with soap and water. The proper wash-rinse-sanitize procedure must be followed. A 3-basin sink must be used along with an approved sanitizer. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. The hot water faucet handle is missing at the first floor toilet room. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Attend a food safety course and obtain a City of Philadelphia Food Safety Certificate. Management instructed to initiate immediate corrective action.

10/26/06

No Critical Violations

10/10/06

4-02.1 Raw or unwashed food is not stored below ready-to-eat food. Thawing meat observed on top of beverages in basement storage area. Always store raw food below ready-to-eat foods. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. Numerous flies observed at first floor and basement prep areas. Eliminate excessive fly infestation. Management instructed to initiate immediate corrective action.

7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed at first floor and basement prep areas, in basement toilet room, on numerous onions in basement, and on walls throughout. Eliminate excessive fruit fly infestation. Management instructed to initiate immediate corrective action.

6/30/06

No Critical Violations

6/23/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Small prep refrigerator, with sandwich meats, observed at 53° F. Items were moved to alternative refrigeration unit, maintaining below 41° F, while present. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present. A few flies are present in the basement.

5/26/06

No Critical Violations

Nesmith Family Day Care
1837 Widener St

Institution: Child, Family Day Care Homes
Philadelphia, PA

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Nesmith Family Day Care
1837 Widener St

*Institution: Child, Family Day Care Homes
Philadelphia, PA*

Inspection Date

8/19/05

No Critical Violations

Nickia Nesmith Family Day Care
1837 Widener St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19141*

Inspection Date

11/28/06

No Critical Violations

FERRARO'S DELI & MARKET
4528 Wilde St

*Retail Food: Grocery Market
Philadelphia, PA 19127*

Inspection Date

7/8/05

No Critical Violations

Manayunk Gourmet Deli & Market
4528 Wilde St

*Retail Food: Grocery Market
Philadelphia, PA 19127*

Inspection Date

2/8/07

No Critical Violations

1/23/07

5-01.1 Food is not protected from contamination. The air conditioning unit drains into the 3-basin sink. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. Only one sink stopper is present. Three are needed. Provide for the required washing, rinsing and sanitizing of multi use utensils and food equipment. Management instructed to initiate immediate corrective action.

Bernadette McAninley Family Day Care
4556 Wilde St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19127*

Inspection Date

7/12/06

No Critical Violations

8/25/05

No Critical Violations

St. Raymond of Penafort School
7940 Williams Av

*Institution: School, Archdiocese
Philadelphia, PA 19150*

Inspection Date

11/8/07

No Critical Violations

3/19/07

No Critical Violations

12/14/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

St. Raymond of Penafort School
7940 Williams Av

*Institution: School, Archdiocese
Philadelphia, PA 19150*

Inspection Date

5/18/06

No Critical Violations

4/26/06

No Critical Violations

Abena's Day Care
8403 Williams Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

7/3/07

No Critical Violations

Maudaleiffa Victoria Durham FDC
8558 Williams Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

9/6/06

No Critical Violations

Mom's Bake at Home Pizza
219 E Willow Grove Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19118*

Inspection Date

6/13/08

No Critical Violations

3/4/08

No Critical Violations

Philadelphia Cricket Club
415 W Willow Grove Av

*Retail Food: Restaurant, Private Club
Philadelphia, PA 19118*

Inspection Date

5/14/07

No Critical Violations

4/26/07

19-01.1 Food establishment personnel food safety certified individual is not present. Note: The chef provided documentation that he is registered for a ServSafe class.

19-04 Food establishment personnel food safety certificate is expired. A Re-certification class and new city certificate are needed. The chef's certificate expired in 2006.

3/30/07

19-04 Food establishment personnel food safety certificate is expired. A Re-certification class and new city certificate are needed. The chef's certificate expired in 2006.

3/13/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the first floor in the dishwasher room, hallway and storage areas. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Philadelphia Cricket Club
415 W Willow Grove Av

Retail Food: Restaurant, Private Club
Philadelphia, PA 19118

Inspection Date

2/23/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on the floor of the dishwasher room. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.
7-01 (D) Roach infestation is present. A few roaches observed in small prep refrigerator with oils on the second floor. Management instructed to initiate immediate corrective action.

Philadelphia Cricket Club - Pool
415 W Willow Grove Av

Retail Food: Restaurant, Private Club
Philadelphia, PA 19118

Inspection Date

9/6/07

No Critical Violations

8/9/07

7-01 (A) Fly infestation is present. Flies observed at the 3-basin sink area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.
19-01.1 Food establishment personnel food safety certified individual is not present. Note: The executive chef, MarcRaffa, completed a ServSafe course at the beginning of July. He has mailed in the application to the Health Dept.

Chesnut Hill Academy
500 W Willow Grove Av

Institution: School, Private
Philadelphia, PA 19118

Inspection Date

11/20/06

No Critical Violations

8/25/06

No Critical Violations

Chesnut Hill Academy (Temporary Kitchen)
500 W Willow Grove Av

Institution: School, Private
Philadelphia, PA 19118

Inspection Date

11/23/05

No Critical Violations

Chesnut Hill Academy
500 W Willow Grove Av

Institution: School, Private
Philadelphia, PA 19118

Inspection Date

1/23/08

No Critical Violations

11/20/07

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. The automatic dishwasher machine is not reaching proper temperature. Use the 3-basin sink to wash-rinse-sanitize until proper temperatures can be maintained (160° F). Note: The kitchen manager switched to using disposable dishware.
19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Mark's Take Out
1322 Windrim Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

1/20/07

No Critical Violations

Steve's Take Out
1322 Windrim Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19141

Inspection Date

7/28/08

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized. 2/3 stoppers missing for 3 bay sink. Management instructed to initiate immediate corrective action.

19-01.1 Food establishment personnel food safety certified individual is not present. Cert. posted; call 215.685.7498 for City cert. application. Management instructed to initiate immediate corrective action.

7/12/07

19-01.1 Food establishment personnel food safety certified individual is not present.

5/10/07

19-01.1 Food establishment personnel food safety certified individual is not present.

Eckerd
1334 Windrim Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

1/21/07

No Critical Violations

1/19/06

No Critical Violations

Rite Aid
1334 Windrim Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

5/31/08

No Critical Violations

Neighborhood Dollar Store
1500 Windrim Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

10/4/06

No Critical Violations

9/20/06

8-01.2 (C) Hot water is not provided. No hot water observed in toilet room. Defective water heater present. Management instructed to initiate immediate corrective action.

Saldivar Grocery
1623 Windrim Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

7/27/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Saldivar Grocery
1623 Windrim Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

7/12/07

7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed at front patron area where moldy bananas observed. Eliminate fruit fly infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (C) Drain line is in need of repair. No drain line is present at front area handsink. Water is draining into a bucket under the sink. Management instructed to initiate immediate corrective action.

10-02.2 (B) Food equipment and utensils are improperly sanitized. One sink stopper observed. Provide three sink stoppers (one per basin) to allow for proper washing, rinsing, and sanitizing of food equipment and utensils as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided. Cold water valve at toilet room handsink is turned off due to a leak. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided. Hot water valve at front area handsink is turned off due to a leak. Management instructed to initiate immediate corrective action.

9/7/06

No Critical Violations

Windrim Fresh Fish and Produce
1001 W Windrim Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

10/24/07

No Critical Violations

10/10/07

No Critical Violations

1025 Windrim Inc.
1025 W Windrim Av

Retail Food: General Convenience
Philadelphia, PA 19141

Inspection Date

8/29/07

No Critical Violations

8/10/06

No Critical Violations

Kim's Seafood Market
1336 W Windrim Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

6/16/08

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Approx 50lbs of raw meats and seafood stored in walk-in box at 56°F. Management instructed to initiate immediate corrective action.

3-02.1 Refrigeration system does not maintain proper temperatures. Walk-in box recorded at 56°F. Management instructed to initiate immediate corrective action.

4-01.1 (A) Food/Food service article storage does not provide protection.

-No splashguard between handwashing sink and prep table (wrapping paper stored adjacent sink).

-Provide partition between indirect waste drain line and storage shelves in basement.

-Cracked sliding fish case door (open fish products exposed to glass particles); currently duct taped. Management instructed to initiate immediate corrective action.

7-01 (A) Fly infestation is present and observed in throughou food prep and storage areas. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Kim's Seafood Market
1336 W Windrim Av

Retail Food: Grocery Market
Philadelphia, PA 19141

Inspection Date

10/3/07

4-01.1 (A) Food/Food service article storage does not provide protection.
No splashguard between handwashing sink and prep table (wrapping paper stored adjacent sink)
Adequate aisle or working space is not provided between sink and working table.
Dust and debris from damaged ceiling in basement onto the storage shelves with kitchen products (cooking oil, paper bags).
Provide partition between indirect waste and storage shelves in basement (dust and debris on the shelves)
Cracked sliding fish case door (open fish products exposed to glass particles) .Currently duct tape on it.
Management instructed to initiate immediate corrective action.
7-01 (A) Fly infestation is present. Numerous live flies observed in back area next to fish case refrigerator. Management instructed to initiate immediate corrective action.
7-01 (K) Rat infestation is present. Rat infestation is present. Rat burrows in the walls in basement. Management instructed to initiate immediate corrective action.
9-02.2 (A) Employee hand wash frequency is inadequate.No hand wash sink available for employees to wash their hands in kitchen due to limited access to sink . Management instructed to initiate immediate corrective action.

8/29/07

4-01.1 (A) Food/Food service article storage does not provide protection.
No splashguard between handwashing sink and prep table.
Dust and debris on the storage shelves in basement.
Cracked sliding fish case (open fish products exposed to glass particles).
Provide splash guard between indirect waste and storage shelves in basement.
Management instructed to initiate immediate corrective action.
7-01 (D) Roach infestation is present ; numerous live german roaches observed in the basement area.
7-01 (K) Rat infestation is present. Rat infestation is present. Rat burrows in the walls in basement. Management instructed to initiate immediate corrective action.
9-02.2 (A) Employee hand wash frequency is inadequate.No hand wash sink available for employees to wash their hands. Management instructed to initiate immediate corrective action.
9-02.3 (B) Employees are smoking in uapproved areas. Bathroom.

2/9/06

No Critical Violations

Hyman Home
404 W Winona St

Institution: Adult, Boarding Home
Philadelphia, PA 19144

Inspection Date

11/5/07

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course, and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

11/13/06

No Critical Violations

11/21/05

No Critical Violations

Wissahickon Charter School
4700 Wissahickon Av Suite: G

Institution: School, Charter
Philadelphia, PA 19144

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wissahickon Charter School
4700 Wissahickon Av Suite: G

Institution: School, Charter
Philadelphia, PA 19144

Inspection Date

6/2/08

5-01.1 Food is not protected from contamination, hotdog buns not properly stored on front counter.

Management instructed to initiate immediate corrective action.

5-04.2 (A) Approved sneeze guards are not provided as required, at exposed hotdog buns on front table.

Management instructed to initiate immediate corrective action.

12-01.5.B (4) Cold water at hand washing sink is not provided, in all sinks in boy's and girl's toilet rooms. Management instructed to initiate immediate corrective action.

12-01.5.B (5) Hot water at hand washing sink is not provided, in all sinks in boy's and girl's toilet rooms. Management instructed to initiate immediate corrective action.

10/12/07

No Critical Violations

2/15/07

No Critical Violations

11/21/06

No Critical Violations

5/17/06

No Critical Violations

9/12/05

No Critical Violations

Academy for Early Learning
5000 Wissahickon Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

1/3/08

No Critical Violations

1/5/07

No Critical Violations

1/17/06

No Critical Violations

Stop N Shop Market
5039 Wissahickon Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

3/29/07

No Critical Violations

3/1/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates only, no city certificate present. Management instructed to initiate immediate corrective action.

Stop N Shop Quality Foods
5039 Wissahickon Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

10/25/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Stop N Shop Quality Foods
5039 Wissahickon Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

8/29/05

No Critical Violations

Southside Pizza
5043 Wissahickon Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144*

Inspection Date

5/23/07

No Critical Violations

5/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. A ServSafe certificate is present. Obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

6/15/06

No Critical Violations

6/14/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Chicken wings, deli meats milk, meatballs, macaroni and potato salads.

- Walk-in refrigerator temperature observed at 47° F.
- Small refrigerator unit, with chicken wings and meatballs, observed at 53° F.
- Small refrigerator unit, with milk, observed at 47° F.

Food items are condemned and retained due to lack of temperature control for unknown period of time. Subject food items are not permitted to be sold or given away. Items must be maintained on the premises until an approved disposal plan is provided. Contact the district environmental health office prior to any removal of retained items.

5-01.1 Food is not protected from contamination. Splash guard needed between prep sink, hand sink and 3-basin sinks.

8-06.1.1 (C) Drain line is in need of repair. Drain lines are not connected at all prep area sinks.

9-02.2 (A) Employee hand wash frequency is inadequate. Prep area handsink is not able to be used.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized due to lack of working 3-basin sink.

Provide for the required washing, rinsing and sanitizing of multi use utensils and food equipment.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Southside Pizza
5043 Wissahickon Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

6/14/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. Chichen wings, deli meats milk , meatballs, macaroni and potato salads.

- Walk-in refrigerator temperature observed at 47° F.
- Small refrigerator unit, with chicken wings and meatballs, observed at 53° F.
- Small refrigerator unit, with milk, observed at 47° F.

Food items are condemned and retained due to lack of temperature control for unknown period of time. Subject food items are not permitted to be sold or given away, Items must be maintained on the premises until an approved disposal plan is provided. Contact the district environmental health office prior to any removal of retained items.

5-01.1 Food is not protected from contamination. Splash guard needed between prep sink, hand sink and 3-basin sinks.

8-06.1.1 (C) Drain line is in need of repair. Drain lines are not connected at all prep area sinks.

9-02.2 (A) Employee hand wash frequency is inadequate. Prep area handsink is not able to be used.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized due to lack of working 3-basin sink.

Provide for the required washing , rinsing and sanitizing of multi use utensils and food equipment .

Sunoco Mini Mart
5051 Wissahickon Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

1/14/07

No Critical Violations

Wissahickon Valero
5051 Wissahickon Av

Retail Food: Grocery Market
Philadelphia, PA 19144

Inspection Date

5/23/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved foodsafety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

8-01.2 (C) Hot water is not provided, at 3 compartment sink.

8-01.2 (B) Cold water is not provided, at 3 compartment sink.

10-02.2 (A) Multi-use utensils are not properly cleaned and sanitized, coffee pots.

1/27/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved foodsafety course and obtain a city of Philadelphia food safety certificate. Management instructed to initiate immediate corrective action.

Boo's Spot
5450 Wissahickon Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

11/28/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Just 4 U Cafe & Catering
5450 Wissahickon Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

9/24/07

7-01 (L) Mouse infestation is present.
mouse feces along wall perimeters
mouse feces on slicer table - beneath slicer table
mouse feces on wall ledge

4/23/07

No Critical Violations

School House Lane Snack Bar
5450 Wissahickon Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

8/3/06

No Critical Violations

Z's School Lane House Cafe
5450 Wissahickon Av

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19144

Inspection Date

6/9/06

No Critical Violations

5/26/06

7-01 (L) Mouse infestation is present. Mouse droppings observed on rear room shelving. Eliminate mouse infestation. Management instructed to initiate immediate corrective action.

4/28/06

No Critical Violations

1/26/06

No Critical Violations

Sunoco A Plus Mini Market
5901 Wissahickon Av

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

5/13/08

No Critical Violations

1/31/08

19-01.1 Food establishment personnel food safety certified individual is not present. Attend an approved food safety course and obtain a City of Philadelphia Food Safety certificate. The certificate present expired in 2003. Management instructed to initiate immediate corrective action.

1/5/07

No Critical Violations

North Western Child Development Center
6220 Wissahickon Av

Institution: Child, Child Care Centers
Philadelphia, PA 19144

Inspection Date

11/7/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Valley Green Inn
7800 Wissahickon Cr

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19118

Inspection Date

2/9/07

No Critical Violations

7/15/05

No Critical Violations

Steak City
6100 E Wister Av

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

4/1/08

No Critical Violations

3/4/08

7-01 (L) Mouse infestation is present. There are droppings present throughout all area floor perimeters.

6/3/06

No Critical Violations

Wister Beer Distributor
5765 Wister St

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

7/23/07

No Critical Violations

6/6/07

No Critical Violations

Ahn Grocery
6040 Wister St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

8/15/05

No Critical Violations

Wister Mini Food Market
6040 Wister St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

9/26/06

No Critical Violations

Maria Lea DC Bldg #2
6081 Wister St

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

9/11/07

19-01.1 Food establishment personnel food safety certified individual is not present. Class has been completed and application was sent in August 17th, 2007. Management initiated immediate corrective action.

5/23/07

19-01.1 Food establishment personnel food safety certified individual is not present. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Wister Food Market
6501 Wister St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/10/06

No Critical Violations

9/26/06

7-01 (A) Fly infestation is present. Numerous live and dead flies observed in basement, toilet room, and prep area. Eliminate fly infestation. Management instructed to initiate immediate corrective action.
8-06.1.1 (A) Liquid waste is not disposed of properly. Bucket of dirty mop water observed at rear area. Remove mop water immediately after use. Management instructed to initiate immediate corrective action.

Wister Street Project
326 E Wister St

Institution: MHMR, Community Living Arrangement
Philadelphia, PA 19144

Inspection Date

7/1/08

No Critical Violations

6/25/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Note: The applications for the city of Philadelphia food safety certificates were sent in approximately two montes ago.

4/30/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificates are present. Obtain a City of Philadelphia food safety certificate.

3/16/06

No Critical Violations

Teen Challenge
329 E Wister St

Institution: Adult, Group Homes
Philadelphia, PA 19144

Inspection Date

7/1/08

7-01 (L) Mouse infestation is present. There are droppings present along the pantry shelves.

5/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate was sent in 04.12.07. Management initiated immediate corrective action.

4/2/07

19-01.1 Food establishment personnel food safety certified individual is not present. ServSafe certificate observed. Application for City of Philadelphia Food Safety Certificate given to supervisor. Management instructed to initiate immediate corrective action.

3/16/06

No Critical Violations

L and R Lunch Truck #821
354 E Wister St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19144

Inspection Date

5/23/07

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

L AND R LUNCH TRUCK #821
354 E Wister St

Retail Food: Mobile Food Vendor
Philadelphia, PA 19144

Inspection Date

5/3/06

No Critical Violations

Los Primos Grocery
368 E Wister St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

7/8/08

No Critical Violations

5/8/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Management initiated immediate corrective action.

Rosario Grocery
368 E Wister St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19144

Inspection Date

8/9/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. Owner completed class and sent application one month ago. Management initiated immediate corrective action.

6/6/07

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Germantown Community Health Services
625 E Wister St

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

5/19/08

No Critical Violations

Germantown Community Medical Center
625 E Wister Bl

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

5/12/08

No Critical Violations

Germantown Hospital
1 Penn Bl

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

1/12/07

No Critical Violations

11/29/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. DISCONTINUE USE OF DEFECTIVE REFRIGERATOR LOCATED AT 6TH FLOOR OBSERVED AT 57°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. MILK CONTAINERS AND PERISHABLE MUST BE DISCARDED IMMEDIATELY. Management instructed to initiate immediate corrective action.

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Germantown Hospital
1 Penn Bl

Institution: Adult, Other
Philadelphia, PA 19144

Inspection Date

10/26/06

3-01.1 (B) Cold food is not maintained below 41 degrees Fahrenheit. DISCONTINUE USE OF DEFECTIVE REFRIGERATOR OBSERVED AT 50°F UNTIL IT IS REPAIRED AND CAN MAINTAIN 41°F. MILK CONTAINERS AND PERISHABLE MUST BE DISCARDED. Management instructed to initiate immediate corrective action.

11/2/05

No Critical Violations

Sims Market
5665 E Wister St

Retail Food: General Convenience
Philadelphia, PA 19144

Inspection Date

9/28/06

No Critical Violations

C & S
5813 E Wister St

Retail Food: General Convenience
Philadelphia, PA 19138

Inspection Date

7/24/07

No Critical Violations

7/24/06

No Critical Violations

7/14/06

No Critical Violations

CNA Tropical Food Market
6402 E Wister St

Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138

Inspection Date

10/12/06

No Critical Violations

9/28/06

7-01 (B) Fruit fly infestation is present. Numerous fruit flies observed on food items and shelves at patron area. Eliminate fruit fly infestation. Management instructed to initiate immediate corrective action.

8-06.1.1 (A) Liquid waste is not disposed of properly. Bucket of dirty mop water observed at rear water. Dispose of dirty mop water immediately after use. Management instructed to initiate immediate corrective action.

Ethel Foreman Family Day Care
6953 E Wister St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/19/06

No Critical Violations

9/29/05

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Dakita Boone Family Day Care
615 E Woodlawn St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

1/18/07

No Critical Violations

Cespedes Food Market
952 E Woodlawn St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

2/21/08

No Critical Violations

1/28/08

19-01.1 Food establishment personnel food safety certified individual is not present. City of Philadelphia Food Safety Certificate required. List of providers given to owner. Management instructed to initiate immediate corrective action.

Hernandez Grocery
952 E Woodlawn St

Retail Food: Restaurant, Eat-in
Philadelphia, PA 19138

Inspection Date

1/29/07

No Critical Violations

1/12/07

10-02.2 (B) Food equipment and utensils are improperly sanitized. Trash bag of dirty rags observed stored in one of three basins at three-basin sink and only one sink stopper observed. Remove items from basin and provide three sink stoppers to allow for proper washing and sanitizing as instructed by this Sanitarian. Management instructed to initiate immediate corrective action.

Wanda Shuler Family Day Care
6243 N Woodstock St

Institution: Child, Family Day Care Homes
Philadelphia, PA 19138

Inspection Date

9/11/07

3-01.1 (A) Potentially hazardous food is stored at improper temperature. Refrigerator temperature is 60° F. Management instructed to initiate immediate corrective action.

7/6/06

No Critical Violations

Simon Child Care Center
7200 Woolston Av

Institution: Child, Child Care Centers
Philadelphia, PA 19138

Inspection Date

5/22/08

19-01.1 Food establishment personnel food safety certified individual is not present. NOTE: The director is awaiting her certificate from the safe serve course.

3/11/08

19-01.1 Food establishment personnel food safety certified individual is not present. NOTE: A LIST OF PROVIDERS HAVE BEEN ISSUED.

Cheryl Goings Family Day Care
7501 Woolston Av

Institution: Child, Family Day Care Homes
Philadelphia, PA 19150

Inspection Date

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Cheryl Goings Family Day Care
7501 Woolston Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

9/23/05

No Critical Violations

First Step To Success Family Day Care
7605 Woolston Av

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19150*

Inspection Date

6/4/08

No Critical Violations

Leeds Middle School/Phila. Military Acad
8200 Woolston Av

*Institution: School, Public
Philadelphia, PA 19150*

Inspection Date

4/14/08

No Critical Violations

11/8/07

No Critical Violations

3/5/07

No Critical Violations

11/16/06

No Critical Violations

5/18/06

No Critical Violations

12/14/05

No Critical Violations

Wyncote Mini Mart & Deli
6447 Wyncote Av

*Retail Food: Prepared Food Take-Out
Philadelphia, PA 19138*

Inspection Date

10/3/06

No Critical Violations

9/19/06

11-01.2 (A) Food equipment is defective. Cracked glass on deli case observed, condensate observed dripping from drip pan in deli case, hot water faucet handle is loose at prep sink, frost accumulation observed at chest freezers, and leak is present in basement from grease trap. Fix leak at grease trap and handle at prep sink faucet.

Management instructed to initiate immediate corrective action.

S & J Food Market
6501 Wyncote St

*Retail Food: Grocery Market
Philadelphia, PA 19138*

Inspection Date

9/19/06

No Critical Violations

Food Establishment Inspections, Northwest Philadelphia: July, 2005 - July, 2008

Beatrice Mason Family Day Care
142 W Wyneva St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

9/20/05

No Critical Violations

Kings Kids
142 W Wyneva St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19144*

Inspection Date

2/25/08

No Critical Violations

9/11/06

No Critical Violations

Sheila Nelson Family Day Care
1517 E Wynsam St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19138*

Inspection Date

4/21/06

No Critical Violations

Beverly Carter Family Day Care
1333 Yerkes St

*Institution: Child, Family Day Care Homes
Philadelphia, PA 19119*

Inspection Date

4/21/06

No Critical Violations