

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form

MAIN STREET - MANAYUNK Philadelphia County

Continuation sheet HISTORIC DISTRICT

Item number 7

Page 3

For NPS use only
received
date entered

BOUNDARY DESCRIPTION

The theme of the Main Street - 19th century commercial and industrial development, the significance of which is demonstrated by the district's pattern of wide power for the mill structure, the commercial strip and residential importance of the mills. The Main Street - intact example of this type of development.

APPENDIX: BUILDING INVENTORY

The historic district boundaries are a result of the development of Manayunk as an industrial development center and the center of commerce for the area. THE FOLLOWING IS A COMPLETE LIST OF ALL BUILDINGS LOCATED WITHIN THE HISTORIC DISTRICT. THE FOLLOWING RATING SYSTEM HAS BEEN DEvised TO IDENTIFY RESOURCES:

The western boundary of the district is the channel to the Manayunk Canal. THE FOLLOWING IS A COMPLETE LIST OF ALL BUILDINGS LOCATED WITHIN THE HISTORIC DISTRICT. THE FOLLOWING RATING SYSTEM HAS BEEN DEvised TO IDENTIFY RESOURCES:

A - SIGNIFICANT BUILDING/STRUCTURE
 B - CONTRIBUTING BUILDING/STRUCTURE
 C - LINKING BUILDING/STRUCTURE - APPROPRIATE SCALE AND MATERIALS, ALTHOUGH LATER OR ALTERED.
 D - INTRUSIONS -

NOTE: All categories except for "D" are considered as "contributing" and eligible for tax benefits.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only
received
date entered

MAIN STREET - MANAYUNK

Continuation sheet HISTORIC DISTRICT Item number 7 Page 4

MAIN STREET - SOUTH SIDE (4000-4100 Blocks)

- D. 4026 Main Street, Garage. Main Muffler. C. 1925 1 story brick garage with large sliding garage door; office entrance and stepped parapet roof.
- B. 4030-32 Main Street. C. 1860; 3 story stucco over rubble Italianate attached residences; segmentally arched door opening with transoms; segmentally arched doubled hung 4/4 lights (sash on upper stores of 32 have been enclosed to accommodate conventional sash); boxed wood cornice with decorative modillions; slightly pitched hipped roofline. Originally part of a larger row, ending with 4040-42 Main Street.
- B. 4040-48 Main Street. C. 1860; 3 story stucco over rubble Italianate attached residence; segmentally arched door opening with transoms; segmentally arched double hung 4/4 lights; marble steps and banding above basement window; molded wood cornices with decorative modillions; 4042 has been stuccoed and scored with raised pointing to resemble stone; 4044-46 are slightly smaller in size, although compatible in detailing.
- A. 4050-72 Main Street. Industrial mill structure. Franlin Chemical and Equipment Co., C. 1850. 2 story, 15 bay, rough caste stucco over rubble Italianate structure; segmentally arched window opening with double hung 4/4 lights with segmentally arched brick lintels; various types of openings in facade including doorways, garage doors, and shaftways; slightly gabled roofline. Rear of mill structure faces the Schuylkill River (originally name: Roxborough Mills).
- D. 4074 Main Street. Commercial structure. R.W.R. Motors Co. 1860; 2 story brick structure with rough caste stucco front; garage door opening with wood shingle pent eave; rectangular double hung windows with non-moveable aluminum covered shutters. (David Wallace Mill)
- A. 4100-4112 Main Street. Industrial mill structure, Acme Wire Machine Co., Co. 1850's 4 story, 9 bay with two story brick addition; rubble construction with smooth stucco finish, Vernacular style; double hung 12/12 windows; other boarded up; shaftways at the center of the building; corbelled brick eaves with gabled roofline. (Original name: Dexter Mills - Dye Works).
- D. 4116-42 Main Street. Industrial building, Krooks Woolen Carpet Inc. C. 1920; 1 story 16 bay brick building with factory casement windows; brick band above windows with plain parapet roof capped with terra cotta tiles. (Has 1822 date stone from original mill Anne Dawson).
- D. 4174 Main Street. Commercial building. C. 1960; 1 story intrusion.

MAIN STREET - NORTH SIDE (4000-Block)

- A. 4025-71 Main Street. Industrial mill complex. Littlewood & Co. Dyers & Bleachers Est. 1869; complex of buildings including 2 story, 15 bay rubble structure; segmentally arched window opening, now blocked in, with segmentally arched brick lintels; corbelled

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only
received
date entered

Continuation sheet MAIN STREET - MANAYUNK Item number 7 Page 5
HISTORIC DISTRICT

MAIN STREET - NORTH SIDE (CON'T)

brick cornice; gable roof; later building 2 story stucco structure with large and small, double hung windows with louvered shutters; additional industrial buildings sandwiched in between.

SHURS LANE - NORTH OF MAIN

- B. 111-113 Shurs Lane. Industrial building company. Struse & Sons. C. 1875; original structure 3 story rubble construction with gable roof; structure butts up against Pennsy Railroad line; 111 is a later addition, a handsome 2 story yellow brick structure with decorative quoining; segmentally arched window openings with splayed brick lintels and hipped roof.
- B. 106-108 Shurs Lane. Industrial mill building. Something New and Uniform Unlimited stores. C. 1870's; 2 story brick mill structure; with segmentally arched windows, upper portions enclosed to accommodate stand size double hung sash; corbelled brick cornice low pitched roof with tile cap.

JAMESTOWN STREET - NORTH OF MAIN

- D. 102-108 Jamestown Street. Group of 1 story buildings including stuccoed garage and brick structure with iron cresting on roof. Covered railroad siding, former coal storage facility to rear.

MAIN STREET - NORTH SIDE (4100 Block)

- B. 4105-4111 Main Street. Row of residences. C. 1850's; 3 story 2 bay rubble construction with stucco finish, Vernacular styling; 4105 and 07 have raised pointed detail to resemble stone; simple fenestration, double hung windows; varied front doors; first floor of 05 has been converted to storefront; molded wood cornices, low pitched gable roof lines.
- D. 4113-15 Main Street, factory structure. 1 story, 2 bay brick factory building; rubble sidewalks; steel industrial windows brick lintels; corbelled brick parapet large metal chinney stack.
- B. 4119-29 Main Street. Row of residences. C. 1860's; 3 story, 2 bay stucco structure, working class Vernacular; 23 is a aluminum sided; double hung window sash with variations on first floor and at third floor level which has smaller windows as in the Italianate style; reveal door frames with single leaf doors and single light transoms; varying cornice treatment including tin aluminum and boxed wood with modillions.

4131-33 Main Street - Vacant Lot

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form

MAIN STREET - MANAYUNK
HISTORIC DISTRICT

Continuation sheet

Item number 7

Page 6

For NPS use only
received
date entered

MAIN STREET - NORTH SIDE (CONT'D)

- B. ⁴¹³⁵⁻⁴¹ 4135-41 Main Street. Row of residences & bar. C. 1850's; 2 story, 2 bay rubble construction, working class housing; 4135 stuccoed; 39-41 Perma stoned; double hung window fenestration; reveal frame doorway, single leaf doors; gable roof, molded wood cornice 39-41 altered to accommodate bar; gable dormers added to 39; pent eave unifies building. 4141 Hentzel's Bar.
- E. ⁴¹⁴³⁻⁴⁵ 4143-45 Main Street. Residences. C. 1875; 3 story, stuccoed structures with double hung windows; single leaf wood doors; molded wood cornices with ornate decorative brackets; 4143 has tile flush storefront. 43-45 built C. 1850
- C. ⁴¹⁴⁷⁻⁵¹ 4147-51 Main Street. New Umbria Baptist Church. C. Gothic Revival; perma stone over Wissahickon Schist; large arched windows first floor; gothic arched double hung windows second floor; gabled parapet roofline. 53 vacant lot.
- D. ⁴¹⁵⁹ 4159 Main Street. Retail Store. Clothes & Things. C. 1930; Colonial revival; 1 story schist structure with double hung windows; panel shutters; gable roofline.
- B/C ⁴¹⁶¹⁻⁶⁹ 4161-69 Main Street. Row of residences with some first floor storefronts. C. 1870's
- D. ⁴¹⁶¹⁻⁶³ 4161-63: 3 story stucco structures with segmentally arched, double hung windows; molded wood cornice with decorative brackets; 65: later brick infill structure with two story metal bay, finials and large metal cornice; 67-69: stucco structure, 67 pointed to resemble stone; double hung windows; first floor of 67 stuccoed over; 60: Miller's Plumbing/Heating business. 61-63 possibly dating back to 1860's.

E. PENSDALE AVENUE - NORTH OF MAIN

- B. ¹⁰³⁻¹¹⁵ 103-115 Pensdale Avenue. Worker housing. C. 1850 row of 2½ and 3½ story rubble structures with stucco covering; 103 pointed to resemble stone, 115 rubble; simple structures with double windows; plain wood cornices; dormer windows and gable roof lines.
- D. ¹⁰² 102 Pensdale Avenue. Worker building. C. 1850's; 2½ story, 2 bay stucco structure, Vernacular Federal style, double hung 2/2 lights; single leaf modern door; molded wood cornice with gable roof; basement located below street grade.

MAIN STREET - SOUTH SIDE (4200 Block)

- A/D 4208-4224 Main Street. Industrial Mill building. G. Whitfield Richards Co. C. 1870's; modern two story block structure facing Main Street; original mill structure facing Schuylkill River/Manayunk Canal. Handsome 5 story, Wissahickon Schist, 22 bay structure, segmentally arched and square headed window openings have been shortened or enclosed with glass blocks; elaborate corbelled brick (Schfield) cornice; and slightly pitched gable roof. Economy Mills.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only
received
date entered

Continuation sheet MAIN STREET - MANAYUNK Item number 7 Page 7
 HISTORIC DISTRICT

MAIN STREET - SOUTH SIDE (CONT'D)

- B. 4226-28 Main Street. Mixed use commercial/residential. C. 1850; handsome 3 story 6 bay mosaic stone structure; first floor storefronts with plate glass windows and large molded wood decorative bracketed cornice; first and second floor has double hung 4/4 lights; large molded wood bracketed cornice; gabled roof.
- C. 4230-34 Main Street. Commercial structures. Howard's Glass Works. C. 1850's; 2 story stucco structures; garage and storefront.
- A. 4236 Main Street. Industrial mill building. Venturi, Rauch & Scott-Brown Architects and Planners. C. 1880; 3 story, 3 bay brick mill structure; facade of the structure projects giving a splayed effect; first floor has storefront with square transom lights and two double leaf wood and glass entrance ways; second floor windows double hung 2/2; third floor; segmentally arched double hung 2/2 lights; window fenestration paired windows flank single windows; very heavy molded wood cornice with large dentils, cornice line also splays.
- D. 4254-56 Main Street. Commercial structure. Jetronics Industries Inc., C. 1920; 3 story brick and stucco structure.
- B. 4258-64 Main Street. mill structure. Jetronic Industries, Inc., C. 1850; 3 story rubble mill structure with stucco finish; segmentally arched brick lintels; most of the windows have been blocked in or modern aluminum windows inserted (original name: Blantyre Mills).
- D. 4266-70 Main Street. Commercial structure. Jetronics Industries Inc. Modern single story stucco finish office structure.
- A. 4272-4312 Main Street. Mill structure. Jetronic Industries Inc. two handsome C. 1850 three story, 3 bay stone rubble structures with cut stone quoins. Building set at right angles to Main Street; first floor has unsympathetic alterations with pent eave and corridor style doorways. Square headed, double hung 12/12 and 8/12 light windows with segmentally arched brick lintels; corbelled brick lintel set into gable end. Rear of building complex fronts onto Manayunk Canal (original name: Blantyre Mills).

RECTOR STREET - SOUTH OF MAIN

- B. 3 & 4 Rector Street. Industrial mill buildings. Irving L. Labov Heating & Plumbing C. 1880's; handsome 1½ story brick structure, stuccoed finish; round arched and segmentally arched windows with like shape brick lintels; corbelled brick cornice gable roof; circular window now enclosed; 4 Rector Street has a fanlight window.

24-0038
EXP. 10/31/84

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form

MAIN STREET - MANAYUNK
HISTORIC DISTRICT

Continuation sheet

Item number 7

Page 10

For NPS use only
received
date entered

MAIN STREET - SOUTH SIDE (CONT'D)

- D. 4372-84 Main Street. Commercial structures. C. 1930; one story brick commercial structures, some with plate glass windows.
- C. 4386-90 Main Street. Commercial structures. C. 1900; two story, four bay brick structure with plate glass storefront; 3 part metal bays and double windows with splayed brick and stone lintels, second floor; molded cornice with arched gable front decorated with small round windows.

MAIN STREET - NORTH SIDE (4300 Block)

- C. 4301-4311 Main Street. Mixed use commercial/residential. C. 1900; row of three story, two bay brick and stucco, Vernacular style; commercial storefronts-varying types including plate glass and glass block; 05-11 have arch motifs on the facade cornice types include molded aluminum and molded wood with decorative brackets.
- A. 4313 Main Street. Mill structure. Parisian Draperies. C. 1850's, elegant three story 6-bay Wissahickon Schist structure; large segmentally arched 6 light storefront windows; 8/8 double hung, segmentally arched windows, second floor; double hung 4/4 segmentally arched lights, third floor; segmentally arched brick labels over all windows; New Orleans style fire escape second floor; aluminum cap cornice. Masonic Hall.
- A. 4319 Main Street. Mixed residential/commercial C. 1860; 3 story Wissahickon Schist structure; metal faced bay and metal cornice; storefront has modern permastone facing.
- B. 4323 Main Street. Commercial structure. Westbrook 5 & 10¢ Store. C. 1905; handsome two story, two bay brick structure. large curved, plate glass windows; double leaf wood and glass doors with single light transoms inscribed with name of store; heavy metal cornice with festooned brackets; double windows; double hung 12/1 lights with splayed stone and brick lintels with keystone; ornate metal cornice with metal, gable parapet incised with original name "Nickels Building"
- B. 4321-41 Main Street. Mixed use commercial/residential C. 1870's row of 3 story, 2 bay brick and stucco; Vernacular Italianate structures; various types of nineteenth century storefronts; upper story fenestration varied including segmentally arched and square headed, double hung sash with segmentally arched and splayed lintels; cornice treatment includes ornate molded tin, molded wood with brackets and aluminum cap.
- C. 4343-4363 Main Street. Mixed use commercial/residential. C. 1870-1890; rows of two and three story brick and stucco structures with commercial first floor spaces; late nineteenth and twentieth century Vernacular buildings with Italianate and Colonial revival detailing; upper stories have segmentally arched and square headed double hung sash, some second story metal bays; 51-53 have ornate segmentally arched dormer windows with finials, elegant, yet almost out of character for Main Street structure;

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form

For NPS use only
received
date entered

MAIN STREET - MANAYUNK

Continuation sheet

HISTORIC DISTRICT

Item number 7

Page 11

59 is a two and one half story, gable roof structure with pedimented dormer, Federal in style; cornice treatment varies including molded wood with heavy brackets, molded tin with decorative fascia board, finials and aluminum cap.

C/D 4365-73 Main Street. Mixed use commercial/residential C. 1890's; late 19th and 20th century Vernacular styling; one, two and three story mixed use structures; standard building form with some interesting detailing particularly window and cornice treatment. 4369 is a one story intrusion.

D. 4375-79 Main Street. Municipal parking lot.

COTTON STREET - NORTH OF MAIN

B. 103 Cotton Street. Residence. C. 1860; 3 story structure with basement. Stone rubble with stucco facing; 4/4 wood windows.

C. 109 Cotton Street. Residence. C. 1890; 3 story brick attached residence.

B. 111-113 Cotton Street. Residence. C. 1860; 3 story stone attached row structures; 2/2 windows; 113 has bar at first floor level.

B. 106 Cotton Street. Residence. C. 1860; 3 story 3 bay brick structure with stucco facing, wood cornice, arch head 2/2 windows.

C/D 108-110 Cotton Street. Residence. C. 1860; attached 3 story 3 bay stucco faced row structures, wood cornice.

C. 112 Cotton Street.

(Also known as 4318 Cresson Street - See Cresson Street)

GRAPE STREET - NORTH OF MAIN

B. 106-110 Grape Street. Mixed use garage/residential. C. 1830's; two and three story structures with double hung sash, gable roof lines.

D. 108 Grape Street. One story brick garage with gabled parapet.

B. 105,107, 111 Grape Street. C. 1830; 3 story, 2 bay stucco structure, residential Vernacular style with Federal characteristics; double hung sash; modern flush doors; pent eave over first floor, aluminum cornice.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

MAIN STREET - MANAYUNK
HISTORIC DISTRICT

Continuation sheet

Item number 7

Page 12

For NPS use only
received
date entered

LEVERING STREET - NORTH OF MAIN


- A. 104-106 Levering Street. Residential. C. 1830's; three story, 2 bay stucco structure, Vernacular style with Federal characteristics, double hung 6/1 sash with plank frame, casement window upper sash, reveal frame doors, boxed wood cornice, gable roof.
- B. 108-112 Levering Street. Commercial structure. C. 1880's; 4 story, 1 bay brick structure, Vernacular style with Romanesque detailing, storefronts (boarded up) with multi-light transom; wood and glass door fanlight and arched lintels with keystone; bank of casement windows, second and third floor; pair of arched, double hung window with multi-light fanlight, arched with lintel with keystone; stone pilasters; heavy metal cornice.
- C. 114 Levering Street. Mixes use. C. 1870-1890; three story, three bay brick structures; storefront with molded wood cornice; double hung 1/1 sash with splayed lintel; 2 story metal bay with conical roof; metal cornice.
- B. 111-115 Levering Street. Commercial/warehouse. C. 1890's; 4 story 3 bay brick structure handsomely proportion commercial windows; pilasters with corinthian capitals, ornate molded terra cotta cornice with plain fascia board and modillions.

MAIN STREET - SOUTH SIDE (4400 Block)

- B. 4402-04 Main Street. Commercial structure. C. 1860; 3 story, 5 bay stucco Italianate style structure; segmentally arched window opening, double hung 1/1 lights; plate glass storefront ornately decorated molded tin cornice.
- A. 4406-10 Main Street. C. 1925; 2 story brick, commercial/residential structure; 3 metal bays on the second floor.
- C. 4412-16 Main Street. Commercial structure. Wm. H. Reichert & Co. Printers. Co. 1890; 2 story brick structure with segmentally arched window openings with segmentally arched brick lintels corbelled brick with molded tin cornice.
- D. 4418-22 Main Street. 1 story stucco garage with metal cornices.
- C. 4430 Main Street. C. 1900; 2 story garage; rock faced stone with metal lintels; molded tin cornice with dentils.
- D. 4436-42 Main Street. Commercial structures. C. 1890; 2 story stucco structure; perma stone first floor; bay window; pent eave; double hung sash with louvered shutters.
- B. 4444-48 Main Street. Warehouse. C. 1870; handsome 3 story brick warehouse, Italianate Vernacular; double hung sash, heavy, molded wood cornice.
- C. 4450-60 Main Street. Commercial structures. C. 1880; 2 story stucco building storefronts with large plate glass windows and transo lights; molded tin cornice with brackets above storefront; complimenting tin cornice at roofline.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet MAIN STREET - MANAYUNK
HISTORIC DISTRICT

Item number 7

Page 13

GAY STREET - NORTH OF MAIN

- B. 104-106 Gay Street. Warehouse structure. C. 1860; 3 story, 7 bay brick structure segmentally arched brick lintels; double hung 6/6 sash, gable roof; molded wood cornice.
- B. 105-111 Gay Street. Industrial Building. C. 1890; 4 story brick structure with metal sash.
- C. 113 Gay Street. Warehouse building. C. 1890; 3 story brick structure with stucco facing. Original windows infilled with block and stucco.

CARSON STREET - NORTH OF MAIN

- B. 105-113 Carson Street. Residential row C. 1850; row of 3 story, 2 bay, stucco residences, double hung 1/1 sash, originally 6/1 as in 113. Gable roof line;
- E. plain boxed wood cornice, some with aluminum caps; 113 is most intact of all buildings
- B. 115 Carson Street. Manayunk Station of Reading Railroad. C. 1910; brick structure

GREEN LANE - EAST SIDE

- D. 107-109 Green Lane; garage modern single story brick and stucco intrusion?
- C. 115-117 Green Lane. Residences. C. 1880; pair of attached 3 story with basement brick row houses; arched stone lintels and arch head wood windows; wood cornice.

CRESSON STREET - SOUTH SIDE

- D. 4304 Cresson Street. Warehouse. 1968; single story brick and concrete block warehouse structure.
- B. 4318-4338 Cresson Street. Worker residences. C. 1860; row of 3 story, 2 bay stone rubble structures, many with stucco finish; single Vernacular detailing some have later storefronts.
- B. 4340-4354 Cresson Street. Residences. C. 1860; row of 3 story, 2 bay stone rubble worker houses; many have stucco finish, some have later storefronts; simple Vernacular detailing.
- C. 4356-58 Cresson Street. Apartment house. C. 1920; 2 story brick apartment building.

storefront

EXP. 10/31/84

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form

For NPS use only
received
date entered

Continuation sheet MAIN STREET - MANAYUNK
HISTORIC DISTRICT

Item number 7

Page 15

CRESSON STREET - SOUTH SIDE (CONT'D)

- B. 4366-72 Cresson Street. Warehouse. C. 1880; 3 story brick structure, with decorative metal spandrel panels and heavy protective metal cornice window openings and storefronts infilled with concrete block and stucco.
- B. 4404-06 Cresson Street. Residence. C. 1880; 2 story brick building with projecting metal bay and metal cornice. Boarded up storefront at first floor level.
- B. 4438-44 Cresson Street. Residences. C. 1880; row of 3 story, 2 bay brick attached worker houses. Simple Vernacular detailing.
- D. 4446-50 Cresson Street. Warehouse. C. 1920; single story brick warehouse building with glass storefront.

CRESSON STREET - NORTH SIDE

- B. Cresson Street at Carson Street. Manayunk Station of Reading Railroad. C. 1910; 2 story brick building with stone quoins, plinth and cornice; slate roof, projecting steel and wood canopy. Former waiting room and passenger facilities.

MAIN STREET (4500 Block)

- C. 4501 Main Street (also known as 114 Green Lane). Manayunk sub-station. C. 1905; one story brick structure; blind panels with corbelled detailing, industrial windows; brick corbel and diapering detail.
- C. 4590 Main Street. Commercial building. Impac Associates. C. 1920; 2 story brick structure.

LEVERINGTON AVENUE

- A. Main & Leverington Avenue. Planning mill. Smauel S. Keely & Sons. C. 1877; 3 story 7 bay, rough cast stucco mill structure with exposed rubble walls facing canal; segmentally arched 15/16 double hung sash with segmentally arched brick lintels; double leaf, multi-light shaftway, second and third floors; main entrance has a modern door; segmentally arch door surround with simple fluted pilasters; handsome brick cornice with dentils and dentiled fascia board; although some of the window openings have been enclosed, the brick lintels were not covered over, retaining the symmetry of the fenestration.

FOUNTAIN STREET

- D. Fountain Street at Reading Railroad. Industrial building, main building. C. 1920; 5 story concrete frame structure with industrial sash and brick infill. Other buildings C. 1950 brick.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form

For NPS use only
received
date entered

Continuation sheet MAIN STREET - MANAYUNK
HISTORIC DISTRICT

Item number 7

Page 16

VENICE ISLAND

- D. Venice Island, east of Cotton Street. Venice Island playground building. C. 1970; single story brick, concrete block, and glass structure.
- B/D Venice Island, west of Cotton Street (rear 4368 Main Street). Industrial building, Connelly Container. Original Building. C. 1840; 2½ story brick and stone/stucco structure; corbelled brick gable ends, segmentally arched windows with segmentally arched brick lintels. 20th Century steel frame, brick and concrete block additions to south and east of original structure, 20th century additions are intrusions.
- D. Venice Island, west of Cotton Street (rear 4434 Main Street). Warehouse Building; Contractors storage. 1975; single story concrete block structure.
- B/D Venice Island, west of Green Lane Bridge. Industrial buildings formerly Mrs. Paul's Kitchens (rear 4572-94 Main Street). Original building. C. 1880; 2 story brick structure with slate gable roof. original building surrounded by 20th century, 1½ story cement block structures with multi-light fixed sash windows 20th century additions are intrusions.
- A. Venice Island, west of Leverington Avenue Bridge. 4601 Flat Rock Road. Manufacturing complex. NAMICO Soaps Detergents. C. 1840; 4 story brick and stone with stucco finish vernacular style building, regular fenestration with double hung multi-light sash, gable roof, low rise, brick later additions with terra cotta tile caps.
- D. Venice Island, west of Leverington Avenue. 5000 Flat Rock Road. Industrial complex. Container Corporation of America. 20th century 1-3 story structure; 3 story structure concrete frame with brick and industrial sash infill. Other structures brick, stucco and steel.

MANAYUNK CANAL

- A. Lower Lock; Manayunk Canal at Lock Street single Lock channel with cut stone faced retaining walls. Lock gates missing.
- Cotton Street Bridge; Manayunk Canal at Cotton Street access to Venice Island Playground and Connelly Container. Grade bridge over culverted canal.
- Bridge at 4434 Main Street; simple span steel bridge, access to contractors storage structure on Venice Island.
- D. Pennsylvania Railroad Bridge; concrete arch span structure crosses Canal and Schuylkill River.

