

DIVISION 10 SPECIALTIES

SECTIONS:

- 10.1 LOUVERS AND VENTS
 - 10.2 TOILET AND BATH ACCESSORIES
-

SECTION 10.1 LOUVERS AND VENTS

10.1 A General:

1. All crawl spaces outside the thermal boundary, closed porch foundations, roof spaces and attics shall be provided with adequate means of natural ventilation.
2. All vents shall be manufactured items, not job fabricated.

10.1 B Products:

1. Vents in masonry walls – aluminum jalousie window with screen. Do not use aluminum block or brick vents.
2. Vents in roofs, gables and framed openings – sheet aluminum prefabricated adjustable, with bird screening.

10.1 C Execution:

1. Install according to manufacturer's instructions.

SECTION 10.2 TOILET AND BATH ACCESSORIES

10.2 A General:

Provide catalog cuts of all products for approval.

10.2 B Products:

1. The product model names in this section are illustrative only. Acceptable manufacturers include Hall Mack, Nutone, Lawson, Stanley, Ives, Pocono Metal Products, Grote and Ketcham.
2. Medicine Cabinet – 1 in each bath or powder room.
 - a. Recessed with light – Nutone TL27P

3. Towel Bars – 2 in each bath – Hall Mack 694-24
4. Soap Dish – 1 in each bath at tub or shower – Hall Mack 865
5. Paper Holder – 1 in each bath at toilet – Hall Mack 670.
6. Tooth Brush/Tumbler – 1 in each bath at lavatory – Hall Mack 635.
7. Robe Hook – 2 in each bath – Hall Mack 682.
8. Shower rod – 1 at tub or shower – Pocono 175S.

10.4 C Execution:

1. Install rigid 2x6 blocking between studs behind accessories. Install accessories according to manufacturer's directions regarding mounting height and fastening. All accessories shall be fastened into rigid blocking or studs; do not anchor in drywall.
2. Caulk rim of medicine cabinet to interior finish.