

**BEFORE THE
PHILADELPHIA WATER, SEWER AND STORMWATER RATE BOARD**

Re: Application of the Philadelphia Water Department for Increased Rates and Related Charges : : Fiscal Years 2017-2018
: :
:

ERRATA SHEET

PECO Energy Company and Exelon Generation Co. LLP (the "Companies") hereby file this list of corrections for the purpose of having the official transcript accurately reflect the testimony presented at the April 13, 2016 hearing and to speak the truth concerning the matters discussed in the testimony. Upon review of counsel, the Companies respectfully request that the following corrections be made to the hearing transcript.

1. Page 87, line 12. "calculated in a portion to water and sewer service" should be "calculated and apportioned to its water and sewer services."

2. Page 88, lines 11 and 12. "if you saw as someone working on this" should be "if as a rate analyst you saw a."

A copy of this errata sheet has been provided to Hearing Officer Brockway and the case parties.

Respectfully submitted,



Daniel P. Delaney
PA Attorney I.D. 23955
Counsel for PECO Energy Company and
Exelon Generation Co. LLP

K&L Gates LLP
17 North Second Street, 18th Floor
Harrisburg, PA 17101-1507
(717) 231-4500
(717) 231-4501 (Fax)
dan.delaney@klgates.com

Dated: April 18, 2016