

VITAL STATISTICS REPORT

PHILADELPHIA: 2014

Published June 2017



CITY OF PHILADELPHIA

James F. Kenney, Mayor

Thomas A. Farley, MD, MPH, Health Commissioner

PHILADELPHIA DEPARTMENT OF PUBLIC HEALTH

Raynard Washington, PhD, MPH, Chief Epidemiologist

REPORT PREPARED BY:

Ming Ouyang, Ph.D., MS
Claudia Siegel, MA, MPA
Raynard Washington, PhD, MPH

For questions or comments, please contact:

Raynard.Washington@phila.gov

or

Office of the Health Commissioner
Philadelphia Department of Public Health
1401 JFK Boulevard, Room 600
Philadelphia, PA 19102
Phone: 215-686-5000
Email: HealthDept@phila.gov

TABLE OF CONTENTS

Introduction 11

Population 14

Natality 24

 Births and Birth Rates 27

 Mother's Country of Origin 34

 Birth Weight 35

 Gestational Age 40

 Route and Method of Delivery 44

 Maternal and Neonatal Outcomes 47

 Prenatal Care Initiation 49

 Natality by Planning District 51

 Baby Names 57

Mortality 58

 Life Expectancy 63

 Leading Causes of Death by Age for All Residents 67

 Infant, Neonatal, Post-Neonatal and Fetal Deaths 75

 Age-Adjusted Mortality Trends, 1972 – 2014 81

 Specified Causes of Death and Years of Potential Life Lost for All Residents 84

 Age-Adjusted Mortality Trends, 2000 – 2014 85

 Specified Causes of Death and Years of Potential Life Lost by Race/Ethnicity and
 Gender 92

 Age-Adjusted Mortality Rates by Race/Ethnicity and Gender 99

 Manner of Death 111

 Youth and Young Adult Homicides 112

 Accidents (Unintentional Injuries) 114

 Smoking-Attributable Mortality 115

 Alcohol-Attributable Mortality 118

 Mortality by Planning District 119

Appendix 133

 Leading Causes of Neonatal/Post-Neonatal Death 134

 Selected Causes of Infant and Fetal Death 137

 Selected Causes of Death by Age, Gender, and Race/Ethnicity 151

Technical Notes 217

LIST OF TABLES

Population	14
Table P1	Decennial Census Counts by Age and Gender, 2010 and 2014 16
Table P2	Estimated Population by Age, Race/Ethnicity and Gender 18
Table P3	Estimated Population of Planning Districts by Race/Ethnicity 21
Natality	24
Table N1A	Resident Live Births, Total and Crude Birth Rates by Race/Ethnicity, 2005 – 2014 27
Table N1B	Birth Rates, 1960 – 2014 29
Table N2	Age-Specific Birth Rates by Race/Ethnicity 31
Table N3	Births to Teens (15-19 Years) 33
Table N4	Top 10 Countries of Origin for Foreign-Born Mothers..... 34
Table N5A	Low Birth Weight by Race/Ethnicity, 2005 – 2014 35
Table N5B	Low Birth Weight, 1960 – 2014 36
Table N5C	Very Low Birth Weight by Race/Ethnicity, 2005 – 2014 38
Table N5D	Birth Weight by Age of Mother and by Race/Ethnicity 39
Table N6A	Preterm Births (<37 Weeks) by Race/Ethnicity 40
Table N6B	Gestation Age by Age of Mother and by Race/Ethnicity 41
Table N7	Birth Parity by Age of Mother and by Race/Ethnicity 42
Table N8	Birth Plurality by Age of Mother and by Race/Ethnicity 43
Table N9A	Route and Method of Delivery by Age of Mother and by Race/Ethnicity 44
Table N9B	Deliveries via Cesarean Section by Race/Ethnicity 45
Table N9C	Deliveries via Cesarean Section by Mother’s Body Mass Index and by Race/Ethnicity 46
Table N10	Maternal and Neonatal Characteristics by Age of Mother and by Race/Ethnicity 47
Table N11	Admission to Neonatal Intensive Care Units by Race/Ethnicity 48
Table N12A	Trimester of First Prenatal Care Visit by Age of Mother and by Race/Ethnicity 49
Table N12B	Late or No Prenatal Care by Race/Ethnicity 50
Table N13	Natality by Planning District 51
Table N14A	Birth Rate by Planning District 52
Table N14B	Teen Birth Rate by Planning District 53
Table N14C	Low Birth Weight by Planning District 54
Table N14D	Pre-Term Births by Planning District 55
Table N14E	Late or No Prenatal Care by Planning District 56
Table N15	Most Popular Baby Names by Gender of Infant 57

Mortality	58
Table M1	Life Expectancy by Age, Race/Ethnicity and Gender 63
Table M2	Life Expectancy at Birth by Race/Ethnicity and Gender, 2000 – 2014 65
Table M3	Leading Causes of Death by Age 67
Table M4	Infant Deaths, Neonatal Deaths, and Post-Neonatal Deaths by Mother’s Race/Ethnicity 75
Table M5	Infant Mortality Rate by Mother’s Race/Ethnicity: 1960 – 2014 77
Table M6	Fetal Deaths by Mother's Race/Ethnicity 80
Table M7A	All Causes of Death (Age-Adjusted Mortality Rates and Years of Potential Life Lost to Age 75), 1972 – 2014 81
Table M7B	Specified Causes of Death (Years of Potential Life Lost), 2000 – 2014 84
Table M7C	Specified Causes of Death (Age-Adjusted Rates), 2000 – 2014 85
Table M8A	Specified Causes of Death by Race/Ethnicity and Sex (Age-Adjusted Rates)..... 92
Table M8B	Specified Causes of Death by Race/Ethnicity and Sex (Years of Potential Life Lost) 95
Table M9	Manner of Death 111
Table M10A	Youth and Young Adult Homicides by Gender, Age, and Race/Ethnicity 112
Table M10B	Youth and Young Adult Homicides by Specific Cause of Death 112
Table M11A	Child Injury Deaths by Specific Cause of Death 113
Table M11B	Accidents (Unintentional Injuries) by Subcategory, 2000 – 2014 114
Table M12A	Smoking-Attributable Mortality Age-Adjusted Rate, 2005 – 2014 117
Table M12B	Smoking-Attributable Mortality by Race/Ethnicity 117
Table M13	Alcohol-Attributable Mortality by Race/Ethnicity and Age..... 118
Table M14	Specified Causes of Death by Planning District 119
Table M15	Life Expectancy at Birth by Planning District and Gender 124
Table M16	Infant Mortality Rate by Planning District..... 125
Table M17	Perinatal Mortality by Planning District 126
Table M18	All Causes Mortality by Planning District 127
Table M19	Heart Disease Mortality by Planning District..... 128
Table M20	Cancer Mortality by Planning District..... 129
Table M21	Homicides by Planning District..... 130
Table M22	Youth and Young Adult Homicides by Planning District 131
Table M23	Smoking-Attributable Mortality by Planning District 132

Appendix **133**

Table A1	Leading Causes of Infant, Neonatal, and Post-Neonatal Deaths by Child’s Race/Ethnicity 134
Table A2	Selected Causes of Infant Death by Child’s Race/Ethnicity 137
Table A3	Selected Causes of Fetal Death by Gestational Age 145
Table A4A	Selected Causes of Death among All Residents 151
Table A4B	Selected Causes of Death among Males 157

Table A4C	Selected Causes of Death among Females	163
Table A4D	Selected Causes of Death among White Non-Hispanic Males	169
Table A4E	Selected Causes of Death among White Non-Hispanic Females	175
Table A4F	Selected Causes of Death among Black Non-Hispanic Males	181
Table A4G	Selected Causes of Death among Black Non-Hispanic Females	187
Table A4H	Selected Causes of Death among Asian Non-Hispanic Males	193
Table A4I	Selected Causes of Death among Asian Non-Hispanic Females	199
Table A4J	Selected Causes of Death among Hispanic Males	205
Table A4K	Selected Causes of Death among Hispanic Females	211

LIST OF FIGURES

Population	14
Figure P1	Most Recent Census Estimated by Age and Gender 16
Figure P2	Yearly Estimated Population, 2000 – 2014..... 17
Figure P3	Decennial Population Counts, 1960 – 2014 17
Figure P4	Population Estimated by Age, Race/Ethnicity and Gender 19
Figure P5A	Yearly Estimated Population by Age Group, 2000 – 2014 20
Figure P5B	Yearly Estimated Population by Race/Ethnicity, 2000 – 2014 20
Natality	24
Figure N1A	Births by Mother’s Race/Ethnicity, 2005 – 2014 28
Figure N1B	Birth Rate by Mother’s Race/Ethnicity, 2005 – 2014 28
Figure N1C	Birth Rates, 1960 – 2014 30
Figure N2	Age-Specific Birth Rates by Race/Ethnicity 32
Figure N3	Births to Teens (15-19 Years) by Race/Ethnicity, 2005 – 2014 33
Figure N4A	Low Birth Weight by Race/Ethnicity, 2005 – 2014 35
Figure N4B	Low Birth Weight, 1960 – 2014..... 37
Figure N4C	Very Low Birth Weight by Race/Ethnicity, 2005 – 2014 38
Figure N5	Preterm Births (<37 Weeks) by Race/Ethnicity, 2005 – 2014 40
Figure N6	Deliveries via Cesarean Section by Race/Ethnicity 45
Figure N7	Admission to NICU by Race/Ethnicity 48
Figure N8	Late or No Prenatal Care by Race/Ethnicity, 2005 – 2014 50
Mortality	58
Figure M1	Life Expectancy at Birth by Race/Ethnicity and Gender 64
Figure M2	Life Expectancy at Birth by Race/Ethnicity and Gender, 2000 – 2014 66
Figure M3A	Leading Causes of Death for All Ages 67
Figure M3B	Leading Causes of Death Aged 0 – 4 Years Old 68
Figure M3C	Leading Causes of Death Aged 5 – 14 Years Old 69
Figure M3D	Leading Causes of Death Aged 15 – 24 Years Old 70
Figure M3E	Leading Causes of Death Aged 25 – 44 Years Old 71
Figure M3F	Leading Causes of Death Aged 45 – 64 Years Old 72
Figure M3G	Leading Causes of Death Aged 65 Years Old and Above 73
Figure M3H	Leading Causes of Death by Age and Major Category 74
Figure M4	Infant Mortality by Mother’s Race/Ethnicity 76
Figure M5	Infant Mortality by Race, 1960 – 2014 79
Figure M6	Perinatal Mortality by Mother's Race/Ethnicity 80
Figure M7A	All Causes of Death (Age-Adjusted Years of Potential Life Lost), 1972 – 2014 82
Figure M7B	All Causes of Death (Mortality Rate), 1972 – 2014 83

Figure M7C	Heart Disease and Cancer, 2000 – 2014	86
Figure M7D	Lung Cancer, 2000 – 2014	87
Figure M7E	Prostate, Breast, and Colorectal Cancers, 2000 – 2014	88
Figure M7F	Diabetes, 2000 – 2014	89
Figure M7G	HIV / AIDS, 2000 – 2014	90
Figure M7H	Accidents (Unintentional Injuries), Assaults (Homicides), and Intentional Self-Harm (Suicides) 2000 – 2014.....	91
Figure M8	Leading Causes of Death by Race/Ethnicity and Major Category.....	98
Figure M9A	All Causes of Death by Race/Ethnicity and Gender	99
Figure M9B	Heart Disease by Race/Ethnicity and Gender	100
Figure M9C	All Cancers by Race/Ethnicity and Gender	101
Figure M9D	Lung Cancer by Race/Ethnicity and Gender	102
Figure M9E	Colorectal Cancer by Race/Ethnicity and Gender	103
Figure M9F	Breast Cancer by Race/Ethnicity	104
Figure M9G	Prostate Cancer by Race/Ethnicity	105
Figure M9H	HIV / AIDS by Race/Ethnicity and Gender	106
Figure M9I	Diabetes by Race/Ethnicity and Gender	107
Figure M9J	Accidents (Unintentional Injuries) by Race/Ethnicity and Gender	108
Figure M9K	Assaults (Homicides) by Race/Ethnicity and Gender	109
Figure M9L	Intentional Self-Harm (Suicide) by Race/Ethnicity and Gender	110
Figure M10A	Smoking-Attributable Deaths	115
Figure M10B	Smoking-Attributable Productivity Losses	116

LIST OF MAPS

Population 14

- Map P1 Estimated Population of Planning Districts by Race/Ethnicity 22
- Map P2 Distribution of Race/Ethnicities across Census Tracts..... 23

Natality 24

- Map N1 Top 10 Countries of Mother's Origin 34
- Map N2A Birth Rate by Planning District 52
- Map N2B Teen Birth Rate by Planning District 53
- Map N2C Low Birth Weight by Planning District 54
- Map N2D Pre-Term Births by Planning District 55
- Map N2E Late or No Prenatal Care by Planning District 56

Mortality 58

- Map M1 Life Expectancy at Birth by Planning District and Gender 124
- Map M2 Infant Mortality by Planning District 125
- Map M3 Perinatal Mortality by Planning District 126
- Map M4 All Causes Mortality by Planning District 127
- Map M5 Heart Disease Mortality by Planning District 128
- Map M6 Cancer Mortality by Planning District 129
- Map M7 Homicides by Planning District 130
- Map M8 Youth and Young Adult Homicides by Planning District 131
- Map M9 Smoking-Attributable Mortality by Planning District 132

This page intentionally left blank.

Introduction

This year's Vital Statistics Report shows that health in Philadelphia continues to improve, with consistent decreases in mortality from most causes of death and years of potential life lost to age 75. Further, in 2014 we saw a decrease in the disparities in life expectancy between black and white men.

Major findings of the 2014 Vital Statistics Report

- Life expectancy at birth was 73.0 years for men and 79.6 years for women, representing a decrease of 0.2 years for men and an increase of 0.3 years for women.
- Life expectancy at birth was lowest among non-Hispanic black men at 70.2 years in 2014, about the same as in 2013.
- Disparities in life expectancy between non-Hispanic blacks and non-Hispanic whites decreased by 28% for men and 34% for women between 2010 and 2014.
- The infant mortality rate of deaths per 1,000 live births decreased 4.9%, from 8.2 in 2013 to 7.8 in 2014, the lowest since 1960. However this remains substantially higher than the US rate of 5.82 in 2014.
- Heart disease remains the leading cause of death in Philadelphia.
- Death rates for all causes continue to decline except for accidents (unintentional injuries), which includes drug overdoses. In general, death rates for most causes of death remain higher among non-Hispanic blacks than other racial and ethnic groups within the city. The exceptions are accidents (unintentional injuries) and suicides, for which death rates are highest among non-Hispanic whites.
- Deaths due to smoking (3,721) constituted 28% of all deaths in the city, similar in 2013.
- Among teenagers and young adults, close to one-third of all deaths were attributable to alcohol use.
- Teen birth rates continue to decline, with an overall 31% decline since 2010 and decreases among all racial and ethnic groups.

Historical Changes in Reporting Procedures

Beginning with the 2008 Vital Statistics report, PDPH began to provide findings for the entire population and by the race/ethnicity groups of non-Hispanic white, non-Hispanic black, non-Hispanic Asian, and Hispanic, based on the 31 race and ethnicity categories made available in the 2000 decennial census. Reporting by race and by ethnicity separately was dropped.

Beginning in 2005, the annual Vital Statistics report no longer included disease morbidity reporting. Morbidity reports for infectious, chronic, and environmental conditions can be found at <http://www.phila.gov/health/Commissioner/Reports.html>.

Supplemental data tables detailing vital events by zip code and census tract will also be made available on the Department's website at:

<http://www.phila.gov/health/Commissioner/DataResearch.html>.

The birth and death data used to create this report were obtained from electronic files provided by the Pennsylvania Department of Health, which requires that the following statement be included: “These data were supplied by the Bureau of Health Statistics and Research, Pennsylvania Department of Health, Harrisburg, Pennsylvania. The Pennsylvania Department of Health specifically disclaims responsibility for any analyses, interpretations or conclusions.”

This page intentionally left blank.

Population Findings

Population Summary

This section contains population analyses for 2000 through 2014. Multiple population estimates were used depending on the analysis, including the Census Bureau's population count conducted every 10 years (decennial enumeration) and its annual population estimates for July of each year. Details can be found in the Technical Appendix.

The 2014 population of Philadelphia was estimated as 1,561,562 (Table P1). This represents a 2.3% increase from the 2010 enumerated population and a 2.9% increase from the 2000 enumerated population. From 1960 to 2010, the population of Philadelphia decreased by 24% from approximately 2 million to 1.5 million.

In 2014, there were 647,477 black non-Hispanics in Philadelphia, making up 41% of the total population (Table P2). For white non-Hispanics, Hispanics, and Asian non-Hispanics, the values were 557,212 (36%), 213,487 (14%) and 110,017 (7%), respectively. People between the ages of 20 and 34 represented a larger proportion of the population among white non-Hispanics and Asian non-Hispanics than among black non-Hispanics and Hispanics (Figure P4). Among 0-4 year-olds, 22% are Hispanic and 43% are non-Hispanic black (Table P2).

Between 2000 and 2014, population growth was seen in the group 45-64 years of age, while declines were seen in the groups 5-14 and 65 and older (Figure P5A). In terms of changes by race/ethnicity, between 2000 and 2014, the fastest growing groups were Hispanics (an increase of approximately 85,000) and non-Hispanic Asians (an increase of approximately 42,000) (Figure P5B). White non-Hispanics decreased by 89,000. The non-Hispanic black group has remained virtually unchanged.


Analyses of the population by planning districts (Table P3, Maps P1, and P2) demonstrate significant clustering by race-ethnicity. Non-Hispanic whites comprise large portions of the population in Northeast and South Philadelphia. Non-Hispanic blacks comprise large portions in West and North Philadelphia; Hispanics in North and Lower Northeast Philadelphia. Asians are most prevalent in South, Central, and Lower Northeast Philadelphia.

Population in Philadelphia: 2000 - 2014

Table P1
Population by Age and Gender: Philadelphia, 2010 and 2014

Age	April 1, 2010 (Enumerated Census)			July 1, 2014 (Census Bureau Estimates)		
	Total	Male	Female	Total	Male	Female
0-4	101,053	51,200	49,853	109,096	55,499	53,597
5-9	90,827	46,372	44,455	94,838	48,254	46,584
10-14	90,640	46,100	44,540	88,522	44,987	43,535
15-19	118,297	58,417	59,880	100,248	49,881	50,367
20-24	146,717	71,200	75,517	130,768	63,367	67,401
25-29	135,610	64,596	71,014	156,703	75,327	81,376
30-34	110,452	53,181	57,271	127,012	61,058	65,954
35-39	94,007	45,279	48,728	98,783	47,391	51,392
40-44	94,316	45,459	48,857	92,150	44,068	48,082
45-49	98,086	46,647	51,439	93,081	44,384	48,697
50-54	99,884	46,634	53,250	97,556	46,088	51,468
55-59	87,697	40,356	47,341	96,417	44,359	52,058
60-64	73,111	32,626	40,485	81,356	36,523	44,833
65-69	53,191	22,832	30,359	62,907	27,210	35,697
70-74	41,573	17,214	24,359	44,602	18,499	26,103
75-79	34,667	13,526	21,141	33,314	13,219	20,095
80-84	27,767	9,921	17,846	25,400	9,284	16,116
85+	28,111	8,253	19,858	28,809	8,719	20,090
Total	1,526,006	719,813	806,193	1,561,562	738,117	823,445

Figure P1
Most Recent Census Estimates by Age and Gender: Philadelphia, 2014



Population in Philadelphia: 1960 - 2014

Figure P2
Yearly Estimated Population: Philadelphia, 2000 - 2014





Figure P3
Decennial Population Counts with Current Year Estimate
Philadelphia, 1960 - 2014



Population in Philadelphia: by Age, Race/Ethnicity, and Gender






Table P2
Population by Age, Race/Ethnicity and Gender: Philadelphia, 2014

Age	White, Non-Hispanic				Black, Non-Hispanic				Asian, Non-Hispanic				Hispanic			
	Total	%	Male	Female	Total	%	Male	Female	Total	%	Male	Female	Total	%	Male	Female
0-4	27,299	4.9%	13,899	13,400	46,880	7.2%	23,893	22,987	6,296	5.7%	3,265	3,031	23,604	11.1%	11,879	11,725
5-9	21,877	3.9%	11,223	10,654	44,314	6.8%	22,436	21,878	5,841	5.3%	3,038	2,803	19,275	9.0%	9,839	9,436
10-14	19,143	3.4%	9,723	9,420	43,463	6.7%	22,148	21,315	5,489	5.0%	2,739	2,750	17,680	8.3%	8,990	8,690
15-19	27,460	4.9%	13,532	13,928	45,225	7.0%	22,486	22,739	7,549	6.9%	3,674	3,875	17,441	8.2%	8,919	8,522
20-24	39,138	7.0%	18,903	20,235	56,661	8.8%	27,257	29,404	11,128	10.1%	5,355	5,773	20,576	9.6%	10,413	10,163
25-29	68,053	12.2%	33,501	34,552	51,313	7.9%	23,473	27,840	14,102	12.8%	6,902	7,200	19,954	9.3%	9,962	9,992
30-34	53,807	9.7%	27,426	26,381	41,450	6.4%	18,310	23,140	11,162	10.1%	5,138	6,024	18,049	8.5%	8,968	9,081
35-39	36,527	6.6%	19,034	17,493	37,608	5.8%	16,574	21,034	7,840	7.1%	3,652	4,188	14,978	7.0%	7,391	7,587
40-44	31,175	5.6%	16,298	14,877	38,700	6.0%	17,077	21,623	7,439	6.8%	3,529	3,910	13,204	6.2%	6,402	6,802
45-49	31,262	5.6%	16,165	15,097	41,674	6.4%	18,526	23,148	6,640	6.0%	3,191	3,449	12,134	5.7%	5,868	6,266
50-54	34,912	6.3%	17,650	17,262	44,673	6.9%	19,792	24,881	6,186	5.6%	2,945	3,241	10,460	4.9%	5,130	5,330
55-59	37,682	6.8%	18,343	19,339	42,879	6.6%	18,572	24,307	6,020	5.5%	2,794	3,226	8,552	4.0%	4,132	4,420
60-64	34,336	6.2%	16,416	17,920	34,532	5.3%	14,401	20,131	5,238	4.8%	2,461	2,777	6,217	2.9%	2,829	3,388
65-69	28,429	5.1%	13,007	15,422	25,570	3.9%	10,115	15,455	3,491	3.2%	1,700	1,791	4,729	2.2%	2,135	2,594
70-74	20,485	3.7%	8,926	11,559	18,516	2.9%	7,086	11,430	2,295	2.1%	1,093	1,202	2,839	1.3%	1,228	1,611
75-79	16,098	2.9%	6,681	9,417	13,490	2.1%	4,920	8,570	1,563	1.4%	705	858	1,843	0.9%	794	1,049
80-84	13,041	2.3%	5,141	7,900	10,112	1.6%	3,226	6,886	975	0.9%	420	555	1,047	0.5%	420	627
85+	16,488	3.0%	5,204	11,284	10,417	1.6%	2,850	7,567	763	0.7%	298	465	905	0.4%	300	605
Total	557,212	100.0%	271,072	286,140	647,477	100.0%	293,142	354,335	110,017	100.0%	52,899	57,118	213,487	100.0%	105,599	107,888

Source: United States Census Bureau, CC-EST2015-ALLDATA.

Population in Philadelphia: by Age, Race/Ethnicity, and Gender

Figure P4
Population by Age, Race/Ethnicity and Gender: Philadelphia, 2014



Source: United States Census Bureau, CC-EST2015-ALLDATA.

The denominator is the number of people by race/ethnicity and sex. The vertical reference lines are on 5% intervals.

Population in Philadelphia: 2000 - 2014

Figure P5A

Yearly Estimated Population by Age Group: Philadelphia, 2000 - 2014





Figure P5B

Yearly Estimated Population by Race/Ethnicity: Philadelphia, 2000 - 2014



Population in Philadelphia: by Planning District and Race/Ethnicity

Table P3
Estimated Population of Planning Districts
By Race/Ethnicity: Philadelphia, 2010

District	White, Non-Hispanic		Black, Non-Hispanic		Asian, Non-Hispanic		Hispanic		All Race/ Ethnicities
	Count	%	Count	%	Count	%	Count	%	Count
District 1 Lower Southwest	4,281	10.2%	32,045	76.1%	3,207	7.6%	1,192	2.8%	42,087
District 2 University / Southwest	23,885	29.4%	42,038	51.8%	9,127	11.2%	2,283	2.8%	81,145
District 3 West	2,175	2.1%	96,940	91.8%			1,387	1.3%	105,642
District 4 West Park	7,918	18.2%	31,656	72.9%	1,193	2.7%	522	1.2%	43,448
District 5 Lower South	4,183	81.4%	526	10.2%	261	5.1%	113	2.2%	5,137
District 6 South	62,074	46.7%	37,232	28.0%	18,781	14.1%	11,137	8.4%	132,899
District 7 Central	78,486	67.0%	17,441	14.9%	10,751	9.2%	5,809	5.0%	117,132
District 8 Lower North	13,087	13.7%	63,940	66.8%	1,344	1.4%	13,823	14.4%	95,777
District 9 North	7,831	5.7%	58,784	42.6%	3,254	2.4%	64,433	46.7%	137,849
District 10 River Wards	44,576	65.1%	6,575	9.6%	1,229	1.8%	13,860	20.2%	68,489
District 11 Upper North	5,688	3.9%	113,375	78.5%	8,022	5.6%	12,088	8.4%	144,381
District 12 Lower Northwest	41,708	82.2%	4,623	9.1%	924	1.8%	1,029	2.0%	50,725
District 13 Upper Northwest	20,642	24.3%	57,947	68.1%	297	0.3%	2,036	2.4%	85,093
District 14 Lower Northeast	22,644	22.6%	43,699	43.6%	7,280	7.3%	23,205	23.2%	100,232
District 15 North Delaware	64,820	64.4%	17,122	17.0%	3,503	3.5%	12,434	12.4%	100,631
District 16 Central Northeast	48,892	62.5%	8,994	11.5%	9,244	11.8%	8,626	11.0%	78,266
District 17 Lower Far Northeast	55,972	79.6%	5,739	8.2%	2,702	3.8%	4,370	6.2%	70,338
District 18 Upper Far Northeast	50,134	75.3%	3,756	5.6%	7,735	11.6%	3,305	5.0%	66,605

Source: United States Census Bureau, 2010 enumeration Summary File 2.


Results for years beyond 2010 were not available for race/ethnicity at the Planning district level. Blank cells indicate that the survey counted too few people for a reliable estimate.

The denominator for percentages is the number in the All Race/Ethnicities column.

Population in Philadelphia: by Geography and Race/Ethnicity

Map P1

Estimated Population of Planning Districts by Race/Ethnicity: Philadelphia, 2010



Source: United States Census Bureau, 2010 enumeration Summary File 2.

The size of each pie is proportional to the total population of the district. However, the pie for District 5 Lower South is oversized.

¹ District numbers appear on the map.

Population in Philadelphia: by Geography and Race/Ethnicity

Map P2

Estimated Population of Census Tracts by Race/Ethnicity: Philadelphia, 2010



Source: United States Census Bureau, 2010 enumeration Summary File 2.

Results for years beyond 2010 were not available for race/ethnicity at the Planning district level. See Map P1 to identify the planning districts, shown with dashed lines.

Natality Findings

Natality Summary

All natality statistics are derived from the live birth certificate records, which are electronically reported to the Pennsylvania Department of Health. The denominator to calculate the percentages of the natality indicator, except country of origin, is total live births which do not include the births missing information on the corresponding indicator.

Births and Birth Rates

In 2014, there were 22,372 live births to women living in Philadelphia (Table N1A). The crude birth rate was 14.3 per 1,000 residents in 2014. Hispanic women had the highest birth rate, at 18.5. Among non-Hispanic white and Asian women, the highest birth rate was among 30 – 34 year old, among non-Hispanic black the highest birth rate was among 25 – 29 years old, and among Hispanic women the highest birth rate was among 20 – 24 year old.

Among non-Hispanic white and black women, birth rates were relatively flat between 2005 and 2014. Birth rates among Hispanic women decreased slightly over the same time period, while birth rates among non-Hispanic Asian women have varied.

Over the last 50 plus years, the crude birth rate dropped from 21.9 births per 1,000 persons in 1960 to 14.2 in 2001; increased to 15.8 in 2007 and 2008; and then decreased again to 14.3 in 2014 (Table N1B).

Births to Teens

The rate of births to teens 15-19 years of age hovered just under 60 births per 1,000 girls 15-19 between 2005 and 2008. It has decreased steadily every year since, falling to 34.9 in 2014 (Table N3).

In 2014, the highest rate of births to teens was among Hispanics. From 2005 to 2014, the rate of births among Hispanic teens declined about 43% from 103.0 births per 1,000 to 58.9 births per 1,000 (Table N3).

Country of Origin

In 2007, we began reporting on the country of origin of women who gave birth in Philadelphia (Table N4). In 2014, 19.3% of women who gave birth were born outside of the United States (an additional 1.6% of women did not provide a country of origin): 388 women who gave birth were born in the Dominican Republic, 362 were born in China, and 228 were born in Mexico. These were the 3 most common countries of origin, outside of the United States.

Low Birth Weight

Babies weighing < 2,500 grams at the time of birth are considered to be of low birth weight. In 2014, 10.7% of all live births were of low birth weight (Table N5A). The racial/ethnic group with the highest rate of low birth weight in 2014 was non-Hispanic black women; 13.6% of their babies were of low birth weight. Overall, the percent of low birth weight births has fluctuated between 10% and 12% since 1960. In the last decade, the highest rate of low birth weight was 11.8% in 2007, and the lowest rate was 10.4% in 2012.

Babies weighing < 1,500 grams at the time of birth are considered to be of very low birth weight. In 2014, 2.1% of all live births were of very low birth weight (Table 5NC). As with low birth weight, the racial/ethnic group with the highest rate of very low birth weight in 2014 was non-Hispanic black women; 3.1% of their babies were of very low birth weight. Overall, the percent of very low birth weight births remained stable from 2005 to 2014 at around 2.5%.

Gestational Age

Gestational age at birth is measured by the number of completed weeks of pregnancy. Preterm births are defined as births with less than 37 completed weeks of gestation. Term births are births with 37 to 41 weeks of completed gestation. Births with 42 or more weeks of completed gestation are post-term births.

In 2014, 10.7% of births were preterm (Table N6A). The highest rate of preterm births was among non-Hispanic black women, with 12.7% of their babies being born preterm. Overall, the percentage of preterm births remained relatively stable from 2005 to 2014 at between 10.7% and 12.9%.

Delivery, Maternal, and Neonatal Outcomes

Detailed data on complications of labor and delivery and neonatal morbidity can be found in the body of this report. The following are highlights drawn from these statistics.

There was a general increase in Cesarean section deliveries between 2005 and 2009, but the prevalence has plateaued. In 2014, 30.2% of births were delivered via Cesarean section (Table N9A). Among women who were obese prior to pregnancy, 40.6% of births were via Cesarean section (Table N9C).

Prenatal Care

This report includes data on the timing of initiation of prenatal care. It is important to note that this variable is often missing on Pennsylvania birth certificates; in 2014, 13.7% of all birth records lacked this information. However, there has been a decrease in the percentage of missing data compared to 2003, when 40.7% of the birth records were missing this information.

Among those records with available information, 13.3% of women giving birth in 2014 began prenatal care in the third trimester (late) or had no prenatal care at all (Table N12B). The highest percentage of late or no prenatal care in 2014 was among non-Hispanic black women at 16.4%.

Geographic Disparities

Birth outcomes by planning district varied widely across the city (Table N13). The highest birth rate was in the North district, and it also had the highest birth rate among teens. West had the highest percentages of low birth weight births and preterm births. Lower Northeast had the highest percentage of women receiving late or no prenatal care.

Other Natality Statistics

The Division of Maternal, Child and Family Health will be releasing additional natality-related data, which will be made available at <http://www.phila.gov/health/MCFH/>.

Births and Birth Rates

Table N1A
Resident Live Births, Total and Crude Birth Rate by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014

	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
White, Non-Hispanic	5,577	9.6	5,696	10.0	5,771	10.2	5,921	10.5	5,806	10.3	5,853	10.4	5,922	10.5	5,904	10.5	5,860	10.5	5,811	10.4
Black, Non-Hispanic	10,380	16.0	10,666	16.4	10,788	16.7	10,763	16.7	10,702	16.6	10,516	16.2	10,470	16.1	10,328	15.9	9,740	15.0	9,496	14.7
Asian, Non-Hispanic	1,338	16.1	1,357	15.8	1,371	15.5	1,345	14.8	1,306	13.9	1,301	13.4	1,335	13.2	1,471	14.2	1,330	12.4	1,465	13.3
Hispanic	3,496	22.4	3,788	23.4	3,919	23.3	3,992	22.9	4,017	22.2	3,837	20.4	4,042	20.6	4,045	20.0	3,851	18.6	3,954	18.5
All Race/Ethnicities	22,027	14.8	22,905	15.4	23,558	15.8	23,694	15.8	23,431	15.5	23,088	15.1	23,087	15.0	23,157	14.9	22,104	14.2	22,372	14.3

Rates are given as count per 1,000 residents in the group.

Births and Birth Rates

Figure N1A
Births by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014





Figure N1B
Birth Rate by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014




Births and Birth Rates

Table N1B
Birth Rates: Philadelphia, 1960 - 2014

Year	N	Rate (per 1,000 residents)	Year	N	Rate (per 1,000 residents)
1960	43,953	21.9	1988	28,723	17.9
1961	44,779	22.4	1989	28,999	18.2
1962	43,445	21.8	1990	29,508	18.6
1963	42,952	21.6	1991	29,067	18.3
1964	42,255	21.3	1992	27,778	17.9
1965	39,762	20.1	1993	26,680	17.3
1966	37,511	19.0	1994	25,946	17.0
1967	36,112	18.4	1995	23,932	16.0
1968	34,963	17.8	1996	22,753	15.4
1969	33,863	17.3	1997	22,038	15.2
1970	34,564	17.7	1998	22,062	15.4
1971	31,541	16.5	1999	21,667	15.3
1972	27,923	14.8	2000	21,849	14.4
1973	25,599	13.7	2001	21,128	14.2
1974	25,005	13.6	2002	21,380	14.3
1975	24,747	13.7	2003	21,313	14.4
1976	24,662	13.8	2004	21,631	14.7
1977	25,356	14.4	2005	22,027	14.8
1978	24,754	14.3	2006	22,905	15.4
1979	25,148	14.7	2007	23,558	15.8
1980	24,903	14.8	2008	23,694	15.8
1981	25,441	15.2	2009	23,431	15.5
1982	25,943	15.6	2010	23,088	15.1
1983	25,071	15.1	2011	23,087	15.0
1984	24,637	15.0	2012	23,157	14.9
1985	26,448	16.2	2013	22,104	14.2
1986	27,875	17.1	2014	22,372	14.3
1987	28,284	17.5			

Births and Birth Rates
Figure N1C
Birth Rates: Philadelphia, 1960 - 2014



Births and Birth Rates






Table N2
Age-Specific Birth Rates by Mother's Race/Ethnicity
Philadelphia, 2014

Age of Mother	White, Non-Hispanic		Black, Non-Hispanic		Asian, Non-Hispanic		Hispanic		All Race/ Ethnicities	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
10-14	0	0.0	16	0.4	0	0.0	8	0.5	27	0.3
15-19	156	5.7	980	21.7	31	4.1	502	28.8	1,757	17.5
20-24	662	16.9	2,976	52.5	145	13.0	1,243	60.4	5,365	41.0
25-29	1,491	21.9	2,706	52.7	450	31.9	1,077	54.0	6,181	39.4
30-34	2,236	41.6	1,767	42.6	562	50.3	723	40.1	5,767	45.4
35-39	1,036	28.4	824	21.9	218	27.8	319	21.3	2,608	26.4
40-44	190	6.1	196	5.1	53	7.1	76	5.8	568	6.2
45+	9	0.3	16	0.4	5	0.8	3	0.2	41	0.4
All Ages	5,811	10.4	9,496	14.7	1,465	13.3	3,954	18.5	22,372	14.3
Age-Adjusted Rate		15.0		23.6		16.6		25.2		21.4

Rates are given as count per 1,000 residents in the group.

Births and Birth Rates

Figure N2
Age-Specific Birth Rates by Mother's Race/Ethnicity: Philadelphia, 2014




Births and Birth Rates

Table N3
Births to Teens (15-19 Years) by Mother's Race/Ethnicity: Philadelphia, 2005 - 2014

	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
White, Non-Hispanic	417	23.2	373	21.0	367	20.7	336	19.2	245	14.1	271	16.0	214	14.1	216	14.8	189	13.2	156	11.2
Black, Non-Hispanic	2,095	71.4	2,149	71.9	2,202	73.3	2,100	70.6	2,053	69.5	1,808	63.9	1,652	62.3	1,477	59.1	1,138	47.9	980	43.1
Asian, Non-Hispanic	45	12.7	59	16.4	46	12.4	45	12.0	40	10.1	39	9.7	47	12.4	39	10.2	29	7.5	31	8.0
Hispanic	764	103.0	853	109.5	758	93.1	751	90.1	738	85.6	711	80.7	665	75.7	650	75.4	526	62.0	502	58.9
All Race/Ethnicities	3,473	58.5	3,603	59.8	3,620	59.5	3,464	57.1	3,269	53.7	3,011	50.5	2,722	48.9	2,505	46.8	1,979	38.3	1,757	34.9

Rates are given as count per 1,000 females in the group.

Figure N3
Births to Teens (15-19 Years) by Mother's Race/Ethnicity: Philadelphia, 2005 - 2014




Mother's Country of Origin

Table N4
Top 10 Countries of Mother's Origin: Philadelphia, 2014

Rank	Country of Origin	Abbreviation	Births	Percent
1	Dominican Republic	DO	388	1.7%
2	China	CN	362	1.6%
3	Vietnam	VN	228	1.0%
4	Haiti	HT	187	0.8%
5	Mexico	MX	181	0.8%
6	India	IN	179	0.8%
7	Jamaica	JM	143	0.6%
8	Liberia	LR	140	0.6%
9	Brazil	BR	126	0.6%
10	Ukraine	UA	116	0.5%
	Unknown		348	1.6%
	United States	US	17,689	79.1%

Map N1
Top 10 Countries of Mother's Origin: Philadelphia, 2014




Birth Weight

Table N5A
Low Birth Weight (Under 2,500 Grams)
Philadelphia, 2005 - 2014

	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
White, Non-Hispanic	454	8.1%	436	7.7%	430	7.5%	429	7.3%	425	7.3%	401	6.9%	481	8.1%	399	6.8%	411	7.2%	416	7.2%
Black, Non-Hispanic	1,469	14.2%	1,518	14.2%	1,612	14.9%	1,475	13.9%	1,452	13.7%	1,451	13.9%	1,480	14.2%	1,325	12.9%	1,302	13.5%	1,288	13.6%
Asian, Non-Hispanic	92	6.9%	98	7.2%	117	8.5%	107	8.1%	105	8.2%	125	9.7%	101	7.6%	119	8.2%	103	7.9%	95	6.5%
Hispanic	332	9.5%	365	9.6%	375	9.6%	375	9.5%	416	10.4%	338	8.8%	389	9.7%	383	9.5%	342	8.9%	373	9.5%
All Race/Ethnicities	2,484	11.3%	2,583	11.3%	2,771	11.8%	2,595	11.1%	2,593	11.2%	2,510	10.9%	2,599	11.3%	2,386	10.4%	2,321	10.7%	2,362	10.7%

Figure N4A
Low Birth Weight (Under 2,500 Grams) by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014



Birth Weight


Table N5B
Low Birth Weight (<2,500 Grams): Philadelphia, 1960 - 2014

Year	N	Percent Low Weight Births	Year	N	Percent Low Weight Births
1960	43,953	10.5%	1988	28,723	11.9%
1961	44,779	11.0%	1989	28,999	11.9%
1962	43,445	10.3%	1990	29,508	11.7%
1963	42,952	11.5%	1991	29,067	11.8%
1964	42,255	11.6%	1992	27,778	11.6%
1965	39,762	11.5%	1993	26,680	11.3%
1966	37,511	12.3%	1994	25,946	11.5%
1967	36,112	11.7%	1995	23,932	11.2%
1968	34,963	11.5%	1996	22,753	11.7%
1969	33,863	11.3%	1997	22,038	11.3%
1970	34,564	11.7%	1998	22,062	11.1%
1971	31,541	11.3%	1999	21,667	11.3%
1972	27,923	11.4%	2000	21,849	10.9%
1973	25,599	11.5%	2001	21,128	11.3%
1974	25,005	11.4%	2002	21,380	11.6%
1975	24,747	11.6%	2003	21,313	11.7%
1976	24,662	11.3%	2004	21,631	12.1%
1977	25,356	11.0%	2005	22,027	11.3%
1978	24,754	10.9%	2006	22,905	11.3%
1979	25,148	11.8%	2007	23,558	11.8%
1980	24,903	11.4%	2008	23,694	11.0%
1981	25,441	11.6%	2009	23,431	11.1%
1982	25,943	11.5%	2010	23,088	10.9%
1983	25,071	10.8%	2011	23,087	11.3%
1984	24,637	10.5%	2012	23,157	10.4%
1985	26,448	10.6%	2013	22,104	10.7%
1986	27,875	10.9%	2014	22,372	10.7%
1987	28,284	11.1%			

Birth Weight

Figure N4B

Low Birth Weight (<2,500 Grams): Philadelphia, 1960 - 2014




Birth Weight

Table N5C
 Very Low Birth Weight (Under 1,500 Grams) by Mother's Race/Ethnicity
 Philadelphia, 2005 - 2014

	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
White, Non-Hispanic	87	1.6%	89	1.6%	65	1.1%	67	1.1%	66	1.1%	77	1.3%	53	0.9%	64	1.1%	69	1.2%	59	1.0%
Black, Non-Hispanic	341	3.3%	402	3.8%	384	3.6%	333	3.1%	338	3.2%	337	3.2%	392	3.8%	331	3.2%	295	3.1%	271	2.9%
Asian, Non-Hispanic	9	0.7%	11	0.8%	21	1.5%	19	1.4%	17	1.3%	13	1.0%	21	1.6%	13	0.9%	11	0.8%	16	1.1%
Hispanic	74	2.1%	64	1.7%	71	1.8%	79	2.0%	76	1.9%	83	2.2%	58	1.4%	89	2.2%	58	1.5%	67	1.7%
All Race/Ethnicities	555	2.5%	625	2.7%	597	2.5%	560	2.4%	575	2.5%	568	2.5%	574	2.5%	544	2.4%	507	2.3%	470	2.1%

Figure N4C
 Very Low Birth Weight (Under 1,500 Grams) by Mother's Race/Ethnicity
 Philadelphia, 2005 - 2014



Birth Weight

Table N5D
Birth Weight by Mother's Age and Race/Ethnicity: Philadelphia, 2014

Race/Ethnicity	Age of Mother	Very Low (<1,500g)		Moderately Low (1,500-2,499g)		Normal (>=2,500g)	
		N	%	N	%	N	%
White	10-14	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	4	12.5%	2	6.3%	26	81.3%
	18-19	1	0.8%	8	6.5%	115	92.7%
	20-24	11	1.7%	54	8.2%	597	90.2%
	25-29	10	0.7%	67	4.5%	1,409	94.8%
	30-34	21	0.9%	149	6.7%	2,062	92.4%
	35-39	10	1.0%	55	5.3%	971	93.7%
	40-44	1	0.5%	19	10.0%	170	89.5%
	45+	1	11.1%	1	11.1%	7	77.8%
	All Ages	59	1.0%	357	6.2%	5,386	92.8%
Black	10-14	1	6.3%	1	6.3%	14	87.5%
Non-Hispanic	15-17	10	3.4%	34	11.5%	251	85.1%
	18-19	12	1.8%	89	13.0%	584	85.3%
	20-24	76	2.6%	291	9.8%	2,603	87.6%
	25-29	77	2.9%	302	11.2%	2,317	85.9%
	30-34	58	3.3%	177	10.0%	1,528	86.7%
	35-39	28	3.4%	99	12.0%	695	84.5%
	40-44	9	4.6%	20	10.3%	165	85.1%
	45+	0	0.0%	0	0.0%	16	100.0%
	All Ages	271	2.9%	1,017	10.7%	8,184	86.4%
Asian	10-14	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	0	0.0%	1	14.3%	6	85.7%
	18-19	0	0.0%	1	4.2%	23	95.8%
	20-24	0	0.0%	6	4.2%	138	95.8%
	25-29	3	0.7%	21	4.7%	424	94.6%
	30-34	6	1.1%	29	5.2%	527	93.8%
	35-39	6	2.8%	18	8.3%	194	89.0%
	40-44	1	1.9%	2	3.8%	50	94.3%
	45+	0	0.0%	1	20.0%	4	80.0%
	All Ages	16	1.1%	79	5.4%	1,367	93.5%
Hispanic	10-14	0	0.0%	0	0.0%	8	100.0%
Non-Hispanic	15-17	5	3.1%	14	8.8%	141	88.1%
	18-19	5	1.5%	30	8.8%	307	89.8%
	20-24	19	1.5%	87	7.0%	1,133	91.4%
	25-29	16	1.5%	84	7.9%	969	90.6%
	30-34	10	1.4%	42	5.9%	664	92.7%
	35-39	10	3.2%	36	11.4%	270	85.4%
	40-44	2	2.7%	13	17.6%	59	79.7%
	45+	0	0.0%	0	0.0%	2	100.0%
	All Ages	67	1.7%	306	7.8%	3,556	90.5%
All Race/ Ethnicities	10-14	1	3.8%	1	3.8%	24	92.3%
Non-Hispanic	15-17	20	3.8%	55	10.6%	445	85.6%
	18-19	19	1.5%	134	10.9%	1,078	87.6%
	20-24	121	2.3%	470	8.8%	4,748	88.9%
	25-29	119	1.9%	516	8.4%	5,484	89.6%
	30-34	113	2.0%	423	7.5%	5,138	90.6%
	35-39	57	2.2%	228	8.9%	2,287	88.9%
	40-44	17	3.0%	57	10.2%	485	86.8%
	45+	1	2.6%	2	5.1%	36	92.3%
All Ages	470	2.1%	1,892	8.5%	19,775	89.3%	


Note: The denominator for percentages does not include births missing information on birth weight.

Gestational Age

Table N6A
Preterm Births (<37 Weeks) by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014

	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
White, Non-Hispanic	539	9.7%	544	9.6%	521	9.0%	539	9.2%	567	9.8%	492	8.5%	573	9.7%	453	7.7%	524	9.0%	476	8.2%
Black, Non-Hispanic	1,474	14.2%	1,551	14.5%	1,679	15.6%	1,569	14.8%	1,507	14.2%	1,479	14.1%	1,501	14.4%	1,333	13.0%	1,270	13.1%	1,208	12.7%
Asian, Non-Hispanic	82	6.1%	106	7.8%	129	9.4%	109	8.2%	116	8.9%	112	8.6%	102	7.7%	121	8.3%	99	7.5%	101	6.9%
Hispanic	399	11.4%	434	11.5%	464	11.8%	439	11.2%	444	11.1%	389	10.2%	422	10.5%	387	9.6%	382	9.9%	393	9.9%
All Race/Ethnicities	2,669	12.1%	2,830	12.4%	3,037	12.9%	2,904	12.4%	2,844	12.2%	2,677	11.7%	2,750	12.0%	2,449	10.7%	2,445	11.1%	2,395	10.7%

Figure N5
Preterm Births (<37 Weeks) by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014



Gestational Age

Table N6B

Gestational Age by Mother's Age and Race/Ethnicity: Philadelphia, 2014

Race/Ethnicity	Age of Mother	Preterm (<37wks)		Term (37-41wks)		Postterm (>41wks)	
		N	%	N	%	N	%
White	10-14	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	9	28.1%	22	68.8%	1	3.1%
	18-19	12	9.7%	111	89.5%	1	0.8%
	20-24	61	9.2%	597	90.5%	2	0.3%
	25-29	95	6.4%	1,390	93.4%	4	0.3%
	30-34	187	8.4%	2,037	91.3%	8	0.4%
	35-39	81	7.9%	946	91.9%	2	0.2%
	40-44	26	13.8%	163	86.2%	0	0.0%
	45+	2	22.2%	6	66.7%	1	11.1%
	All Ages	476	8.2%	5,300	91.5%	19	0.3%
Black	10-14	3	18.8%	13	81.3%	0	0.0%
Non-Hispanic	15-17	34	11.6%	257	87.7%	2	0.7%
	18-19	75	11.0%	608	88.9%	1	0.1%
	20-24	345	11.6%	2,624	88.2%	5	0.2%
	25-29	357	13.2%	2,345	86.7%	2	0.1%
	30-34	227	12.9%	1,537	87.1%	1	0.1%
	35-39	126	15.3%	695	84.4%	2	0.2%
	40-44	36	18.4%	160	81.6%	0	0.0%
	45+	1	6.3%	15	93.8%	0	0.0%
	All Ages	1,208	12.7%	8,263	87.1%	14	0.1%
Asian	10-14	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	0	0.0%	7	100.0%	0	0.0%
	18-19	0	0.0%	24	100.0%	0	0.0%
	20-24	5	3.4%	140	96.6%	0	0.0%
	25-29	22	4.9%	425	94.7%	2	0.4%
	30-34	42	7.5%	517	92.2%	2	0.4%
	35-39	27	12.4%	191	87.6%	0	0.0%
	40-44	4	7.5%	48	90.6%	1	1.9%
	45+	0	0.0%	5	100.0%	0	0.0%
	All Ages	101	6.9%	1,357	92.8%	5	0.3%
Hispanic	10-14	0	0.0%	8	100.0%	0	0.0%
	15-17	16	10.0%	143	89.4%	1	0.6%
	18-19	38	11.1%	303	88.6%	1	0.3%
	20-24	109	8.8%	1,132	91.1%	1	0.1%
	25-29	97	9.0%	977	90.8%	2	0.2%
	30-34	67	9.3%	654	90.5%	2	0.3%
	35-39	50	15.7%	268	84.0%	1	0.3%
	40-44	16	21.1%	60	78.9%	0	0.0%
	45+	0	0.0%	3	100.0%	0	0.0%
	All Ages	393	9.9%	3,551	89.9%	8	0.2%
All Race/ Ethnicities	10-14	3	11.1%	24	88.9%	0	0.0%
	15-17	62	12.0%	452	87.3%	4	0.8%
	18-19	130	10.5%	1,102	89.2%	4	0.3%
	20-24	563	10.5%	4,789	89.3%	8	0.1%
	25-29	627	10.2%	5,536	89.7%	12	0.2%
	30-34	586	10.2%	5,155	89.5%	17	0.3%
	35-39	316	12.2%	2,279	87.7%	5	0.2%
	40-44	91	16.0%	475	83.8%	1	0.2%
	45+	4	9.8%	36	87.8%	1	2.4%
	All Ages	2,395	10.7%	19,891	89.0%	53	0.2%

Note: The denominator for percentages does not include births missing information on gestational age.

Birth Parity

Table N7

Birth Parity by Mother's Age and Race/Ethnicity: Philadelphia, 2014

Race/Ethnicity	Age of Mother	1st Child		2nd Child		3rd Child		4th Child		5th Child +	
		N	%	N	%	N	%	N	%	N	%
White	10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	28	90.3%	3	9.7%	0	0.0%	0	0.0%	0	0.0%
	18-19	103	83.7%	19	15.4%	1	0.8%	0	0.0%	0	0.0%
	20-24	342	52.3%	222	33.9%	69	10.6%	18	2.8%	3	0.5%
	25-29	763	51.4%	453	30.5%	168	11.3%	68	4.6%	32	2.2%
	30-34	1,093	49.2%	703	31.7%	259	11.7%	96	4.3%	70	3.2%
	35-39	370	35.8%	379	36.7%	184	17.8%	54	5.2%	47	4.5%
	40-44	61	32.6%	74	39.6%	25	13.4%	15	8.0%	12	6.4%
	45+	3	33.3%	2	22.2%	3	33.3%	0	0.0%	1	11.1%
	All Ages	2,783	48.2%	1,860	32.2%	713	12.3%	252	4.4%	166	2.9%
Black	10-14	15	93.8%	1	6.3%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	258	89.3%	31	10.7%	0	0.0%	0	0.0%	0	0.0%
	18-19	516	75.8%	140	20.6%	23	3.4%	1	0.1%	1	0.1%
	20-24	1,424	48.4%	954	32.4%	405	13.8%	121	4.1%	41	1.4%
	25-29	701	26.1%	888	33.1%	570	21.3%	309	11.5%	213	7.9%
	30-34	341	19.5%	462	26.4%	417	23.8%	232	13.3%	298	17.0%
	35-39	119	14.6%	204	25.0%	206	25.2%	105	12.9%	183	22.4%
	40-44	24	12.4%	39	20.1%	40	20.6%	32	16.5%	59	30.4%
	45+	1	6.3%	4	25.0%	5	31.3%	0	0.0%	6	37.5%
	All Ages	3,401	36.2%	2,725	29.0%	1,668	17.7%	803	8.5%	805	8.6%
Asian	10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	7	100.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
	18-19	15	65.2%	8	34.8%	0	0.0%	0	0.0%	0	0.0%
	20-24	79	54.9%	51	35.4%	9	6.3%	4	2.8%	1	0.7%
	25-29	267	60.0%	119	26.7%	41	9.2%	11	2.5%	7	1.6%
	30-34	227	41.3%	220	40.0%	72	13.1%	22	4.0%	9	1.6%
	35-39	76	35.0%	79	36.4%	37	17.1%	12	5.5%	13	6.0%
	40-44	10	18.9%	27	50.9%	9	17.0%	4	7.5%	3	5.7%
	45+	3	60.0%	0	0.0%	1	20.0%	1	20.0%	0	0.0%
	All Ages	684	47.3%	504	34.9%	170	11.8%	54	3.7%	33	2.3%
Hispanic	10-14	8	100.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
	15-17	136	86.1%	22	13.9%	0	0.0%	0	0.0%	0	0.0%
	18-19	223	65.6%	96	28.2%	21	6.2%	0	0.0%	0	0.0%
	20-24	504	40.9%	438	35.5%	191	15.5%	74	6.0%	26	2.1%
	25-29	271	25.4%	354	33.2%	250	23.5%	99	9.3%	92	8.6%
	30-34	142	19.9%	197	27.7%	166	23.3%	99	13.9%	108	15.2%
	35-39	56	17.7%	91	28.8%	62	19.6%	65	20.6%	42	13.3%
	40-44	10	13.5%	17	23.0%	14	18.9%	10	13.5%	23	31.1%
	45+	0	0.0%	1	50.0%	1	50.0%	0	0.0%	0	0.0%
	All Ages	1,351	34.5%	1,217	31.1%	705	18.0%	347	8.9%	292	7.5%
All Race/ Ethnicities	10-14	25	96.2%	1	3.8%	0	0.0%	0	0.0%	0	0.0%
	15-17	454	88.8%	57	11.2%	0	0.0%	0	0.0%	0	0.0%
	18-19	901	73.6%	277	22.6%	45	3.7%	1	0.1%	1	0.1%
	20-24	2,525	47.7%	1,751	33.1%	715	13.5%	227	4.3%	76	1.4%
	25-29	2,149	35.3%	1,958	32.2%	1,100	18.1%	522	8.6%	361	5.9%
	30-34	1,953	34.7%	1,704	30.3%	977	17.4%	476	8.5%	521	9.3%
	35-39	660	25.7%	806	31.4%	519	20.2%	256	10.0%	323	12.6%
	40-44	112	20.1%	173	31.1%	94	16.9%	67	12.1%	110	19.8%
	45+	7	17.9%	9	23.1%	14	35.9%	1	2.6%	8	20.5%
	All Ages	8,810	40.1%	6,744	30.7%	3,474	15.8%	1,555	7.1%	1,407	6.4%

Note: The denominator for percentages does not include births missing information on previous live births now living or dead.

Birth Plurality

Table N8
Birth Plurality by Mother's Age and Race/Ethnicity: Philadelphia, 2014

Race/Ethnicity	Age of Mother	Single Birth		Twin Birth		Triplet Birth +	
		N	%	N	%	N	%
White	10-14	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	30	93.8%	2	6.3%	0	0.0%
	18-19	122	98.4%	2	1.6%	0	0.0%
	20-24	644	97.3%	18	2.7%	0	0.0%
	25-29	1,447	97.0%	42	2.8%	2	0.1%
	30-34	2,117	94.7%	110	4.9%	9	0.4%
	35-39	961	92.8%	72	6.9%	3	0.3%
	40-44	182	95.8%	8	4.2%	0	0.0%
	45+	9	100.0%	0	0.0%	0	0.0%
	All Ages	5,539	95.3%	258	4.4%	14	0.2%
Black	10-14	14	87.5%	2	12.5%	0	0.0%
Non-Hispanic	15-17	283	95.9%	12	4.1%	0	0.0%
	18-19	669	97.7%	16	2.3%	0	0.0%
	20-24	2,877	96.7%	96	3.2%	3	0.1%
	25-29	2,586	95.6%	117	4.3%	3	0.1%
	30-34	1,697	96.0%	70	4.0%	0	0.0%
	35-39	779	94.7%	44	5.3%	0	0.0%
	40-44	184	93.9%	12	6.1%	0	0.0%
	45+	14	87.5%	2	12.5%	0	0.0%
	All Ages	9,118	96.0%	371	3.9%	6	0.1%
Asian	10-14	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	7	100.0%	0	0.0%	0	0.0%
	18-19	24	100.0%	0	0.0%	0	0.0%
	20-24	141	97.2%	4	2.8%	0	0.0%
	25-29	448	99.6%	2	0.4%	0	0.0%
	30-34	548	97.5%	14	2.5%	0	0.0%
	35-39	206	94.5%	12	5.5%	0	0.0%
	40-44	51	96.2%	2	3.8%	0	0.0%
	45+	5	100.0%	0	0.0%	0	0.0%
	All Ages	1,431	97.7%	34	2.3%	0	0.0%
Hispanic	10-14	8	100.0%	0	0.0%	0	0.0%
	15-17	158	98.8%	2	1.3%	0	0.0%
	18-19	335	98.0%	7	2.0%	0	0.0%
	20-24	1,209	97.3%	34	2.7%	0	0.0%
	25-29	1,039	96.5%	38	3.5%	0	0.0%
	30-34	697	96.4%	26	3.6%	0	0.0%
	35-39	307	96.2%	12	3.8%	0	0.0%
	40-44	71	93.4%	2	2.6%	3	3.9%
	45+	1	33.3%	2	66.7%	0	0.0%
	All Ages	3,828	96.8%	123	3.1%	3	0.1%
All Race/ Ethnicities	10-14	25	92.6%	2	7.4%	0	0.0%
	15-17	504	96.9%	16	3.1%	0	0.0%
	18-19	1,210	97.8%	27	2.2%	0	0.0%
	20-24	5,197	96.9%	165	3.1%	3	0.1%
	25-29	5,961	96.4%	215	3.5%	5	0.1%
	30-34	5,514	95.6%	244	4.2%	9	0.2%
	35-39	2,456	94.2%	148	5.7%	3	0.1%
	40-44	541	95.2%	24	4.2%	3	0.5%
	45+	35	85.4%	6	14.6%	0	0.0%
	All Ages	21,495	96.1%	853	3.8%	23	0.1%

Note: The denominator for percentages does not include births missing information on birth plurality.

Route and Method of Delivery

Table N9A

Route and Method of Delivery by Mother's Age and Race/Ethnicity: Philadelphia, 2014

Race/Ethnicity	Age of Mother	Vaginal/Spontaneous		Vaginal/Forceps		Vaginal/Vacuum		Cesarean	
		N	%	N	%	N	%	N	%
White	10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	29	90.6%	0	0.0%	0	0.0%	3	9.4%
	18-19	93	75.0%	1	0.8%	4	3.2%	26	21.0%
	20-24	486	73.4%	3	0.5%	27	4.1%	146	22.1%
	25-29	996	66.8%	8	0.5%	42	2.8%	445	29.8%
	30-34	1,473	65.9%	4	0.2%	58	2.6%	701	31.4%
	35-39	589	56.9%	1	0.1%	18	1.7%	428	41.3%
	40-44	93	48.9%	0	0.0%	6	3.2%	91	47.9%
	45+	3	33.3%	0	0.0%	0	0.0%	6	66.7%
	All Ages	3,779	65.0%	17	0.3%	159	2.7%	1,856	31.9%
Black	10-14	14	87.5%	0	0.0%	0	0.0%	2	12.5%
Non-Hispanic	15-17	238	80.7%	3	1.0%	11	3.7%	43	14.6%
	18-19	519	75.8%	3	0.4%	23	3.4%	140	20.4%
	20-24	2,114	71.0%	12	0.4%	60	2.0%	790	26.5%
	25-29	1,848	68.3%	7	0.3%	39	1.4%	812	30.0%
	30-34	1,113	63.0%	3	0.2%	29	1.6%	622	35.2%
	35-39	469	56.9%	4	0.5%	7	0.8%	344	41.7%
	40-44	95	48.5%	0	0.0%	2	1.0%	99	50.5%
	45+	10	62.5%	0	0.0%	0	0.0%	6	37.5%
	All Ages	6,431	67.7%	32	0.3%	171	1.8%	2,862	30.1%
Asian	10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	7	100.0%	0	0.0%	0	0.0%	0	0.0%
	18-19	21	87.5%	0	0.0%	0	0.0%	3	12.5%
	20-24	117	80.7%	0	0.0%	7	4.8%	21	14.5%
	25-29	336	74.7%	4	0.9%	18	4.0%	92	20.4%
	30-34	371	66.0%	2	0.4%	13	2.3%	176	31.3%
	35-39	132	60.6%	3	1.4%	6	2.8%	77	35.3%
	40-44	24	45.3%	0	0.0%	1	1.9%	28	52.8%
	45+	0	0.0%	0	0.0%	1	20.0%	4	80.0%
	All Ages	1,009	68.9%	9	0.6%	46	3.1%	401	27.4%
Hispanic	10-14	8	100.0%	0	0.0%	0	0.0%	0	0.0%
	15-17	120	75.0%	1	0.6%	6	3.8%	33	20.6%
	18-19	273	79.8%	1	0.3%	11	3.2%	57	16.7%
	20-24	874	70.5%	5	0.4%	37	3.0%	324	26.1%
	25-29	699	65.2%	8	0.7%	22	2.1%	343	32.0%
	30-34	479	66.8%	0	0.0%	8	1.1%	230	32.1%
	35-39	159	50.2%	0	0.0%	8	2.5%	150	47.3%
	40-44	37	48.7%	0	0.0%	1	1.3%	38	50.0%
	45+	0	0.0%	0	0.0%	0	0.0%	2	100.0%
	All Ages	2,652	67.4%	15	0.4%	93	2.4%	1,177	29.9%
All Race/ Ethnicities	10-14	24	92.3%	0	0.0%	0	0.0%	2	7.7%
	15-17	417	80.2%	4	0.8%	17	3.3%	82	15.8%
	18-19	949	77.0%	5	0.4%	40	3.2%	239	19.4%
	20-24	3,837	71.7%	21	0.4%	142	2.7%	1,349	25.2%
	25-29	4,173	68.0%	29	0.5%	130	2.1%	1,809	29.5%
	30-34	3,715	65.3%	10	0.2%	115	2.0%	1,847	32.5%
	35-39	1,460	56.6%	8	0.3%	41	1.6%	1,069	41.5%
	40-44	281	49.9%	0	0.0%	10	1.8%	272	48.3%
	45+	16	41.0%	0	0.0%	1	2.6%	22	56.4%
All Ages	14,909	67.2%	77	0.3%	500	2.3%	6,708	30.2%	


Note: The denominator for percentages does not include births missing information on delivery routes.

Route and Method of Delivery

Table N9B
Deliveries via Cesarean Section by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014

	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
White, Non-Hispanic	1,635	29.6%	1,787	31.7%	1,802	31.6%	1,923	32.5%	2,049	35.3%	1,945	33.2%	2,029	34.3%	1,940	32.9%	1,857	32.3%	1,856	31.9%
Black, Non-Hispanic	2,891	28.0%	3,090	29.1%	3,157	29.4%	3,162	29.4%	3,293	30.8%	3,185	30.3%	3,180	30.4%	3,007	29.2%	2,881	29.7%	2,862	30.1%
Asian, Non-Hispanic	340	25.6%	359	26.6%	352	25.9%	377	28.0%	385	29.5%	351	27.0%	384	28.8%	412	28.1%	395	29.9%	401	27.4%
Hispanic	932	26.8%	1,034	27.4%	1,083	27.7%	1,072	26.9%	1,252	31.2%	1,143	29.8%	1,254	31.0%	1,217	30.1%	1,110	28.9%	1,177	29.9%
All Race/Ethnicities	6,096	27.9%	6,595	29.0%	6,862	29.3%	6,984	29.5%	7,413	31.6%	7,091	30.7%	7,201	31.2%	6,951	30.1%	6,581	30.0%	6,708	30.2%

Figure N6
Deliveries via Cesarean Section by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014



Route and Method of Delivery

Table N9C
 Cesarean Sections by Mother's Race/Ethnicity and BMI: Philadelphia, 2014

	Underweight ($<18.5\text{kg/m}^2$)		Normal Weight ($18.5\text{-}24.9\text{kg/m}^2$)		Overweight ($<25.0\text{-}29.9\text{kg/m}^2$)		Obese ($\geq 30.0\text{kg/m}^2$)		All	
	N	%	N	%	N	%	N	%	N	%
White, Non-Hispanic	51	23.8%	906	27.2%	439	35.4%	438	46.6%	1,856	31.9%
Black, Non-Hispanic	46	15.4%	746	23.1%	691	28.8%	1,296	39.7%	2,862	30.1%
Asian, Non-Hispanic	25	16.6%	239	27.0%	92	34.3%	29	29.6%	401	27.4%
Hispanic	33	22.1%	392	24.4%	318	29.5%	401	40.4%	1,177	29.8%
All Race/Ethnicities	167	19.3%	2,438	25.1%	1,638	30.8%	2,269	40.6%	6,708	30.0%

BMI = body mass index, calculated from the mother's height and pre-pregnancy weight.

Maternal and Neonatal Outcomes

Table N10

Maternal and Neonatal Outcomes by Mother's Age and Race/Ethnicity: Philadelphia, 2014

Race/Ethnicity	Age of Mother	Obstet Procedures		Maternal Morbidities		Infant Abnormalities		Sex Trans Diseases	
		N	%	N	%	N	%	N	%
White	10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	1	3.1%	0	0.0%	6	18.8%	4	12.5%
	18-19	2	1.6%	5	4.0%	12	9.7%	11	8.9%
	20-24	5	0.8%	24	3.6%	68	10.3%	50	7.6%
	25-29	7	0.5%	54	3.6%	133	8.9%	79	5.3%
	30-34	14	0.6%	65	2.9%	196	8.8%	103	4.6%
	35-39	8	0.8%	18	1.7%	81	7.8%	52	5.0%
	40-44	0	0.0%	2	1.1%	23	12.1%	17	8.9%
	45+	0	0.0%	0	0.0%	2	22.2%	0	0.0%
	All Ages	37	0.6%	172	3.0%	523	9.0%	319	5.5%
Black	10-14	0	0.0%	1	6.3%	5	31.3%	3	18.8%
Non-Hispanic	15-17	0	0.0%	15	5.1%	38	12.9%	34	11.5%
	18-19	5	0.7%	28	4.1%	91	13.3%	88	12.8%
	20-24	34	1.1%	48	1.6%	351	11.8%	341	11.5%
	25-29	26	1.0%	51	1.9%	324	12.0%	257	9.5%
	30-34	31	1.8%	40	2.3%	218	12.3%	158	8.9%
	35-39	9	1.1%	10	1.2%	132	16.0%	58	7.0%
	40-44	3	1.5%	11	5.6%	34	17.3%	22	11.2%
	45+	0	0.0%	0	0.0%	3	18.8%	0	0.0%
	All Ages	108	1.1%	204	2.1%	1,199	12.6%	962	10.1%
Asian	10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	0	0.0%	0	0.0%	0	0.0%	0	0.0%
	18-19	0	0.0%	1	4.2%	0	0.0%	0	0.0%
	20-24	2	1.4%	6	4.1%	15	10.3%	5	3.4%
	25-29	1	0.2%	21	4.7%	38	8.4%	25	5.6%
	30-34	3	0.5%	26	4.6%	42	7.5%	32	5.7%
	35-39	1	0.5%	9	4.1%	29	13.3%	9	4.1%
	40-44	0	0.0%	5	9.4%	2	3.8%	3	5.7%
	45+	0	0.0%	0	0.0%	1	20.0%	0	0.0%
	All Ages	7	0.5%	68	4.6%	127	8.7%	74	5.1%
Hispanic	10-14	0	0.0%	0	0.0%	1	12.5%	1	12.5%
Non-Hispanic	15-17	0	0.0%	16	10.0%	22	13.8%	21	13.1%
	18-19	5	1.5%	22	6.4%	35	10.2%	24	7.0%
	20-24	6	0.5%	73	5.9%	123	9.9%	108	8.7%
	25-29	8	0.7%	34	3.2%	103	9.6%	75	7.0%
	30-34	7	1.0%	27	3.7%	55	7.6%	36	5.0%
	35-39	4	1.3%	8	2.5%	58	18.2%	18	5.6%
	40-44	1	1.3%	1	1.3%	14	18.4%	8	10.5%
	45+	0	0.0%	0	0.0%	0	0.0%	0	0.0%
	All Ages	31	0.8%	181	4.6%	411	10.4%	291	7.4%
All Race/ Ethnicities	10-14	0	0.0%	1	3.7%	6	22.2%	4	14.8%
Non-Hispanic	15-17	1	0.2%	32	6.2%	69	13.3%	61	11.7%
	18-19	12	1.0%	58	4.7%	144	11.6%	133	10.8%
	20-24	53	1.0%	157	2.9%	596	11.1%	531	9.9%
	25-29	45	0.7%	169	2.7%	656	10.6%	464	7.5%
	30-34	57	1.0%	163	2.8%	559	9.7%	360	6.2%
	35-39	24	0.9%	49	1.9%	323	12.4%	152	5.8%
	40-44	6	1.1%	19	3.3%	85	15.0%	52	9.2%
	45+	0	0.0%	0	0.0%	7	17.1%	0	0.0%
	All Ages	198	0.9%	652	2.9%	2,453	11.0%	1,761	7.9%


Note: The denominator for percentages does not include births missing information on maternal and neonatal outcomes.

Maternal and Neonatal Outcomes

Table N11
Admission to NICU by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014

	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
White, Non-Hispanic	351	6.4%	383	6.8%	421	7.4%	512	8.8%	563	9.7%	596	10.2%	712	12.0%	595	10.1%	571	9.8%	505	8.7%
Black, Non-Hispanic	1,026	9.9%	1,114	10.5%	1,218	11.3%	1,359	12.7%	1,505	14.1%	1,616	15.4%	1,621	15.5%	1,430	13.8%	1,286	13.2%	1,126	11.9%
Asian, Non-Hispanic	77	5.8%	93	6.9%	76	5.6%	116	8.7%	146	11.2%	140	10.8%	134	10.0%	155	10.5%	133	10.0%	124	8.5%
Hispanic	207	5.9%	230	6.1%	265	6.8%	309	7.8%	418	10.4%	423	11.0%	402	9.9%	396	9.8%	386	10.0%	400	10.1%
All Race/Ethnicities	1,768	8.1%	1,926	8.5%	2,171	9.3%	2,503	10.6%	2,855	12.2%	3,007	13.0%	3,069	13.3%	2,791	12.1%	2,540	11.5%	2,340	10.5%

Figure N7
Admission to NICU by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014



Prenatal Care Initiation

Table N12A

Trimester of First Prenatal Care Visit by Mother's Age and Race/Ethnicity: Philadelphia, 2014

Race/Ethnicity	Age of Mother	1st Trimester		2nd Trimester		3rd Trimester		No Prenatal Care	
		N	%	N	%	N	%	N	%
White	10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	11	45.8%	11	45.8%	2	8.3%	0	0.0%
	18-19	53	50.5%	35	33.3%	7	6.7%	10	9.5%
	20-24	283	50.4%	192	34.2%	51	9.1%	36	6.4%
	25-29	894	66.6%	328	24.4%	73	5.4%	48	3.6%
	30-34	1,525	74.4%	395	19.3%	79	3.9%	52	2.5%
	35-39	685	71.3%	218	22.7%	24	2.5%	34	3.5%
	40-44	118	68.2%	39	22.5%	11	6.4%	5	2.9%
	45+	6	75.0%	2	25.0%	0	0.0%	0	0.0%
	All Ages	3,589	68.4%	1,225	23.3%	249	4.7%	186	3.5%
Black	10-14	1	8.3%	4	33.3%	5	41.7%	2	16.7%
Non-Hispanic	15-17	75	33.5%	102	45.5%	26	11.6%	21	9.4%
	18-19	229	41.3%	229	41.3%	59	10.6%	38	6.8%
	20-24	1,143	46.2%	905	36.6%	228	9.2%	198	8.0%
	25-29	1,172	51.1%	776	33.9%	172	7.5%	172	7.5%
	30-34	796	52.9%	478	31.7%	131	8.7%	101	6.7%
	35-39	404	56.9%	195	27.5%	50	7.0%	61	8.6%
	40-44	87	52.1%	56	33.5%	16	9.6%	8	4.8%
	45+	8	53.3%	2	13.3%	3	20.0%	2	13.3%
	All Ages	3,915	49.1%	2,747	34.5%	696	8.7%	608	7.6%
Asian	10-14	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Non-Hispanic	15-17	2	33.3%	3	50.0%	0	0.0%	1	16.7%
	18-19	6	33.3%	9	50.0%	1	5.6%	2	11.1%
	20-24	56	42.4%	55	41.7%	16	12.1%	5	3.8%
	25-29	233	59.7%	114	29.2%	25	6.4%	18	4.6%
	30-34	329	64.0%	137	26.7%	34	6.6%	14	2.7%
	35-39	123	62.4%	57	28.9%	10	5.1%	7	3.6%
	40-44	30	61.2%	10	20.4%	5	10.2%	4	8.2%
	45+	3	75.0%	1	25.0%	0	0.0%	0	0.0%
	All Ages	782	59.6%	386	29.4%	91	6.9%	52	4.0%
Hispanic	10-14	3	37.5%	2	25.0%	3	37.5%	0	0.0%
	15-17	62	43.7%	67	47.2%	13	9.2%	0	0.0%
	18-19	145	45.3%	128	40.0%	32	10.0%	15	4.7%
	20-24	577	52.6%	364	33.2%	98	8.9%	59	5.4%
	25-29	485	50.3%	340	35.2%	83	8.6%	57	5.9%
	30-34	359	54.7%	217	33.1%	45	6.9%	35	5.3%
	35-39	161	56.7%	87	30.6%	25	8.8%	11	3.9%
	40-44	31	45.6%	26	38.2%	5	7.4%	6	8.8%
	45+	0	0.0%	2	100.0%	0	0.0%	0	0.0%
	All Ages	1,823	51.4%	1,233	34.8%	305	8.6%	184	5.2%
All Race/ Ethnicities	10-14	5	22.7%	6	27.3%	8	36.4%	3	13.6%
	15-17	157	37.5%	187	44.6%	48	11.5%	27	6.4%
	18-19	452	43.2%	422	40.3%	106	10.1%	66	6.3%
	20-24	2,182	48.2%	1,602	35.4%	426	9.4%	313	6.9%
	25-29	2,977	55.7%	1,667	31.2%	385	7.2%	313	5.9%
	30-34	3,225	63.5%	1,314	25.9%	316	6.2%	220	4.3%
	35-39	1,461	63.3%	600	26.0%	121	5.2%	126	5.5%
	40-44	286	57.9%	145	29.4%	39	7.9%	24	4.9%
	45+	20	58.8%	9	26.5%	3	8.8%	2	5.9%
All Ages	10,781	55.8%	5,959	30.9%	1,461	7.6%	1,105	5.7%	


Note: The denominator for percentages does not include births missing information on prenatal care.

Prenatal Care Initiation

Table N12B
Late or No Prenatal Care by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014

	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
White, Non-Hispanic	245	6.7%	284	8.6%	313	8.4%	309	7.2%	513	11.2%	585	11.4%	434	8.2%	392	7.5%	442	8.8%	435	8.3%
Black, Non-Hispanic	1,045	14.6%	943	15.0%	1,021	15.8%	1,250	18.3%	1,406	18.6%	1,505	18.1%	1,319	15.9%	1,237	14.7%	1,281	16.4%	1,304	16.4%
Asian, Non-Hispanic	105	11.3%	132	15.1%	138	14.9%	121	13.0%	128	13.1%	128	11.6%	130	11.3%	114	8.9%	134	11.9%	143	10.9%
Hispanic	250	10.1%	255	11.5%	342	13.1%	316	13.6%	374	14.1%	437	13.3%	455	12.9%	468	13.1%	505	15.0%	489	13.8%
All Race/Ethnicities	1,781	11.9%	1,759	13.0%	1,968	13.4%	2,210	14.3%	2,615	15.5%	2,867	15.1%	2,506	13.0%	2,384	12.2%	2,544	13.9%	2,566	13.3%

Figure N8
Late or No Prenatal Care by Mother's Race/Ethnicity
Philadelphia, 2005 - 2014



Nativity by Planning District

Table N13
Nativity by Planning District: Philadelphia, 2014

District	All Births		Teen Births		Low Birth Weight		Pre-Term Births		Late or No Prenatal Care	
	N	Rate	N	Rate	N	%	N	%	N	%
Citywide	22,372	14.3	1,757	34.9	2,362	10.7	2,395	10.7	2,566	13.3
1 Lower Southwest	723	17.2	62	35.2	71	9.9	70	9.7	116	21.4
2 University / Southwest	896	11.0	70	12.4	105	11.8	94	10.5	109	15.5
3 West	1,652	15.6	171	38.3	246	15.0	207	12.5	182	13.3
4 West Park	530	12.2	42	22.2	67	12.7	64	12.1	57	12.4
5 Lower South	63	12.3	0	0.0	5	9.3	8	12.7	5	9.4
6 South	2,016	15.2	143	34.1	214	10.7	190	9.4	245	13.4
7 Central	1,604	13.7	16	8.9	118	7.5	136	8.5	93	6.3
8 Lower North	1,522	15.9	167	25.2	222	14.7	216	14.2	211	16.2
9 North	2,606	18.9	366	56.4	287	11.1	295	11.3	338	14.4
10 River Wards	1,193	17.4	92	36.7	101	8.6	122	10.2	127	11.8
11 Upper North	1,928	13.4	188	29.3	237	12.4	241	12.5	250	15.4
12 Lower Northwest	679	13.4	11	8.2	43	6.4	48	7.1	31	5.0
13 Upper Northwest	1,195	14.0	90	30.9	141	11.8	144	12.1	165	16.5
14 Lower Northeast	1,667	16.6	157	34.9	188	11.4	199	12.0	240	17.0
15 North Delaware	1,312	13.0	101	31.9	114	8.8	121	9.2	119	10.6
16 Central Northeast	1,128	14.4	47	19.8	96	8.6	111	9.9	131	13.6
17 Lower Far Northeast	862	12.3	21	10.6	60	7.1	72	8.4	76	10.2
18 Upper Far Northeast	786	11.8	13	7.6	47	6.1	57	7.3	71	10.7

Rates are given as count per 1,000 people from the 2010 census enumeration. For birth rate, all residents are included in the denominator. For teen birth rate, girls 15 to 19 years old are included in the denominator.


Natality by Planning District

Table N14A
Birth Rate by Planning District: Philadelphia, 2014

City- Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Rate	14.3	17.2	11.0	15.6	12.2	12.3	15.2	13.7	15.9	18.9	17.4	13.4	13.4	14.0	16.6	13.0	14.4	12.3	11.8

The rate is given as the count per 1,000 residents in the 2010 census enumeration.

Map N2A Birth Rate by Planning District: Philadelphia, 2014



Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.


Natality by Planning District

Table N14B
Teen Birth Rate by Planning District: Philadelphia, 2014

City- Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Rate	34.9	35.2	12.4	38.3	22.2	0.0	34.1	8.9	25.2	56.4	36.7	29.3	8.2	30.9	34.9	31.9	19.8	10.6	7.6

The rate is given as the count per 1,000 girls 15 to 19 years old in the 2010 census enumeration.

Map N2B Teen Birth Rate by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Natality by Planning District

Table N14C
Low Birth Weight by Planning District: Philadelphia, 2014

City- Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Result (%)	10.7	9.9	11.8	15.0	12.7	9.3	10.7	7.5	14.7	11.1	8.6	12.4	6.4	11.8	11.4	8.8	8.6	7.1	6.1

Map N2C Low Birth Weight by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Natality by Planning District

Table N14D
Pre-Term Births by Planning District: Philadelphia, 2014

City- Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Result (%)	10.7	9.7	10.5	12.5	12.1	12.7	9.4	8.5	14.2	11.3	10.2	12.5	7.1	12.1	12.0	9.2	9.9	8.4	7.3

Map N2D Pre-Term Births by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Natality by Planning District

Table N14E
Late or No Prenatal Care by Planning District: Philadelphia, 2014

City- Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Result (%)	13.3	21.4	15.5	13.3	12.4	9.4	13.4	6.3	16.2	14.4	11.8	15.4	5.0	16.5	17.0	10.6	13.6	10.2	10.7

Map N2E Late or No Prenatal Care by Planning District: Philadelphia, 2014



Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Baby Names

Table N15

Most Popular Baby Names by Gender of Infant: Philadelphia, 2014

Rank	Female		Male	
	Name	N	Name	N
1	OLIVIA	91	MASON	133
2	AVA	89	NOAH	124
3	ISABELLA	77	ETHAN	104
4	MADISON	77	DANIEL	96
5	MIA	73	LIAM	96
6	EMMA	71	JAYDEN	93
7	SOPHIA	71	MICHAEL	88
8	AUBREY	58	JAMES	87
9	EMILY	55	AIDEN	82
10	SKYLAR	52	LOGAN	82

Mortality Findings

Mortality Summary

Deaths

There were 13,899 deaths recorded for residents of Philadelphia in 2014, where a resident death is defined as the death of a Philadelphia resident regardless of whether the death occurred within or outside city limits. All mortality data were derived from death certificates, which were registered with the Pennsylvania Department of Health.

There was a 0.5% increase in resident deaths compared to the 13,834 deaths recorded in 2013.

The great majority of deaths in 2014 were due to natural causes (90.4%); 6.0% were accidental, and 1.7% were from homicide.

Life Expectancy

In 2014, life expectancy at birth for all Philadelphia males was 73.0 years, a decrease of 0.2 years from 2013. The life expectancy at birth for all Philadelphia females was 79.6 years, an increase of 0.3 years from 2013. Since 2000, life expectancy increased by 4.3 years for men and 3.2 years for women.

- Non-Hispanic Asian women had the longest life expectancy at 92.1 years.
- Non-Hispanic black men had the shortest life expectancy at 70.2 years.
- Life expectancy for all groups improved between 2000 and 2014. Since 2000, the largest increases in life expectancy were among Non-Hispanic Asian women, and Non-Hispanic black men.

Infant Mortality

There were 174 deaths among Philadelphia babies under 1 year of age in 2014. Overall, infant mortality rate decreased in Philadelphia in 2014 compared to 2013 from 8.2 to 7.8 deaths per 1,000 live births. In 2005, the rate was 11.3 per 1,000 live births.

- There were 116 deaths among babies born to non-Hispanic black women in 2014. This group had an infant mortality rate 2 to 4 times higher than any other race/ethnicity.
- There were 22 deaths among babies born to Hispanic women in 2014, 22 deaths among babies born to non-Hispanic white women, and 6 deaths among babies born to non-Hispanic Asian women.

The leading cause of infant death city-wide was disorders related to short gestation and low birth weight. There were 50 such deaths (28.7% of all infant deaths). The second most common causes were birth defects (congenital malformations, deformations, and chromosomal abnormalities). They resulted in 22 infant deaths.

Between 1960 and 2014, the infant mortality rate dropped from 32.4 to 7.8 deaths per 1,000 live births.

Mortality Trends

Decreases in mortality between 2000 and 2014 were seen in all the causes studied except accidents (unintentional injuries). The decreases ranged from 5.7% for suicide to 72.0% for HIV/AIDS. The age-adjusted rates for 2000 and 2014 are shown below.

Cause	Rank (2014)	Rate 2000	Rate 2014	Percent Change
All causes	--	1,085.2	861.9	-20.6%
Heart disease	1	295.5	210.9	-28.6%
Malignant neoplasms	2	249.4	199.9	-19.8%
Accidents (Unintentional injuries)	3	48.3	55.7	+15.3%
Lung cancer	4	70.3	53.9	-23.3%
Cerebrovascular disease	5	68.3	41.9	-38.7%
Chronic lower respiratory disease	6	40.8	35.7	-12.5%
Diabetes	7	27.7	23.4	-15.5%
Nephritis	8	27.2	19.5	-28.3%
Septicemia	9	36.7	18.5	-49.6%
Colorectal cancer	10	28.1	17.6	-37.2%
Breast cancer	--	19.4	15.3	-21.1%
Influenza and pneumonia	--	22.4	14.5	-35.3%
Homicide	--	20.6	14.4	-30.1%
Suicide	--	10.6	10.0	-5.7%
Prostate cancer	--	15.1	8.9	-41.1%
HIV/AIDS	--	18.6	5.2	-72.0%

Years of Potential Life Lost (see Technical Notes, p. 222)

In 2014, for all Philadelphia causes of death, years of potential life lost amounted to 9,004 years (Table M7A). Without age-adjustment, the years of potential life lost totaled 136,171 (Table M7B). The causes of death leading to the most life years lost were:

- Malignant neoplasms 24,407 years
- Diseases of the heart 22,506 years
- Accidents (Unintentional injuries) 22,488 years
- Infant mortality 13,050 years
- Homicide 9,959 years
- Lung cancer 5,837 years
- Suicide 4,726 years

Racial-Ethnic Disparities

Although overall mortality rates have generally declined over time, disparities in Philadelphia persisted (Table M8A).

Non-Hispanic black males had the highest rates of death for each cause studied except accidents (unintentional injuries), chronic lower respiratory disease, colorectal cancer, lung cancer, and suicide. Compared to non-Hispanic white males, their rate of death was:

- 12.4 times higher for homicide
- 3.3 times higher for prostate cancer
- 1.5 – 1.7 times higher for cerebrovascular diseases, diabetes, and kidney disease
- 1.1 – 1.3 times higher for all cancer, heart disease, septicemia, influenza and pneumonia, and all-cause mortality

Compared to non-Hispanic white females, non-Hispanic black females' rate of death was:

- 2.1 – 2.2 times higher for diabetes and homicide
- 1.7 times higher for kidney disease
- 1.6 times higher for septicemia
- 1.1 – 1.4 times higher for all cancers, influenza and pneumonia, heart disease, breast cancer, cerebrovascular diseases, and all-cause mortality

Smoking-Attributable Mortality (see Technical Notes, p. 222)

In 2014, tobacco use contributed to the deaths of 3,721 Philadelphians, accounting for 28.3% of all deaths in the city (Figure M10A). There is no significant difference between 2014 and 2013 (3,671 deaths attributed to smoking, accounting for 28.1% of all deaths in the city). Since 2005 age-adjusted rates for deaths due to smoking have decreased 5.9%. The mortality rate for non-Hispanic blacks is higher than for any other major race/ethnicities. Smoking is a risk factor for heart disease, stroke, multiple forms of cancer, and lower respiratory disease. Notably, these estimates do not include deaths to those under 35. Smoking resulted in more than \$1,500 million in productivity losses over the course of the year (Figure M10B).

Alcohol-Attributable Mortality (see Technical Notes, p. 222)

Between 2010 and 2014, an annual average of 662 deaths (4.7% of the total deaths) can be attributed to alcohol. While the proportion of deaths due to alcohol consumption for Hispanics (7.8%) is higher than other races/ethnicities, the age-adjusted mortality rate for non-Hispanic Blacks due to alcohol use is the highest among major race/ethnicities (49.3 deaths per 100,000 population). Excessive drinking is also one of the main risks for youths aged 15-19 and 20-24. Nearly one-third of the total deaths among these age groups (31.3% and 31.7% respectively) was due to excessive drinking. Alcohol consumption accounted for more than one-third of the deaths of young non-Hispanic Blacks aged 15-19 and 20-24 (35.1% and 34.9% respectively).

Geographic Disparities

Mortality outcomes by planning district followed a general pattern: districts with higher levels of poverty and a greater percentage of racial/ethnic minorities had higher mortality rates. Life expectancy at birth varied from a low of 65.4 years for men in Lower North to a high of 82.1 for women in Upper Far Northeast (Tables M14 – M23).

Lower North, the poorest planning district, had the lowest life expectancy for both men and women, the most homicides for aged 10-24, the second-most homicides for all ages, and the highest rates of:

- All Causes Mortality
- Cerebrovascular diseases
- Heart disease
- Diabetes mortality
- Infant mortality
- Kidney disease
- Septicemia mortality

Lower Far Northeast has the highest mortality rate of colorectal cancers. North had the highest mortality rate of cancers and the most homicides. River Wards had the highest mortality rates of accidents, lung cancer, chronic lower respiratory diseases and smoking-attributable deaths. Upper Northwest had the highest mortality rate of breast cancer. West had the highest mortality rates of influenza and pneumonia, and prostate cancer. West Park had the highest perinatal mortality rate.

Life Expectancy


Table M1
Life Expectancy by Age, Race/Ethnicity, and Gender: Philadelphia, 2014

Age	White, Non-Hispanic		Black, Non-Hispanic		Asian, Non-Hispanic		Hispanic		All Race/Ethnicities	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
< 1	74.58	80.65	70.19	77.84	87.51	92.05	74.59	83.51	73.00	79.63
1-4	73.91	79.91	70.16	77.69	86.98	91.31	74.06	82.86	72.63	79.18
5-9	69.94	75.91	66.24	73.84	82.98	87.46	70.06	78.86	68.67	75.26
10-14	64.94	70.91	61.30	68.87	77.98	82.61	65.09	73.90	63.70	70.29
15-19	59.94	65.91	56.43	63.93	73.12	77.61	60.13	68.94	58.79	65.34
20-24	55.02	60.93	51.63	59.00	68.12	72.61	55.45	63.98	53.98	60.38
25-29	50.41	56.06	47.28	54.06	63.43	67.68	50.81	59.19	49.49	55.48
30-34	45.69	51.21	42.89	49.24	58.47	62.68	46.27	54.45	44.89	50.64
35-39	41.06	46.35	38.44	44.48	53.63	57.88	41.89	49.71	40.33	45.84
40-44	36.52	41.74	34.11	39.88	48.70	53.07	37.51	45.02	35.88	41.20
45-49	32.17	37.20	29.84	35.33	43.97	48.27	33.00	40.37	31.52	36.63
50-54	27.90	32.92	25.80	31.09	39.42	43.53	28.60	35.91	27.34	32.32
55-59	24.03	28.71	22.14	27.12	34.87	38.73	24.78	31.48	23.55	28.19
60-64	20.36	24.54	18.88	23.35	30.22	34.35	21.02	27.08	20.02	24.18
65-69	17.08	20.49	16.03	19.78	26.02	29.81	17.52	23.12	16.87	20.33
70-74	14.04	16.72	13.37	16.44	21.50	25.74	13.73	19.30	13.86	16.74
75-79	11.25	13.37	10.96	13.32	18.14	21.63	11.10	15.88	11.20	13.45
80-84	8.84	10.43	8.66	10.69	15.02	18.25	8.58	12.37	8.81	10.60
85+	6.74	7.85	6.77	8.71	14.19	16.03	6.12	9.45	6.80	8.24

Life Expectancy

Figure M1

Life Expectancy at Birth by Race/Ethnicity and Gender: Philadelphia, 2014



White = White, not Hispanic; Black = Black, not Hispanic; Asian = Asian, not Hispanic.

Life Expectancy


Table M2

Life Expectancy at Birth by Year, Race/Ethnicity and Gender: Philadelphia, 2000 - 2014

Year	White, Non-Hispanic		Black, Non-Hispanic		Asian, Non-Hispanic		Hispanic		All Race/Ethnicities	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
2000	71.74	78.26	64.16	73.97	85.18	83.43	71.09	78.92	68.71	76.44
2001	71.87	78.27	64.70	73.76	80.00	84.67	71.17	82.83	68.98	76.50
2002	72.05	78.39	65.23	74.19	82.19	87.64	72.04	79.34	69.48	76.73
2003	72.65	78.75	64.91	74.48	82.30	89.00	72.30	78.90	69.67	76.98
2004	72.62	79.15	66.02	74.94	86.93	86.28	73.54	83.87	70.23	77.55
2005	72.91	79.01	65.66	74.95	81.37	89.41	74.03	81.00	70.05	77.61
2006	72.43	79.30	65.42	75.44	83.93	87.70	72.69	85.81	69.88	78.09
2007	72.93	79.51	66.17	75.52	81.73	88.97	73.26	81.73	70.35	78.06
2008	73.49	79.36	67.52	76.02	82.33	88.04	75.67	84.77	71.48	78.43
2009	73.96	80.11	67.73	76.22	83.13	89.28	74.24	84.32	71.95	78.84
2010	74.32	80.88	68.26	76.62	84.17	88.18	76.14	86.93	72.15	79.45
2011	73.36	80.09	68.28	76.33	84.04	91.19	77.31	82.40	71.91	78.85
2012	74.87	80.40	69.01	77.45	87.82	92.04	74.75	84.40	72.29	79.29
2013	74.97	80.05	70.15	77.59	87.77	96.42	77.04	82.24	73.22	79.32
2014	74.58	80.65	70.19	77.84	87.51	92.05	74.59	83.51	73.00	79.63
Improvement from 2000 to 2014	4.0%	3.1%	9.4%	5.2%	2.7%	10.3%	4.9%	5.8%	6.2%	4.2%

Life Expectancy

Figure M2
Life Expectancy at Birth by Year, Race/Ethnicity and Gender: Philadelphia, 2000 - 2014




Leading Causes of Death

Table M3. Leading Causes of Death by Age: Philadelphia, 2014

All Ages	Rank	Male	Female	All
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	1,785	1,644	3,429
Malignant neoplasms (C00-C97)	2	1,550	1,636	3,186
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	572	309	881
Cerebrovascular diseases (I60-I69)	4	288	397	685
Chronic lower respiratory diseases (J40-J47)	5	236	327	563
Diabetes mellitus (E10-E14)	6	181	196	377
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	7	157	157	314
Septicemia (A40-A41)	8	136	163	299
Influenza and pneumonia (J09-J18)	9	123	114	237
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	10	207	29	236
All other causes		1,700	1,991	3,692
All causes		6,935	6,963	13,899

Two infant deaths of unknown sex have only been included in the column for All deaths.

Figure M3A. Leading Causes of Death for All Ages: Philadelphia, 2014



Note: CLRD=Chronic lower respiratory diseases


Leading Causes of Death

Table M3. Leading Causes of Death by Age: Philadelphia, 2014

0 to 4 Years	Rank	Male	Female	All
Certain conditions originating in the perinatal period (P00-P96)				
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1	48	54	103
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	2	17	7	24
Diseases of heart (I00-I09, I11, I13, I20-I51)	3	6	2	8
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4	2	2	4
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	5	3		3
Influenza and pneumonia (J09-J18)	6	1	1	2
Malignant neoplasms (C00-C97)	6	1	1	2
Diabetes mellitus (E10-E14)	6	2		2
Hernia (K40-K46)	7	1		1
	7		1	1
All other causes		24	18	42
All causes		105	86	192

Two infant deaths of unknown sex have only been included in the column for All deaths.

Figure M3B. Leading Causes of Death Aged 0 to 4 Years Old: Philadelphia, 2014




Note: CMDCA=Congenital malformations, deformations and chromosomal abnormalities

Leading Causes of Death

Table M3. Leading Causes of Death by Age: Philadelphia, 2014

5 to 14 Years	Rank	Male	Female	All
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	1	9	1	10
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	2	2	1	3
Chronic lower respiratory diseases (J40-J47)	3	1	1	2
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	1	1	2
Malignant neoplasms (C00-C97)	3	2		2
Diseases of heart (I00-I09, I11, I13, I20-I51)	4		1	1
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	4	1		1
Nutritional deficiencies (E40-E64)	4		1	1
Septicemia (A40-A41)	4		1	1
All other causes		1	3	4
All causes		17	10	27

Figure M3C. Leading Causes of Death Aged 5 to 14 Years Old: Philadelphia, 2014




Note: CLRD=Chronic lower respiratory diseases,
 CMDCA=Congenital malformations, deformations and chromosomal abnormalities

Leading Causes of Death

Table M3. Leading Causes of Death by Age: Philadelphia, 2014

15 to 24 Years	Rank	Male	Female	All
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	1	65	2	67
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	2	46	14	60
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	3	18	4	22
Malignant neoplasms (C00-C97)	4	7	4	11
Diseases of heart (I00-I09, I11, I13, I20-I51)	5	7	1	8
Diabetes mellitus (E10-E14)	6	3		3
Human immunodeficiency virus (HIV) disease (B20-B24)	6	3		3
Influenza and pneumonia (J09-J18)	7	1	1	2
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	8	1		1
Pneumonitis due to solids and liquids (J69)	8	1		1
All other causes		8	5	13
All causes		160	31	191

Figure M3D. Leading Causes of Death Aged 15 to 24 Years Old: Philadelphia, 2014




Leading Causes of Death

Table M3. Leading Causes of Death by Age: Philadelphia, 2014

25 to 44 Years	Rank	Male	Female	All
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	1	188	87	275
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	2	104	14	118
Diseases of heart (I00-I09, I11, I13, I20-I51)	3	71	31	102
Malignant neoplasms (C00-C97)	4	35	47	82
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	5	43	9	52
Human immunodeficiency virus (HIV) disease (B20-B24)	6	11	4	15
Diabetes mellitus (E10-E14)	7	7	6	13
Cerebrovascular diseases (I60-I69)	8	7	5	12
Septicemia (A40-A41)	8	6	6	12
Chronic lower respiratory diseases (J40-J47)	9	4	7	11
All other causes		81	79	160
All causes		557	295	852

Figure M3E. Leading Causes of Death Aged 25 to 44 Years Old: Philadelphia, 2014




Note: CLRD=Chronic lower respiratory diseases,

Leading Causes of Death

Table M3. Leading Causes of Death Aged 45 to 64 Years Old: Philadelphia, 2014

45 to 64 Years	Rank	Male	Female	All
Malignant neoplasms (C00-C97)	1	464	442	906
Diseases of heart (I00-I09, I11, I13, I20-I51)	2	523	270	793
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	213	94	307
Cerebrovascular diseases (I60-I69)	4	77	64	141
Diabetes mellitus (E10-E14)	5	61	50	111
Chronic lower respiratory diseases (J40-J47)	6	42	46	88
Chronic liver disease and cirrhosis (K70, K73-K74)	7	44	29	73
Septicemia (A40-A41)	8	34	38	72
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	9	43	16	59
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	9	40	19	59
All other causes		475	279	754
All causes		2,016	1,347	3,363

Figure M3F. Leading Causes of Death Aged 45 to 64 Years Old: Philadelphia, 2014




Note: CLRD=Chronic lower respiratory diseases, CLVD=Chronic liver disease and cirrhosis

Leading Causes of Death

Table M3. Leading Causes of Death by Age: Philadelphia, 2014

65 Years and Older	Rank	Male	Female	All
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	1,181	1,338	2,519
Malignant neoplasms (C00-C97)	2	1,040	1,143	2,183
Cerebrovascular diseases (I60-I69)	3	204	328	532
Chronic lower respiratory diseases (J40-J47)	4	189	273	462
Diabetes mellitus (E10-E14)	5	109	140	249
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	6	109	135	244
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	7	110	111	221
Septicemia (A40-A41)	8	96	118	214
Influenza and pneumonia (J09-J18)	9	91	86	177
Alzheimer's disease (G30)	10	45	106	151
All other causes		904	1,415	2,319
All causes		4,078	5,193	9,271


Figure M3G. Leading Causes of Death Aged 65 Years Old and Above: Philadelphia, 2014



Note: CLRD=Chronic lower respiratory diseases

Leading Causes of Death

Figure M3H. Top 5 Leading Causes of Death by Age: Philadelphia, 2014



Notes: CBVD = Cerebrovascular Diseases; CLRD = Chronic Lower Respiratory Diseases; CMDCA = Congenital Malformations, Deformations and Chromosomal Abnormalities.

Infant, Neonatal, and Post-Neonatal Deaths, 2005 - 2014

Table M4
 Infant Deaths, Neonatal Deaths, Post-Neonatal Deaths
 By Mother's Race/Ethnicity: Philadelphia, 2005 - 2014

Category	2005		2006		2007		2008		2009		2010		2011		2012		2013		2014	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
All Infants																				
All Race/Ethnicities	250	11.3	257	11.2	269	11.4	237	10.0	230	9.8	246	10.7	215	9.3	234	10.1	181	8.2	174	7.8
White, Non-Hispanic	41	7.4	43	7.5	32	5.5	37	6.2	42	7.2	32	5.5	32	5.4	29	4.9	29	4.9	22	3.8
Black, Non-Hispanic	159	15.3	178	16.7	179	16.6	152	14.1	156	14.6	156	14.8	148	14.1	161	15.6	115	11.8	116	12.2
Asian, Non-Hispanic	6	4.5	6	4.4	11	8.0	8	5.9	9	6.9	4	3.1	2	1.5	9	6.1	4	3.0	6	4.1
Hispanic	36	10.3	23	6.1	28	7.1	33	8.3	19	4.7	34	8.9	21	5.2	27	6.7	22	5.7	22	5.6
Neonatal																				
All Race/Ethnicities	170	7.7	190	8.3	167	7.1	162	6.8	153	6.5	169	7.3	140	6.1	157	6.8	132	6.0	122	5.5
White, Non-Hispanic	32	5.7	34	6.0	24	4.2	23	3.9	29	5.0	22	3.8	19	3.2	21	3.6	22	3.8	16	2.8
Black, Non-Hispanic	101	9.7	127	11.9	98	9.1	101	9.4	103	9.6	103	9.8	98	9.4	102	9.9	79	8.1	79	8.3
Asian, Non-Hispanic	5	3.7	5	3.7	9	6.6	6	4.5	7	5.4	3	2.3	1	0.7	9	6.1	3	2.3	6	4.1
Hispanic	25	7.2	18	4.8	20	5.1	26	6.5	11	2.7	21	5.5	11	2.7	18	4.4	17	4.4	13	3.3
Post-Neonatal																				
All Race/Ethnicities	80	3.6	67	2.9	102	4.3	75	3.2	77	3.3	77	3.3	75	3.2	77	3.3	49	2.2	52	2.3
White, Non-Hispanic	9	1.6	9	1.6	8	1.4	14	2.4	13	2.2	10	1.7	13	2.2	8	1.4	7	1.2	6	1.0
Black, Non-Hispanic	58	5.6	51	4.8	81	7.5	51	4.7	53	5.0	53	5.0	50	4.8	59	5.7	36	3.7	37	3.9
Asian, Non-Hispanic	1	0.7	1	0.7	2	1.5	2	1.5	2	1.5	1	0.8	1	0.7	0	0.0	1	0.8		
Hispanic	11	3.1	5	1.3	8	2.0	7	1.8	8	2.0	13	3.4	10	2.5	9	2.2	5	1.3	9	2.3


Rate = deaths per 1,000 live births.

Race/ethnicity information was unavailable for some infants.

Infant, Neonatal, and Post-Neonatal Deaths, 2005 - 2014

Figure M4

Infant Mortality Rate by Mother's Race/Ethnicity: Philadelphia, 2005 - 2014



Infant Mortality Rate by Race

Table M5
 Infant Mortality Rate by Mother's Race/Ethnicity: 1960 – 2014

Year	All Residents	White (All Ethnicities)	White (Non-Hispanic)	Non-White (All Ethnicities)	Black (All Ethnicities)	Black (Non-Hispanic)
2014	7.8		3.8			12.2
2013	8.2		4.9			11.8
2012	10.1		4.9			15.6
2011	9.3		5.4			14.1
2010	10.7		5.5			14.8
2009	9.8		7.2			14.6
2008	10.0		6.2			14.1
2007	11.4		5.5			16.6
2006	11.2		7.5			16.7
2005	11.3		7.4			15.3
2004	10.5	8.4			15.7	
2003	10.7	9.0			14.3	
2002	10.6	7.8			13.5	
2001	10.8	6.6			15.4	
2000	10.3	6.1			14.1	
1999	11.6	5.8			16.7	
1998	12.3	8.0			15.5	
1997	13.0	6.8			18.1	
1996	12.2	7.0			16.9	
1995	12.3	7.4			17.1	
1994	13.4	8.0			17.7	
1993	13.7	5.5			18.7	
1992	13.8	6.8			18.8	
1991	14.2	8.7		18.0		
1990	16.0	7.9		22.1		
1989	17.7	11.2		22.6		
1988	16.8	11.5		20.9		
1987	16.9	10.7		22.1		
1986	15.7	9.1		21.5		
1985	16.4	11.1		21.3		
1984	15.2	8.5		21.9		
1983	16.3	11.0		21.6		
1982	17.3	12.1		22.7		
1981	17.8	13.7		21.9		
1980	18.1	13.5		22.6		
1979	17.8	13.5		22.0		
1978	17.2	13.8		20.7		
1977	18.5	12.7		24.2		
1976	20.0	13.6		26.6		

Infant Mortality Rate by Race

Table M5
 Infant Mortality Rate by Mother's Race/Ethnicity: 1960 – 2014


Year	All Residents	White (All Ethnicities)	White (Non-Hispanic)	Non-White (All Ethnicities)	Black (All Ethnicities)	Black (Non-Hispanic)
1975	22.2	15.4		29.7		
1974	21.9	14.7		30.3		
1973	21.9	16.6		27.9		
1972	21.5	15.6		28.5		
1971	23.0	16.6		30.4		
1970	27.0	19.4		36.4		
1969	27.9	19.1		39.3		
1968	28.3	20.0		39.4		
1967	29.3	19.6		42.8		
1966	28.4	20.3		40.1		
1965	29.7	19.8		44.5		
1964	30.3					
1963	28.9					
1962	30.9					
1961	30.0					
1960	32.4	23.4		47.6		

The values show are death rates per 1,000 live births.

Race/ethnicity classifications have changed over time, and the table has been based on the available data. Other displays in this report show more detailed results available from 2005 on.

Infant Mortality by Race

Figure M5
 Infant Mortality Rate by Race: Philadelphia, 1960 - 2014




Perinatal Mortality by Race/Ethnicity

Table M6
Fetal Deaths by Mother's Race/Ethnicity: Philadelphia, 2014

	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All Race/ Ethnicities
Number of Deaths	43	139	5	27	256

Figure M6
Perinatal Mortality by Mother's Race/Ethnicity: Philadelphia, 2014



Mortality Trends, 1972 - 2014

Table M7A
All Causes of Death: Philadelphia, 1972 - 2014
Age-Adjusted Mortality Rates and Years of Potential Life Lost to Age 75


Year	Mortality Rate ¹	Years of Potential Life Lost to Age 75 ²	Year	Mortality Rate	Years of Potential Life Lost to Age 75
1972	1,417.8	16,730.2	1994	1,164.4	14,634.4
1974	1,319.8	16,342.6	1995	1,154.4	14,332.8
1975	1,281.6	15,908.9	1996	1,134.0	13,627.7
1976	1,267.3	15,155.3	1997	1,127.8	13,567.0
1977	1,235.3	15,088.6	1998	1,079.2	12,202.8
1978	1,223.2	14,677.0	1999	1,084.8	12,089.0
1979	1,200.2	14,311.1	2000	1,085.2	12,179.6
1980	1,267.0	14,811.0	2001	1,077.3	12,121.4
1981	1,211.4	14,227.5	2002	1,050.4	11,862.9
1982	1,200.9	14,058.1	2003	1,037.4	11,520.4
1983	1,185.1	13,283.0	2004	991.8	11,306.8
1984	1,185.5	13,085.9	2005	991.3	11,356.2
1985	1,214.6	13,853.8	2006	970.8	11,631.9
1986	1,187.7	13,926.7	2007	960.8	11,271.5
1987	1,215.2	14,537.3	2008	923.1	10,545.7
1988	1,215.6	14,766.0	2009	906.8	9,973.0
1989	1,213.4	15,293.4	2010	876.1	9,831.9
1990	1,148.5	14,488.2	2011	910.9	9,910.0
1991	1,152.7	14,309.7	2012	877.8	9,818.6
1992	1,141.1	14,215.5	2013	863.0	9,031.3
1993	1,184.4	14,814.6	2014	861.9	9,003.8

¹ Rates are expressed per 100,000 population and may not agree with previously published results because of changes in population estimates or methodology.

² The values are expressed per 100,000 population for the people who died before age 75.


Mortality Trends, 1972 - 2014

Figure M7A
All Causes of Death: Philadelphia, 1972 - 2014
Age-Adjusted Years of Potential Life Lost to Age 75 with 95% Confidence Intervals



Mortality Trends, 1972 - 2014

Figure M7B
All Causes of Death: Philadelphia, 1972 - 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals



Specified Causes of Death

Table M7B
Specified Causes of Death: Philadelphia, 2000 - 2014

Years of Potential Life Lost to Age 75, Not Age-Adjusted

Cause of Death	Rank ²	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Leading Causes of Death																
Malignant neoplasms (C00-C97)	1	29,165	29,817	28,812	29,428	28,776	26,703	27,449	28,159	26,116	26,333	25,744	27,345	26,489	24,894	24,407
Diseases of heart (I00-I09, I11, I13, I20-I51)	2	25,324	24,952	24,696	24,013	23,190	23,934	23,872	24,083	22,985	22,409	23,241	22,843	21,236	21,498	22,506
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	20,715	18,972	17,257	16,348	18,520	18,184	20,686	19,705	19,169	17,550	17,692	20,644	22,355	19,731	22,488
Malignant neoplasm of trachea, bronchus and lung (C33-C34)	4	8,170	8,381	7,606	7,246	7,818	7,511	7,273	7,812	6,522	6,776	6,839	6,539	6,301	6,566	5,837
Cerebrovascular diseases (I60-I69)	5	4,972	4,177	4,979	4,513	4,209	4,517	4,207	4,243	3,775	3,196	3,245	3,842	2,892	3,386	3,448
Diabetes mellitus (E10-E14)	6	3,627	4,016	3,624	3,734	3,641	3,062	3,405	3,079	2,844	2,746	3,066	3,594	2,919	3,347	3,199
Chronic lower respiratory diseases (J40-J47)	7	3,568	2,841	3,393	2,575	3,192	2,696	3,123	3,266	3,642	3,379	2,885	2,967	3,296	3,139	2,774
Septicemia (A40-A41)	8	3,339	4,734	4,103	3,751	4,251	4,069	3,604	4,059	3,236	3,077	2,659	3,139	2,893	2,709	2,191
Malignant neoplasm of colon, rectum and anus (C18-C21)	9	2,491	2,508	2,576	2,651	2,074	2,306	2,108	2,573	2,263	2,288	2,554	2,222	2,006	2,148	2,191
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-19, N25-N27)	10	3,238	2,687	2,690	2,821	2,800	3,071	2,217	2,088	2,934	1,986	1,874	1,814	1,934	1,766	1,775
All causes		166,395	164,917	161,541	157,789	155,504	157,425	161,949	158,350	148,867	142,777	142,511	146,797	146,594	135,961	136,171
Other Causes of Special Interest																
Malignant neoplasm of breast (C50)		2,934	3,503	3,191	3,091	3,170	2,522	2,510	2,210	2,676	2,731	2,411	2,763	3,041	2,182	2,188
Influenza and pneumonia (J09-J18)		1,993	1,776	1,288	1,313	1,224	1,387	1,462	1,849	1,703	2,393	1,116	1,486	1,226	1,727	1,629
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		14,689	13,547	12,854	15,017	14,316	16,515	18,141	16,262	13,869	12,888	13,776	14,818	14,369	10,811	9,959
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		5,083	4,629	5,130	5,287	4,827	4,473	4,209	4,029	5,362	4,465	4,700	4,364	5,290	4,720	4,726
Malignant neoplasm of prostate (C61)		657	513	555	699	651	617	595	554	460	432	508	598	632	611	366
Human immunodeficiency virus (HIV) disease (B20-B24)		8,493	7,720	7,462	7,109	6,343	5,025	5,186	5,014	3,684	3,362	3,237	2,964	2,076	2,963	1,803
Infant mortality per 1,000 live births ¹		16,650	17,025	16,650	17,100	16,950	18,750	19,275	20,175	17,775	17,250	18,450	16,125	17,550	13,575	13,050

The values reflect the total years of potential life lost for the people who died before age 75, not age-adjusted.

¹ This row may include some deaths analyzed in previous rows.

² The ranks are based on the values from 2014.

Specified Causes of Death

Table M7C
Specified Causes of Death: Philadelphia, 2000 - 2014

Age-Adjusted Rates per 100,000 Population

Cause of Death	Rank ²	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Leading Causes of Death																
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	295.5	295.7	287.0	278.8	263.7	261.1	240.1	242.5	232.1	229.1	228.3	224.2	202.5	208.8	210.9
Malignant neoplasms (C00-C97)	2	249.4	249.9	240.0	242.9	231.0	222.5	227.8	222.7	211.5	218.8	203.0	214.5	206.5	197.4	199.9
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	48.3	45.9	40.6	40.4	45.0	45.6	49.1	48.7	46.9	42.8	42.9	50.5	53.6	47.1	55.7
Malignant neoplasm of trachea, bronchus and lung (C33-C34)	4	70.3	68.7	68.5	65.8	66.9	64.5	62.7	63.7	59.2	61.1	54.3	57.8	56.9	55.5	53.9
Cerebrovascular diseases (I60-I69)	5	68.3	65.8	60.4	64.5	53.2	54.7	49.9	48.8	45.9	44.1	43.9	48.8	42.3	42.2	41.9
Chronic lower respiratory diseases (J40-J47)	6	40.8	37.0	40.6	36.0	37.2	35.9	38.2	38.1	38.2	39.5	35.4	39.2	40.3	38.2	35.7
Diabetes mellitus (E10-E14)	7	27.7	28.9	27.0	27.8	26.4	22.5	24.5	24.3	21.9	21.3	21.4	26.8	22.1	26.1	23.4
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-19, N25-N27)	8	27.2	26.0	26.7	28.3	27.5	26.9	26.9	22.9	25.4	24.0	23.2	22.4	20.4	19.9	19.5
Septicemia (A40-A41)	9	36.7	39.6	36.2	34.9	33.5	33.7	31.7	31.6	27.2	24.4	23.3	24.7	19.5	22.4	18.5
Malignant neoplasm of colon, rectum and anus (C18-C21)	10	28.1	27.7	26.2	26.5	22.4	22.6	23.9	21.7	21.2	22.6	21.0	17.6	17.5	17.8	17.6
All causes		1,085.2	1,077.3	1,050.4	1,037.4	991.8	991.3	970.8	960.8	923.1	906.8	876.1	910.9	877.8	863.0	861.9
Other Causes of Special Interest																
Malignant neoplasm of breast (C50)		19.4	21.8	20.3	19.6	18.5	17.2	17.2	15.8	18.5	17.5	16.2	17.7	14.8	15.9	15.3
Influenza and pneumonia (J09-J18)		22.4	20.0	17.2	17.7	16.2	18.4	17.0	17.1	17.8	16.7	12.3	14.8	13.1	16.5	14.5
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		20.6	19.9	18.5	21.7	20.8	23.0	24.4	23.3	19.8	18.0	18.5	19.8	19.7	15.3	14.4
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		10.6	9.2	10.5	10.9	10.1	10.8	9.0	8.7	11.7	10.0	9.5	10.1	10.7	9.5	10.0
Malignant neoplasm of prostate (C61)		15.1	13.4	13.1	14.6	12.2	12.7	14.0	12.4	11.2	11.6	11.7	13.1	12.6	10.7	8.9
Human immunodeficiency virus (HIV) disease (B20-B24)		18.6	18.1	17.9	16.5	15.5	12.6	12.6	13.0	10.2	8.8	8.6	7.7	5.9	8.4	5.2
Infant mortality per 1,000 live births ¹		10.2	10.8	10.5	10.7	10.4	11.3	11.2	11.4	10.0	9.8	10.7	9.3	10.1	8.2	7.8


Rates are expressed per 100,000 population using the estimates shown in Figure P2 and may not agree with previously published results. Values have not been shown when there are fewer than 20 deaths.

¹ This row may include some deaths analyzed in previous rows.

² The ranks are based on the values from 2014.

Mortality Trends, 2000 - 2014


Figure M7C
Heart Disease and Cancer: Philadelphia, 2000 - 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals



Heart disease:	295.5	295.7	287.0	278.8	263.7	261.1	240.1	242.5	232.1	229.1	228.3	224.2	202.5	208.8	210.9
All cancers:	249.4	249.9	240.0	242.9	231.0	222.5	227.8	222.7	211.5	218.8	203.0	214.5	206.5	197.4	199.9

Mortality Trends, 2000 - 2014


Figure M7D
Lung Cancer: Philadelphia, 2000 - 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals



Lung cancer: 70.3 68.7 68.5 65.8 66.9 64.5 62.7 63.7 59.2 61.1 54.3 57.8 56.9 55.5 53.9

Mortality Trends, 2000 - 2014


Figure M7E
 Colorectal, Breast, and Prostate Cancers: Philadelphia, 2000 - 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals



Colorectal:	28.1	27.7	26.2	26.5	22.4	22.6	23.9	21.7	21.2	22.6	21.0	17.6	17.5	17.8	17.6
Breast:	19.4	21.8	20.3	19.6	18.5	17.2	17.2	15.8	18.5	17.5	16.2	17.7	14.8	15.9	15.3
Prostate:	15.1	13.4	13.1	14.6	12.2	12.7	14.0	12.4	11.2	11.6	11.7	13.1	12.6	10.7	8.9

Mortality Trends, 2000 - 2014


Figure M7F
Diabetes: Philadelphia, 2000 - 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals



Diabetes: 27.7 28.9 27.0 27.8 26.4 22.5 24.5 24.3 21.9 21.3 21.4 26.8 22.1 26.1 23.4

Mortality Trends, 2000 - 2014


Figure M7G
HIV / AIDS: Philadelphia, 2000 - 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals



Mortality Trends, 2000 - 2014

Figure M7H

Accidents (Unintentional Injuries), Assaults (Homicides), and Intentional Self-Harm (Suicides): Philadelphia, 2000 - 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals



Accidents:	48.3	45.9	40.6	40.4	45.0	45.6	49.1	48.7	46.9	42.8	42.9	50.5	53.6	47.1	55.7
Assaults:	20.6	19.9	18.5	21.7	20.8	23.0	24.4	23.3	19.8	18.0	18.5	19.8	19.7	15.3	14.4
Suicides:	10.6	9.2	10.5	10.9	10.1	10.8	9.0	8.7	11.7	10.0	9.5	10.1	10.7	9.5	10.0

Specified Causes of Death

Table M8A
Specified Causes of Death by Race/Ethnicity: Philadelphia, 2014

Age-Adjusted Rates: Both Sexes

Cause of Death	Rank	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All Race/Ethnicities
Leading Causes of Death						
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	200.8	233.2	79.9	160.9	210.9
Malignant neoplasms (C00-C97)	2	201.5	216.3	96.3	129.1	199.9
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	65.7	51.2		52.8	55.7
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	59.3	56.0		27.9	53.9
Cerebrovascular diseases (I60-I69)	5	35.3	49.5		38.0	41.9
Chronic lower respiratory diseases (J40-J47)	6	38.1	36.2			35.7
Diabetes mellitus (E10-E14)	7	17.6	31.4		23.3	23.4
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	8	15.1	25.5			19.5
Septicemia (A40-A41)	9	16.2	22.1		21.3	18.5
Malignant neoplasms of colon, rectum and anus (C18-C21)	10	18.9	16.6			17.6
All causes		825.8	956.9	364.4	711.9	861.9
Other Causes of Special Interest						
Malignant neoplasm of breast (C50)		13.0	18.7			15.3
Influenza and pneumonia (J09-J18)		15.3	13.1			14.5
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		3.1	26.2		14.8	14.4
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		16.1	5.8			10.0
Malignant neoplasm of prostate (C61)		5.1	14.5			8.9
Human immunodeficiency virus (HIV) disease (B20-B24)			8.6			5.2
Infant mortality per 1,000 live births ¹		3.8	12.2	4.1	5.6	7.8

Rates are expressed per 100,000 population using the estimated populations shown in Figure P2. Values have not been shown when there are fewer than 20 deaths. The rankings have been based on the values for both sexes.

¹ This row may include some deaths analyzed in previous rows.

Specified Causes of Death

Table M8A
Specified Causes of Death by Race/Ethnicity: Philadelphia, 2014

Age-Adjusted Rates: Males

Cause of Death	Rank	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All Race/Ethnicities
Leading Causes of Death						
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	266.8	316.9	93.7	248.6	281.7
Malignant neoplasms (C00-C97)	2	238.6	267.1	119.7	164.8	239.8
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	87.9	79.0		73.0	80.6
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	71.3	71.6		55.6	67.8
Cerebrovascular diseases (I60-I69)	5	38.3	56.7			46.0
Chronic lower respiratory diseases (J40-J47)	6	39.6	38.7			38.4
Diabetes mellitus (E10-E14)	7	23.0	35.2			27.5
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	8	19.6	33.7			25.6
Septicemia (A40-A41)	9	20.5	23.7			21.4
Malignant neoplasms of colon, rectum and anus (C18-C21)	10	24.8	22.3			23.8
All causes		1,010.8	1,214.6	426.3	966.4	1,068.9
Other Causes of Special Interest						
Malignant neoplasm of breast (C50)						
Influenza and pneumonia (J09-J18)		17.2	21.5			20.0
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		4.2	52.0		25.7	26.2
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		26.7	11.8			17.6
Malignant neoplasm of prostate (C61)		13.4	43.6			24.1
Human immunodeficiency virus (HIV) disease (B20-B24)			15.9			9.0
Infant mortality per 1,000 live births ¹		4.4	13.6	5.3	6.3	8.6

Rates are expressed per 100,000 population using the estimated populations shown in Figure P2. Values have not been shown when there are fewer than 20 deaths. The rankings have been based on the values for both sexes.

¹ This row may include some deaths analyzed in previous rows.

Specified Causes of Death

Table M8A
Specified Causes of Death by Race/Ethnicity: Philadelphia, 2014

Age-Adjusted Rates: Females

Cause of Death	Rank	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All Race/Ethnicities
Leading Causes of Death						
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	150.5	181.0	68.0	100.4	161.5
Malignant neoplasms (C00-C97)	2	176.0	188.4	76.0	103.2	174.9
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	45.1	30.8		32.5	34.7
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	51.0	47.3			44.9
Cerebrovascular diseases (I60-I69)	5	32.3	44.6			38.5
Chronic lower respiratory diseases (J40-J47)	6	37.1	34.7			34.0
Diabetes mellitus (E10-E14)	7	13.7	29.1			20.6
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	8	12.2	20.6			15.6
Septicemia (A40-A41)	9	13.0	21.2			16.7
Malignant neoplasms of colon, rectum and anus (C18-C21)	10	14.7	12.4			13.3
All causes		677.9	788.8	313.4	520.3	710.5
Other Causes of Special Interest						
Malignant neoplasm of breast (C50)		22.5	30.5			26.1
Influenza and pneumonia (J09-J18)		14.2	8.4			11.0
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		2.1	4.7		4.1	3.4
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)						3.7
Malignant neoplasm of prostate (C61)						
Human immunodeficiency virus (HIV) disease (B20-B24)						
Infant mortality per 1,000 live births ¹		3.2	10.8	2.8	4.2	6.9

Rates are expressed per 100,000 population using the estimated populations shown in Figure P2. Values have not been shown when there are fewer than 20 deaths. The rankings have been based on the values for both sexes.

¹ This row may include some deaths analyzed in previous rows.

Specified Causes of Death

Table M8B
Specified Causes of Death by Race/Ethnicity: Philadelphia, 2014

Years of Potential Life Lost to Age 75: Both Sexes

Cause of Death	Rank	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All Race/Ethnicities
Leading Causes of Death						
Malignant neoplasms (C00-C97)	1	8,960	12,404	821	1,469	24,407
Diseases of heart (I00-I09, I11, I13, I20-I51)	2	7,270	12,378	269	1,741	22,506
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	9,828	8,307	355	3,368	22,488
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	2,489	3,038	74	174	5,837
Cerebrovascular diseases (I60-I69)	5	760	2,188	181	229	3,448
Diabetes mellitus (E10-E14)	6	832	2,018	25	209	3,199
Chronic lower respiratory diseases (J40-J47)	7	1,042	1,482	39	140	2,774
Septicemia (A40-A41)	8	698	1,193	22	235	2,191
Malignant neoplasms of colon, rectum and anus (C18-C21)	9	743	1,080	72	250	2,191
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	10	334	1,220	27	130	1,775
All causes		42,858	71,735	3,059	14,036	136,171
Other Causes of Special Interest						
Malignant neoplasm of breast (C50)		541	1,253	217	111	2,188
Influenza and pneumonia (J09-J18)		550	779	76	224	1,629
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		731	7,275		1,499	9,959
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		2,527	1,245	220	478	4,726
Malignant neoplasm of prostate (C61)		63	242	5	17	366
Human immunodeficiency virus (HIV) disease (B20-B24)		277	1,269		222	1,803
Infant mortality per 1,000 live births ¹		1,650	8,700	450	1,650	13,050

The values reflect the total years of potential life lost for the people who died before age 75, not age-adjusted.

The rankings have been based on the values for both sexes.

¹ This row may include some deaths analyzed in previous rows.

Specified Causes of Death

Table M8B
Specified Causes of Death by Race/Ethnicity: Philadelphia, 2014

Years of Potential Life Lost to Age 75: Males

Cause of Death	Rank	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All Race/Ethnicities
Leading Causes of Death						
Malignant neoplasms (C00-C97)	1	4,864	5,996	430	740	12,329
Diseases of heart (I00-I09, I11, I13, I20-I51)	2	5,142	7,725	160	1,241	14,783
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	6,697	5,902	258	2,418	15,780
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	1,309	1,481	59	154	3,039
Cerebrovascular diseases (I60-I69)	5	455	1,173	94	159	1,914
Diabetes mellitus (E10-E14)	6	464	1,109	14	125	1,816
Chronic lower respiratory diseases (J40-J47)	7	501	617	14	60	1,249
Septicemia (A40-A41)	8	393	517	22	114	1,046
Malignant neoplasms of colon, rectum and anus (C18-C21)	9	418	723	13	154	1,308
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	10	202	817	18	105	1,206
All causes		27,481	43,284	1,716	9,345	84,541
Other Causes of Special Interest						
Malignant neoplasm of breast (C50)						
Influenza and pneumonia (J09-J18)		253	444	76	111	884
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		507	6,651		1,342	8,924
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		2,083	1,082	105	282	3,754
Malignant neoplasm of prostate (C61)		63	242	5	17	366
Human immunodeficiency virus (HIV) disease (B20-B24)		248	965		161	1,399
Infant mortality per 1,000 live births ¹		975	4,875	300	975	7,350

The values reflect the total years of potential life lost for the people who died before age 75, not age-adjusted.

The rankings have been based on the values for both sexes.

¹ This row may include some deaths analyzed in previous rows.

Specified Causes of Death

Table M8B
Specified Causes of Death by Race/Ethnicity: Philadelphia, 2014

Years of Potential Life Lost to Age 75: Females

Cause of Death	Rank	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All Race/Ethnicities
Leading Causes of Death						
Malignant neoplasms (C00-C97)	1	4,096	6,408	391	729	12,078
Diseases of heart (I00-I09, I11, I13, I20-I51)	2	2,128	4,653	109	500	7,723
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	3,131	2,405	97	950	6,708
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	1,180	1,557	15	20	2,798
Cerebrovascular diseases (I60-I69)	5	305	1,015	87	70	1,534
Diabetes mellitus (E10-E14)	6	368	909	11	84	1,383
Chronic lower respiratory diseases (J40-J47)	7	541	865	25	80	1,525
Septicemia (A40-A41)	8	305	676		121	1,145
Malignant neoplasms of colon, rectum and anus (C18-C21)	9	325	357	59	96	883
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	10	132	403	9	25	569
All causes		15,377	28,451	1,343	4,616	51,555
Other Causes of Special Interest						
Malignant neoplasm of breast (C50)		541	1,253	217	111	2,188
Influenza and pneumonia (J09-J18)		297	335		113	745
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		224	624		157	1,035
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		444	163	115	196	972
Malignant neoplasm of prostate (C61)						
Human immunodeficiency virus (HIV) disease (B20-B24)		29	304		61	404
Infant mortality per 1,000 live births ¹		675	3,825	150	600	5,625


The values reflect the total years of potential life lost for the people who died before age 75, not age-adjusted.

The rankings have been based on the values for both sexes.

¹ This row may include some deaths analyzed in previous rows.

Specified Causes of Death


Figure M8. Top 5 Leading Causes of Death by Race / Ethnicities: Philadelphia, 2014



Notes: CBVD = Cerebrovascular Diseases; CLRD = Chronic Lower Respiratory Diseases;


Mortality Rates by Race/Ethnicity and Gender

Figure M9A
 All Causes of Death: Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9B
 Heart Disease: Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9C
 All Cancers: Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9D
 Lung Cancer: Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9E
 Colorectal Cancer: Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9F
Breast Cancer: Philadelphia, 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9G
Prostate Cancer: Philadelphia, 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9H
HIV / AIDS: Philadelphia, 2014
Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9I
 Diabetes: Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9J
 Accidents (Unintentional Injuries): Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals




Mortality Rates by Race/Ethnicity and Gender

Figure M9K
 Assaults (Homicides): Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals



Mortality Rates by Race/Ethnicity and Gender

Figure M9L
 Intentional Self-Harm (Suicides): Philadelphia, 2014
 Age-Adjusted Mortality Rates with 95% Confidence Intervals



Manner of Death

Table M9
Manner of Death by Descending Count: Philadelphia, 2014

Manner of Death	Count	Percent
Natural	12,562	90.4%
Accident	840	6.0%
Homicide	241	1.7%
Suicide	160	1.2%
Undetermined	48	0.3%
Pending	48	0.3%
Total	13,899	100.0%

Youth and Young Adult Homicides

Table M10A
Youth and Young Adult Homicides by Gender, Age, and Race/Ethnicity
Philadelphia, 2014

	10 to 14	15 to 19	20 to 24	All
All Males	1	16	49	66
White, Non-Hispanic	0	1	3	4
Black, Non-Hispanic	1	12	37	50
Asian, Non-Hispanic	0	0	0	0
Hispanic	0	2	6	8
Other or Unknown	0	1	3	4
All Females	1	1	1	3
White, Non-Hispanic	0	0	0	0
Black, Non-Hispanic	1	1	1	3
Asian, Non-Hispanic	0	0	0	0
Hispanic	0	0	0	0
Other or Unknown	0	0	0	0

Table M10B
Youth and Young Adult Homicides Ages 10-24
By Specific Cause of Death: Philadelphia, 2014

Cause of Death	Count	Percent
Firearm discharge	64	92.8%
Sharp object	5	7.2%
Total	69	100.0%

Child Injury Deaths

Table M11A
Child Injury Deaths by Specific Cause of Death: Philadelphia: 2014

Cause of Death	1-4 Years	5-14 Years	All
Motor vehicle accidents	1	4	5
Falls	0	1	1
Accidental drowning and submersion	1	2	3
Accidental exposure to smoke, fire and flames	1	2	3
Other and unspecified nontransport accidents and their sequelae	0	1	1
All other causes	15	17	32
Total	18	27	45

Accidents (Unintentional Injuries)

Table M11B
Accidents (Unintentional Injuries)
By Subcategory: Philadelphia, 2000 - 2014


Subcategory	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Transport accidents															
Motor vehicle accidents ¹	115	142	127	137	123	103	124	136	110	104	108	108	109	113	105
Other land transport accidents ²	26	17	4	5	4	4	2	4	6	7	7	7	5	6	2
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	2	1	4	4	2	2	2	3	4	4	3	4	7	5	1
Nontransport accidents															
Falls (W00-W19)	82	70	75	77	113	104	79	113	84	89	111	119	123	119	131
Accidental discharge of firearms (W32-W34)	7	2	2	2	2	1	3	2	2	2	2	2	14	4	8
Accidental drowning and submersion (W65-W74)	12	12	8	6	9	10	7	11	10	11	8	14	10	13	13
Accidental exposure to smoke, fire and flames (X00-X09)	41	38	20	35	37	42	37	43	31	24	28	29	24	20	19
Accidental poisoning and exposure to noxious substances (X40-X49)	338	283	267	235	288	341	388	326	356	327	308	398	438	381	494
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	106	124	102	102	91	78	86	102	103	74	86	100	110	84	108
All accidents	729	689	609	603	669	685	728	740	706	642	661	781	840	745	881

¹ (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)

² (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)

Smoking-Attributable Mortality


Figure M10A
Smoking Attributable Deaths: Philadelphia, 2014



In addition to the adult deaths shown above there were 6 infant deaths attributed to maternal smoking.

Smoking-Attributable Mortality

Figure M10B
Smoking-Attributable Productivity Losses
Philadelphia, 2014



The results do not include deaths due to second-hand smoke, burns, or infant mortality.

Smoking-Attributable Mortality

Table M12A
Smoking-Attributable Mortality Age-Adjusted Rate: Philadelphia, 2005 - 2014

Diseases	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Cancers	131.4	130.6	132.7	126.5	130.9	116.4	124.1	119.7	115.8	113.8
Cardiovascular and Metabolic Diseases	141.2	136.1	133.4	132.0	124.2	117.4	114.0	105.7	109.6	107.6
Pulmonary Diseases	77.4	79.6	78.2	79.6	82.0	69.8	80.8	82.4	79.9	73.6
All Causes	497.3	491.5	487.8	510.3	505.9	463.6	486.5	471.1	463.8	468.0

Table M12B
Smoking-Attributable Mortality by Race/Ethnicity: Philadelphia, 2014

Diseases	White, Non-Hispanic		Black, Non-Hispanic		Asian, Non-Hispanic		Hispanic		All Race/Ethnicities	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
Cancers	441	117.9	420	125.1			28	58.7	926	113.8
Cardiovascular and Metabolic Diseases	361	98.1	419	129.5			39	71.8	852	107.6
Pulmonary Diseases	309	81.1	231	72.0					580	73.6
All Causes	1,556	427.4	1,856	567.1	31	68.6	172	313.5	3,721	468.0

Rates are adjusted for age and expressed as per 100,000 population. Groups with missing data either had fewer than 20 relevant deaths or too few respondents to determine smoking prevalence.

Alcohol-Attributable Mortality

Table M13
Average Annual Alcohol-Attributable Mortality by Race/Ethnicity and Age
Philadelphia, 2010 - 2014

	All	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic
All Ages					
Age-Adjusted Rate of Alcohol-Attributable Deaths ¹	43.3	43.0	49.3	16.0	34.0
Total Alcohol-Attributable Deaths	661.9	265.9	310.8	14.8	54.5
Total Deaths	13,967	6,464	6,307	248	695
Total Alcohol-Attributable Deaths(%) ²	4.7%	4.1%	4.9%	6.0%	7.8%
0-14 Years Old					
Total Alcohol-Attributable Deaths	2.0	0.2	1.3	0.1	0.4
Total Deaths	259	36	170	8	32
Total Alcohol-Attributable Deaths(%) ²	0.8%	0.5%	0.8%	1.2%	1.3%
15-19 Years Old					
Total Alcohol-Attributable Deaths	20.4	1.5	15.2	0.2	2.8
Total Deaths	65	7	43	2	10
Total Alcohol-Attributable Deaths(%) ²	31.4%	20.2%	35.1%	14.4%	29.0%
20-24 Years Old					
Total Alcohol-Attributable Deaths	52.6	8.5	36.0	1.0	5.4
Total Deaths	166	34	103	5	19
Total Alcohol-Attributable Deaths(%) ²	31.7%	24.9%	34.9%	20.1%	28.2%
25-34 Years Old					
Total Alcohol-Attributable Deaths	88.5	27.3	45.8	1.1	12.3
Total Deaths	360	117	174	7	51
Total Alcohol-Attributable Deaths(%) ²	24.6%	23.2%	26.3%	15.2%	24.1%
35-44 Years Old					
Total Alcohol-Attributable Deaths	74.5	27.7	33.5	2.3	8.6
Total Deaths	501	159	263	12	54
Total Alcohol-Attributable Deaths(%) ²	14.9%	17.4%	12.7%	18.5%	15.9%
45-54 Years Old					
Total Alcohol-Attributable Deaths	116.8	53.5	48.1	2.5	9.2
Total Deaths	1,228	443	643	22	93
Total Alcohol-Attributable Deaths(%) ²	9.5%	12.1%	7.5%	11.8%	9.9%
55-64 Years Old					
Total Alcohol-Attributable Deaths	124.8	48.8	63.1	2.6	7.8
Total Deaths	2,128	772	1,155	39	121
Total Alcohol-Attributable Deaths(%) ²	5.9%	6.3%	5.5%	6.7%	6.5%
65+ Years Old					
Total Alcohol-Attributable Deaths	182.1	98.5	67.7	5.0	8.0
Total Deaths	9,260	4,895	3,756	153	316
Total Alcohol-Attributable Deaths(%) ²	2.0%	2.0%	1.8%	3.2%	2.5%

Analysis was based on the methodology implemented by the Centers for Disease Control at http://apps.nccd.cdc.gov/DACH_ARDI. See the technical appendix for more information.

¹The rates were expressed as deaths per 100,000 population, which were calculated using Census Population Estimates in July, then adjusted for age with the weight from Census 2000 Standard Population.

²The percentage was calculated as the proportion of alcohol-attributable deaths to all deaths.

Mortality by Planning District

Table M14
Specified Causes of Death by Planning District: Philadelphia, 2014

Cause of Death	City-Wide			Dist. 1		Dist. 2		Dist. 3		Dist. 4	
	Rank	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Leading Causes of Death											
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	216.3	3,427	221.6	73	250.8	132	243.2	296	203.6	114
Malignant neoplasms (C00-C97)	2	206.7	3,186	211.1	74	234.8	126	215.3	263	161.5	86
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	57.0	881		16	57.2	34	60.2	64		16
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	56.0	854		18	62.9	35	59.5	73	42.5	21
Cerebrovascular diseases (I60-I69)	5	42.8	685		15	42.6	22	48.8	61	40.9	26
Chronic lower respiratory diseases (J40-J47)	6	36.6	563		12	54.8	30	26.3	32		18
Diabetes mellitus (E10-E14)	7	24.2	377		7		12	27.8	34		11
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	8	19.9	314		6		13	21.7	27		7
Septicemia (A40-A41)	9	19.2	299		6		6	17.7	22		10
Malignant neoplasms of colon, rectum and anus (C18-C21)	10	18.0	279		7		11	18.8	23		5
All causes		885.1	13,896	886.4	306	968.7	522	954.1	1,156	767.7	423
Other Causes of Special Interest											
Malignant neoplasm of breast (C50)		15.9	245		5		13	18.5	22		7
Influenza and pneumonia (J09-J18)		14.8	237		10		7	17.0	22		7
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		14.6	236		5		13	27.2	28		7
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		10.2	158		4		8		6		2
Malignant neoplasm of prostate (C61)		9.1	142		1		9	18.0	24		8
Human immunodeficiency virus (HIV) disease (B20-B24)		5.4	82		3		4		6		0
Infant mortality per 1,000 live births ¹		7.8	174	11.1	8	2.2	2	9.1	15	11.3	6

The rates have been age-adjusted per 100,000 population. Districts with fewer than 20 deaths and the very sparsely populated Lower South district have been left blank. Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast. See the following maps for locations.

¹ This row may include some deaths analyzed in previous rows.

Mortality by Planning District

Table M14
Specified Causes of Death by Planning District: Philadelphia, 2014

Cause of Death	City-Wide			Dist. 5		Dist. 6		Dist. 7		Dist. 8	
	Rank	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Leading Causes of Death											
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	216.3	3,427			195.8	286	147.8	174	292.4	235
Malignant neoplasms (C00-C97)	2	206.7	3,186			226.4	321	152.3	174	246.8	200
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	57.0	881			62.9	90	28.0	34	82.0	70
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	56.0	854			71.4	99	40.0	46	61.7	51
Cerebrovascular diseases (I60-I69)	5	42.8	685			40.8	59	20.7	26	60.2	48
Chronic lower respiratory diseases (J40-J47)	6	36.6	563			44.9	63	21.9	25	48.0	38
Diabetes mellitus (E10-E14)	7	24.2	377			19.4	27	21.8	25	36.9	30
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	8	19.9	314			23.2	35		18	31.2	25
Septicemia (A40-A41)	9	19.2	299			26.1	38	17.8	20	34.3	27
Malignant neoplasms of colon, rectum and anus (C18-C21)	10	18.0	279			18.3	26		12		18
All causes		885.1	13,896			886.2	1,279	599.6	699	1,177.9	961
Other Causes of Special Interest											
Malignant neoplasm of breast (C50)		15.9	245			16.7	25		17		18
Influenza and pneumonia (J09-J18)		14.8	237			14.9	22	16.6	20		9
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		14.6	236				17		6	31.7	32
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		10.2	158				18		8		7
Malignant neoplasm of prostate (C61)		9.1	142				13		6		11
Human immunodeficiency virus (HIV) disease (B20-B24)		5.4	82				5		6		10
Infant mortality per 1,000 live births ¹		7.8	174			7.9	16	7.5	12	13.8	21

The rates have been age-adjusted per 100,000 population. Districts with fewer than 20 deaths and the very sparsely populated Lower South district have been left blank.

Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast. See the following maps for locations.

¹ This row may include some deaths analyzed in previous rows.

Mortality by Planning District

Table M14
Specified Causes of Death by Planning District: Philadelphia, 2014

Cause of Death	City-Wide			Dist. 9		Dist. 10		Dist. 11		Dist. 12	
	Rank	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Leading Causes of Death											
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	216.3	3,427	288.4	292	269.8	155	234.5	321	193.1	108
Malignant neoplasms (C00-C97)	2	206.7	3,186	250.3	260	240.9	138	200.7	293	187.4	97
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	57.0	881	70.1	88	109.2	72	36.7	52		18
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	56.0	854	68.1	65	81.9	47	52.3	76	63.6	33
Cerebrovascular diseases (I60-I69)	5	42.8	685	58.6	56	45.9	25	57.7	82	46.4	27
Chronic lower respiratory diseases (J40-J47)	6	36.6	563	37.8	38	59.3	34	31.3	43		17
Diabetes mellitus (E10-E14)	7	24.2	377	31.4	32		12	29.6	44		12
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	8	19.9	314		15		6	30.5	41		9
Septicemia (A40-A41)	9	19.2	299	24.8	26		11	22.8	32		7
Malignant neoplasms of colon, rectum and anus (C18-C21)	10	18.0	279	22.0	25		11	18.8	27		9
All causes		885.1	13,896	1,112.9	1,177	1,074.2	635	930.0	1,298	756.5	411
Other Causes of Special Interest											
Malignant neoplasm of breast (C50)		15.9	245		17		6	14.0	20		5
Influenza and pneumonia (J09-J18)		14.8	237		14		14		14		9
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		14.6	236	30.3	41		8	18.9	27		0
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		10.2	158		14		15		14		5
Malignant neoplasm of prostate (C61)		9.1	142		14		3		13		4
Human immunodeficiency virus (HIV) disease (B20-B24)		5.4	82		18		2		13		1
Infant mortality per 1,000 live births ¹		7.8	174	9.6	25	9.2	11	6.7	13	2.9	2

The rates have been age-adjusted per 100,000 population. Districts with fewer than 20 deaths and the very sparsely populated Lower South district have been left blank.

Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast. See the following maps for locations.

¹ This row may include some deaths analyzed in previous rows.

Mortality by Planning District

Table M14
Specified Causes of Death by Planning District: Philadelphia, 2014

Cause of Death	City-Wide			Dist. 13		Dist. 14		Dist. 15		Dist. 16	
	Rank	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Leading Causes of Death											
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	216.3	3,427	221.3	232	237.2	175	208.5	223	167.3	204
Malignant neoplasms (C00-C97)	2	206.7	3,186	198.4	202	205.8	149	215.5	216	165.9	177
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	57.0	881	48.5	45	78.7	72	72.9	75	47.4	43
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	56.0	854	45.0	46	56.5	40	57.3	56	44.7	46
Cerebrovascular diseases (I60-I69)	5	42.8	685	53.4	57	47.9	36	30.1	32	27.6	41
Chronic lower respiratory diseases (J40-J47)	6	36.6	563	38.5	41	44.0	31	36.4	36	23.4	29
Diabetes mellitus (E10-E14)	7	24.2	377	22.7	24	31.5	24	21.4	20		14
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	8	19.9	314	26.5	26		12		16		19
Septicemia (A40-A41)	9	19.2	299		19		12	19.5	20		10
Malignant neoplasms of colon, rectum and anus (C18-C21)	10	18.0	279		10		11		19		13
All causes		885.1	13,896	880.0	908	967.9	747	838.4	870	686.7	817
Other Causes of Special Interest											
Malignant neoplasm of breast (C50)		15.9	245	24.1	24		8		14		18
Influenza and pneumonia (J09-J18)		14.8	237		14		10		15		17
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		14.6	236		13	19.9	22		8		3
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		10.2	158		4		10		15		6
Malignant neoplasm of prostate (C61)		9.1	142		13		3		3		4
Human immunodeficiency virus (HIV) disease (B20-B24)		5.4	82		3		4		2		1
Infant mortality per 1,000 live births ¹		7.8	174	9.2	11	10.8	18	3.8	5	2.7	3

The rates have been age-adjusted per 100,000 population. Districts with fewer than 20 deaths and the very sparsely populated Lower South district have been left blank.

Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast. See the following maps for locations.

¹ This row may include some deaths analyzed in previous rows.

Mortality by Planning District

Table M14
Specified Causes of Death by Planning District: Philadelphia, 2014

Cause of Death	City-Wide			Dist. 17		Dist. 18	
	Rank	Rate	N	Rate	N	Rate	N
Leading Causes of Death							
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	216.3	3,427	203.7	170	163.7	209
Malignant neoplasms (C00-C97)	2	206.7	3,186	234.8	202	171.2	190
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	3	57.0	881	64.3	46	45.6	38
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	4	56.0	854	65.8	59	33.9	38
Cerebrovascular diseases (I60-I69)	5	42.8	685	33.1	28	31.7	39
Chronic lower respiratory diseases (J40-J47)	6	36.6	563	49.1	42	20.1	24
Diabetes mellitus (E10-E14)	7	24.2	377		19	20.9	24
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	8	19.9	314		15	14.1	20
Septicemia (A40-A41)	9	19.2	299		15		17
Malignant neoplasms of colon, rectum and anus (C18-C21)	10	18.0	279	28.6	24	22.6	25
All causes		885.1	13,896	870.7	725	720.2	841
Other Causes of Special Interest							
Malignant neoplasm of breast (C50)		15.9	245		12		14
Influenza and pneumonia (J09-J18)		14.8	237		12		17
Assault (homicide) (U01-U02, X85-Y09, Y87.1)		14.6	236		4		2
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)		10.2	158		11		9
Malignant neoplasm of prostate (C61)		9.1	142		6		7
Human immunodeficiency virus (HIV) disease (B20-B24)		5.4	82		0		3
Infant mortality per 1,000 live births ¹		7.8	174	2.3	2	2.5	2

The rates have been age-adjusted per 100,000 population. Districts with fewer than 20 deaths and the very sparsely populated Lower South district have been left blank.

Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast. See the following maps for locations.


¹ This row may include some deaths analyzed in previous rows.

Mortality by Planning District

Table M15
Life Expectancy at Birth by Planning District and Gender: Philadelphia, 2014

	City-Wide	District																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Male	73.00	71.12	72.36	69.93	73.60	-	72.31	78.94	65.43	67.48	69.03	72.48	75.24	72.76	70.24	73.71	76.72	75.05	75.88
Female	79.63	78.17	76.73	76.67	80.49	-	78.54	83.57	75.26	75.86	76.07	77.56	81.46	78.43	76.36	78.87	81.96	79.14	82.05

Map M1, Life Expectancy at Birth by Planning District and Gender: Philadelphia, 2014




Results have only been shown for groups with at least 5,000 population.

Mortality by Planning District

Table M16
 Infant Mortality by Planning District: Philadelphia, 2014

City-Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Rate	7.8	11.1	2.2	9.1	11.3	-	7.9	7.5	13.8	9.6	9.2	6.7	2.9	9.2	10.8	3.8	2.7	2.3	2.5

Map M2 Infant Mortality by Planning District: Philadelphia, 2014



Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.


Mortality by Planning District

Table M17
Perinatal Mortality by Planning District: Philadelphia, 2014

	City- Wide	District																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Rate	8.4	4.1	0.0	7.9	11.3	-	3.5	4.4	9.2	5.8	5.9	3.1	1.5	8.4	6.6	3.0	1.8	1.2	1.3

Analysis includes deaths between 28 weeks of gestation and 7 days after birth, inclusive.

Map M3 Perinatal Mortality by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Mortality by Planning District

Table M18
All Causes Mortality by Planning District: Philadelphia, 2014

City-Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Rate	885.1	886.4	968.7	954.1	767.7	-	886.2	599.6	1,177.9	1,112.9	1,074.2	930.0	756.5	880.0	967.9	838.4	686.7	870.7	720.2

Map M4 All Causes Mortality by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Mortality by Planning District

Table M19
Heart Disease Mortality by Planning District: Philadelphia, 2014

City-Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Rate	216.3	221.6	250.8	243.2	203.6	-	195.8	147.8	292.4	288.4	269.8	234.5	193.1	221.3	237.2	208.5	167.3	203.7	163.7

Map M5 Heart Disease Mortality by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Mortality by Planning District

Table M20
Cancer Mortality by Planning District: Philadelphia, 2014

City-Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Rate	206.7	211.1	234.8	215.3	161.5	-	226.4	152.3	246.8	250.3	240.9	200.7	187.4	198.4	205.8	215.5	165.9	234.8	171.2

Map M6 Cancer Mortality by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Mortality by Planning District

Table M21
Homicides by Planning District: Philadelphia, 2014

	City-Wide	District																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Deaths	236	5	13	28	7	-	17	6	32	41	8	27	0	13	22	8	3	4	2

Map M7 Homicides by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Mortality by Planning District

Table M22
Youth and Young Adult Homicides Ages 10-24 by Planning District: Philadelphia, 2014

City- Wide	District																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
Total	69	1	3	9	2	-	7	2	13	11	2	7	0	2	9	0	0	1	0

Map M8 Youth and Young Adult Homicides Ages 10-24 by Planning District: Philadelphia, 2014




Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Mortality by Planning District

Table M23
Smoking Attributable Mortality by Planning District: Philadelphia, 2014

Diseases	City-	District																	
	Wide	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Cancers	113.8	114.0	133.9	121.7	89.3	-	149.7	73.2	141.3	140.8	188.2	120.6	100.1	92.1	116.8	128.6	88.6	132.8	72.1
Cardiovascular and Metabolic Diseases	107.6	98.2	118.3	119.9	94.5	-	104.7	57.9	141.6	142.1	178.1	139.4	75.7	107.2	101.6	113.9	82.0	92.0	73.9
Pulmonary Diseases	73.6	95.5	96.8	56.8	67.0	-	87.3	49.0	82.2	69.6	130.5	59.0	76.8	74.9	87.4	74.2	57.1	91.7	53.0
All Causes	468.0	472.2	536.0	510.9	420.8	-	507.3	277.8	721.2	632.2	766.2	578.8	315.2	455.5	501.8	518.6	352.5	422.9	320.0

Map M9, Smoking-Attributable Mortality by Planning District: Philadelphia, 2014



Planning district identifications are: 1 = Lower Southwest, 2 = University / Southwest, 3 = West, 4 = West Park, 5 = Lower South, 6 = South, 7 = Central, 8 = Lower North, 9 = North, 10 = River Wards, 11 = Upper North, 12 = Lower Northwest, 13 = Upper Northwest, 14 = Lower Northeast, 15 = North Delaware, 16 = Central Northeast, 17 = Lower Far Northeast, 18 = Upper Far Northeast.

Appendix

Leading Causes of Infant, Neonatal, and Post-Neonatal Deaths

Table A1
Leading Causes of Infant, Neonatal, and Post-Neonatal Deaths by Child's Race/Ethnicity: Philadelphia, 2014

Rank	Cause of Death - All Infant Deaths	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
1	Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	5	35	2	4	50
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	14	0	4	22
3	Newborn affected by maternal complications of pregnancy (P01)	2	12	2	1	19
4	Newborn affected by complications of placenta, cord and membranes (P02)	0	5	0	3	10
5	Accidents (unintentional injuries) (V01-X59)	1	4	0	0	5
5	Sudden infant death syndrome (R95)	0	5	0	0	5
6	Diseases of the circulatory system (I00-I99)	1	2	0	0	3
6	Respiratory distress of newborn (P22)	0	3	0	0	3
6	Diarrhea and gastroenteritis of infectious origin (A09)	0	3	0	0	3
6	Necrotizing enterocolitis of newborn (P77)	0	2	0	1	3
7	Influenza and pneumonia (J09-J18)	0	1	0	1	2
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1	0	0	2
7	Neonatal hemorrhage (P50-P52, P54)	0	1	1	0	2
7	Bacterial sepsis of newborn (P36)	0	2	0	0	2
7	Intrauterine hypoxia and birth asphyxia (P20-P21)	0	2	0	0	2
8	Anoxic brain damage, not elsewhere classified (G93.1)	0	1	0	0	1
8	Atelectasis (P28.0-P28.1)	0	1	0	0	1
8	Interstitial emphysema and related conditions originating in the perinatal period (P25)	0	0	0	1	1
8	Assault (homicide) (U01, X85-Y09)	0	0	0	1	1
8	Renal failure and other disorders of kidney (N17-N19, N25, N27)	0	1	0	0	1
8	Hydrops fetalis not due to hemolytic disease (P83.2)	1	0	0	0	1
	All other causes	7	21	1	6	35
	All causes	22	116	6	22	174

Race/ethnicity information was not available for some infants.

Leading Causes of Infant, Neonatal, and Post-Neonatal Deaths

Table A1

Leading Causes of Infant, Neonatal, and Post-Neonatal Deaths by Child's Race/Ethnicity: Philadelphia, 2014

Rank	Cause of Death - Neonatal Deaths	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
1	Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	5	35	2	4	50
2	Newborn affected by maternal complications of pregnancy (P01)	2	12	2	1	19
3	Newborn affected by complications of placenta, cord and membranes (P02)	0	5	0	3	10
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	1	7	0	1	9
5	Accidents (unintentional injuries) (V01-X59)	1	2	0	0	3
5	Respiratory distress of newborn (P22)	0	3	0	0	3
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1	0	0	2
6	Intrauterine hypoxia and birth asphyxia (P20-P21)	0	2	0	0	2
6	Necrotizing enterocolitis of newborn (P77)	0	1	0	1	2
6	Neonatal hemorrhage (P50-P52, P54)	0	1	1	0	2
6	Bacterial sepsis of newborn (P36)	0	2	0	0	2
7	Renal failure and other disorders of kidney (N17-N19, N25, N27)	0	1	0	0	1
7	Atelectasis (P28.0-P28.1)	0	1	0	0	1
7	Interstitial emphysema and related conditions originating in the perinatal period (P25)	0	0	0	1	1
7	Diseases of the circulatory system (I00-I99)	0	1	0	0	1
7	Hydrops fetalis not due to hemolytic disease (P83.2)	1	0	0	0	1
	All other causes	5	5	1	2	13
	All causes	16	79	6	13	122

Race/ethnicity information was not available for some infants.

Leading Causes of Infant, Neonatal, and Post-Neonatal Deaths

Table A1

Leading Causes of Infant, Neonatal, and Post-Neonatal Deaths by Child's Race/Ethnicity: Philadelphia, 2014

Rank	Cause of Death - Post-Neonatal Deaths	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
1	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	7	0	3	13
2	Sudden infant death syndrome (R95)	0	5	0	0	5
3	Diarrhea and gastroenteritis of infectious origin (A09)	0	3	0	0	3
4	Influenza and pneumonia (J09-J18)	0	1	0	1	2
4	Accidents (unintentional injuries) (V01-X59)	0	2	0	0	2
4	Diseases of the circulatory system (I00-I99)	1	1	0	0	2
5	Assault (homicide) (U01, X85-Y09)	0	0	0	1	1
5	Anoxic brain damage, not elsewhere classified (G93.1)	0	1	0	0	1
5	Necrotizing enterocolitis of newborn (P77)	0	1	0	0	1
	All other causes	2	16	0	4	22
	All causes	6	37	0	9	52

Race/ethnicity information was not available for some infants.

Selected Causes of Infant Death

Table A2
Selected Causes of Infant Death by Child's Race/Ethnicity: Philadelphia, 2014

Cause of Death	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
All causes	22	116	6	22	174
Certain infectious and parasitic diseases (A00-B99)	0	3	0	0	3
Certain intestinal infectious diseases (A00-A08)	0	0	0	0	0
Diarrhea and gastroenteritis of infectious origin (A09)	0	3	0	0	3
Tuberculosis (A16-A19)	0	0	0	0	0
Tetanus (A33, A35)	0	0	0	0	0
Diphtheria (A36)	0	0	0	0	0
Whooping cough (A37)	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	0	0
Congenital syphilis (A50)	0	0	0	0	0
Gonococcal infection (A54)	0	0	0	0	0
Viral diseases (A80-B34)	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0
Varicella (chickenpox) (B01)	0	0	0	0	0
Measles (B05)	0	0	0	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	0	0
Mumps (B26)	0	0	0	0	0
Other and unspecified viral diseases (A81-B00, B02-B04, B06-B19, B25, B27-B34)	0	0	0	0	0
Candidiasis (B37)	0	0	0	0	0
Malaria (B50-B54)	0	0	0	0	0
Pneumocystosis (B59)	0	0	0	0	0
All other and unspecified infectious and parasitic diseases (A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99)	0	0	0	0	0
Neoplasms (C00-D48)	1	1	0	0	2
Malignant neoplasms (C00-C97)	0	0	0	0	0
Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)	0	0	0	0	0
Leukemia (C91-C95)	0	0	0	0	0

Selected Causes of Infant Death

Table A2
Selected Causes of Infant Death by Child's Race/Ethnicity: Philadelphia, 2014

Cause of Death	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
Neoplasms (C00-D48) (continued)	1	1	0	0	2
Malignant neoplasms (C00-C97) (continued)	0	0	0	0	0
Other and unspecified malignant neoplasms (C00-C80, C88, C90, C96-C97)	0	0	0	0	0
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1	0	0	2
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)	0	0	0	0	0
Anemias (D50-D64)	0	0	0	0	0
Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)	0	0	0	0	0
Certain disorders involving the immune mechanism (D80-D89)	0	0	0	0	0
Endocrine, nutritional and metabolic diseases (E00-E88)	1	1	1	0	3
Short stature, not elsewhere classified (E34.3)	0	0	0	0	0
Nutritional deficiencies (E40-E64)	0	0	0	0	0
Cystic fibrosis (E84)	0	0	0	0	0
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)	0	0	0	0	0
All other endocrine, nutritional and metabolic diseases (E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88)	1	1	1	0	3
Diseases of the nervous system (G00-G98)	1	3	0	0	4
Meningitis (G00, G03)	0	0	0	0	0
Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)	0	0	0	0	0
Infantile cerebral palsy (G80)	0	0	0	0	0
Anoxic brain damage, not elsewhere classified (G93.1)	0	1	0	0	1
Other diseases of nervous system (G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98)	1	2	0	0	3
Diseases of the ear and mastoid process (H60-H93)	0	0	0	0	0

Selected Causes of Infant Death

Table A2
Selected Causes of Infant Death by Child's Race/Ethnicity: Philadelphia, 2014

Cause of Death	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
Diseases of the circulatory system (I00-I99)	1	2	0	0	3
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)	0	0	0	0	0
Pericarditis, endocarditis and myocarditis (I30, I33, I40)	0	0	0	0	0
Cardiomyopathy (I42)	0	2	0	0	2
Cardiac arrest (I46)	0	0	0	0	0
Cerebrovascular diseases (I60-I69)	0	0	0	0	0
All other diseases of circulatory system (I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99)	1	0	0	0	1
Diseases of the respiratory system (J00-J98, U04)	0	3	0	1	4
Acute upper respiratory infections (J00-J06)	0	0	0	0	0
Influenza and pneumonia (J09-J18)	0	1	0	1	2
Influenza (J09-J11)	0	0	0	0	0
Pneumonia (J12-J18)	0	1	0	1	2
Acute bronchitis and acute bronchiolitis (J20-J21)	0	0	0	0	0
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0
Asthma (J45-J46)	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0
Other and unspecified diseases of respiratory system (J22, J30-J39, J43-J44, J47-J68, J70-J98, U04)	0	2	0	0	2
Diseases of the digestive system (K00-K92)	0	0	0	0	0
Gastritis, duodenitis, and noninfective enteritis and colitis (K29, K50-K55)	0	0	0	0	0
Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46, K56)	0	0	0	0	0
All other and unspecified diseases of digestive system (K00-K28, K30-K38, K57-K92)	0	0	0	0	0
Diseases of the genitourinary system (N00-N95)	0	1	0	0	1
Renal failure and other disorders of kidney (N17-N19, N25, N27)	0	1	0	0	1
Other and unspecified diseases of genitourinary system (N00-N15, N20-N23, N26, N28-N95)	0	0	0	0	0

Selected Causes of Infant Death

Table A2
Selected Causes of Infant Death by Child's Race/Ethnicity: Philadelphia, 2014

Cause of Death	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
Certain conditions originating in the perinatal period (P00-P96)	12	66	5	12	103
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)	2	17	2	4	29
Newborn affected by maternal hypertensive disorders (P00.0)	0	0	0	0	0
Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)	0	0	0	0	0
Newborn affected by maternal complications of pregnancy (P01)	2	12	2	1	19
Newborn affected by incompetent cervix (P01.0)	1	2	0	1	4
Newborn affected by premature rupture of membranes (P01.1)	1	9	0	0	12
Newborn affected by multiple pregnancy (P01.5)	0	0	2	0	2
Newborn affected by other maternal complications of pregnancy (P01.2-P01.4, P01.6-P01.9)	0	1	0	0	1
Newborn affected by complications of placenta, cord and membranes (P02)	0	5	0	3	10
Newborn affected by complications involving placenta (P02.0-P02.3)	0	2	0	2	6
Newborn affected by complications involving cord (P02.4-P02.6)	0	0	0	0	0
Newborn affected by chorioamnionitis (P02.7)	0	3	0	1	4
Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)	0	0	0	0	0
Newborn affected by other complications of labor and delivery (P03)	0	0	0	0	0
Newborn affected by noxious influences transmitted via placenta or breast milk (P04)	0	0	0	0	0

Selected Causes of Infant Death

Table A2
Selected Causes of Infant Death by Child's Race/Ethnicity: Philadelphia, 2014

Cause of Death	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
Certain conditions originating in the perinatal period (P00-P96) (continued)	12	66	5	12	103
Disorders related to length of gestation and fetal malnutrition (P05-P08)	5	35	2	4	50
Slow fetal growth and fetal malnutrition (P05)	0	0	0	0	0
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	5	35	2	4	50
Extremely low birth weight or extreme immaturity (P07.0, P07.2)	3	31	2	4	43
Other low birth weight or preterm (P07.1, P07.3)	2	4	0	0	7
Disorders related to long gestation and high birth weight (P08)	0	0	0	0	0
Birth trauma (P10-P15)	0	0	0	0	0
Intrauterine hypoxia and birth asphyxia (P20-P21)	0	2	0	0	2
Intrauterine hypoxia (P20)	0	0	0	0	0
Birth asphyxia (P21)	0	2	0	0	2
Respiratory distress of newborn (P22)	0	3	0	0	3
Other respiratory conditions originating in the perinatal period (P23-P28)	0	1	0	1	2
Congenital pneumonia (P23)	0	0	0	0	0
Neonatal aspiration syndromes (P24)	0	0	0	0	0
Interstitial emphysema and related conditions originating in the perinatal period (P25)	0	0	0	1	1
Pulmonary hemorrhage originating in the perinatal period (P26)	0	0	0	0	0
Chronic respiratory disease originating in the perinatal period (P27)	0	0	0	0	0
Atelectasis (P28.0-P28.1)	0	1	0	0	1
All other respiratory conditions originating in the perinatal period (P28.2-P28.9)	0	0	0	0	0

Selected Causes of Infant Death

Table A2
Selected Causes of Infant Death by Child's Race/Ethnicity: Philadelphia, 2014

Cause of Death	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
Certain conditions originating in the perinatal period (P00-P96) (continued)	12	66	5	12	103
Infections specific to the perinatal period (P35-P39)	0	2	0	0	2
Bacterial sepsis of newborn (P36)	0	2	0	0	2
Omphalitis of newborn with or without mild hemorrhage (P38)	0	0	0	0	0
All other infections specific to the perinatal period (P35, P37, P39)	0	0	0	0	0
Hemorrhagic and hematological disorders of newborn (P50-P61)	0	1	1	0	2
Neonatal hemorrhage (P50-P52, P54)	0	0	0	0	0
Neonatal hemorrhage (P50-P52, P54)	0	1	1	0	2
Hemorrhagic disease of newborn (P53)	0	0	0	0	0
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)	0	0	0	0	0
Hematological disorders (P60-P61)	0	0	0	0	0
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	0	0	0	0	0
Necrotizing enterocolitis of newborn (P77)	0	2	0	1	3
Hydrops fetalis not due to hemolytic disease (P83.2)	1	0	0	0	1
Other perinatal conditions (P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96)	4	3	0	2	9
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	14	0	4	22
Anencephaly and similar malformations (Q00)	0	1	0	0	1
Congenital hydrocephalus (Q03)	0	0	0	0	0
Spina bifida (Q05)	0	0	0	0	0
Other congenital malformations of nervous system (Q01-Q02, Q04, Q06-Q07)	1	0	0	1	2
Congenital malformations of heart (Q20-Q24)	0	7	0	1	8
Other congenital malformations of circulatory system (Q25-Q28)	0	0	0	0	0

Selected Causes of Infant Death

Table A2
Selected Causes of Infant Death by Child's Race/Ethnicity: Philadelphia, 2014

Cause of Death	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99) (continued)	4	14	0	4	22
Congenital malformations of respiratory system (Q30-Q34)	0	0	0	1	1
Congenital malformations of digestive system (Q35-Q45)	0	0	0	0	0
Congenital malformations of genitourinary system (Q50-Q64)	0	2	0	1	3
Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	1	0	0	0	1
Down's syndrome (Q90)	0	0	0	0	0
Edward's syndrome (Q91.0-Q91.3)	0	0	0	0	0
Patau's syndrome (Q91.4-Q91.7)	0	0	0	0	0
Other congenital malformations and deformations (Q10-Q18, Q86-Q89)	1	4	0	0	5
Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	1	0	0	0	1
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	1	18	0	4	23
Sudden infant death syndrome (R95)	0	5	0	0	5
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53, R55-R94, R96-R99)	1	13	0	4	18
All other diseases (Residual) (F01-F99, H00-H57, L00-M99)	0	0	0	0	0
External causes of mortality (U01, V01-Y84)	1	4	0	1	6
Accidents (unintentional injuries) (V01-X59)	1	4	0	0	5
Transport accidents (V01-V99)	0	1	0	0	1
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	1	0	0	1
Other and unspecified transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99)	0	0	0	0	0
Falls (W00-W19)	0	0	0	0	0

Selected Causes of Infant Death

Table A2
Selected Causes of Infant Death by Child's Race/Ethnicity: Philadelphia, 2014

Cause of Death	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic	All
External causes of mortality (U01, V01-Y84) (continued)	1	4	0	1	6
Accidents (unintentional injuries) (V01-X59) (continued)	1	4	0	0	5
Accidental discharge of firearms (W32-W34)	1	0	0	0	1
Accidental drowning and submersion (W65-W74)	0	0	0	0	0
Accidental suffocation and strangulation in bed (W75)	0	3	0	0	3
Other accidental suffocation and strangulation (W76-W77, W81-W84)	0	0	0	0	0
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	0	0	0	0	0
Accidents caused by exposure to smoke, fire and flames (X00-X09)	0	0	0	0	0
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	0	0	0
Other and unspecified accidents (W20-W31, W35-W64, W85-W99, X10-X39, X50-X59)	0	0	0	0	0
Assault (homicide) (U01, X85-Y09)	0	0	0	1	1
Assault (homicide) by hanging, strangulation and suffocation (X91)	0	0	0	0	0
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	0	0	0	0
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)	0	0	0	0	0
Assault (homicide) by other and unspecified means (U01.0-U01.3, U01.5-U01.9, X85-X90, X92, X96-Y05, Y08-Y09)	0	0	0	1	1
Complications of medical and surgical care (Y40-Y84)	0	0	0	0	0
Other external causes (Y10-Y36)	0	0	0	0	0

Race/ethnicity information was unavailable for some infants.

Selected Causes of Fetal Death

Table A3
Selected Causes of Fetal Death by Gestational Age: Philadelphia, 2014

Cause of Death	Under 20 Weeks	20-27 Weeks	28 Weeks +	Missing Age	All
All causes	76	102	78	0	256
Certain infectious and parasitic diseases (A00-B99)	0	0	0	0	0
Congenital syphilis (A50)	0	0	0	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	0	0
Other viral diseases (A80-B19, B25-B34)	0	0	0	0	0
Other and unspecified infectious and parasitic diseases (A00-A49, A51-A79, B35-B99)	0	0	0	0	0
Malignant neoplasms (C00-C97)	0	0	0	0	0
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	0	1	0	0	1
Anemias (D50-D64)	0	0	0	0	0
Endocrine, nutritional and metabolic diseases (E00-E88)	0	0	0	0	0
Short stature, not elsewhere classified (E34.3)	0	0	0	0	0
Cystic fibrosis (E84)	0	0	0	0	0
Other endocrine, nutritional and metabolic diseases (E00-E32, E34.0-E34.2, E34.4-E34.9, E40-E83, E85-E88)	0	0	0	0	0
Meningitis (G00, G03)	0	0	0	0	0
Other diseases of nervous system and sense organs (G04-H93)	0	0	0	0	0
Umbilical hernia (K42)	0	0	0	0	0
Other hernia (K40-K41, K43-K46)	0	0	0	0	0
Other and unspecified diseases of digestive system (K00-K38, K50-K92)	0	0	0	0	0
All other diseases, excluding perinatal conditions, congenital anomalies, and symptoms, signs and ill-defined conditions (D65-D89, I00-J98, L00-N98, U04)	0	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	73	93	68	0	234
Fetus affected by maternal conditions that may be unrelated to present pregnancy (P00)	2	16	8	0	26
Fetus affected by maternal hypertensive disorders (P00.0)	1	14	4	0	19
Fetus affected by maternal renal and urinary tract diseases (P00.1)	0	0	0	0	0
Fetus affected by maternal infectious and parasitic diseases (P00.2)	0	0	0	0	0
Fetus affected by other maternal circulatory and respiratory diseases (P00.3)	0	0	0	0	0
Fetus affected by maternal nutritional disorders (P00.4)	0	0	0	0	0
Fetus affected by maternal injury (P00.5)	0	1	0	0	1
Fetus affected by surgical procedure on mother (P00.6)	0	0	0	0	0

Selected Causes of Fetal Death

Table A3
Selected Causes of Fetal Death by Gestational Age: Philadelphia, 2014

Cause of Death	Under 20 Weeks	20-27 Weeks	28 Weeks +	Missing Age	All
Certain conditions originating in the perinatal period (P00-P96) (continued)	73	93	68	0	234
Fetus affected by maternal conditions that may be unrelated to present pregnancy (P00) (continued)	2	16	8	0	26
Fetus affected by other medical procedures and maternal conditions (P00.7-P00.8)	1	1	4	0	6
Fetus affected by unspecified maternal condition (P00.9)	0	0	0	0	0
Fetus affected by maternal complications of pregnancy (P01)	36	25	7	0	68
Fetus affected by incompetent cervix (P01.0)	6	7	0	0	13
Fetus affected by premature rupture of membranes (P01.1)	27	17	3	0	47
Fetus affected by oligohydramnios (P01.2)	0	1	1	0	2
Fetus affected by polyhydramnios (P01.3)	0	0	0	0	0
Fetus affected by ectopic pregnancy (P01.4)	0	0	0	0	0
Fetus affected by multiple pregnancy (P01.5)	1	0	2	0	3
Fetus affected by maternal death (P01.6)	0	0	1	0	1
Fetus affected by malpresentation before labor (P01.7)	0	0	0	0	0
Fetus affected by other and unspecified maternal complications of pregnancy (P01.8-P01.9)	2	0	0	0	2
Fetus affected by complications of placenta, cord and membranes (P02)	7	15	19	0	41
Fetus affected by placenta previa (P02.0)	0	0	0	0	0
Fetus affected by other forms of placental separation and hemorrhage (P02.1)	4	6	10	0	20
Fetus affected by other and unspecified morphological and functional abnormalities of placenta (P02.2)	1	3	4	0	8
Fetus affected by placental transfusion syndromes (P02.3)	0	1	1	0	2
Fetus affected by prolapsed cord (P02.4)	0	0	0	0	0
Fetus affected by other compression of umbilical cord (P02.5)	0	3	2	0	5
Fetus affected by other and unspecified conditions of umbilical cord (P02.6)	0	1	0	0	1
Fetus affected by chorioamnionitis (P02.7)	2	1	2	0	5
Fetus affected by other and unspecified abnormalities of membranes (P02.8-P02.9)	0	0	0	0	0
Fetus affected by other complications of labor and delivery (P03)	0	2	2	0	4
Fetus affected by breech delivery and extraction (P03.0)	0	0	0	0	0
Fetus affected by other malpresentation, malposition and disproportion during labor and delivery (P03.1)	0	0	0	0	0

Selected Causes of Fetal Death

Table A3
Selected Causes of Fetal Death by Gestational Age: Philadelphia, 2014

Cause of Death	Under 20 Weeks	20-27 Weeks	28 Weeks +	Missing Age	All
Certain conditions originating in the perinatal period (P00-P96) (continued)	73	93	68	0	234
Fetus affected by other complications of labor and delivery (P03) (continued)	0	2	2	0	4
Fetus affected by forceps delivery (P03.2)	0	0	0	0	0
Fetus affected by delivery by vacuum extractor (ventouse) (P03.3)	0	0	0	0	0
Fetus affected by cesarean delivery (P03.4)	0	0	0	0	0
Fetus affected by precipitate delivery (P03.5)	0	0	0	0	0
Fetus affected by abnormal uterine contractions (P03.6)	0	0	0	0	0
Fetus affected by other and unspecified complications of labor and delivery (P03.8-P03.9)	0	2	2	0	4
Fetus affected by noxious influences transmitted via placenta (P04)	0	0	2	0	2
Slow fetal growth and fetal malnutrition (P05)	1	0	0	0	1
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	11	6	0	0	17
Extremely low birth weight or extreme immaturity (P07.0, P07.2)	8	4	0	0	12
Other low birth weight and preterm (P07.1, P07.3)	3	2	0	0	5
Disorders related to long gestation and high birth weight (P08)	0	0	0	0	0
Exceptionally large size and other heavy for gestational age fetus (P08.0-P08.1)	0	0	0	0	0
Post-term, not heavy for gestational age fetus (P08.2)	0	0	0	0	0
Birth trauma (P10-P15)	0	0	0	0	0
Intracranial laceration and hemorrhage due to birth injury and other injuries to central nervous system (P10-P11)	0	0	0	0	0
Other birth trauma (P12-P15)	0	0	0	0	0
Intrauterine hypoxia and birth asphyxia (P20-P21)	0	0	0	0	0
Intrauterine hypoxia first noted before onset of labor (P20.0)	0	0	0	0	0
Intrauterine hypoxia first noted during labor and delivery (P20.1)	0	0	0	0	0
Intrauterine hypoxia, unspecified (P20.9)	0	0	0	0	0
Birth asphyxia (P21)	0	0	0	0	0
Other respiratory conditions originating in the perinatal period (P22.8-P22.9, P23-P28)	0	0	0	0	0
Congenital pneumonia (P23)	0	0	0	0	0
Aspiration syndromes (P24)	0	0	0	0	0
Interstitial emphysema and related conditions originating in the perinatal period (P25)	0	0	0	0	0

Selected Causes of Fetal Death

Table A3
Selected Causes of Fetal Death by Gestational Age: Philadelphia, 2014

Cause of Death	Under 20 Weeks	20-27 Weeks	28 Weeks +	Missing Age	All
Certain conditions originating in the perinatal period (P00-P96) (continued)	73	93	68	0	234
Other respiratory conditions originating in the perinatal period (P22.8-P22.9, P23-P28) (continued)	0	0	0	0	0
Atelectasis (P28.0-P28.1)	0	0	0	0	0
Other respiratory system disorders (P22.8-P22.9, P26-P27, P28.2-P28.9)	0	0	0	0	0
Infections specific to the perinatal period (P35-P39)	0	0	0	0	0
Congenital rubella syndrome (P35.0)	0	0	0	0	0
Congenital cytomegalovirus infection (P35.1)	0	0	0	0	0
Congenital herpesviral (herpes simplex) infection (P35.2)	0	0	0	0	0
Congenital viral hepatitis (P35.3)	0	0	0	0	0
Bacterial sepsis (P36)	0	0	0	0	0
Congenital tuberculosis (P37.0)	0	0	0	0	0
Congenital toxoplasmosis (P37.1)	0	0	0	0	0
Other infections specific to the perinatal period (P35.8-P35.9, P37.2-P37.9, P38-P39)	0	0	0	0	0
Fetal hemorrhage (P50-P54)	0	0	0	0	0
Hemolytic disease of fetus (P55-P56)	0	0	0	0	0
Rh isoimmunization of fetus (P55.0)	0	0	0	0	0
ABO isoimmunization of fetus (P55.1)	0	0	0	0	0
Other hemolytic disease of fetus (P55.8-P55.9)	0	0	0	0	0
Hydrops fetalis due to hemolytic disease (P56)	0	0	0	0	0
Perinatal jaundice (P57-P59)	0	0	0	0	0
Hematological disorders (P60-P61)	0	0	0	0	0
Transitory endocrine and metabolic disorders specific to fetus (P70-P74)	0	3	6	0	9
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	0	3	6	0	9
Other transitory endocrine and metabolic disorders specific to fetus (P70.3-P70.9, P71-P74)	0	0	0	0	0
Digestive system disorders of fetus (P76-P78)	0	0	0	0	0
Other conditions originating in the perinatal period (P29, P80-P96)	16	26	24	0	66
Hydrops fetalis not due to hemolytic disease (P83.2)	0	0	0	0	0
Fetal death of unspecified cause (P95)	16	26	24	0	66
Withdrawal symptoms from maternal use of drugs of addiction (P96.1)	0	0	0	0	0

Selected Causes of Fetal Death

Table A3
Selected Causes of Fetal Death by Gestational Age: Philadelphia, 2014

Cause of Death	Under 20 Weeks	20-27 Weeks	28 Weeks +	Missing Age	All
Certain conditions originating in the perinatal period (P00-P96) (continued)	73	93	68	0	234
Other conditions originating in the perinatal period (P29, P80-P96)	16	26	24	0	66
(continued)					
Termination of pregnancy (P96.4)	0	0	0	0	0
Complications of intrauterine procedures, not elsewhere classified (P96.5)	0	0	0	0	0
All other specified conditions originating in the perinatal period (P29, P83.0-P83.1, P83.3-P83.9, P91, P94, P96.0, P96.3, P96.8)	0	0	0	0	0
Condition originating in the perinatal period, unspecified (P96.9)	0	0	0	0	0
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	8	10	0	21
Congenital malformations of nervous system (Q00-Q07)	0	2	2	0	4
Anencephaly and similar malformations (Q00)	0	1	1	0	2
Encephalocele (Q01)	0	0	0	0	0
Microcephaly (Q02)	0	0	0	0	0
Congenital hydrocephalus (Q03)	0	1	0	0	1
Reduction deformities of brain (Q04.0-Q04.3)	0	0	1	0	1
Other congenital malformations of brain (Q04.4-Q04.9)	0	0	0	0	0
Spina bifida (Q05)	0	0	0	0	0
Other congenital malformations of spinal cord and nervous system (Q06-Q07)	0	0	0	0	0
Congenital malformations of eye, ear, face and neck (Q10-Q18)	0	0	0	0	0
Congenital malformations of heart (Q20-Q24)	0	2	2	0	4
Other congenital malformations of circulatory system (Q25-Q28)	1	0	0	0	1
Congenital malformations of lung (Q33)	0	0	0	0	0
Other congenital malformations of respiratory system (Q30-Q32, Q34)	0	0	0	0	0
Congenital malformations of digestive system (Q35-Q45)	0	0	0	0	0
Congenital malformations of genital organs (Q50-Q56)	0	0	0	0	0
Congenital malformations of urinary system (Q60-Q64)	1	0	1	0	2
Renal agenesis and other reduction defects of kidney (Q60)	0	0	1	0	1
Cystic kidney disease (Q61)	0	0	0	0	0
Other congenital malformations of urinary system (Q62-Q64)	1	0	0	0	1
Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	0	0	1	0	1

Selected Causes of Fetal Death

Table A3
Selected Causes of Fetal Death by Gestational Age: Philadelphia, 2014

Cause of Death	Under 20 Weeks	20-27 Weeks	28 Weeks +	Missing Age	All
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99) (continued)	3	8	10	0	21
Other congenital malformations (Q86-Q89)	0	1	1	0	2
Conjoined twins (Q89.4)	0	0	0	0	0
Multiple congenital malformations, not elsewhere classified (Q89.7)	0	1	1	0	2
All other congenital malformations (Q86-Q87, Q89.0-Q89.3, Q89.8-Q89.9)	0	0	0	0	0
Chromosomal abnormalities, not elsewhere classified (Q90-Q99)	1	3	3	0	7
Down's syndrome (Q90)	0	1	1	0	2
Edward's syndrome (Q91.0-Q91.3)	0	1	2	0	3
Patau's syndrome (Q91.4-Q91.7)	0	1	0	0	1
Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	1	0	0	0	1
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R83-R94)	0	0	0	0	0
External causes of mortality (*U01, V01-Y84)	0	0	0	0	0
Accidents (unintentional injuries) (V01-X59)	0	0	0	0	0
Assault (homicide) (*U01, X85-Y09)	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84)	0	0	0	0	0
Other external causes (Y10-Y36)	0	0	0	0	0

Selected Causes of Death

Table A4A
Selected Causes of Death by Age Group among All Residents: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	192	27	191	356	496	1175	2188	2532	3021	3718	3	13899
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	3	0	0	0	0	2	8	10	16	13	0	52
Tuberculosis (A16-A19)	0	0	0	0	1	0	0	1	1	1	0	4
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	1	0	1
Other tuberculosis (A17-A19)	0	0	0	0	1	0	0	1	1	0	0	3
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	1	0	0	0	0	0	1
Septicemia (A40-A41)	0	1	0	2	10	24	48	73	60	81	0	299
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	3	10	32	14	4	2	0	65
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	3	5	10	25	23	11	5	0	0	82
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	1	0	2	1	1	5	3	8	4	5	0	30
Malignant neoplasms (C00-C97)	2	2	11	13	69	266	640	848	812	523	0	3186
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	1	0	0	4	7	7	12	4	0	35
Malignant neoplasm of esophagus (C15)	0	0	0	0	4	9	19	19	13	12	0	76
Malignant neoplasm of stomach (C16)	0	0	1	1	2	8	10	15	20	17	0	74
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	1	2	6	32	52	57	74	55	0	279
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	2	0	15	61	49	30	19	0	176
Malignant neoplasm of pancreas (C25)	0	0	0	0	5	17	37	62	62	30	0	213
Malignant neoplasm of larynx (C32)	0	0	0	0	0	2	9	11	4	2	0	28

Selected Causes of Death

Table A4A
Selected Causes of Death by Age Group among All Residents: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	2	2	11	13	69	266	640	848	812	523	0	3186
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	6	62	179	281	238	88	0	854
Malignant melanoma of skin (C43)	0	0	0	0	2	2	5	4	4	6	0	23
Malignant neoplasm of breast (C50)	0	0	0	1	10	30	46	65	47	46	0	245
Malignant neoplasm of cervix uteri (C53)	0	0	0	2	7	7	8	9	2	2	0	37
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	10	25	28	25	8	0	96
Malignant neoplasm of ovary (C56)	0	0	0	0	2	10	15	20	18	11	0	76
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	12	38	44	48	0	142
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	1	0	2	11	14	14	10	0	52
Malignant neoplasm of bladder (C67)	0	0	0	0	0	5	12	17	22	29	0	85
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	2	2	0	5	6	16	13	7	3	0	54
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	2	0	2	2	9	17	35	59	71	67	0	264
Hodgkin's disease (C81)	0	0	0	1	0	0	0	2	0	2	0	5
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	4	3	15	15	29	33	0	99
Leukemia (C91-C95)	2	0	2	1	2	5	11	15	22	19	0	79
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	3	9	9	26	20	13	0	80
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	1	0	0	0	1
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	4	2	11	28	81	80	105	66	0	377
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	0	1	1	2	4	9	17	19	25	0	81
Anemias (D50-D64)	0	0	0	1	1	2	5	3	7	10	0	29
Diabetes mellitus (E10-E14)	1	0	3	5	8	31	80	89	89	71	0	377
Nutritional deficiencies (E40-E64)	0	1	0	0	0	0	0	2	6	5	0	14
Malnutrition (E40-E46)	0	0	0	0	0	0	0	2	6	4	0	12
Other nutritional deficiencies (E50-E64)	0	1	0	0	0	0	0	0	0	1	0	2
Meningitis (G00, G03)	0	0	0	0	0	1	0	1	1	2	0	5

Selected Causes of Death

Table A4A
Selected Causes of Death by Age Group among All Residents: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	5	10	32	42	0	89
Alzheimer's disease (G30)	0	0	0	0	0	1	1	7	35	109	0	153
Major cardiovascular diseases (I00-I78)	4	2	8	29	95	310	668	769	1021	1482	2	4390
Diseases of heart (I00-I09, I11, I13, I20-I51)	4	1	8	27	75	255	538	621	783	1115	2	3429
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	2	1	5	2	3	0	13
Hypertensive heart disease (I11)	1	0	1	11	31	96	141	103	61	69	0	514
Hypertensive heart and renal disease (I13)	0	0	0	0	1	5	4	4	8	7	0	29
Ischemic heart diseases (I20-I25)	0	0	1	7	24	103	259	359	450	573	2	1778
Acute myocardial infarction (I21-I22)	0	0	0	2	7	29	57	92	138	153	0	478
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	6	2	3	7	0	18
Other forms of chronic ischemic heart disease (I20, I25)	0	0	1	5	17	74	196	265	309	413	2	1282
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	2	2	19	104	113	99	94	2	435
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	1	3	15	55	92	152	210	319	0	847
Other heart diseases (I26-I51)	3	1	6	9	19	49	133	150	262	463	0	1095
Acute and subacute endocarditis (I33)	0	0	0	0	1	3	2	0	0	1	0	7
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	1	0	1	0	0	1	2	1	1	0	7
Heart failure (I50)	0	0	0	0	2	9	28	34	96	187	0	356
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	3	0	6	8	16	37	102	114	165	274	0	725
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	5	9	15	21	29	40	0	119
Cerebrovascular diseases (I60-I69)	0	0	0	2	10	39	102	102	169	261	0	685
Atherosclerosis (I70)	0	0	0	0	0	0	2	2	4	6	0	14
Other diseases of circulatory system (I71-I78)	0	1	0	0	5	7	11	23	36	60	0	143
Aortic aneurysm and dissection (I71)	0	0	0	0	4	4	5	8	15	26	0	62
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	1	0	0	1	3	6	15	21	34	0	81
Other disorders of circulatory system (I80-I99)	0	0	1	1	2	8	4	6	0	2	0	24

Selected Causes of Death

Table A4A
Selected Causes of Death by Age Group among All Residents: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	2	0	2	2	5	14	35	38	52	87	0	237
Influenza (J09-J11)	0	0	0	1	1	0	1	1	4	6	0	14
Pneumonia (J12-J18)	2	0	2	1	4	14	34	37	48	81	0	223
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	1	0	0	0	0	0	1
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	1	0	0	0	0	0	1
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	2	0	4	7	19	69	143	181	138	0	563
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	1	0	0	0	1
Emphysema (J43)	0	0	0	0	0	0	5	6	7	4	0	22
Asthma (J45-J46)	0	2	0	4	4	7	7	2	4	1	0	31
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	3	12	57	134	170	133	0	509
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	2	1	0	3
Pneumonitis due to solids and liquids (J69)	0	0	1	0	0	6	10	19	24	33	0	93
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	2	1	1	3	2	13	21	41	63	51	0	198
Peptic ulcer (K25-K28)	0	0	0	0	0	1	1	2	1	2	0	7
Diseases of appendix (K35-K38)	0	0	0	0	0	1	0	0	0	0	0	1
Hernia (K40-K46)	1	0	0	0	0	0	0	1	1	8	0	11
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	8	24	49	21	21	4	0	127
Alcoholic liver disease (K70)	0	0	0	0	6	12	18	7	1	0	0	44
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	2	12	31	14	20	4	0	83
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	1	3	2	2	5	0	13
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	1	0	0	2	8	22	37	50	80	114	0	314
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	1	2	0	3
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	1	0	0	0	1	0	2
Renal failure (N17-N19)	1	0	0	2	8	21	37	50	79	111	0	309
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	1	0	0	1	1	0	0	3

Selected Causes of Death

Table A4A
Selected Causes of Death by Age Group among All Residents: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	1	0	1	0	2
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	2	4	0	0	0	0	0	0	6
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	2	4	0	0	0	0	0	0	6
Certain conditions originating in the perinatal period (P00-P96)	103	0	0	0	0	1	0	0	0	0	0	104
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	24	2	0	2	4	2	3	0	0	0	0	37
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	27	0	4	12	15	26	35	22	46	115	1	303
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	8	2	1	18	41	114	225	239	356	687	0	1691
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	8	10	60	144	131	176	131	61	66	94	0	881
Transport accidents (V01-V99, Y85)	2	4	19	19	13	24	10	7	7	3	0	108
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	2	4	19	19	12	24	9	6	7	3	0	105
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	1	0	1	0	0	0	0	2
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	1	0	0	0	1
Nontransport accidents (W00-X59, Y86)	6	6	41	125	118	152	121	54	59	91	0	773
Falls (W00-W19)	0	1	2	0	1	8	20	16	23	60	0	131
Accidental discharge of firearms (W32-W34)	1	0	3	2	0	1	0	1	0	0	0	8
Accidental drowning and submersion (W65-W74)	1	2	3	1	1	3	0	2	0	0	0	13
Accidental exposure to smoke, fire and flames (X00-X09)	1	2	0	1	0	1	1	6	4	3	0	19

Selected Causes of Death

Table A4A
Selected Causes of Death by Age Group among All Residents: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	8	10	60	144	131	176	131	61	66	94	0	881
Nontransport accidents (W00-X59, Y86) (continued)	6	6	41	125	118	152	121	54	59	91	0	773
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	31	117	113	130	89	10	2	2	0	494
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	3	1	2	4	3	9	11	19	30	26	0	108
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	1	22	28	24	36	23	14	8	2	0	158
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	1	6	9	2	11	6	9	5	2	0	51
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	16	19	22	25	17	5	3	0	0	107
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	2	3	67	77	41	24	16	4	1	1	0	236
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	1	2	63	74	37	15	6	1	0	0	0	199
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	1	1	4	3	4	9	10	3	1	1	0	37
Legal intervention (Y35, Y89.0)	0	0	0	3	1	1	0	0	0	0	0	5
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	4	1	2	0	1	1	1	0	0	10
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	4	1	2	0	1	1	1	0	0	10
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	3	3	3	3	2	0	14

Selected Causes of Death

Table A4B
Selected Causes of Death by Age Group among Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	105	17	160	253	304	685	1331	1397	1401	1280	2	6935
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	1	0	0	0	0	2	3	6	3	4	0	19
Tuberculosis (A16-A19)	0	0	0	0	0	0	0	1	1	0	0	2
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	0	0	0	0	0	0	1	1	0	0	2
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	2	4	12	22	40	27	29	0	136
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	1	8	24	9	0	1	0	43
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	3	2	9	21	16	8	4	0	0	63
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	0	0	1	0	0	5	1	6	1	3	0	17
Malignant neoplasms (C00-C97)	2	2	7	7	28	112	352	448	375	217	0	1550
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	1	0	0	3	7	5	8	0	0	24
Malignant neoplasm of esophagus (C15)	0	0	0	0	4	6	14	16	7	6	0	53
Malignant neoplasm of stomach (C16)	0	0	0	0	2	5	8	14	10	8	0	47
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	0	1	3	19	35	38	36	22	0	154
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	2	0	10	53	34	15	12	0	126
Malignant neoplasm of pancreas (C25)	0	0	0	0	4	11	18	31	25	7	0	96
Malignant neoplasm of larynx (C32)	0	0	0	0	0	1	7	10	3	2	0	23

Selected Causes of Death

Table A4B
Selected Causes of Death by Age Group among Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	2	2	7	7	28	112	352	448	375	217	0	1550
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	2	25	102	152	117	42	0	440
Malignant melanoma of skin (C43)	0	0	0	0	0	0	4	2	4	2	0	12
Malignant neoplasm of breast (C50)	0	0	0	0	0	0	0	0	1	0	0	1
Malignant neoplasm of cervix uteri (C53)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of ovary (C56)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	12	38	44	48	0	142
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	1	0	2	9	8	7	3	0	30
Malignant neoplasm of bladder (C67)	0	0	0	0	0	3	9	14	12	17	0	55
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	2	2	0	3	4	7	9	2	2	0	31
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	2	0	2	2	4	14	24	32	34	22	0	136
Hodgkin's disease (C81)	0	0	0	1	0	0	0	1	0	0	0	2
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	3	3	11	9	19	11	0	56
Leukemia (C91-C95)	2	0	2	1	1	3	7	8	10	5	0	39
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	0	8	6	13	5	6	0	38
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	1	0	0	0	1
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	2	1	6	9	43	45	50	24	0	180
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	0	1	0	0	3	4	8	5	6	0	30
Anemias (D50-D64)	0	0	0	1	0	1	2	1	3	2	0	10
Diabetes mellitus (E10-E14)	1	0	3	2	5	15	46	43	37	29	0	181
Nutritional deficiencies (E40-E64)	0	0	0	0	0	0	0	0	1	1	0	2
Malnutrition (E40-E46)	0	0	0	0	0	0	0	0	1	1	0	2
Other nutritional deficiencies (E50-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00, G03)	0	0	0	0	0	1	0	0	1	2	0	4

Selected Causes of Death

Table A4B
Selected Causes of Death by Age Group among Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	3	9	18	22	0	52
Alzheimer's disease (G30)	0	0	0	0	0	0	1	3	16	26	0	46
Major cardiovascular diseases (I00-I78)	2	0	7	23	62	199	430	456	507	510	1	2197
Diseases of heart (I00-I09, I11, I13, I20-I51)	2	0	7	21	50	169	354	374	407	400	1	1785
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	1	1	0	0	2	0	4
Hypertensive heart disease (I11)	1	0	0	7	18	58	96	70	25	25	0	300
Hypertensive heart and renal disease (I13)	0	0	0	0	1	4	4	2	3	3	0	17
Ischemic heart diseases (I20-I25)	0	0	1	6	21	78	174	229	243	220	1	973
Acute myocardial infarction (I21-I22)	0	0	0	1	5	23	36	60	79	56	0	260
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	5	1	2	5	0	13
Other forms of chronic ischemic heart disease (I20, I25)	0	0	1	5	16	55	133	168	162	159	1	700
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	2	2	14	77	76	43	28	1	243
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	1	3	14	41	56	92	119	131	0	457
Other heart diseases (I26-I51)	1	0	6	8	10	28	79	73	136	150	0	491
Acute and subacute endocarditis (I33)	0	0	0	0	1	2	2	0	0	1	0	6
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	1	0	0	1	1	1	0	0	4
Heart failure (I50)	0	0	0	0	2	7	19	18	48	59	0	153
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	1	0	6	7	7	19	57	54	87	90	0	328
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	4	5	9	9	12	15	0	54
Cerebrovascular diseases (I60-I69)	0	0	0	2	5	20	57	61	72	71	0	288
Atherosclerosis (I70)	0	0	0	0	0	0	1	2	3	0	0	6
Other diseases of circulatory system (I71-I78)	0	0	0	0	3	5	9	10	13	24	0	64
Aortic aneurysm and dissection (I71)	0	0	0	0	3	3	5	3	5	13	0	32
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	0	0	0	0	2	4	7	8	11	0	32
Other disorders of circulatory system (I80-I99)	0	0	1	1	0	5	1	3	0	1	0	12

Selected Causes of Death

Table A4B
Selected Causes of Death by Age Group among Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	1	0	1	0	4	7	19	27	29	35	0	123
Influenza (J09-J11)	0	0	0	0	1	0	1	1	2	2	0	7
Pneumonia (J12-J18)	1	0	1	0	3	7	18	26	27	33	0	116
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	1	0	2	2	7	35	70	76	43	0	236
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	1	0	0	0	1
Emphysema (J43)	0	0	0	0	0	0	3	3	2	3	0	11
Asthma (J45-J46)	0	1	0	2	0	2	1	0	4	1	0	11
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	2	5	31	66	70	39	0	213
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	2	1	0	3
Pneumonitis due to solids and liquids (J69)	0	0	1	0	0	5	9	14	12	14	0	55
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	1	0	0	2	1	6	8	22	29	15	0	84
Peptic ulcer (K25-K28)	0	0	0	0	0	1	1	0	1	1	0	4
Diseases of appendix (K35-K38)	0	0	0	0	0	1	0	0	0	0	0	1
Hernia (K40-K46)	0	0	0	0	0	0	0	0	0	5	0	5
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	5	9	35	14	9	2	0	74
Alcoholic liver disease (K70)	0	0	0	0	3	6	15	5	1	0	0	30
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	2	3	20	9	8	2	0	44
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	1	0	1	1	3	0	6
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	1	0	0	1	6	16	24	25	37	47	0	157
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	0	2	0	2
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	1	0	0	0	0	0	1
Renal failure (N17-N19)	1	0	0	1	6	15	24	25	37	45	0	154
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	1	0	0	1	0	0	0	2

Selected Causes of Death

Table A4B
Selected Causes of Death by Age Group among Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	48	0	0	0	0	1	0	0	0	0	0	49
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	17	1	0	0	1	2	1	0	0	0	0	22
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	17	0	2	7	4	16	21	10	15	34	1	127
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	4	1	0	9	24	62	149	124	142	187	0	702
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	6	9	46	100	88	120	93	32	40	38	0	572
Transport accidents (V01-V99, Y85)	2	4	15	14	10	18	9	3	4	3	0	82
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	2	4	15	14	9	18	8	3	4	3	0	80
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	1	0	1	0	0	0	0	2
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59, Y86)	4	5	31	86	78	102	84	29	36	35	0	490
Falls (W00-W19)	0	0	2	0	1	6	14	8	14	23	0	68
Accidental discharge of firearms (W32-W34)	0	0	3	2	0	1	0	1	0	0	0	7
Accidental drowning and submersion (W65-W74)	0	2	3	0	0	3	0	2	0	0	0	10
Accidental exposure to smoke, fire and flames (X00-X09)	1	2	0	1	0	1	1	3	2	0	0	11

Selected Causes of Death

Table A4B
Selected Causes of Death by Age Group among Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	6	9	46	100	88	120	93	32	40	38	0	572
Nontransport accidents (W00-X59, Y86) (continued)	4	5	31	86	78	102	84	29	36	35	0	490
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	22	80	77	86	61	5	2	1	0	334
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	3	1	1	3	0	5	8	10	18	11	0	60
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	1	18	22	21	25	18	13	7	2	0	127
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	1	6	9	2	10	5	9	5	2	0	49
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	12	13	19	15	13	4	2	0	0	78
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	1	2	65	69	35	20	12	2	1	0	0	207
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	1	61	66	32	13	4	0	0	0	0	177
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	1	1	4	3	3	7	8	2	1	0	0	30
Legal intervention (Y35, Y89.0)	0	0	0	3	1	1	0	0	0	0	0	5
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	4	0	2	0	1	0	0	0	0	7
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	4	0	2	0	1	0	0	0	0	7
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	1	0	1	1	0	0	3

Selected Causes of Death

Table A4C
Selected Causes of Death by Age Group among Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	86	10	31	103	192	490	857	1135	1620	2438	1	6963
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	2	0	0	0	0	0	5	4	13	9	0	33
Tuberculosis (A16-A19)	0	0	0	0	1	0	0	0	0	1	0	2
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	1	0	1
Other tuberculosis (A17-A19)	0	0	0	0	1	0	0	0	0	0	0	1
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	1	0	0	0	0	0	1
Septicemia (A40-A41)	0	1	0	0	6	12	26	33	33	52	0	163
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	2	2	8	5	4	1	0	22
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	3	1	4	7	3	1	0	0	19
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	1	0	1	1	1	0	2	2	3	2	0	13
Malignant neoplasms (C00-C97)	0	0	4	6	41	154	288	400	437	306	0	1636
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	0	0	0	1	0	2	4	4	0	11
Malignant neoplasm of esophagus (C15)	0	0	0	0	0	3	5	3	6	6	0	23
Malignant neoplasm of stomach (C16)	0	0	1	1	0	3	2	1	10	9	0	27
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	1	1	3	13	17	19	38	33	0	125
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	0	0	5	8	15	15	7	0	50
Malignant neoplasm of pancreas (C25)	0	0	0	0	1	6	19	31	37	23	0	117
Malignant neoplasm of larynx (C32)	0	0	0	0	0	1	2	1	1	0	0	5

Selected Causes of Death

Table A4C
Selected Causes of Death by Age Group among Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	0	0	4	6	41	154	288	400	437	306	0	1636
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	4	37	77	129	121	46	0	414
Malignant melanoma of skin (C43)	0	0	0	0	2	2	1	2	0	4	0	11
Malignant neoplasm of breast (C50)	0	0	0	1	10	30	46	65	46	46	0	244
Malignant neoplasm of cervix uteri (C53)	0	0	0	2	7	7	8	9	2	2	0	37
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	10	25	28	25	8	0	96
Malignant neoplasm of ovary (C56)	0	0	0	0	2	10	15	20	18	11	0	76
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	0	0	0	2	6	7	7	0	22
Malignant neoplasm of bladder (C67)	0	0	0	0	0	2	3	3	10	12	0	30
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	0	0	0	2	2	9	4	5	1	0	23
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	0	0	0	0	5	3	11	27	37	45	0	128
Hodgkin's disease (C81)	0	0	0	0	0	0	0	1	0	2	0	3
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	1	0	4	6	10	22	0	43
Leukemia (C91-C95)	0	0	0	0	1	2	4	7	12	14	0	40
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	3	1	3	13	15	7	0	42
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	0	0	0	0	0
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	2	1	5	19	38	35	55	42	0	197
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	0	0	0	1	2	1	5	9	14	19	0	51
Anemias (D50-D64)	0	0	0	0	1	1	3	2	4	8	0	19
Diabetes mellitus (E10-E14)	0	0	0	3	3	16	34	46	52	42	0	196
Nutritional deficiencies (E40-E64)	0	1	0	0	0	0	0	2	5	4	0	12
Malnutrition (E40-E46)	0	0	0	0	0	0	0	2	5	3	0	10
Other nutritional deficiencies (E50-E64)	0	1	0	0	0	0	0	0	0	1	0	2
Meningitis (G00, G03)	0	0	0	0	0	0	0	1	0	0	0	1

Selected Causes of Death

Table A4C
Selected Causes of Death by Age Group among Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	2	1	14	20	0	37
Alzheimer's disease (G30)	0	0	0	0	0	1	0	4	19	83	0	107
Major cardiovascular diseases (I00-I78)	2	2	1	6	33	111	238	313	514	972	1	2193
Diseases of heart (I00-I09, I11, I13, I20-I51)	2	1	1	6	25	86	184	247	376	715	1	1644
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	1	0	5	2	1	0	9
Hypertensive heart disease (I11)	0	0	1	4	13	38	45	33	36	44	0	214
Hypertensive heart and renal disease (I13)	0	0	0	0	0	1	0	2	5	4	0	12
Ischemic heart diseases (I20-I25)	0	0	0	1	3	25	85	130	207	353	1	805
Acute myocardial infarction (I21-I22)	0	0	0	1	2	6	21	32	59	97	0	218
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	1	1	1	2	0	5
Other forms of chronic ischemic heart disease (I20, I25)	0	0	0	0	1	19	63	97	147	254	1	582
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	0	0	5	27	37	56	66	1	192
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	0	0	1	14	36	60	91	188	0	390
Other heart diseases (I26-I51)	2	1	0	1	9	21	54	77	126	313	0	604
Acute and subacute endocarditis (I33)	0	0	0	0	0	1	0	0	0	0	0	1
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	1	0	0	0	0	0	1	0	1	0	3
Heart failure (I50)	0	0	0	0	0	2	9	16	48	128	0	203
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	2	0	0	1	9	18	45	60	78	184	0	397
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	1	4	6	12	17	25	0	65
Cerebrovascular diseases (I60-I69)	0	0	0	0	5	19	45	41	97	190	0	397
Atherosclerosis (I70)	0	0	0	0	0	0	1	0	1	6	0	8
Other diseases of circulatory system (I71-I78)	0	1	0	0	2	2	2	13	23	36	0	79
Aortic aneurysm and dissection (I71)	0	0	0	0	1	1	0	5	10	13	0	30
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	1	0	0	1	1	2	8	13	23	0	49
Other disorders of circulatory system (I80-I99)	0	0	0	0	2	3	3	3	0	1	0	12

Selected Causes of Death

Table A4C
Selected Causes of Death by Age Group among Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	1	0	1	2	1	7	16	11	23	52	0	114
Influenza (J09-J11)	0	0	0	1	0	0	0	0	2	4	0	7
Pneumonia (J12-J18)	1	0	1	1	1	7	16	11	21	48	0	107
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	1	0	0	0	0	0	1
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	1	0	0	0	0	0	1
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	1	0	2	5	12	34	73	105	95	0	327
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	0	0	0	0	0
Emphysema (J43)	0	0	0	0	0	0	2	3	5	1	0	11
Asthma (J45-J46)	0	1	0	2	4	5	6	2	0	0	0	20
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	1	7	26	68	100	94	0	296
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0	1	1	5	12	19	0	38
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	1	1	1	1	1	7	13	19	34	36	0	114
Peptic ulcer (K25-K28)	0	0	0	0	0	0	0	2	0	1	0	3
Diseases of appendix (K35-K38)	0	0	0	0	0	0	0	0	0	0	0	0
Hernia (K40-K46)	1	0	0	0	0	0	0	1	1	3	0	6
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	3	15	14	7	12	2	0	53
Alcoholic liver disease (K70)	0	0	0	0	3	6	3	2	0	0	0	14
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	0	9	11	5	12	2	0	39
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	0	3	1	1	2	0	7
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	0	0	0	1	2	6	13	25	43	67	0	157
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	1	0	0	1
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	0	0	0	0	1	0	1
Renal failure (N17-N19)	0	0	0	1	2	6	13	25	42	66	0	155
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	0	0	0	0	1	0	0	1

Selected Causes of Death

Table A4C
Selected Causes of Death by Age Group among Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	1	0	1	0	2
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	2	4	0	0	0	0	0	0	6
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	2	4	0	0	0	0	0	0	6
Certain conditions originating in the perinatal period (P00-P96)	54	0	0	0	0	0	0	0	0	0	0	54
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7	1	0	2	3	0	2	0	0	0	0	15
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	10	0	2	5	11	10	14	12	31	81	0	176
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	4	1	1	9	17	52	76	115	214	500	0	989
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	2	1	14	44	43	56	38	29	26	56	0	309
Transport accidents (V01-V99, Y85)	0	0	4	5	3	6	1	4	3	0	0	26
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	0	4	5	3	6	1	3	3	0	0	25
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	1	0	0	0	1
Nontransport accidents (W00-X59, Y86)	2	1	10	39	40	50	37	25	23	56	0	283
Falls (W00-W19)	0	1	0	0	0	2	6	8	9	37	0	63
Accidental discharge of firearms (W32-W34)	1	0	0	0	0	0	0	0	0	0	0	1
Accidental drowning and submersion (W65-W74)	1	0	0	1	1	0	0	0	0	0	0	3
Accidental exposure to smoke, fire and flames (X00-X09)	0	0	0	0	0	0	0	3	2	3	0	8

Selected Causes of Death

Table A4C
Selected Causes of Death by Age Group among Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	2	1	14	44	43	56	38	29	26	56	0	309
Nontransport accidents (W00-X59, Y86) (continued)	2	1	10	39	40	50	37	25	23	56	0	283
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	9	37	36	44	28	5	0	1	0	160
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	0	0	1	1	3	4	3	9	12	15	0	48
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	0	4	6	3	11	5	1	1	0	0	31
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	0	0	0	0	1	1	0	0	0	0	2
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	4	6	3	10	4	1	1	0	0	29
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	1	1	2	8	6	4	4	2	0	1	0	29
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	1	1	2	8	5	2	2	1	0	0	0	22
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	0	0	0	0	1	2	2	1	0	1	0	7
Legal intervention (Y35, Y89.0)	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	0	1	0	0	0	1	1	0	0	3
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	0	1	0	0	0	1	1	0	0	3
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	2	3	2	2	2	0	11

Selected Causes of Death

Table A4D
Selected Causes of Death by Age Group among White Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	14		32	85	107	233	521	639	728	771	1	3131
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	0	0	0	0	0	2	2	5	3	3	0	15
Tuberculosis (A16-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	0	1	6	6	22	15	13	0	63
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	1	4	7	0	0	0	0	12
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	1	2	3	3	1	1	0	0	11
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	0	0	1	0	0	1	0	3	1	2	0	8
Malignant neoplasms (C00-C97)	1	0	1	4	10	42	139	214	207	126	0	744
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	0	0	0	0	4	2	3	0	0	9
Malignant neoplasm of esophagus (C15)	0	0	0	0	1	3	8	10	5	6	0	33
Malignant neoplasm of stomach (C16)	0	0	0	0	2	2	1	4	5	4	0	18
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	0	0	0	7	11	19	20	20	0	77
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	1	0	3	14	16	8	6	0	48
Malignant neoplasm of pancreas (C25)	0	0	0	0	1	4	4	14	17	4	0	44
Malignant neoplasm of larynx (C32)	0	0	0	0	0	1	4	4	1	0	0	10

Selected Causes of Death

Table A4D
Selected Causes of Death by Age Group among White Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	1	0	1	4	10	42	139	214	207	126	0	744
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	0	10	44	82	66	22	0	224
Malignant melanoma of skin (C43)	0	0	0	0	0	0	4	1	4	1	0	10
Malignant neoplasm of breast (C50)	0	0	0	0	0	0	0	0	1	0	0	1
Malignant neoplasm of cervix uteri (C53)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of ovary (C56)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	2	6	16	17	0	41
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	0	0	1	4	5	5	3	0	18
Malignant neoplasm of bladder (C67)	0	0	0	0	0	1	6	11	5	10	0	33
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	0	0	0	1	2	3	7	0	0	0	13
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	1	0	0	2	2	6	11	13	22	18	0	75
Hodgkin's disease (C81)	0	0	0	1	0	0	0	0	0	0	0	1
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	1	1	6	6	13	10	0	37
Leukemia (C91-C95)	1	0	0	1	1	3	1	5	9	5	0	26
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	0	2	4	2	0	3	0	11
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	0	0	0	0	0
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	1	1	3	2	19	20	29	15	0	90
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0	0	0	0	2	4	2	2	4	0	15
Anemias (D50-D64)	0	0	0	0	0	0	0	0	3	2	0	5
Diabetes mellitus (E10-E14)	0	0	0	0	0	4	15	23	18	13	0	73
Nutritional deficiencies (E40-E64)	0	0	0	0	0	0	0	0	0	1	0	1
Malnutrition (E40-E46)	0	0	0	0	0	0	0	0	0	1	0	1
Other nutritional deficiencies (E50-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00, G03)	0	0	0	0	0	0	0	0	0	1	0	1

Selected Causes of Death

Table A4D
Selected Causes of Death by Age Group among White Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	1	5	13	13	0	32
Alzheimer's disease (G30)	0	0	0	0	0	0	0	0	5	14	0	19
Major cardiovascular diseases (I00-I78)	1	0	1	7	14	57	163	197	255	317	1	1013
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	0	1	7	13	50	140	167	203	255	1	838
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	1	0	0	0	1	0	2
Hypertensive heart disease (I11)	1	0	0	2	4	14	29	20	7	12	0	89
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	2	1	0	0	0	3
Ischemic heart diseases (I20-I25)	0	0	0	2	7	31	74	116	125	140	1	496
Acute myocardial infarction (I21-I22)	0	0	0	0	2	8	16	35	46	29	0	136
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	2	1	1	4	0	8
Other forms of chronic ischemic heart disease (I20, I25)	0	0	0	2	5	23	56	80	78	107	1	352
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	1	0	4	31	35	23	19	1	114
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	0	1	5	19	25	45	55	88	0	238
Other heart diseases (I26-I51)	0	0	1	3	2	4	35	30	71	102	0	248
Acute and subacute endocarditis (I33)	0	0	0	0	1	0	2	0	0	1	0	4
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	1	0	0	0	1	1	0	0	3
Heart failure (I50)	0	0	0	0	0	0	8	6	22	42	0	78
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	0	0	1	2	1	4	25	23	48	59	0	163
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	0	1	5	3	3	9	0	21
Cerebrovascular diseases (I60-I69)	0	0	0	0	1	3	16	20	41	37	0	118
Atherosclerosis (I70)	0	0	0	0	0	0	0	1	2	0	0	3
Other diseases of circulatory system (I71-I78)	0	0	0	0	0	3	2	6	6	16	0	33
Aortic aneurysm and dissection (I71)	0	0	0	0	0	2	1	2	2	9	0	16
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	0	0	0	0	1	1	4	4	7	0	17
Other disorders of circulatory system (I80-I99)	0	0	0	0	0	0	0	3	0	0	0	3

Selected Causes of Death

Table A4D
Selected Causes of Death by Age Group among White Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	0	0	1	0	1	0	7	11	14	20	0	54
Influenza (J09-J11)	0	0	0	0	0	0	0	0	0	2	0	2
Pneumonia (J12-J18)	0	0	1	0	1	0	7	11	14	18	0	52
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	0	0	1	1	4	11	36	39	30	0	122
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	1	0	0	0	1
Emphysema (J43)	0	0	0	0	0	0	1	2	2	1	0	6
Asthma (J45-J46)	0	0	0	1	0	0	0	0	0	0	0	1
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	1	4	10	33	37	29	0	114
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	2	1	0	3
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0	2	6	6	11	7	0	32
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	0	0	0	0	1	3	3	12	10	10	0	39
Peptic ulcer (K25-K28)	0	0	0	0	0	0	0	0	1	0	0	1
Diseases of appendix (K35-K38)	0	0	0	0	0	0	0	0	0	0	0	0
Hernia (K40-K46)	0	0	0	0	0	0	0	0	0	3	0	3
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	3	4	12	6	6	1	0	32
Alcoholic liver disease (K70)	0	0	0	0	1	3	4	2	0	0	0	10
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	2	1	8	4	6	1	0	22
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	0	0	0	1	0	0	1
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	0	0	0	0	0	4	4	10	15	28	0	61
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	0	1	0	1
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure (N17-N19)	0	0	0	0	0	4	4	10	15	27	0	60
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4D
Selected Causes of Death by Age Group among White Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	6	0	0	0	0	0	0	0	0	0	0	6
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	0	0	0	0	0	1	0	0	0	0	3
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	1	0	0	1	2	6	11	5	13	24	0	63
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	2	0	0	4	10	27	68	52	65	113	0	341
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	0	17	51	44	45	44	15	22	24	0	262
Transport accidents (V01-V99, Y85)	0	0	5	3	3	3	4	1	2	2	0	23
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	0	5	3	3	3	3	1	2	2	0	22
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	0	0	1	0	0	0	0	1
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59, Y86)	0	0	12	48	41	42	40	14	20	22	0	239
Falls (W00-W19)	0	0	0	0	1	2	6	6	10	16	0	41
Accidental discharge of firearms (W32-W34)	0	0	0	0	0	1	0	0	0	0	0	1
Accidental drowning and submersion (W65-W74)	0	0	0	0	0	0	0	1	0	0	0	1
Accidental exposure to smoke, fire and flames (X00-X09)	0	0	0	1	0	1	1	1	1	0	0	5

Selected Causes of Death

Table A4D
Selected Causes of Death by Age Group among White Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	0	0	17	51	44	45	44	15	22	24	0	262
Nontransport accidents (W00-X59, Y86) (continued)	0	0	12	48	41	42	40	14	20	22	0	239
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	12	45	40	37	29	2	1	0	0	166
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	0	0	0	2	0	1	4	4	8	6	0	25
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	0	7	12	15	15	13	9	5	1	0	77
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	0	1	4	1	6	5	6	3	1	0	27
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	6	8	14	9	8	3	2	0	0	50
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	0	0	4	4	1	2	0	1	0	0	0	12
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	0	4	3	1	1	0	0	0	0	0	9
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	0	0	0	1	0	1	0	1	0	0	0	3
Legal intervention (Y35, Y89.0)	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	0	0	1	0	1	0	0	0	0	2
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	0	0	1	0	1	0	0	0	0	2
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	0	0	1	1	0	0	2

Selected Causes of Death

Table A4E
Selected Causes of Death by Age Group among White Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	9		10	34	66	150	272	458	744	1437	1	3181
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	0	0	0	0	0	0	3	1	7	4	0	15
Tuberculosis (A16-A19)	0	0	0	0	1	0	0	0	0	0	0	1
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	0	0	0	1	0	0	0	0	0	0	1
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	0	3	3	7	7	15	22	0	57
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	2	1	4	0	0	0	0	7
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	0	0	0	2	0	0	0	0	2
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	0	0	0	0	0	0	1	0	2	2	0	5
Malignant neoplasms (C00-C97)	0	0	3	0	13	42	106	184	220	174	0	742
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	0	0	0	0	0	1	3	2	0	6
Malignant neoplasm of esophagus (C15)	0	0	0	0	0	0	1	2	4	3	0	10
Malignant neoplasm of stomach (C16)	0	0	0	0	0	1	0	0	5	5	0	11
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	1	0	1	5	6	5	23	23	0	64
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	0	0	3	4	3	9	5	0	24
Malignant neoplasm of pancreas (C25)	0	0	0	0	0	3	8	10	13	11	0	45
Malignant neoplasm of larynx (C32)	0	0	0	0	0	0	1	0	0	0	0	1

Selected Causes of Death

Table A4E
Selected Causes of Death by Age Group among White Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	0	0	3	0	13	42	106	184	220	174	0	742
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	4	10	33	68	65	26	0	206
Malignant melanoma of skin (C43)	0	0	0	0	0	1	0	1	0	4	0	6
Malignant neoplasm of breast (C50)	0	0	0	0	1	4	16	30	23	24	0	98
Malignant neoplasm of cervix uteri (C53)	0	0	0	0	3	1	1	3	1	0	0	9
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	2	8	7	12	4	0	33
Malignant neoplasm of ovary (C56)	0	0	0	0	0	4	5	11	9	2	0	31
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	0	0	0	2	3	3	3	0	11
Malignant neoplasm of bladder (C67)	0	0	0	0	0	0	1	1	7	8	0	17
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	0	0	0	0	1	3	3	2	1	0	10
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	0	0	0	0	2	2	5	19	15	29	0	72
Hodgkin's disease (C81)	0	0	0	0	0	0	0	1	0	2	0	3
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	0	0	2	6	5	16	0	29
Leukemia (C91-C95)	0	0	0	0	0	1	2	6	6	9	0	24
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	2	1	1	6	4	2	0	16
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	0	0	0	0	0
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	2	0	2	5	12	17	26	24	0	88
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	0	0	0	0	0	0	2	5	5	8	0	20
Anemias (D50-D64)	0	0	0	0	0	0	0	0	2	5	0	7
Diabetes mellitus (E10-E14)	0	0	0	1	1	2	10	15	14	18	0	61
Nutritional deficiencies (E40-E64)	0	0	0	0	0	0	0	2	4	3	0	9
Malnutrition (E40-E46)	0	0	0	0	0	0	0	2	4	3	0	9
Other nutritional deficiencies (E50-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00, G03)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4E

Selected Causes of Death by Age Group among White Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	1	1	12	14	0	28
Alzheimer's disease (G30)	0	0	0	0	0	0	0	2	7	50	0	59
Major cardiovascular diseases (I00-I78)	0	0	0	1	10	31	50	115	220	580	1	1008
Diseases of heart (I00-I09, I11, I13, I20-I51)	0	0	0	1	8	26	42	90	169	435	1	772
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	0	0	1	2	0	0	3
Hypertensive heart disease (I11)	0	0	0	1	3	14	13	11	16	21	0	79
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	0	0	1	2	0	3
Ischemic heart diseases (I20-I25)	0	0	0	0	2	7	16	52	90	208	1	376
Acute myocardial infarction (I21-I22)	0	0	0	0	1	2	4	11	26	60	0	104
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	0	1	1	1	0	3
Other forms of chronic ischemic heart disease (I20, I25)	0	0	0	0	1	5	12	40	63	147	1	269
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	0	0	2	6	18	27	45	1	99
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	0	0	1	3	6	22	36	102	0	170
Other heart diseases (I26-I51)	0	0	0	0	3	5	13	26	60	204	0	311
Acute and subacute endocarditis (I33)	0	0	0	0	0	0	0	0	0	0	0	0
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	0	0	0	0	0	0	1	0	1
Heart failure (I50)	0	0	0	0	0	0	1	4	24	85	0	114
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	0	0	0	0	3	5	12	22	36	118	0	196
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	0	0	1	4	4	13	0	22
Cerebrovascular diseases (I60-I69)	0	0	0	0	1	4	7	14	39	109	0	174
Atherosclerosis (I70)	0	0	0	0	0	0	0	0	0	4	0	4
Other diseases of circulatory system (I71-I78)	0	0	0	0	1	1	0	7	8	19	0	36
Aortic aneurysm and dissection (I71)	0	0	0	0	0	1	0	2	4	9	0	16
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	0	0	0	1	0	0	5	4	10	0	20
Other disorders of circulatory system (I80-I99)	0	0	0	0	0	1	2	1	0	1	0	5

Selected Causes of Death

Table A4E
Selected Causes of Death by Age Group among White Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	0	0	0	1	0	4	7	7	15	37	0	71
Influenza (J09-J11)	0	0	0	1	0	0	0	0	1	1	0	3
Pneumonia (J12-J18)	0	0	0	0	0	4	7	7	14	36	0	68
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	0	0	1	1	3	17	28	64	56	0	170
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	0	0	0	0	0
Emphysema (J43)	0	0	0	0	0	0	2	2	3	1	0	8
Asthma (J45-J46)	0	0	0	1	1	0	0	0	0	0	0	2
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	0	3	15	26	61	55	0	160
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0	1	1	2	8	12	0	24
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	0	0	0	0	0	2	4	9	16	21	0	52
Peptic ulcer (K25-K28)	0	0	0	0	0	0	0	2	0	0	0	2
Diseases of appendix (K35-K38)	0	0	0	0	0	0	0	0	0	0	0	0
Hernia (K40-K46)	0	0	0	0	0	0	0	0	0	1	0	1
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	2	7	6	4	8	1	0	28
Alcoholic liver disease (K70)	0	0	0	0	2	1	0	2	0	0	0	5
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	0	6	6	2	8	1	0	23
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	0	1	0	1	2	0	4
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	0	0	0	0	0	2	3	6	15	39	0	65
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	0	0	0	0	1	0	1
Renal failure (N17-N19)	0	0	0	0	0	2	3	6	15	38	0	64
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	0	0	0	0	1	0	0	1

Selected Causes of Death

Table A4E
Selected Causes of Death by Age Group among White Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	0	0	1	0	1
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	1	1	0	0	0	0	0	0	2
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	1	1	0	0	0	0	0	0	2
Certain conditions originating in the perinatal period (P00-P96)	6	0	0	0	0	0	0	0	0	0	0	6
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	0	0	1	2	0	2	0	0	0	0	7
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	0	0	1	1	0	2	7	4	16	62	0	93
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	0	0	0	1	4	12	22	44	78	283	0	444
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	1	0	6	21	23	26	11	17	11	40	0	156
Transport accidents (V01-V99, Y85)	0	0	0	1	1	3	1	3	2	0	0	11
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	0	0	1	1	3	1	3	2	0	0	11
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59, Y86)	1	0	6	20	22	23	10	14	9	40	0	145
Falls (W00-W19)	0	0	0	0	0	1	2	5	4	29	0	41
Accidental discharge of firearms (W32-W34)	1	0	0	0	0	0	0	0	0	0	0	1
Accidental drowning and submersion (W65-W74)	0	0	0	0	1	0	0	0	0	0	0	1
Accidental exposure to smoke, fire and flames (X00-X09)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4E

Selected Causes of Death by Age Group among White Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	1	0	6	21	23	26	11	17	11	40	0	156
Nontransport accidents (W00-X59, Y86) (continued)	1	0	6	20	22	23	10	14	9	40	0	145
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	6	20	20	22	8	3	0	0	0	79
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	0	0	0	0	1	0	0	6	5	11	0	23
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	0	0	2	3	7	3	1	1	0	0	17
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	0	0	0	0	1	1	0	0	0	0	2
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	0	2	3	6	2	1	1	0	0	15
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	0	0	0	3	0	3	0	0	0	1	0	7
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	0	0	3	0	2	0	0	0	0	0	5
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	0	0	0	0	0	1	0	0	0	1	0	2
Legal intervention (Y35, Y89.0)	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	0	0	0	0	0	0	1	0	0	1
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	0	0	0	0	0	0	1	0	0	1
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	1	0	1	1	0	0	3

Selected Causes of Death

Table A4F
Selected Causes of Death by Age Group among Black Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	71	14	88	113	139	350	669	624	531	421		3020
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	1	0	0	0	0	0	0	1	0	1	0	3
Tuberculosis (A16-A19)	0	0	0	0	0	0	0	1	1	0	0	2
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	0	0	0	0	0	0	1	1	0	0	2
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	1	2	6	13	14	11	10	0	57
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	0	1	13	8	0	0	0	22
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	2	1	6	16	11	5	3	0	0	44
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	0	0	0	0	0	4	0	3	0	1	0	8
Malignant neoplasms (C00-C97)	1	1	4	2	16	55	172	195	134	80	0	660
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	1	0	0	3	2	3	5	0	0	14
Malignant neoplasm of esophagus (C15)	0	0	0	0	3	3	5	4	1	0	0	16
Malignant neoplasm of stomach (C16)	0	0	0	0	0	0	5	7	4	3	0	19
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	0	1	3	9	19	15	10	2	0	59
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	0	0	5	32	12	6	5	0	60
Malignant neoplasm of pancreas (C25)	0	0	0	0	3	7	11	16	6	3	0	46
Malignant neoplasm of larynx (C32)	0	0	0	0	0	0	3	6	2	1	0	12

Selected Causes of Death

Table A4F
Selected Causes of Death by Age Group among Black Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	1	1	4	2	16	55	172	195	134	80	0	660
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	2	11	52	61	38	16	0	180
Malignant melanoma of skin (C43)	0	0	0	0	0	0	0	1	0	1	0	2
Malignant neoplasm of breast (C50)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of cervix uteri (C53)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of ovary (C56)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	7	29	25	31	0	92
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	1	0	1	3	3	2	0	0	10
Malignant neoplasm of bladder (C67)	0	0	0	0	0	2	3	2	5	6	0	18
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	1	1	0	1	2	4	2	2	1	0	14
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	1	0	2	0	2	7	10	15	10	4	0	51
Hodgkin's disease (C81)	0	0	0	0	0	0	0	1	0	0	0	1
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	2	1	2	1	5	1	0	12
Leukemia (C91-C95)	1	0	2	0	0	0	6	2	1	0	0	12
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	0	6	2	10	4	3	0	25
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	1	0	0	0	1
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	0	0	2	5	16	19	18	7	0	67
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	0	1	0	0	0	0	5	3	2	0	13
Anemias (D50-D64)	0	0	0	1	0	1	2	1	0	0	0	5
Diabetes mellitus (E10-E14)	1	0	2	2	5	6	27	19	14	13	0	89
Nutritional deficiencies (E40-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Malnutrition (E40-E46)	0	0	0	0	0	0	0	0	0	0	0	0
Other nutritional deficiencies (E50-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00, G03)	0	0	0	0	0	1	0	0	1	1	0	3

Selected Causes of Death

Table A4F
Selected Causes of Death by Age Group among Black Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	2	2	3	9	0	16
Alzheimer's disease (G30)	0	0	0	0	0	0	0	1	10	8	0	19
Major cardiovascular diseases (I00-I78)	1	0	4	11	36	113	223	212	193	160	0	953
Diseases of heart (I00-I09, I11, I13, I20-I51)	1	0	4	10	29	93	180	171	157	121	0	766
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	0	1	0	0	1	0	2
Hypertensive heart disease (I11)	0	0	0	4	11	34	63	42	15	9	0	178
Hypertensive heart and renal disease (I13)	0	0	0	0	1	4	2	1	3	2	0	13
Ischemic heart diseases (I20-I25)	0	0	0	4	10	36	76	95	86	64	0	371
Acute myocardial infarction (I21-I22)	0	0	0	1	2	9	12	20	19	22	0	85
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	3	0	1	0	0	4
Other forms of chronic ischemic heart disease (I20, I25)	0	0	0	3	8	27	61	75	66	42	0	282
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	1	2	8	42	36	15	8	0	112
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	0	2	6	19	19	39	51	34	0	170
Other heart diseases (I26-I51)	1	0	4	2	7	19	38	33	53	45	0	202
Acute and subacute endocarditis (I33)	0	0	0	0	0	1	0	0	0	0	0	1
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	0	0	0	1	0	0	0	0	1
Heart failure (I50)	0	0	0	0	2	5	9	9	22	15	0	62
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	1	0	4	2	5	13	28	24	31	30	0	138
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	4	3	3	4	6	5	0	25
Cerebrovascular diseases (I60-I69)	0	0	0	1	2	15	34	33	23	29	0	137
Atherosclerosis (I70)	0	0	0	0	0	0	1	1	1	0	0	3
Other diseases of circulatory system (I71-178)	0	0	0	0	1	2	5	3	6	5	0	22
Aortic aneurysm and dissection (I71)	0	0	0	0	1	1	3	0	3	1	0	9
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	0	0	0	0	1	2	3	3	4	0	13
Other disorders of circulatory system (I80-I99)	0	0	1	1	0	4	1	0	0	1	0	8

Selected Causes of Death

Table A4F
Selected Causes of Death by Age Group among Black Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	0	0	0	0	2	5	10	15	9	10	0	51
Influenza (J09-J11)	0	0	0	0	0	0	1	1	1	0	0	3
Pneumonia (J12-J18)	0	0	0	0	2	5	9	14	8	10	0	48
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	1	0	1	1	2	19	30	25	12	0	91
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	0	0	0	0	0
Emphysema (J43)	0	0	0	0	0	0	1	1	0	2	0	4
Asthma (J45-J46)	0	1	0	1	0	2	0	0	1	1	0	6
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	1	0	18	29	24	9	0	81
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	1	0	0	2	3	8	1	6	0	21
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	1	0	0	1	0	2	5	6	16	3	0	34
Peptic ulcer (K25-K28)	0	0	0	0	0	0	1	0	0	1	0	2
Diseases of appendix (K35-K38)	0	0	0	0	0	1	0	0	0	0	0	1
Hernia (K40-K46)	0	0	0	0	0	0	0	0	0	1	0	1
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	2	4	17	6	2	1	0	32
Alcoholic liver disease (K70)	0	0	0	0	2	2	8	3	0	0	0	15
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	0	2	9	3	2	1	0	17
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	0	0	1	0	2	0	3
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	1	0	0	1	4	9	18	12	19	15	0	79
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	0	1	0	1
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	1	0	0	0	0	0	1
Renal failure (N17-N19)	1	0	0	1	4	8	18	12	19	14	0	77
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	1	0	0	1	0	0	0	2

Selected Causes of Death

Table A4F
Selected Causes of Death by Age Group among Black Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	31	0	0	0	0	1	0	0	0	0	0	32
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	13	0	0	0	1	2	0	0	0	0	0	16
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	12	0	2	1	0	7	6	3	2	6	0	39
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	1	0	0	4	11	25	71	60	67	64	0	303
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	6	9	15	25	23	58	42	12	14	13	0	217
Transport accidents (V01-V99, Y85)	2	4	5	9	5	10	4	2	1	1	0	43
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	2	4	5	9	4	10	4	2	1	1	0	42
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	1	0	0	0	0	0	0	1
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59, Y86)	4	5	10	16	18	48	38	10	13	12	0	174
Falls (W00-W19)	0	0	1	0	0	4	6	2	3	6	0	22
Accidental discharge of firearms (W32-W34)	0	0	2	2	0	0	0	1	0	0	0	5
Accidental drowning and submersion (W65-W74)	0	2	1	0	0	2	0	0	0	0	0	5
Accidental exposure to smoke, fire and flames (X00-X09)	1	2	0	0	0	0	0	1	1	0	0	5

Selected Causes of Death

Table A4F
Selected Causes of Death by Age Group among Black Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	6	9	15	25	23	58	42	12	14	13	0	217
Nontransport accidents (W00-X59, Y86) (continued)	4	5	10	16	18	48	38	10	13	12	0	174
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	5	13	18	39	29	2	1	1	0	108
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	3	1	1	1	0	3	3	4	8	5	0	29
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	1	7	6	4	7	3	2	2	1	0	33
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	1	3	4	1	3	0	2	2	1	0	17
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	4	2	3	4	3	0	0	0	0	16
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	0	2	49	52	24	16	10	1	1	0	0	155
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	1	46	51	21	11	4	0	0	0	0	134
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	0	1	3	1	3	5	6	1	1	0	0	21
Legal intervention (Y35, Y89.0)	0	0	0	3	0	1	0	0	0	0	0	4
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	0	0	1	0	0	0	0	0	0	1
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	0	0	1	0	0	0	0	0	0	1
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	1	0	0	0	0	0	1

Selected Causes of Death

Table A4G
Selected Causes of Death by Age Group among Black Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	60	6	11	43	92	282	503	573	767	869		3206
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	2	0	0	0	0	0	2	3	5	4	0	16
Tuberculosis (A16-A19)	0	0	0	0	0	0	0	0	0	1	0	1
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	1	0	1
Other tuberculosis (A17-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	1	0	0	0	0	0	1
Septicemia (A40-A41)	0	1	0	0	3	7	14	21	17	24	0	87
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	0	0	4	5	3	0	0	12
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	2	1	4	4	2	0	0	0	13
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	1	0	1	0	1	0	1	1	1	0	0	6
Malignant neoplasms (C00-C97)	0	0	0	3	16	95	159	182	193	112	0	760
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	0	0	0	0	0	1	1	1	0	3
Malignant neoplasm of esophagus (C15)	0	0	0	0	0	3	4	1	2	0	0	10
Malignant neoplasm of stomach (C16)	0	0	0	1	0	2	2	0	3	4	0	12
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	0	0	0	5	10	12	14	10	0	51
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	0	0	1	3	8	6	1	0	19
Malignant neoplasm of pancreas (C25)	0	0	0	0	1	3	9	17	22	10	0	62
Malignant neoplasm of larynx (C32)	0	0	0	0	0	1	1	1	1	0	0	4

Selected Causes of Death

Table A4G
Selected Causes of Death by Age Group among Black Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	0	0	0	3	16	95	159	182	193	112	0	760
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	0	27	42	54	50	18	0	191
Malignant melanoma of skin (C43)	0	0	0	0	2	1	1	1	0	0	0	5
Malignant neoplasm of breast (C50)	0	0	0	0	5	21	28	28	23	18	0	123
Malignant neoplasm of cervix uteri (C53)	0	0	0	1	2	5	5	6	1	1	0	21
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	7	16	17	12	4	0	56
Malignant neoplasm of ovary (C56)	0	0	0	0	1	4	9	8	8	8	0	38
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	0	0	0	0	2	3	3	0	8
Malignant neoplasm of bladder (C67)	0	0	0	0	0	2	2	2	3	4	0	13
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	0	0	0	2	1	6	1	3	0	0	13
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	0	0	0	0	1	1	4	8	18	14	0	46
Hodgkin's disease (C81)	0	0	0	0	0	0	0	0	0	0	0	0
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	0	0	2	0	3	5	0	10
Leukemia (C91-C95)	0	0	0	0	0	1	0	1	5	4	0	11
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	1	0	2	7	10	5	0	25
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	0	0	0	0	0
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	0	1	2	11	17	15	23	16	0	85
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	0	0	0	0	1	1	2	4	8	9	0	25
Anemias (D50-D64)	0	0	0	0	1	1	3	1	2	2	0	10
Diabetes mellitus (E10-E14)	0	0	0	1	2	13	22	26	33	20	0	117
Nutritional deficiencies (E40-E64)	0	0	0	0	0	0	0	0	1	1	0	2
Malnutrition (E40-E46)	0	0	0	0	0	0	0	0	1	0	0	1
Other nutritional deficiencies (E50-E64)	0	0	0	0	0	0	0	0	0	1	0	1
Meningitis (G00, G03)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4G
Selected Causes of Death by Age Group among Black Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	1	0	1	4	0	6
Alzheimer's disease (G30)	0	0	0	0	0	0	0	1	11	27	0	39
Major cardiovascular diseases (I00-I78)	2	1	1	3	19	66	162	170	250	349	0	1023
Diseases of heart (I00-I09, I11, I13, I20-I51)	2	0	1	3	14	50	122	133	181	248	0	754
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	1	0	2	0	1	0	4
Hypertensive heart disease (I11)	0	0	1	2	8	18	29	22	17	22	0	119
Hypertensive heart and renal disease (I13)	0	0	0	0	0	1	0	2	4	1	0	8
Ischemic heart diseases (I20-I25)	0	0	0	0	1	16	57	64	105	125	0	368
Acute myocardial infarction (I21-I22)	0	0	0	0	1	4	13	18	30	32	0	98
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	1	0	0	0	0	1
Other forms of chronic ischemic heart disease (I20, I25)	0	0	0	0	0	12	43	46	75	93	0	269
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	0	0	2	17	15	27	17	0	78
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	0	0	0	10	26	31	48	76	0	191
Other heart diseases (I26-I51)	2	0	0	1	5	14	36	43	55	99	0	255
Acute and subacute endocarditis (I33)	0	0	0	0	0	1	0	0	0	0	0	1
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	0	0	0	0	1	0	0	0	1
Heart failure (I50)	0	0	0	0	0	2	8	9	22	38	0	79
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	2	0	0	1	5	11	28	33	33	61	0	174
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	1	4	5	7	11	11	0	39
Cerebrovascular diseases (I60-I69)	0	0	0	0	3	12	32	24	44	74	0	189
Atherosclerosis (I70)	0	0	0	0	0	0	1	0	1	1	0	3
Other diseases of circulatory system (I71-I78)	0	1	0	0	1	0	2	6	13	15	0	38
Aortic aneurysm and dissection (I71)	0	0	0	0	1	0	0	3	5	3	0	12
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	1	0	0	0	0	2	3	8	12	0	26
Other disorders of circulatory system (I80-I99)	0	0	0	0	2	2	1	2	0	0	0	7

Selected Causes of Death

Table A4G
Selected Causes of Death by Age Group among Black Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	1	0	0	1	1	2	7	3	8	12	0	35
Influenza (J09-J11)	0	0	0	0	0	0	0	0	1	3	0	4
Pneumonia (J12-J18)	1	0	0	1	1	2	7	3	7	9	0	31
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	1	0	0	0	0	0	1
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	1	0	0	0	0	0	1
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	1	0	1	3	8	16	36	39	36	0	140
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	0	0	0	0	0
Emphysema (J43)	0	0	0	0	0	0	0	1	2	0	0	3
Asthma (J45-J46)	0	1	0	1	2	5	5	1	0	0	0	15
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	1	3	11	34	37	36	0	122
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0	0	0	3	3	6	0	12
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	1	0	1	1	0	3	6	7	16	12	0	47
Peptic ulcer (K25-K28)	0	0	0	0	0	0	0	0	0	1	0	1
Diseases of appendix (K35-K38)	0	0	0	0	0	0	0	0	0	0	0	0
Hernia (K40-K46)	0	0	0	0	0	0	0	1	0	2	0	3
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	1	7	8	3	1	1	0	21
Alcoholic liver disease (K70)	0	0	0	0	1	4	3	0	0	0	0	8
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	0	3	5	3	1	1	0	13
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	0	2	1	0	0	0	3
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	0	0	0	1	2	4	8	18	26	24	0	83
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	1	0	0	1
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure (N17-N19)	0	0	0	1	2	4	8	18	25	24	0	82
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4G

Selected Causes of Death by Age Group among Black Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	1	0	0	0	1
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	1	2	0	0	0	0	0	0	3
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	1	2	0	0	0	0	0	0	3
Certain conditions originating in the perinatal period (P00-P96)	35	0	0	0	0	0	0	0	0	0	0	35
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	1	0	1	1	0	0	0	0	0	0	6
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	10	0	0	3	8	6	4	6	14	16	0	67
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	4	1	1	6	9	32	49	64	121	191	0	478
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	0	4	13	16	27	20	9	13	13	0	115
Transport accidents (V01-V99, Y85)	0	0	2	4	2	2	0	1	1	0	0	12
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	0	2	4	2	2	0	0	1	0	0	11
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	1	0	0	0	1
Nontransport accidents (W00-X59, Y86)	0	0	2	9	14	25	20	8	12	13	0	103
Falls (W00-W19)	0	0	0	0	0	1	2	3	4	6	0	16
Accidental discharge of firearms (W32-W34)	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion (W65-W74)	0	0	0	0	0	0	0	0	0	0	0	0
Accidental exposure to smoke, fire and flames (X00-X09)	0	0	0	0	0	0	0	3	2	2	0	7

Selected Causes of Death

Table A4G
Selected Causes of Death by Age Group among Black Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	0	0	4	13	16	27	20	9	13	13	0	115
Nontransport accidents (W00-X59, Y86) (continued)	0	0	2	9	14	25	20	8	12	13	0	103
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	2	8	14	20	15	1	0	1	0	61
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	0	0	0	1	0	4	3	1	6	4	0	19
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	0	1	1	0	2	1	0	0	0	0	5
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	0	0	0	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	1	1	0	2	1	0	0	0	0	5
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	1	1	2	4	3	0	4	2	0	0	0	17
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	1	1	2	4	3	0	2	1	0	0	0	14
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	0	0	0	0	0	0	2	1	0	0	0	3
Legal intervention (Y35, Y89.0)	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	0	1	0	0	0	0	0	0	0	1
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	0	1	0	0	0	0	0	0	0	1
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	0	3	1	1	2	0	7

Selected Causes of Death

Table A4H

Selected Causes of Death by Age Group among Asian Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	4	1	5	4	5	14	20	25	40	21		139
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	0	0	0	0	0	0	0	0	0	0	0	0
Tuberculosis (A16-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	0	0	0	1	1	0	3	0	5
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	0	0	0	0	0	0	0	0
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	0	0	0	0	0	0	0	0	0
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (C00-C97)	0	1	0	1	1	5	9	12	11	3	0	43
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of esophagus (C15)	0	0	0	0	0	0	1	0	1	0	0	2
Malignant neoplasm of stomach (C16)	0	0	0	0	0	2	2	2	0	0	0	6
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	0	0	0	0	1	0	2	0	0	3
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	1	0	1	1	3	0	1	0	7
Malignant neoplasm of pancreas (C25)	0	0	0	0	0	0	0	0	2	0	0	2
Malignant neoplasm of larynx (C32)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4H

Selected Causes of Death by Age Group among Asian Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	0	1	0	1	1	5	9	12	11	3	0	43
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	0	1	2	2	4	0	0	9
Malignant melanoma of skin (C43)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of breast (C50)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of cervix uteri (C53)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of ovary (C56)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	0	1	1	0	0	2
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	0	0	0	1	0	0	0	0	1
Malignant neoplasm of bladder (C67)	0	0	0	0	0	0	0	1	0	1	0	2
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	1	0	0	0	0	0	0	0	0	0	1
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	0	0	0	0	0	0	0	2	0	0	0	2
Hodgkin's disease (C81)	0	0	0	0	0	0	0	0	0	0	0	0
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	0	0	0	0	0	0	0	0
Leukemia (C91-C95)	0	0	0	0	0	0	0	1	0	0	0	1
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	0	0	0	1	0	0	0	1
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	0	0	0	0	0
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	0	0	1	1	1	1	1	1	0	6
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	0	0	0	0	0	0	0	0	0	0	0	0
Anemias (D50-D64)	0	0	0	0	0	0	0	0	0	0	0	0
Diabetes mellitus (E10-E14)	0	0	0	0	0	0	1	0	1	1	0	3
Nutritional deficiencies (E40-E64)	0	0	0	0	0	0	0	0	1	0	0	1
Malnutrition (E40-E46)	0	0	0	0	0	0	0	0	1	0	0	1
Other nutritional deficiencies (E50-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00, G03)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4H

Selected Causes of Death by Age Group among Asian Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	0	0	0	0	0	0
Alzheimer's disease (G30)	0	0	0	0	0	0	0	0	0	0	0	0
Major cardiovascular diseases (I00-I78)	0	0	1	0	2	3	3	6	19	4	0	38
Diseases of heart (I00-I09, I11, I13, I20-I51)	0	0	1	0	1	1	2	6	15	2	0	28
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	0	0	0	0	0	0
Ischemic heart diseases (I20-I25)	0	0	1	0	0	1	2	3	9	1	0	17
Acute myocardial infarction (I21-I22)	0	0	0	0	0	0	1	0	8	0	0	9
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	0	0	0	0	0	0
Other forms of chronic ischemic heart disease (I20, I25)	0	0	1	0	0	1	1	3	1	1	0	8
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	0	0	0	1	0	0	0	0	1
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	1	0	0	1	0	3	1	1	0	7
Other heart diseases (I26-I51)	0	0	0	0	1	0	0	3	6	1	0	11
Acute and subacute endocarditis (I33)	0	0	0	0	0	0	0	0	0	0	0	0
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	0	0	0	0	0	0	0	0	0
Heart failure (I50)	0	0	0	0	0	0	0	1	3	1	0	5
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	0	0	0	0	1	0	0	2	3	0	0	6
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	0	0	0	0	2	1	0	3
Cerebrovascular diseases (I60-I69)	0	0	0	0	1	2	1	0	2	1	0	7
Atherosclerosis (I70)	0	0	0	0	0	0	0	0	0	0	0	0
Other diseases of circulatory system (I71-178)	0	0	0	0	0	0	0	0	0	0	0	0
Aortic aneurysm and dissection (I71)	0	0	0	0	0	0	0	0	0	0	0	0
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	0	0	0	0	0	0	0	0	0	0	0
Other disorders of circulatory system (I80-I99)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4H

Selected Causes of Death by Age Group among Asian Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	0	0	0	0	1	1	1	1	2	0	0	6
Influenza (J09-J11)	0	0	0	0	1	0	0	0	0	0	0	1
Pneumonia (J12-J18)	0	0	0	0	0	1	1	1	2	0	0	5
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	0	0	0	0	0	1	0	3	0	0	4
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	0	0	0	0	0
Emphysema (J43)	0	0	0	0	0	0	1	0	0	0	0	1
Asthma (J45-J46)	0	0	0	0	0	0	0	0	1	0	0	1
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	0	0	0	0	2	0	0	2
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0	0	0	0	0	0	0	0
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	0	0	0	0	0	0	0	0	1	1	0	2
Peptic ulcer (K25-K28)	0	0	0	0	0	0	0	0	0	0	0	0
Diseases of appendix (K35-K38)	0	0	0	0	0	0	0	0	0	0	0	0
Hernia (K40-K46)	0	0	0	0	0	0	0	0	0	1	0	1
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	0	0	1	1	0	0	0	2
Alcoholic liver disease (K70)	0	0	0	0	0	0	0	0	0	0	0	0
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	0	0	1	1	0	0	0	2
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	1	0	0	0	1	0	2
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	0	0	0	0	0	0	1	2	1	1	0	5
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure (N17-N19)	0	0	0	0	0	0	1	2	1	1	0	5
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4H

Selected Causes of Death by Age Group among Asian Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	3	0	0	0	0	0	0	0	0	0	0	3
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	0	0	0	0	0	0	0	0	0	0	0	0
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	0	0	0	1	0	0	1	0	0	2	0	4
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	1	0	0	1	1	1	0	1	0	4	0	9
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	0	2	1	0	3	1	1	1	0	0	9
Transport accidents (V01-V99, Y85)	0	0	0	1	0	1	0	0	0	0	0	2
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	0	0	1	0	1	0	0	0	0	0	2
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59, Y86)	0	0	2	0	0	2	1	1	1	0	0	7
Falls (W00-W19)	0	0	1	0	0	0	1	0	0	0	0	2
Accidental discharge of firearms (W32-W34)	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion (W65-W74)	0	0	0	0	0	1	0	1	0	0	0	2
Accidental exposure to smoke, fire and flames (X00-X09)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4H

Selected Causes of Death by Age Group among Asian Non-Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	0	0	2	1	0	3	1	1	1	0	0	9
Nontransport accidents (W00-X59, Y86) (continued)	0	0	2	0	0	2	1	1	1	0	0	7
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	1	0	0	1	0	0	0	0	0	2
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	0	0	0	0	0	0	0	0	1	0	0	1
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	0	2	0	0	0	0	0	0	0	0	2
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	0	1	0	0	0	0	0	0	0	0	1
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	1	0	0	0	0	0	0	0	0	1
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	0	0	0	0	0	0	0	0	0	0	0	0
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	0	0	0	0	0	0	0	0	0	0	0
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	0	0	0	0	0	0	0	0	0	0	0	0
Legal intervention (Y35, Y89.0)	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4I
Selected Causes of Death by Age Group among Asian Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	3	1	1	4	6	7	19	21	32	29		123
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	0	0	0	0	0	0	0	0	0	0	0	0
Tuberculosis (A16-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	0	0	0	0	0	1	3	0	4
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	0	0	0	0	0	1	0	1
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	0	0	0	0	0	0	0	0	0
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	0	0	0	0	0	0	0	1	0	0	0	1
Malignant neoplasms (C00-C97)	0	0	0	1	4	3	6	6	7	5	0	32
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of esophagus (C15)	0	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasm of stomach (C16)	0	0	0	0	0	0	0	0	1	0	0	1
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	0	0	1	1	0	0	0	0	0	2
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	0	0	0	1	1	0	0	0	2
Malignant neoplasm of pancreas (C25)	0	0	0	0	0	0	1	2	1	1	0	5
Malignant neoplasm of larynx (C32)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4I
Selected Causes of Death by Age Group among Asian Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	0	0	0	1	4	3	6	6	7	5	0	32
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	0	0	1	1	4	1	0	7
Malignant melanoma of skin (C43)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of breast (C50)	0	0	0	1	3	2	0	2	0	1	0	9
Malignant neoplasm of cervix uteri (C53)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of ovary (C56)	0	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of bladder (C67)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	0	0	0	0	0	0	1	0	0	0	0	1
Hodgkin's disease (C81)	0	0	0	0	0	0	0	0	0	0	0	0
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	0	0	0	0	0	0	0	0
Leukemia (C91-C95)	0	0	0	0	0	0	1	0	0	0	0	1
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	0	0	0	0	0
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	0	0	0	0	2	0	1	0	0	3
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	0	0	0	0	0	0	0	0	1	1	0	2
Anemias (D50-D64)	0	0	0	0	0	0	0	0	0	1	0	1
Diabetes mellitus (E10-E14)	0	0	0	0	0	0	1	0	2	1	0	4
Nutritional deficiencies (E40-E64)	0	1	0	0	0	0	0	0	0	0	0	1
Malnutrition (E40-E46)	0	0	0	0	0	0	0	0	0	0	0	0
Other nutritional deficiencies (E50-E64)	0	1	0	0	0	0	0	0	0	0	0	1
Meningitis (G00, G03)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4I

Selected Causes of Death by Age Group among Asian Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	0	0	0	0	0	0
Alzheimer's disease (G30)	0	0	0	0	0	0	0	0	0	0	0	0
Major cardiovascular diseases (I00-I78)	0	0	0	0	0	2	6	9	14	7	0	38
Diseases of heart (I00-I09, I11, I13, I20-I51)	0	0	0	0	0	1	2	8	8	6	0	25
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	0	0	1	0	0	0	1
Hypertensive heart disease (I11)	0	0	0	0	0	0	0	0	1	0	0	1
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	0	0	0	0	0	0
Ischemic heart diseases (I20-I25)	0	0	0	0	0	0	0	6	7	4	0	17
Acute myocardial infarction (I21-I22)	0	0	0	0	0	0	0	2	2	2	0	6
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	0	0	0	0	0	0
Other forms of chronic ischemic heart disease (I20, I25)	0	0	0	0	0	0	0	4	5	2	0	11
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	0	0	0	0	2	2	0	0	4
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	0	0	0	0	0	2	3	2	0	7
Other heart diseases (I26-I51)	0	0	0	0	0	1	2	1	0	2	0	6
Acute and subacute endocarditis (I33)	0	0	0	0	0	0	0	0	0	0	0	0
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	0	0	0	0	0	0	0	0	0
Heart failure (I50)	0	0	0	0	0	0	0	0	0	0	0	0
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	0	0	0	0	0	1	2	1	0	2	0	6
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	0	0	0	1	0	0	0	1
Cerebrovascular diseases (I60-I69)	0	0	0	0	0	1	4	0	5	1	0	11
Atherosclerosis (I70)	0	0	0	0	0	0	0	0	0	0	0	0
Other diseases of circulatory system (I71-178)	0	0	0	0	0	0	0	0	1	0	0	1
Aortic aneurysm and dissection (I71)	0	0	0	0	0	0	0	0	1	0	0	1
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	0	0	0	0	0	0	0	0	0	0	0
Other disorders of circulatory system (I80-I99)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4I
Selected Causes of Death by Age Group among Asian Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	0	0	0	0	0	0	0	0	0	1	0	1
Influenza (J09-J11)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonia (J12-J18)	0	0	0	0	0	0	0	0	0	1	0	1
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	0	0	0	0	0	1	1	0	0	0	2
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	0	0	0	0	0
Emphysema (J43)	0	0	0	0	0	0	0	0	0	0	0	0
Asthma (J45-J46)	0	0	0	0	0	0	1	0	0	0	0	1
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	0	0	0	1	0	0	0	1
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0	0	0	0	1	0	0	1
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	0	0	0	0	0	0	2	0	1	0	0	3
Peptic ulcer (K25-K28)	0	0	0	0	0	0	0	0	0	0	0	0
Diseases of appendix (K35-K38)	0	0	0	0	0	0	0	0	0	0	0	0
Hernia (K40-K46)	1	0	0	0	0	0	0	0	0	0	0	1
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	0	1	0	0	0	0	0	1
Alcoholic liver disease (K70)	0	0	0	0	0	1	0	0	0	0	0	1
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	0	0	0	0	0	0	0	0
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	0	0	0	0	0	0	0
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	0	0	0	0	0	0	0	1	1	0	0	2
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure (N17-N19)	0	0	0	0	0	0	0	1	1	0	0	2
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4I
Selected Causes of Death by Age Group among Asian Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	2	0	0	0	0	0	0	0	0	0	0	2
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	0	0	0	0	0	0	0	0	0	0	0	0
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	0	0	0	0	1	0	0	0	0	0	0	1
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	0	0	0	1	0	1	1	2	4	9	0	18
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	0	0	1	1	0	1	1	0	0	0	4
Transport accidents (V01-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	0	0	0	0	0	0	0	0	0	0	0
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59, Y86)	0	0	0	1	1	0	1	1	0	0	0	4
Falls (W00-W19)	0	0	0	0	0	0	0	0	0	0	0	0
Accidental discharge of firearms (W32-W34)	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion (W65-W74)	0	0	0	1	0	0	0	0	0	0	0	1
Accidental exposure to smoke, fire and flames (X00-X09)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4I
Selected Causes of Death by Age Group among Asian Non-Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	0	0	0	1	1	0	1	1	0	0	0	4
Nontransport accidents (W00-X59, Y86) (continued)	0	0	0	1	1	0	1	1	0	0	0	4
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	0	0	1	0	1	0	0	0	0	2
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	0	0	0	0	0	0	0	1	0	0	0	1
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	0	1	1	0	0	1	0	0	0	0	3
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	0	0	0	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	1	1	0	0	1	0	0	0	0	3
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	0	0	0	0	0	0	0	0	0	0	0	0
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	0	0	0	0	0	0	0	0	0	0	0
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	0	0	0	0	0	0	0	0	0	0	0	0
Legal intervention (Y35, Y89.0)	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4J
Selected Causes of Death by Age Group among Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	13	2	24	44	41	68	89	80	69	49		479
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	0	0	0	0	0	0	1	0	0	0	0	1
Tuberculosis (A16-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	1	1	0	2	3	1	3	0	11
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	0	3	4	1	0	0	0	8
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	1	0	1	2	1	1	0	0	0	6
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	0	0	0	0	0	0	1	0	0	0	0	1
Malignant neoplasms (C00-C97)	0	0	1	0	0	9	22	21	13	7	0	73
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	0	0	0	0	1	0	0	0	0	1
Malignant neoplasm of esophagus (C15)	0	0	0	0	0	0	0	2	0	0	0	2
Malignant neoplasm of stomach (C16)	0	0	0	0	0	1	0	1	1	1	0	4
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	0	0	0	3	4	4	1	0	0	12
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	0	0	0	5	3	1	0	0	9
Malignant neoplasm of pancreas (C25)	0	0	0	0	0	0	2	1	0	0	0	3
Malignant neoplasm of larynx (C32)	0	0	0	0	0	0	0	0	0	1	0	1

Selected Causes of Death

Table A4J
Selected Causes of Death by Age Group among Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	0	0	1	0	0	9	22	21	13	7	0	73
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	0	3	2	6	6	3	0	20
Malignant melanoma of skin (C43)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of breast (C50)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of cervix uteri (C53)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of ovary (C56)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	1	0	0	0	0	1
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of bladder (C67)	0	0	0	0	0	0	0	0	1	0	0	1
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	0	1	0	0	0	0	0	0	1	0	2
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	0	0	0	0	0	1	2	1	1	0	0	5
Hodgkin's disease (C81)	0	0	0	0	0	0	0	0	0	0	0	0
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	0	1	2	1	0	0	0	4
Leukemia (C91-C95)	0	0	0	0	0	0	0	0	0	0	0	0
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	0	0	0	0	1	0	0	1
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	0	0	0	0	0
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	0	0	0	1	5	3	2	1	0	12
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	0	0	0	0	0	0	0	1	0	0	0	1
Anemias (D50-D64)	0	0	0	0	0	0	0	0	0	0	0	0
Diabetes mellitus (E10-E14)	0	0	1	0	0	2	1	1	4	1	0	10
Nutritional deficiencies (E40-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Malnutrition (E40-E46)	0	0	0	0	0	0	0	0	0	0	0	0
Other nutritional deficiencies (E50-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00, G03)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4J
Selected Causes of Death by Age Group among Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	0	2	2	0	0	4
Alzheimer's disease (G30)	0	0	0	0	0	0	1	2	1	4	0	8
Major cardiovascular diseases (I00-I78)	0	0	1	4	8	18	28	25	28	20	0	132
Diseases of heart (I00-I09, I11, I13, I20-I51)	0	0	1	3	6	17	22	16	22	15	0	102
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	0	0	0	1	2	5	2	3	3	2	0	18
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	0	0	0	1	0	1
Ischemic heart diseases (I20-I25)	0	0	0	0	4	8	16	10	13	11	0	62
Acute myocardial infarction (I21-I22)	0	0	0	0	1	6	6	4	5	5	0	27
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	0	0	0	0	0	0
Other forms of chronic ischemic heart disease (I20, I25)	0	0	0	0	3	2	10	6	8	6	0	35
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	0	0	2	1	5	2	1	0	11
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	0	0	3	0	9	1	6	5	0	24
Other heart diseases (I26-I51)	0	0	1	2	0	4	4	3	6	1	0	21
Acute and subacute endocarditis (I33)	0	0	0	0	0	1	0	0	0	0	0	1
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	0	0	0	0	0	0	0	0	0
Heart failure (I50)	0	0	0	0	0	1	1	1	1	1	0	5
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	0	0	1	2	0	2	3	2	5	0	0	15
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	0	1	0	2	1	0	0	4
Cerebrovascular diseases (I60-I69)	0	0	0	1	1	0	4	6	4	2	0	18
Atherosclerosis (I70)	0	0	0	0	0	0	0	0	0	0	0	0
Other diseases of circulatory system (I71-I78)	0	0	0	0	1	0	2	1	1	3	0	8
Aortic aneurysm and dissection (I71)	0	0	0	0	1	0	1	1	0	3	0	6
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	0	0	0	0	0	1	0	1	0	0	2
Other disorders of circulatory system (I80-I99)	0	0	0	0	0	1	0	0	0	0	0	1

Selected Causes of Death

Table A4J
Selected Causes of Death by Age Group among Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	1	0	0	0	0	1	1	0	4	3	0	10
Influenza (J09-J11)	0	0	0	0	0	0	0	0	1	0	0	1
Pneumonia (J12-J18)	1	0	0	0	0	1	1	0	3	3	0	9
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	0	0	0	0	0	3	2	5	0	0	10
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	0	0	0	0	0
Emphysema (J43)	0	0	0	0	0	0	0	0	0	0	0	0
Asthma (J45-J46)	0	0	0	0	0	0	1	0	1	0	0	2
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	0	0	2	2	4	0	0	8
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0	1	0	0	0	1	0	2
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	0	0	0	1	0	0	0	4	1	1	0	7
Peptic ulcer (K25-K28)	0	0	0	0	0	1	0	0	0	0	0	1
Diseases of appendix (K35-K38)	0	0	0	0	0	0	0	0	0	0	0	0
Hernia (K40-K46)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	0	1	5	1	1	0	0	8
Alcoholic liver disease (K70)	0	0	0	0	0	1	3	0	1	0	0	5
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	0	0	2	1	0	0	0	3
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	0	0	0	0	0	0	0
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	0	0	0	0	1	3	0	0	1	2	0	7
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure (N17-N19)	0	0	0	0	1	3	0	0	1	2	0	7
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4J
Selected Causes of Death by Age Group among Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	0	0	0	0	0	0	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	5	0	0	0	0	0	0	0	0	0	0	5
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	1	0	0	0	0	0	0	0	0	0	3
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	4	0	0	4	1	2	2	2	0	2	0	17
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	0	1	0	0	2	9	8	9	7	5	0	41
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	0	8	20	19	12	5	3	1	0	0	68
Transport accidents (V01-V99, Y85)	0	0	2	1	2	3	1	0	1	0	0	10
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	0	2	1	2	3	1	0	1	0	0	10
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59, Y86)	0	0	6	19	17	9	4	3	0	0	0	58
Falls (W00-W19)	0	0	0	0	0	0	1	0	0	0	0	1
Accidental discharge of firearms (W32-W34)	0	0	1	0	0	0	0	0	0	0	0	1
Accidental drowning and submersion (W65-W74)	0	0	1	0	0	0	0	0	0	0	0	1
Accidental exposure to smoke, fire and flames (X00-X09)	0	0	0	0	0	0	0	1	0	0	0	1

Selected Causes of Death

Table A4J
Selected Causes of Death by Age Group among Hispanic Males: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	0	0	8	20	19	12	5	3	1	0	0	68
Nontransport accidents (W00-X59, Y86) (continued)	0	0	6	19	17	9	4	3	0	0	0	58
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	4	19	17	8	2	0	0	0	0	50
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	0	0	0	0	0	1	1	2	0	0	0	4
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	0	1	2	1	2	2	2	0	0	0	10
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	0	1	1	0	0	0	1	0	0	0	3
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	0	1	1	2	2	1	0	0	0	7
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	1	0	8	12	6	1	2	0	0	0	0	30
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	0	7	11	6	0	0	0	0	0	0	24
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	1	0	1	1	0	1	2	0	0	0	0	6
Legal intervention (Y35, Y89.0)	0	0	0	0	1	0	0	0	0	0	0	1
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	3	0	0	0	0	0	0	0	0	3
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	3	0	0	0	0	0	0	0	0	3
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4K
Selected Causes of Death by Age Group among Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
All causes	8	2	8	18	21	36	46	58	46	64		307
Salmonella infections (A01-A02)	0	0	0	0	0	0	0	0	0	0	0	0
Shigellosis and amebiasis (A03, A06)	0	0	0	0	0	0	0	0	0	0	0	0
Certain other intestinal infections (A04, A07-A09)	0	0	0	0	0	0	0	0	0	1	0	1
Tuberculosis (A16-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Respiratory tuberculosis (A16)	0	0	0	0	0	0	0	0	0	0	0	0
Other tuberculosis (A17-A19)	0	0	0	0	0	0	0	0	0	0	0	0
Whooping cough (A37)	0	0	0	0	0	0	0	0	0	0	0	0
Scarlet fever and erysipelas (A38, A46)	0	0	0	0	0	0	0	0	0	0	0	0
Meningococcal infection (A39)	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia (A40-A41)	0	0	0	0	0	2	3	4	0	2	0	11
Syphilis (A50-A53)	0	0	0	0	0	0	0	0	0	0	0	0
Acute poliomyelitis (A80)	0	0	0	0	0	0	0	0	0	0	0	0
Arthropod-borne viral encephalitis (A83-A84, A85.2)	0	0	0	0	0	0	0	0	0	0	0	0
Measles (B05)	0	0	0	0	0	0	0	0	0	0	0	0
Viral hepatitis (B15-B19)	0	0	0	0	0	1	0	0	0	0	0	1
Human immunodeficiency virus (HIV) disease (B20-B24)	0	0	0	1	0	0	1	0	1	0	0	3
Malaria (B50-B54)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified infectious and parasitic diseases and their sequelae (A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (C00-C97)	0	0	1	0	5	8	12	19	6	11	0	62
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	0	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasm of esophagus (C15)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of stomach (C16)	0	0	1	0	0	0	0	0	0	0	0	1
Malignant neoplasms of colon, rectum and anus (C18-C21)	0	0	0	0	1	2	1	1	1	0	0	6
Malignant neoplasms of liver and intrahepatic bile ducts (C22)	0	0	0	0	0	1	0	3	0	0	0	4
Malignant neoplasm of pancreas (C25)	0	0	0	0	0	0	0	2	0	1	0	3
Malignant neoplasm of larynx (C32)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4K
Selected Causes of Death by Age Group among Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Malignant neoplasms (C00-C97) (continued)	0	0	1	0	5	8	12	19	6	11	0	62
Malignant neoplasms of trachea, bronchus and lung (C33-C34)	0	0	0	0	0	0	0	4	0	1	0	5
Malignant melanoma of skin (C43)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of breast (C50)	0	0	0	0	0	2	2	4	0	2	0	10
Malignant neoplasm of cervix uteri (C53)	0	0	0	0	2	1	2	0	0	1	0	6
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)	0	0	0	0	0	0	1	3	1	0	0	5
Malignant neoplasm of ovary (C56)	0	0	0	0	0	1	1	1	1	0	0	4
Malignant neoplasm of prostate (C61)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of kidney and renal pelvis (C64-C65)	0	0	0	0	0	0	0	0	1	1	0	2
Malignant neoplasm of bladder (C67)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)	0	0	0	0	1	0	1	0	0	2	0	4
Hodgkin's disease (C81)	0	0	0	0	0	0	0	0	0	0	0	0
Non-Hodgkin's lymphoma (C82-C85)	0	0	0	0	1	0	0	0	0	1	0	2
Leukemia (C91-C95)	0	0	0	0	0	0	1	0	0	1	0	2
Multiple myeloma and immunoproliferative neoplasms (C88, C90)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)	0	0	0	0	0	0	0	0	0	0	0	0
All other and unspecified malignant neoplasms (C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97)	0	0	0	0	1	1	4	1	2	2	0	11
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	0	0	0	1	1	0	0	0	0	1	0	3
Anemias (D50-D64)	0	0	0	0	0	0	0	1	0	0	0	1
Diabetes mellitus (E10-E14)	0	0	0	1	0	1	1	3	2	3	0	11
Nutritional deficiencies (E40-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Malnutrition (E40-E46)	0	0	0	0	0	0	0	0	0	0	0	0
Other nutritional deficiencies (E50-E64)	0	0	0	0	0	0	0	0	0	0	0	0
Meningitis (G00, G03)	0	0	0	0	0	0	0	1	0	0	0	1

Selected Causes of Death

Table A4K
Selected Causes of Death by Age Group among Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Parkinson's disease (G20-G21)	0	0	0	0	0	0	0	0	0	2	0	2
Alzheimer's disease (G30)	0	0	0	0	0	1	0	1	0	6	0	8
Major cardiovascular diseases (I00-I78)	0	0	0	2	1	7	14	15	20	17	0	76
Diseases of heart (I00-I09, I11, I13, I20-I51)	0	0	0	2	1	5	14	12	10	12	0	56
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)	0	0	0	0	0	0	0	1	0	0	0	1
Hypertensive heart disease (I11)	0	0	0	1	0	3	2	0	2	0	0	8
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	0	0	0	1	0	1
Ischemic heart diseases (I20-I25)	0	0	0	1	0	2	9	5	2	8	0	27
Acute myocardial infarction (I21-I22)	0	0	0	1	0	0	4	1	0	2	0	8
Other acute ischemic heart diseases (I24)	0	0	0	0	0	0	0	0	0	1	0	1
Other forms of chronic ischemic heart disease (I20, I25)	0	0	0	0	0	2	5	4	2	5	0	18
Atherosclerotic cardiovascular disease, so described (I25.0)	0	0	0	0	0	1	3	2	0	3	0	9
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)	0	0	0	0	0	1	2	2	2	2	0	9
Other heart diseases (I26-I51)	0	0	0	0	1	0	3	6	6	3	0	19
Acute and subacute endocarditis (I33)	0	0	0	0	0	0	0	0	0	0	0	0
Diseases of pericardium and acute myocarditis (I30-I31, I40)	0	0	0	0	0	0	0	0	0	0	0	0
Heart failure (I50)	0	0	0	0	0	0	0	2	1	2	0	5
All other forms of heart disease (I26-I28, I34-I38, I42-I49, I51)	0	0	0	0	1	0	3	4	5	1	0	14
Essential hypertension and hypertensive renal disease (I10, I12, I15)	0	0	0	0	0	0	0	0	2	1	0	3
Cerebrovascular diseases (I60-I69)	0	0	0	0	0	2	0	3	7	3	0	15
Atherosclerosis (I70)	0	0	0	0	0	0	0	0	0	0	0	0
Other diseases of circulatory system (I71-I78)	0	0	0	0	0	0	0	0	1	1	0	2
Aortic aneurysm and dissection (I71)	0	0	0	0	0	0	0	0	0	0	0	0
Other diseases of arteries, arterioles and capillaries (I72-I78)	0	0	0	0	0	0	0	0	1	1	0	2
Other disorders of circulatory system (I80-I99)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4K
Selected Causes of Death by Age Group among Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Influenza and pneumonia (J09-J18)	0	0	1	0	0	1	2	1	0	2	0	7
Influenza (J09-J11)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonia (J12-J18)	0	0	1	0	0	1	2	1	0	2	0	7
Other acute lower respiratory infections (J20-J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Acute bronchitis and bronchiolitis (J20-J21)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified acute lower respiratory infections (J22, U04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic lower respiratory diseases (J40-J47)	0	0	0	0	1	1	0	4	1	1	0	8
Bronchitis, chronic and unspecified (J40-J42)	0	0	0	0	0	0	0	0	0	0	0	0
Emphysema (J43)	0	0	0	0	0	0	0	0	0	0	0	0
Asthma (J45-J46)	0	0	0	0	1	0	0	0	0	0	0	1
Other chronic lower respiratory diseases (J44, J47)	0	0	0	0	0	1	0	4	1	1	0	7
Pneumoconioses and chemical effects (J60-J66, J68)	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonitis due to solids and liquids (J69)	0	0	0	0	0	0	0	0	0	1	0	1
Other diseases of respiratory system (J00-J06, J30-J39, J67, J70-J98)	0	1	0	0	1	0	0	3	1	3	0	9
Peptic ulcer (K25-K28)	0	0	0	0	0	0	0	0	0	0	0	0
Diseases of appendix (K35-K38)	0	0	0	0	0	0	0	0	0	0	0	0
Hernia (K40-K46)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic liver disease and cirrhosis (K70, K73-K74)	0	0	0	0	0	0	0	0	2	0	0	2
Alcoholic liver disease (K70)	0	0	0	0	0	0	0	0	0	0	0	0
Other chronic liver disease and cirrhosis (K73-K74)	0	0	0	0	0	0	0	0	2	0	0	2
Cholelithiasis and other disorders of gallbladder (K80-K82)	0	0	0	0	0	0	0	0	0	0	0	0
Nephritis, nephrotic syndrome and nephrosis (N00-N07, N17-N19, N25-N27)	0	0	0	0	0	0	2	0	0	2	0	4
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01, N04)	0	0	0	0	0	0	0	0	0	0	0	0
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07, N26)	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure (N17-N19)	0	0	0	0	0	0	2	0	0	2	0	4
Other disorders of kidney (N25, N27)	0	0	0	0	0	0	0	0	0	0	0	0
Infections of kidney (N10-N12, N13.6, N15.1)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4K
Selected Causes of Death by Age Group among Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Hyperplasia of prostate (N40)	0	0	0	0	0	0	0	0	0	0	0	0
Inflammatory diseases of female pelvic organs (N70-N76)	0	0	0	0	0	0	0	0	0	0	0	0
Pregnancy, childbirth and the puerperium (O00-O99)	0	0	0	0	1	0	0	0	0	0	0	1
Pregnancy with abortive outcome (O00-O07)	0	0	0	0	0	0	0	0	0	0	0	0
Other complications of pregnancy, childbirth and the puerperium (O10-O99)	0	0	0	0	1	0	0	0	0	0	0	1
Certain conditions originating in the perinatal period (P00-P96)	6	0	0	0	0	0	0	0	0	0	0	6
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	0	0	0	0	0	0	0	0	0	0	2
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	0	0	1	1	2	2	2	1	1	1	0	11
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G14, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)	0	0	0	1	3	7	3	3	10	10	0	37
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	0	1	4	8	3	3	6	1	2	1	0	29
Transport accidents (V01-V99, Y85)	0	0	2	0	0	1	0	0	0	0	0	3
Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	0	0	2	0	0	1	0	0	0	0	0	3
Other land transport accidents (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	0	0	0	0	0	0	0	0	0	0	0	0
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99, Y85)	0	0	0	0	0	0	0	0	0	0	0	0
Nontransport accidents (W00-X59, Y86)	0	1	2	8	3	2	6	1	2	1	0	26
Falls (W00-W19)	0	1	0	0	0	0	2	0	1	1	0	5
Accidental discharge of firearms (W32-W34)	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion (W65-W74)	0	0	0	0	0	0	0	0	0	0	0	0
Accidental exposure to smoke, fire and flames (X00-X09)	0	0	0	0	0	0	0	0	0	0	0	0

Selected Causes of Death

Table A4K
Selected Causes of Death by Age Group among Hispanic Females: Philadelphia, 2014

Cause of Death	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Missing	Total
Accidents (unintentional injuries) (V01-X59, Y85-Y86) (continued)	0	1	4	8	3	3	6	1	2	1	0	29
Nontransport accidents (W00-X59, Y86) (continued)	0	1	2	8	3	2	6	1	2	1	0	26
Accidental poisoning and exposure to noxious substances (X40-X49)	0	0	1	8	1	2	4	1	0	0	0	17
Other and unspecified nontransport accidents and their sequelae (W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86)	0	0	1	0	2	0	0	0	1	0	0	4
Intentional self-harm (suicide) (U03, X60-X84, Y87.0)	0	0	1	2	0	2	0	0	0	0	0	5
Intentional self-harm (suicide) by discharge of firearms (X72-X74)	0	0	0	0	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03, X60-X71, X75-X84, Y87.0)	0	0	1	2	0	2	0	0	0	0	0	5
Assault (homicide) (U01-U02, X85-Y09, Y87.1)	0	0	0	1	3	0	0	0	0	0	0	4
Assault (homicide) by discharge of firearms (U01.4, X93-X95)	0	0	0	1	2	0	0	0	0	0	0	3
Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1)	0	0	0	0	1	0	0	0	0	0	0	1
Legal intervention (Y35, Y89.0)	0	0	0	0	0	0	0	0	0	0	0	0
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	0	0	0	0	0	0	0	1	0	0	0	1
Discharge of firearms, undetermined intent (Y22-Y24)	0	0	0	0	0	0	0	0	0	0	0	0
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	0	0	0	0	0	0	0	1	0	0	0	1
Operations of war and their sequelae (Y36, Y89.1)	0	0	0	0	0	0	0	0	0	0	0	0
Complications of medical and surgical care (Y40-Y84, Y88)	0	0	0	0	0	0	0	0	0	0	0	0

Technical Notes

Technical Notes

Determining Philadelphia Residency

Several steps have been followed to identify the birth and death data used in creating this report. The Pennsylvania Department of Health supplies all certificates for individuals whose address is in Philadelphia. The addresses are then filtered to determine whether an address lies within or outside of Philadelphia using a composite geocoder that makes use of a multi-step algorithm based on street address, city, state, and zip code fields. Geocoding the death records includes additional steps to account for more missing and less accurate address data than those available from birth certificates.

Race/Ethnicity Categorization

The United States Census Bureau provides estimated populations by many race/ethnic groupings along with many age categories and sex. This report examines results for non-Hispanic whites, non-Hispanic blacks, non-Hispanic Asians, and Hispanics in addition to results for the total population. The total population is larger than the sum of these 4 groups because not everyone fits into these categories. In this report, the population of non-Hispanic whites has been taken from the data for Not Hispanic, White Alone. The same has been done for non-Hispanic blacks and non-Hispanic Asians. This selection avoids double-counting those who consider themselves to belong to more than one of the categories of interest.

In keeping with federal guidelines issued by the National Center for Health Statistics (NCHS), PDPH tabulates birth data by race/ethnicity of the mother. In 2003, Pennsylvania birth certificates employed a new method for recording the race of the mother through the use of a check box format rather than an open-ended question. The Pennsylvania live birth certificate collects both multiple races and a self-designated single race category for the mother. In keeping with the Pennsylvania Department of Health's reporting procedure, the self-designated single race data for mother's race were utilized. These data are combined with the ethnicity designation of Hispanic or not Hispanic to create race/ethnicity categories. Not all birth certificates have this information filled out; in case it is missing, the mother is designated as Other Race/Ethnicity.

Maps

The maps created for this report are based on TIGER shapefiles from the Census Bureau and other shape files used internally by the Philadelphia City government. Albers projections have been used.

Population

The denominators for birth and death rates used in the current report come from the Census Bureau estimates for July 1 of each year (Figure P1). However, the denominators for rates by planning district come from the 2010 census enumeration.

Rates

Rates have been expressed on an annual basis as births per 1,000 or deaths per 100,000 estimated population in the specified group. Infant mortality rates are per 1,000 live births. Rates have not been presented when the number of deaths is below 20 or the population is below 5,000 because, in such

cases, a calculated rate may not be reliable or precise. In addition, mortality rates for the Lower South planning district have not been provided as the population is only slightly greater than 5,000.

Rates presented for a particular age band are calculated simply as the number of events divided by the population in the age band. These are crude rates. Age-adjusted rates are used to compare the relative number of events among groups and over time, because the age distribution changes between compared groups. Age-adjusted rates should be viewed as relative indices rather than as actual measures of risk. In this report the age-adjusted rates have been computed by the direct method—that is, by applying the age-specific rates observed this year to the 2000 projected U.S. population, as recommended by the U.S. Department of Health and Human Services. We employed statistical approaches adapted from the National Vital Statistics Reports, Volume 57, Number 14, http://www.cdc.gov/nchs/data/nvsr/nvsr57/nvsr57_14.pdf. Birth certificates with a missing age for the mother and death certificates with a missing age for the decedent were not included in the calculation of age-adjusted rates. Certificates with an unknown age or sex are not included in tabulations specific to age or sex but are included in overall tabulations.

Using the same projected population, rates for the total population and for each race-sex group were adjusted separately. Age-adjusted rates are not comparable with crude rates.

The infant mortality rate provides the ratio of deaths to live births. When reported for a racial/ethnic classification, the race/ethnicity of deceased infants (numerator) is based on the recorded death file, and the denominator is the total number of live births for that race/ethnicity. In cases where race/ethnicity data may be missing in the death file, the mother's race/ethnicity from the birth file from the PA Department of Health may be consulted.

Natality

This report summarizes live births, which per Pennsylvania law refers to the expulsion or extraction from the mother of a product of conception, irrespective of the period of gestation, which shows any evidence of life at any moment after such expulsion or extraction. Fetal deaths are also summarized.

In addition to summaries of births by mother's age, race/ethnicity, and planning district, this report tabulates Philadelphia births by a number of infant characteristics. Among these characteristics is birth weight, which describes the newborn's initial weight after birth, taken preferably within 1 hour after birth before significant post-birth weight loss has occurred. Low birth weight is a weight of less than 2,500 grams (5 pounds 9 ounces). Very low birth weight is a weight of less than 1,500 grams (3 pounds 5 ounces). Another such characteristic is gestational age: preterm births occur at less than 37 weeks of gestation, term births occur between 37 and 41 weeks of gestation, and post-term births at more than 41 weeks of gestation. Also, prenatal care is considered to begin in the first trimester if the first visit happens by 90 days after the last normal menses, in the second trimester if it happens between 91 and 180 days, and in the third trimester if it happens after 180 days. Prenatal care initiation in the third trimester is considered late initiation. Some birth certificates are lacking one or more of these fields. Births which a particular field is missing or unknown were not included in the calculation of the percentage of this field, although they have been counted in the overall summaries. This means that totals do not always correspond between sets of displays.

Infant Birth and Death Certificates

Links were made between birth and death certificates only in specific cases of incomplete race/ethnicity data.

Causes of Death

The underlying cause of death field from the death certificate is the data item used to tabulate cause of death statistics. The underlying cause is the disease or injury that initiated the train of events leading directly to death or the circumstances of the accident or violence that produced the fatal injury. The Pennsylvania Department of Health codes the cause of death on the death certificate and classifies death by causes according to the International Classification of Diseases, Tenth Revision (ICD-10) of the World Health Organization.

Beginning with the 2005 report, PDPH followed the guidelines issued by the National Center for Health Statistics (NCHS) in the presentation of leading causes of death statistics. The report utilized Instruction Manual Part 9, which provided the lists of causes of death for tabulation and dissemination of mortality data using ICD-10 codes. The tabulation lists have been developed to maintain continuity with the lists from the Ninth Revision of the International Classification of Diseases (ICD-9), to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. The use of Instruction Manual Part 9 enables the Philadelphia Department of Public Health to generate mortality statistics comparable to federal statistics as well as keep up-to-date on causes of mortality of public health importance. The causes of death data using the ICD-10 codes were not available prior to 1999.

Of the eight mortality tabulation lists in the Manual, this report utilized two: List of 113 Selected Causes of Death (Table B in Instruction Manual Part 9) and List of 130 Selected Causes of Infant Death (Table C). Table B is used for the general analysis of mortality and for ranking leading causes of death. The rankable causes of death from the list in Table B were utilized to tabulate, rank, and determine leading causes of death statistics. Table C is used for the analysis of infant mortality and for ranking leading causes of infant death. The rankable causes of death from the list in Table C were utilized to tabulate, rank, and determine the leading causes of death.

The leading causes of death are taken from the 10 most frequent causes designated as eligible for ranking in the mortality tabulation lists. The category of "All other causes" of death includes the less frequent eligible causes as well as the ineligible causes.

Age or race/ethnicity was missing for some death certificates. Deaths with missing data have not been counted in detailed displays but are counted in overall displays. This means that totals do not always correspond between sets of displays.

Life Expectancy

There are several methods in use for calculating life expectancy, and results at the local level can be influenced by small numbers of deaths, particularly when examining subcategories such as race/ethnic groups and sex as is done in this report. This report follows the methodological options

listed in Life Expectancy at Birth: Methodological Options for Small Populations, National Statistics Methodological Series No. 33, Barbara Toson, Office for National Statistics, 2003. Strata with zero deaths can pose a problem in the intermediate calculations, and that paper suggests a substitution. In this report, the city-wide average for the sex and age has been used. Since life expectancy is lower for infants than for older children, calculations require the population of infants for the denominator. This is available from the finalized Census Bureau data up to the census enumeration 2010. After 2010, the population of infants has been estimated as the difference between births and infant deaths because the majority of these deaths occur quite early.

Life expectancy calculations have been restricted to groups having at least 20 deaths and a population of at least 5,000. Calculations based on smaller numbers may not be reliable or precise. In addition, life expectancy has not been calculated for the Lower South planning district, which has a population only slightly greater than 5,000.

Years of Potential Life Lost

Years of potential life lost (YPLL) is a measure of premature mortality, based on estimating the average years a person would have lived if he or she had not died prematurely. The reference age used in this report is 75. For deaths among people under 75, YPLL is calculated by subtracting age at death from 75; for people aged 75 and over, YPLL is set to 0. Total YPLL represents the sum of these individual YPLL estimates.

Smoking-Attributable Mortality and Productivity Losses

The analysis of Smoking-Attributable Mortality, Morbidity, and Economic Costs (SAMMEC) follows the updated SAMMEC Methodology listed in the book, The Health Consequences of Smoking - 50 Years of Progress: A Report of the Surgeon General, US Department of Health and Human Services, CDC, 2014. Methodological details are available at the following websites:

<http://www.surgeongeneral.gov/library/reports/50-years-of-progress>;
and [https://chronicadata.cdc.gov/Health-Consequences-and-Costs/Smoking-Attributable Mortality Morbidity-and -Econo/w47j-r23n](https://chronicadata.cdc.gov/Health-Consequences-and-Costs/Smoking-Attributable-Mortality-Morbidity-and-Econo/w47j-r23n).

Alcohol-Attributable Mortality

The Alcohol-Related Disease Impact (ARDI) methodology is another public health analysis tool developed by the CDC. Given information on the local prevalence of alcohol consumption and counts of deaths due to several causes by age and gender, ARDI can be used to estimate the mortality impact of alcohol consumption. Methodological details can be found at the ARDI website:

<http://www.cdc.gov/alcohol/ardi.htm>.