

Vital Statistics Report 2005



INCLUDED IN THIS REPORT:

- New population estimates
- Trend data by age, sex, race & ethnicity
- Life expectancy for Philadelphians
- Leading causes of death
- Birth parity and plurality
- Leading causes of infant mortality
- Youth homicide data
- Additional data about resident births and deaths in Philadelphia



VITAL STATISTICS REPORT

PHILADELPHIA: 2005



CITY OF PHILADELPHIA

John F. Street, Mayor

Loree D. Jones, Managing Director

Julia Danzy, Director of Social Services

PHILADELPHIA DEPARTMENT OF PUBLIC HEALTH

John F. Domzalski, JD, MPH, Health Commissioner

Joseph C. Cronauer, Executive Deputy Commissioner

Suet T. Lim, PhD, Director of Health Data, Statistics and Research

REPORT PREPARED BY:

Suet T. Lim, Ph.D., Director of Health Data, Statistics & Research
Rebecca Drake, Research Coordinator

ASSISTED BY:

Daryl Northern, Executive Assistant

For additional copies of Report or if any questions on contents, contact:

Health Data, Statistics and Research
Philadelphia Department of Public Health
1101 Market Street, Suite 840
Philadelphia, PA 19107
Phone: 215-685-5690

TABLE OF CONTENTS

TABLE OF CONTENTS.....	3
INTRODUCTION	5
Population Section.....	6
Table P1 – Population, 2000 & 2005.....	7
Table P2 – Population Estimates by Age, Race and Gender, 2005	8
Table P3 – Population Estimates by Age, Ethnicity and Gender, 2005.....	9
Table P4 – Population Estimates by Age, Race & Ethnicity, Gender, 2005	10
Natality Section	11
Table N1 – Births by Mother’s Race and by Ethnicity, 1995-2005.....	15
Table N2 – Births by Mother’s Race & Ethnicity, 2005	16
Table N3 – Births by Mother’s, Race and by Ethnicity, 1995-2005.....	17
Table N4 – Births by Mother’s Age, Race & Ethnicity, 2005.....	19
Table N5 – Birth Weight by Mother’s Race and by Ethnicity, 1995-2005	20
Table N6a – Low Birth Weight by Mother’s Age and Race, 2005.....	21
Table N6b – Low Birth Weight by Mother’s Age, Race & Ethnicity, 2005	22
Table N7 – Very Low Birth Weight by Mother’s Race and by Ethnicity, 1995-2005	23
Table N8a – Very Low Birth Weight by Mother’s Age and Race, 2005.....	24
Table N8b – Very Low Birth Weight by Mother’s Age, Race & Ethnicity, 2005.....	25
Table N9 – Gestational Age by Mother’s Age, Race and Ethnicity, 2005	26
Table N10a – Birth Parity by Mother’s Age and Race, 2005	27
Table N10b – Birth Parity by Mother’s Age, Race & Ethnicity, 2005.....	28
Table N11 – Birth Plurality by Mother’s Age, Race & Ethnicity, 2005.....	29
Table N12 – Labor and Delivery by Mother’s Age, Race and Ethnicity, 2005.....	30
Table N13 – Maternal Morbidity by Mother’s Age, Race and Ethnicity, 2005	31
Table N14 – Method of Delivery by Mother’s Age, Race and Ethnicity, 2005	32
Table N15 – Abnormal Conditions of Newborn by Mother’s Age, Race and Ethnicity, 2005	33
Table N16 – Congenital Anomalies of Newborn by Mother’s Age, Race and Ethnicity, 2005	34
Table N17 – Top 10 Baby Names by Gender of Infant, 2005	36
Mortality Section.....	37
Table M1 – Overall and Infant Mortality, 1995-2005	41
Table M2 – Overall and Infant Mortality by Race and by Ethnicity, 1995-2005.....	42
Table M2a – Overall and Infant Mortality by Race and Ethnicity, 2005.....	43
Table M3 – Top Five Causes of Death by Age, 2005.....	44
Table M4 – Leading Causes of Death by Age and Gender, 2005.....	45
Table M5a – Leading Causes of Death by Age and Gender, Non-Hispanic Whites, 2005	49
Table M5b – Leading Causes of Death by Age and Gender, Non-Hispanic Blacks, 2005.....	53
Table M5c – Leading Causes of Death by Age and Gender, Non-Hispanic Asians, 2005.....	57
Table M5d – Leading Causes of Death by Age and Gender, Hispanics, 2005	60
Table M6 – Selected Causes of Death by Age, 2005.....	63
Table M6a – Selected Causes of Death by Age, Males, 2005	67
Table M6b – Selected Causes of Death by Age, Females, 2005	71
Table M7a – Selected Causes of Death by Age, non-Hispanic White Males, 2005	75
Table M7b – Selected Causes of Death by Age, non-Hispanic White Females, 2005	79
Table M7c – Selected Causes of Death by Age, non-Hispanic Black Males, 2005	83
Table M7d – Selected Causes of Death by Age, non-Hispanic Black Females, 2005.....	87
Table M7e – Selected Causes of Death by Age, non-Hispanic Asian Males, 2005	91
Table M7f – Selected Causes of Death by Age, non-Hispanic Asian Females, 2005	95
Table M7g – Selected Causes of Death by Age, Hispanic Males, 2005.....	99
Table M7h – Selected Causes of Death by Age, Hispanic Females, 2005	103
Table M8 – Leading Causes of Infant Mortality by Race and Ethnicity, 2005	107
Table M9a – Selected Causes of Infant Deaths by Race and Ethnicity, 2005	108
Table M9b – Selected Causes of Neonatal Deaths by Race and Ethnicity, 2005	109
Table M9c – Selected Causes of Post-Neonatal Deaths by Race and Ethnicity, 2005	110

Table M10 – Manner of Deaths, 2005	111
Table M11s – Youth Homicides, Selected Characteristics, 2005.....	112
Table M12s – Youth Homicides, Specific Causes of Death, 2005	113
Table M – Life Expectancy, Philadelphia Residents, 2005	114
DEFINITIONS OF TERMS	115
BRIDGING TABLES	116
Population Section Tables	116
Natality Section Tables.....	116
Mortality Section Tables	117
APPENDIX	120
Copy of Live Birth Certificate	121
Copy of Death Certificate	123
Copy of Fetal Death Certificate	124

INTRODUCTION

This Report is issued annually by Philadelphia Department of Public Health. In accordance to Philadelphia Home Rule Charter, the Department of Public Health shall be the agency of the City for compiling, analyzing, maintaining, and reporting statistics and data concerning births, still-births, and deaths (Chapter 3, 5-300, d). The annual vital statistics report fulfills this function, and reports on the vital events of births, deaths and fetal deaths (i.e. still-births) occurring to Philadelphia residents. This Report represents vital events that occurred in 2005.

The 2005 Report has been revised from the last report issued by Philadelphia Department of Public Health, the 2003-2004 Vital Statistics Report. These revisions incorporate changes made in data collection tools, including revised live birth certificate effective 01/01/2003 as well as categorization rules issued by National Center for Health Statistics (NCHS) and codes of International Classification of Diseases, Tenth Revision (ICD-10). Additional details on these revisions are provided in the natality and mortality sections. If you have used previous reports, you will find that the table numbering have been changed and may wish to use the bridging tables at the end of this Report to locate statistics previously reported in tables newly numbered. In both the natality and mortality sections, some statistics are no longer being reported. The omissions are noted in the narrative of these sections.

Beginning with 2005, disease morbidity will no longer be included in the annual vital statistics report. The Division of Disease Control and Emergency Preparedness (DDC) conducts surveillance for reportable diseases and conditions and issues an annual report. Electronic versions of this report (in pdf format) can be found at http://www.phila.gov/health/units/ddc/html/DDC_Annual_Reports.html. Data on cases of HIV/AIDS and lead poisoning are reported separately by the units that handle those conditions. The AIDS Surveillance Quarterly Report is available from http://www.phila.gov/health/units/aaco/HIV_AIDS.html. Inquiries about lead poisoning statistics should be addressed to the Childhood Lead Poisoning Prevention Program, at 215-685-2788.

Beginning with this Report, the annual vital statistics report will provide supplemental statistics to highlight special or current public health issues. These statistics are not part of the standard reporting and will be presented periodically. Depending on the topic matter, these supplemental tables will appear in the appropriate sections of the report.

This report presents vital events to Philadelphia residents, regardless of event location. Residency is determined by address fields in the live birth, death and fetal death certificates. For the live birth and fetal death records, mother's documented residence determines residency. Mother's mailing address, a separate address field from residence address, is not utilized. For the death records, residency is determined by the documented mailing address, the only address field on the death certificate. Readers should note that a separate report on vital events by geographic unit will be issued at a later date.

The birth, death and fetal death data is obtained from computer files provided by the Pennsylvania Department of Health. They require that the following statement be included: "These data were supplied by the Bureau of Health Statistics and Research, Pennsylvania Department of Health, Harrisburg, Pennsylvania. The Pennsylvania Department of Health specifically disclaims responsibility for any analyses, interpretations or conclusions".

Population Section

This section contains the population count of the City of Philadelphia as enumerated by the federal Census Bureau in 2000. It also contains two sets of 2005 estimates produced by the Pennsylvania State Data Center (PASDC) as well estimates developed by the Census Bureau Population Estimates Program. These estimates were developed through the Federal State Cooperative Program for Population Estimates.

The 2005 population of Philadelphia is estimated at 1,463,281. This represents a 3.6% decrease from the 2000 enumerated population. Race-specific estimates are available for White, Black and Asian for this data year, as well as estimates of the Hispanic population. Combined race-ethnic specific estimates are not provided through PASDC; hence the race-specific estimates from PASDC in Table P2 include Hispanics and non-Hispanics. The estimates of Hispanics in Table P3 include Hispanics of any race. The race and Hispanic ethnicity categories are not mutually exclusive for this presentation of population estimates.

The Population Estimates Program estimates provide for combined race-ethnic specific categories. This enables the calculation of rates for the categories of White, non-Hispanic; Black, non-Hispanic; and Asian, non-Hispanic. Due to differences in the use of single race and multiple races reporting, the Census Bureau's estimates differ from PASDC, notably in the estimate of Hispanic females. This report presents the single Race alone in combination with Hispanic ethnicity for the race-ethnicity estimates.

This Report utilizes the 2005 population estimates for calculating rates, unless otherwise noted. Notes for the rate tables indicate which of the two sets of population estimates are being utilized. Infant mortality statistics utilizes live birth, and when appropriate, fetal deaths, as the denominator in rates calculation.

Table P1 – Population, 2000 & 2005

POPULATION COUNTS AND ESTIMATES BY GENDER AND RACE

Age Cohort	April 1, 2000 (Enumerated Census)			July 1, 2005 (Census Bureau estimates)			July 1, 2005 (PASDC* estimates)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
0-4	98,161	50,108	48,053	109,555	56,130	53,425	94,853	48,522	46,331
5-9	112,111	56,936	55,175	92,064	47,022	45,042	95,811	48,880	46,931
10-14	112,726	57,224	55,502	105,257	53,396	51,861	100,665	51,145	49,520
15-19	110,701	54,919	55,782	111,938	56,297	55,641	119,889	59,309	60,580
20-24	117,609	55,479	62,130	109,532	52,755	56,777	128,805	62,096	66,709
25-29	114,353	54,575	59,778	102,945	47,881	55,064	102,906	49,852	53,054
30-34	110,511	52,692	57,819	97,103	46,133	50,970	96,629	45,993	50,636
35-39	110,841	52,782	58,059	100,930	47,721	53,209	98,120	46,473	51,647
40-44	109,069	51,006	58,063	105,371	50,133	55,238	99,240	46,519	52,721
45-49	97,015	45,119	51,896	104,171	48,357	55,814	96,764	44,828	51,936
50-54	85,515	38,980	46,535	92,353	42,598	49,755	88,372	40,371	48,001
55-59	67,280	29,969	37,311	80,302	35,779	44,523	75,902	33,798	42,104
60-64	57,936	25,497	32,439	61,018	26,491	34,527	61,508	26,840	34,668
65-69	54,122	22,871	31,251	47,466	20,100	27,366	52,676	22,322	30,354
70-74	52,926	21,462	31,464	38,690	15,549	23,141	46,618	18,729	27,889
75-79	46,866	17,598	29,268	38,860	14,826	24,034	40,217	14,906	25,311
80-84	32,469	10,657	21,812	31,570	10,876	20,694	30,118	10,232	19,886
85+	27,339	7,233	20,106	34,156	9,355	24,801	34,188	9,853	24,335
TOTAL	1,517,550	705,107	812,443	1,463,281	681,399	781,882	1,463,281	680,668	782,613

*PASDC - Pennsylvania State Data Center

Table P2 – Population Estimates by Age, Race and Gender, 2005

PASDC* 2005 ESTIMATES – SINGLE RACE ALONE

Age Cohort	White			Black			Asian		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
0-4	36,647	18,891	17,756	51,189	25,971	25,218	4,949	2,617	2,332
5-9	35,202	18,055	17,147	54,094	27,443	26,651	4,339	2,288	2,051
10-14	36,205	18,391	17,814	57,874	29,342	28,532	4,271	2,268	2,003
15-19	52,269	26,012	26,257	57,654	28,495	29,159	7,480	3,621	3,859
20-24	65,526	31,977	33,549	50,918	24,061	26,857	10,033	4,923	5,110
25-29	49,329	24,824	24,505	45,178	20,837	24,341	6,450	3,227	3,223
30-34	45,439	22,942	22,497	43,722	19,260	24,462	5,741	2,968	2,773
35-39	45,660	23,254	22,406	45,568	19,805	25,763	5,290	2,674	2,616
40-44	46,114	23,140	22,974	46,943	20,305	26,638	4,590	2,315	2,275
45-49	45,979	22,811	23,168	45,114	19,285	25,829	4,299	2,122	2,177
50-54	43,524	21,251	22,273	39,621	16,630	22,991	3,976	1,952	2,024
55-59	38,602	18,174	20,428	32,950	13,567	19,383	3,343	1,623	1,720
60-64	32,289	14,749	17,540	25,926	10,555	15,371	2,535	1,207	1,328
65-69	30,401	13,480	16,921	20,286	7,982	12,304	1,517	670	847
70-74	28,093	11,685	16,408	17,156	6,407	10,749	1,005	482	523
75-79	25,590	9,631	15,959	13,635	4,856	8,779	707	309	398
80-84	18,918	6,510	12,408	10,301	3,344	6,957	621	276	345
85+	21,478	5,995	15,483	11,771	3,499	8,272	520	216	304
TOTAL	697,265	331,772	365,493	669,900	301,644	368,256	71,666	35,758	35,908

PASDC - Pennsylvania State Data Center

Table P3 – Population Estimates by Age, Ethnicity and Gender, 2005

PASDC* 2005 ESTIMATES – HISPANICS (of any Race)

Age Cohort	July 1, 2005 (Estimate)		
	Total	Male	Female
0-4	15,012	7,707	7,305
5-9	14,460	7,361	7,099
10-14	14,777	7,647	7,130
15-19	15,453	6,837	8,616
20-24	13,271	5,759	7,512
25-29	11,728	5,605	6,123
30-34	12,697	6,143	6,554
35-39	12,140	5,934	6,206
40-44	9,810	4,794	5,016
45-49	8,045	4,031	4,014
50-54	6,697	3,052	3,645
55-59	4,991	2,369	2,622
60-64	3,739	1,725	2,014
65-69	2,360	1,094	1,266
70-74	1,859	884	975
75-79	1,256	521	735
80-84	730	290	440
85+	727	270	457
TOTAL	149,752	72,023	77,729

***PASDC - Pennsylvania State Data Center**

Table P4 – Population Estimates by Age, Race & Ethnicity, Gender, 2005

CENSUS BUREAU POPULATION PROGRAM ESTIMATES – SINGLE RACE ALONE AND HISPANIC ETHNICITY												
Age Cohort	White, Non-Hispanic			Black, Non-Hispanic			Asian, Non-Hispanic			Hispanic (of any Race)		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
0-4	29,549	15,087	14,462	53,643	27,350	26,293	5,584	2,881	2,703	16,859	8,787	8,072
5-9	26,448	13,567	12,881	45,008	22,968	22,040	4,276	2,204	2,072	13,563	6,878	6,685
10-14	28,119	14,297	13,822	55,941	28,340	27,601	4,322	2,208	2,114	14,315	7,279	7,036
15-19	37,037	18,840	18,197	53,604	26,655	26,949	5,906	3,027	2,879	12,925	6,550	6,375
20-24	41,845	20,158	21,687	45,151	21,640	23,511	7,607	3,574	4,033	12,650	6,312	6,338
25-29	38,020	18,557	19,463	42,183	18,145	24,038	8,244	4,040	4,204	12,835	6,351	6,484
30-34	38,362	19,620	18,742	37,999	16,370	21,629	7,544	3,726	3,818	11,741	5,746	5,995
35-39	39,972	20,328	19,644	42,595	18,260	24,335	5,864	2,992	2,872	11,218	5,559	5,659
40-44	41,874	21,474	20,400	46,938	20,487	26,451	5,444	2,779	2,665	9,824	4,812	5,012
45-49	42,848	21,230	21,618	47,194	20,272	26,922	4,831	2,340	2,491	8,041	3,906	4,135
50-54	40,839	20,172	20,667	39,689	16,834	22,855	4,471	2,213	2,258	6,264	2,891	3,373
55-59	37,766	17,715	20,051	32,971	13,599	19,372	3,568	1,707	1,861	5,082	2,368	2,714
60-64	29,495	13,397	16,098	24,694	10,005	14,689	2,495	1,193	1,302	3,678	1,630	2,048
65-69	23,141	10,186	12,955	19,659	7,714	11,945	1,849	859	990	2,341	1,138	1,203
70-74	19,456	8,265	11,191	15,918	5,817	10,101	1,198	558	640	1,726	745	981
75-79	21,715	8,546	13,169	14,615	5,175	9,440	914	422	492	1,260	542	718
80-84	19,406	6,736	12,670	10,567	3,498	7,069	543	230	313	761	306	455
85+	22,841	6,362	16,479	9,826	2,463	7,363	468	168	300	695	264	431
TOTAL	578,733	274,537	304,196	638,195	285,592	352,603	75,128	37,121	38,007	145,778	72,064	73,714

Nativity Section

There were 22,027 live births in 2005 to women who lived in Philadelphia, inclusive of events within and outside the City limits. All birth data are derived from the live birth certificate record, which is electronically reported to Pennsylvania Department of Public Health.

There are 396 more births reported for Philadelphia residents in 2005 than 2004. The crude birth rate increased to 15.1 per 1,000 estimated residents in 2005.

Race

As noted in the previous annual report, data items for race of mother are collected differently beginning with 2003 births. In keeping with federal guidelines issued by the National Center for Health Statistics (NCHS), Philadelphia Department of Public Health tabulates birth data by race of mother. Pennsylvania live birth certificate collects both multiple races as well as a self-designated single race category for the mother. In keeping with Pennsylvania Department of Health's reporting procedure, the self-designated single race data for mother's race was utilized.

Table N1 shows that in 2005, there were 6,033 White, 10,880 Black and 1,371 Asian births. Births to Hispanic mothers increased from 3,384 in 2004 to 3,496 in 2005. Hispanic ethnicity is a separate question from race of mother, and therefore a person of Hispanic origin can be of any race.

For combined race and ethnicity, the two data items were combined to determine the following categories: non-Hispanic White, non-Hispanic Black, non-Hispanic Asian, and Hispanic (of any race). These are mutually exclusive categories. Table N2 shows the distribution of birth by the combined race and ethnicity of mothers. There were 5,577 non-Hispanic White, 10,380 non-Hispanic Black, and 1,338 non-Hispanic Asian births respectively. A small number of births were reported for non-Hispanic Other race as well as to women with Unknown race.

Age of Mother

Trends in age distribution of mothers by race and ethnicity are presented in Table N3. This table enables comparison to presentation on age of mother by race and by ethnicity in previous reports.

Table N4 shows the age distribution of mothers by the combined race and ethnicity categories. Amongst non-Hispanic White women, the largest percentage of births was to 25 to 29 year old women. Similarly non-Hispanic Asian women had the highest percentage of births in this age group. The age distribution pattern for non-Hispanic Black and Hispanic (of any race) women shows the largest percentages of births were to women in the 20 to 24 year old age category.

Low Birth Weight

Newborns weighing 2,500 grams or less (i.e. less than or equal to 5 pounds 8 ounces) at time of birth are considered to be of low birth weight. In 2005, 11.3 percent of all live births were in this weight category. This Report also presents statistics on very low birth weight (i.e. weighing 1,500 grams or less) infants. 2.5 percent of all live births in 2005 are categorized as very low birth weight infants. Very low birth weight is a subset of the low birth weight category.

Tables N5 and N7 show the trends in low birth weight and very low birth weight by race and by ethnicity respectively. To examine the distribution of these two health indicators more closely, Tables N6b and

N7b show the age, race and ethnicity distribution of mothers with low and very low birth weight. For each specified age, race and ethnicity category, the statistics refer to the percentage of mothers within the specified category that had a low or very low birth weight infant.

Gestational Age

This is a natality measurement newly introduced in this Report. Gestational age of births provides information about maternal health and correlates with birth weight. Gestational age is measured by the number of completed weeks of pregnancy. Pre-term births are defined as pregnancies with less than 37 completed weeks of gestation. Term pregnancies are between 37 and 41 weeks of completed gestation. Pregnancies with 42 or more weeks of completed gestation are post-term births.

Table N9 shows the distribution of gestational age by mother's age, race and Hispanic ethnicity. For each specified age, race and ethnicity category, the percentage refers to the mothers within the specified category with pre-term, term or post-term births. Births with unknown gestational age are not presented in this table.

Overall, 83.9% of live births to Philadelphia women were term births. Pre-term pregnancies account for 12.1% of all live births. Percent of pre-term births vary between the race-ethnicity groups. Amongst non-Hispanic White women, pre-term births account for 9.7 % of all births. The percent of pre-term births for non-Hispanic Black women is 14.2%, while amongst non-Hispanic Asian women, it is 6.1%. Hispanic women reported 11.4% pre-term births in 2005.

Birth Parity

This birth measurement was reported in prior vital statistics reports as the number of previous live births (reported in Table 47 in prior reports). This measurement was condensed for this Report to indicate the parity of the reported live birth up to 5th or higher order births. For comparison to the presentation of statistics by race in prior vital statistics reports, Table 10a shows birth parity by race and age of mother. 1st parity births in this Report correspond with 0 previous live births in prior reports. Table N10b shows the distribution of birth parity by age of mother, race and Hispanic ethnicity.

In 2005, there were 8,586 first time mothers (1st parity births) of the 22,027 live births reported. The 15 to 19 year old women had the largest number of 1st parity births with 2,544 births. Amongst women aged 40 and above, there were 116 first time mothers. There were 1,426 births that represented 5th or higher order births to Philadelphia women in 2005.

Birth Plurality

Table N11 shows birth plurality (i.e. singleton, twins, triplets, etc.) by age of mother, race and Hispanic ethnicity. This measurement is taken from the reported plurality variable on the live birth certificate. This Report presents only singleton, twin and triplet births. Quadruplets and higher order births are included in the total births reported but not presented in this table.

Characteristics of Labor and Delivery

Complications of labor and delivery data were collected differently beginning in 2003 with the implementation of a revised live birth certificate in Pennsylvania. The revised certificate distributed information about complications across three separate medical and health categories. The 2003-2004 Annual Vital Statistics Report did not report on medical and health information related to complications of labor and delivery. With the

revisions implemented for this Report, characteristics of labor and delivery, which include some of the complications previously reported in reports prior to 2003-2004, will be included.

Table N12 shows characteristics of labor and delivery by age of mother, race and Hispanic ethnicity. The first column on the left reports on the number of births with at least one of the medical items listed in the subsequent columns on the right. These items include: induction of labor; augmentation of labor; non-vertex presentation; steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery; antibiotics received by mother during labor; clinical chorioamnionitis diagnosed during labor or maternal temperature $\geq 38^{\circ}\text{C}$ (100.4°F); moderate/heavy meconium staining of the amniotic fluid; fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitation measures, further fetal assessment, or operative delivery; epidural or spinal anesthesia during labor.

A total of 18,086 births reported having at least one of the medical items listed for characteristics of labor and delivery. Of the listed procedures, 15,483 births utilized epidural or spinal anesthesia during labor.

Maternal Morbidity

Many of the complications of labor and delivery data items were retained under a different data category, “Maternal Morbidity” on the revised live birth certificate. The items in this category include: maternal transfusion; third or fourth degree perineal laceration; ruptured uterus; unplanned hysterectomy; admission to intensive care unit; unplanned operating room procedure following delivery.

Table N13 shows complications of labor and delivery by age of mother, race and Hispanic ethnicity. The first column on the left reports on the number of births with at least one of the complications listed in the subsequent columns on the right. A total of 283 births reported having at least one of the complications listed.

Route and Method of Delivery

The revised live birth certificate has four routes and methods of delivery listed. Only one final route and method of delivery is reported for each live birth recorded. Thus, the four categories are mutually exclusive. Table N14 shows the number and percentage of route and method of delivery by age of mother, race and Hispanic ethnicity. Unknown route and delivery are not presented in this table; therefore, the percentages do not necessarily add up to 100% across the four categories listed.

More than one quarter (27.7%) of all Philadelphia births were delivered by cesarean section. Comparisons to prior years are possible for this medical procedure as previous reports had included statistics on cesarean births. However, information on other routes and methods of delivery were not available in prior this Report.

Abnormal Conditions of Newborn

Seven items of abnormal conditions of newborn are reported on the live birth certificate. The items in this category include: assisted ventilation required immediately following delivery; assisted ventilation required for more than six hours; neonatal intensive care unit (NICU) admission; newborn given surfactant replacement therapy; antibiotics received by the newborn for suspected neonatal sepsis; seizure or serious neurologic dysfunction; significant birth injury (skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention).

Table N15 presents the abnormal conditions of newborn by age of mother, race and Hispanic ethnicity. The first column on the left reports on the number of births with at least one of the conditions listed in the

subsequent columns on the right. 1,965 births reported having at least one of the conditions listed. There were 1,768 NICU admissions reported for 2005 using data from the live birth certificate records.

Congenital Anomalies of Newborn

The live birth certificate list thirteen congenital anomalies. The items in this category include: anencephaly; meningomyelocele/Spina bifida; cyanotic congenital heart disease; omphalocele; gastroschisis; limb reduction defect (excluding congenital amputation and dwarfing syndromes); cleft lip with or without cleft palate; cleft palate alone; Down Syndrome – karotype confirmed; Down Syndrome – karotype pending; suspected chromosomal disorder – karotype confirmed; suspected chromosomal disorder – karotype pending; hypospadias.

Table N16 presents the congenital anomalies of newborn by age of mother, race and Hispanic ethnicity. The first column on the left reports on the number of births with at least one of the congenital anomalies listed in the subsequent columns on the right. The 2005 birth records reported 66 births of having at least one of the congenital anomalies listed.

Other Natality Statistics

The natality section of this Report has been revised to include new health statistics, not previously reported. As part of these revisions, some statistics are no longer being reported in this annual report. Among them are mother's marital status, smoking behavior, and prenatal care utilization. The 2003-2004 report noted large number of records with missing information for one or more data items that are required for the calculation of these statistics. Due in part to data quality issues, these statistics will not be presented in this Report.

Health Data, Statistics and Research Unit will revisit the data quality issues with the Division of Maternal, Child and Family Health (MCFH). It is anticipated that some of these natality statistics will be reported by MCFH in their birth report to be issued after this Report.

Table N1 – Births by Mother's Race and by Ethnicity, 1995-2005

RESIDENT LIVE BIRTHS - TOTALS AND CRUDE BIRTH RATE

		1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005	
		N	rate	N	rate	N	rate	N	rate	N	rate	N	rate	N	rate	N	rate	N	rate	N	rate	N	rate
RESIDENT LIVE BIRTH																							
	<i>White</i>	10,155	12.5	9,633	12.1	9,139	11.8	8,995	11.8	8,865	11.9	8,676	12.7	8,165	12.3	8,129	12.3	6,382	9.0	6,060	8.6	6,033	8.7
	<i>Black</i>	12,252	19.6	11,600	18.7	11,407	18.5	11,524	18.7	11,218	18.3	11,255	17.2	10,870	16.7	10,880	16.7	10,651	15.9	10,697	15.9	10,880	16.2
	<i>Asian</i>	1,169	NA	1,127	NA	1,093	NA	1,072	NA	1,117	NA	1,258	NA	1,220	NA	1,345	NA	1,186	NA	1,235	NA	1,371	19.1
	<i>ALL RACES</i>	23,932	16.0	22,753	15.4	22,038	15.2	22,062	15.4	21,667	15.3	21,849	14.4	21,128	14.2	21,380	14.3	21,313	14.4	21,631	14.7	22,027	15.1
	<i>Hispanic (of any Race)</i>	2,571	NA	2,586	NA	2,437	NA	2,390	NA	2,541	NA	2,565	NA	2,640	NA	2,685	NA	3,326	NA	3,384	NA	3,496	23.3

Rates are per 1,000 estimated residents. Rates are calculated utilizing the PASDC population estimates for the denominators.

Table N2 – Births by Mother's Race & Ethnicity, 2005

RESIDENT LIVE BIRTHS - TOTALS AND CRUDE BIRTH RATE,

LIVE BIRTHS		<i>White, Non-Hispanic</i>	<i>Black, Non-Hispanic</i>	<i>Asian, Non-Hispanic</i>	<i>Hispanic (of any Race)</i>	<i>ALL</i>
	<i>N</i>	5,577	10,380	1,338	3,496	22,027
	<i>Population</i>	578,733	638,195	75,128	145,778	1,463,281
	<i>Rate</i>	9.6	16.3	17.8	24.0	15.1

Rates are per 1,000 estimated residents. Rates are calculated utilizing the Census Bureau population estimates for the denominators.

Table N3 – Births by Mother's, Race and by Ethnicity, 1995-2005

RESIDENT LIVE BIRTHS - TOTALS AND PERCENTAGES

		1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005		
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
RESIDENT LIVE BIRTHS	White	< 15 years	29	0.3	34	0.4	25	0.3	26	0.3	18	0.2	13	0.1	19	0.2	17	0.2	6	0.1	3	0.1	4	0.1
		15 - 17 years	528	5.2	511	5.3	477	5.2	469	5.2	429	4.8	362	4.2	346	4.2	350	4.3	193	3.0	141	2.3	154	2.6
		18 - 19 years	755	7.4	757	7.9	755	8.3	711	7.9	733	8.3	721	8.3	577	7.1	615	7.6	362	5.7	308	5.1	334	5.5
		20 - 24 years	2,306	22.7	2,059	21.4	2,071	22.7	2,094	23.3	2,116	23.9	2,075	23.9	2,071	25.4	1,963	24.1	1,351	21.2	1,210	20.0	1,155	19.1
		25 - 29 years	2,835	27.9	2,751	28.6	2,457	26.9	2,469	27.4	2,363	26.7	2,300	26.5	2,077	25.4	2,141	26.3	1,749	27.4	1,693	27.9	1,752	29.0
		30 - 34 years	2,441	24.0	2,314	24.0	2,153	23.6	2,062	22.9	1,987	22.4	2,042	23.5	1,914	23.4	1,934	23.8	1,712	26.8	1,703	28.1	1,598	26.5
		35 - 39 years	1,028	10.1	988	10.3	970	10.6	958	10.7	948	10.7	949	10.9	949	11.6	892	11.0	829	13.0	817	13.5	809	13.4
		40 & above	196	1.9	191	2.0	185	2.0	167	1.9	223	2.5	193	2.2	211	2.6	206	2.5	173	2.7	174	2.9	219	3.6
		unknown	37	0.4	28	0.3	46	0.5	39	0.4	48	0.5	21	0.2	1	0.0	11	0.1	7	0.1	11	0.2	8	0.1
		ALL AGES	10,155	100.00	9,633	100.0	9,139	100.0	8,995	100.0	8,865	100.0	8,676	100.0	8,165	100.0	8,129	100.0	6,382	100.0	6,060	100.0	6,033	100.0
	Black	< 15 years	128	1.0	113	1.0	84	0.7	82	0.7	87	0.8	94	0.8	86	0.8	64	0.6	60	0.6	53	0.5	66	0.6
		15 - 17 years	1,314	10.7	1,168	10.1	1,086	9.5	1,070	9.3	981	8.7	951	8.4	916	8.4	911	8.4	902	8.5	878	8.2	851	7.8
		18 - 19 years	1,513	12.3	1,414	12.2	1,482	13.0	1,480	12.8	1,366	12.2	1,324	11.8	1,273	11.7	1,301	12.0	1,197	11.2	1,259	11.8	1,365	12.5
		20 - 24 years	3,320	27.1	3,293	28.4	3,228	28.3	3,458	30.0	3,505	31.2	3,609	32.1	3,532	32.5	3,428	31.5	3,362	31.6	3,351	31.3	3,323	30.5
		25 - 29 years	2,807	22.9	2,728	23.5	2,598	22.8	2,639	22.9	2,511	22.4	2,450	21.8	2,396	22.0	2,448	22.5	2,514	23.6	2,475	23.1	2,680	24.6
		30 - 34 years	2,017	16.5	1,800	15.5	1,843	16.2	1,726	15.0	1,642	14.6	1,715	15.2	1,674	15.4	1,642	15.1	1,560	14.6	1,611	15.1	1,533	14.1
		35 - 39 years	950	7.8	881	7.6	892	7.8	840	7.3	894	8.0	870	7.7	812	7.5	866	8.0	805	7.6	834	7.8	804	7.4
		40 & above	182	1.5	180	1.6	171	1.5	194	1.7	208	1.9	222	2.0	178	1.6	209	1.9	228	2.1	191	1.8	222	2.0
		unknown	21	0.2	23	0.2	23	0.2	35	0.3	24	0.2	20	0.2	3	0.0	11	0.1	23	0.2	45	0.4	36	0.3
		ALL AGES	12,252	100.0	11,600	100.0	11,407	100.0	11,524	100.0	11,218	100.0	11,255	100.0	10,870	100.0	10,880	100.0	10,651	100.0	10,697	100.0	10,880	100.0
	Asian	< 15 years	5	0.4	3	0.3	4	0.4	3	0.3	2	0.2	3	0.2	3	0.2	1	0.1	1	0.1	0	0.0	0	0.0
		15 - 17 years	32	2.7	31	2.8	30	2.7	40	3.7	27	2.4	41	3.3	22	1.8	26	1.9	18	1.5	23	1.9	21	1.5
		18 - 19 years	43	3.7	33	2.9	38	3.5	43	4.0	45	4.0	49	3.9	52	4.3	53	3.9	41	3.5	24	1.9	25	1.8
		20 - 24 years	233	19.9	208	18.5	181	16.6	188	17.5	176	15.8	212	16.9	231	18.9	269	20.0	221	18.6	216	17.5	246	17.9
		25 - 29 years	376	32.2	412	36.6	413	37.8	363	33.9	383	34.3	418	33.2	383	31.4	439	32.6	366	30.9	396	32.1	440	32.1

RESIDENT LIVE BIRTHS - TOTALS AND PERCENTAGES

		1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005		
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	
	30 - 34 years	292	25.0	305	27.1	271	24.8	282	26.3	344	30.8	358	28.5	354	29.0	381	28.3	367	30.9	372	30.1	397	29.0	
	35 - 39 years	148	12.7	111	9.8	124	11.3	118	11.0	114	10.2	143	11.4	141	11.6	145	10.8	139	11.7	155	12.6	199	14.5	
	40 & above	39	3.3	22	2.0	31	2.8	30	2.8	18	1.6	31	2.5	34	2.8	28	2.1	31	2.6	44	3.6	40	2.9	
	unknown	1	0.1	2	0.2	1	0.1	5	0.5	8	0.7	3	0.2	3	0.2	3	0.2	2	0.2	5	0.4	3	0.2	
	ALL AGES	1,169	100.0	1,127	100.0	1,093	100.0	1,072	100.0	1,117	100.0	1,258	100.0	1,223	100.0	1,345	100.0	1,186	100.0	1,235	100.0	1,371	100.0	
RESIDENT LIVE BIRTHS	ALL RACES	< 15 years	162	0.7	155	0.7	117	0.5	113	0.5	108	0.5	119	0.5	112	0.5	86	0.4	89	0.4	70	0.3	89	0.4
		15 - 17 years	1,897	7.9	1,743	7.7	1,628	7.4	1,607	7.3	1,464	6.8	1,412	605.0	1,356	6.4	1,375	6.4	1,362	6.4	1,322	6.1	1,298	5.9
		18 - 19 years	2,349	9.8	2,238	9.8	2,308	10.5	2,280	10.3	2,187	10.1	2,173	909.0	2,012	9.5	2,101	9.8	1,939	9.1	2,006	9.3	2,175	9.9
		20 - 24 years	5,984	25.0	5,685	25.0	5,590	25.4	5,869	26.6	5,930	27.4	6,090	27.9	6,108	28.9	5,995	28.0	5,963	28.0	5,988	27.7	5,954	27.0
		25 - 29 years	6,095	25.5	5,983	26.3	5,565	25.3	5,606	25.4	5,384	24.8	5,313	24.3	5,064	24.0	5,240	24.5	5,405	25.4	5,428	25.1	5,826	26.4
		30 - 34 years	4,803	20.1	4,487	19.7	4,341	19.7	4,158	18.8	4,062	18.7	4,220	19.3	4,070	19.3	4,129	19.3	4,060	19.0	4,196	19.4	4,034	18.3
		35 - 39 years	2,159	9.0	2,002	8.8	2,012	9.1	1,946	8.8	1,990	9.2	2,013	9.2	1,964	9.3	1,961	9.2	1,962	9.2	2,047	9.5	2,049	9.3
		40 & above	422	1.8	397	1.7	398	1.8	400	1.8	458	2.1	463	2.1	438	2.1	455	2.1	485	2.3	474	2.2	543	2.5
		unknown	61	0.3	63	0.3	79	0.4	83	0.4	84	0.4	46	0.2	4	0.0	38	0.2	48	0.2	100	0.5	59	0.3
		ALL AGES	23,932	100.0	22,753	100.0	22,038	100.0	22,062	100.0	21,667	100.0	21,849	100.0	21,128	100.0	21,380	100.0	21,313	100.0	21,631	100.0	22,027	100.0
	Hispanic (of any Race)	< 15 years	21	0.8	30	1.2	21	0.9	15	0.6	15	0.6	16	0.6	19	0.7	15	0.6	23	0.7	16	0.5	22	0.6
		15 - 17 years	311	12.1	293	11.3	300	12.3	277	11.6	255	10.0	254	9.9	248	9.4	265	9.9	292	8.8	286	8.5	299	8.6
		18 - 19 years	354	13.8	377	14.6	355	14.6	352	14.7	367	14.4	372	14.5	372	14.1	350	13.0	412	12.4	420	12.4	465	13.3
		20 - 24 years	864	33.6	863	33.4	830	34.1	822	34.4	844	33.2	901	35.1	955	36.2	962	35.8	1,150	34.6	1,172	34.6	1,170	33.5
		25 - 29 years	571	22.2	580	22.4	516	21.2	517	21.6	577	22.7	564	22.0	562	21.3	613	22.8	813	24.4	774	22.9	865	24.7
		30 - 34 years	309	12.0	297	11.5	271	11.1	267	11.2	318	12.5	316	12.3	324	12.3	327	12.2	417	12.5	450	13.3	449	12.8
		35 - 39 years	113	4.4	118	4.6	117	4.8	110	4.6	123	4.8	107	4.2	137	5.2	125	4.7	164	4.9	203	6.0	178	5.1
		40 & above	23	0.9	27	1.0	24	1.0	25	1.0	36	1.4	27	1.1	23	0.9	25	0.9	51	1.5	54	1.6	44	1.3
		unknown	5	0.2	1	0.0	3	0.1	5	0.2	6	0.2	8	0.3	0	0.0	3	0.1	4	0.1	9	0.3	4	0.1
		ALL AGES	2,571	100.0	2,586	100.0	2,437	100.0	2,390	100.0	2,541	100.0	2,565	100.0	2,640	100.0	2,685	100.0	3,326	100.0	3,384	100.0	3,496	100.0

Table N4 – Births by Mother's Age, Race & Ethnicity, 2005

AGE DISTRIBUTION OF MOTHERS – TOTALS AND PERCENTAGES

AGE DISTRIBUTION OF MOTHERS—TOTALS AND PERCENTAGES											
AGE OF MOTHER		White, Non-Hispanic		Black, Non-Hispanic		Asian, Non-Hispanic		Hispanic (of any Race)		ALL	
		N	%	N	%	N	%	N	%	N	%
	< 15	2	0.0	61	0.6	0	0.0	22	0.6	89	0.4
	15 to 17	124	2.2	804	7.7	20	1.5	299	8.6	1,298	5.9
	18 to 19	293	5.3	1,291	12.4	25	1.9	465	13.3	2,175	9.9
	20 to 24	1,031	18.5	3,187	30.7	241	18.0	1,170	33.5	5,954	27.0
	25 to 29	1,622	29.1	2,554	24.6	433	32.4	865	24.7	5,826	26.4
	30 to 34	1,513	27.1	1,471	14.2	385	28.8	449	12.8	4,034	18.3
	35 to 39	774	13.9	766	7.4	194	14.5	178	5.1	2,049	9.3
40 & >	212	3.8	212	2.0	37	2.8	44	1.3	543	2.5	
Unknown	6	0.1	34	0.3	3	0.2	4	0.1	59	0.3	
ALL AGES	5,577	100.0	10,380	100.0	1,338	100.0	3,496	100.0	22,027	100.0	

Table N5 – Birth Weight by Mother’s Race and by Ethnicity, 1995-2005

LOW BIRTH WEIGHT- TOTALS AND PERCENTAGES

LOW BIRTH WEIGHT	1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<i>White</i>	732	7.2	768	8.0	682	7.5	718	8.0	644	7.3	683	7.9	653	8.0	650	8.0	492	7.7	488	8.1	488	8.1
<i>Black</i>	1,823	14.9	1,746	15.1	1,692	14.8	1,602	13.9	1,689	15.1	1,549	13.8	1,549	14.3	1,605	14.8	1,577	14.8	1,559	14.6	1,553	14.3
<i>Asian</i>	95	8.1	107	9.5	83	7.6	92	8.6	79	7.1	76	6.0	116	9.5	112	8.3	80	6.7	108	8.7	95	6.9
<i>ALL RACES</i>	2,684	11.2	2,664	11.7	2,487	11.3	2,453	11.1	2,458	11.3	2,371	10.9	2,385	11.3	2,481	11.6	2,484	11.7	2,609	12.1	2,484	11.3
<i>Hispanic (of any Race)</i>	263	10.2	270	10.4	247	10.1	245	10.3	252	9.9	242	9.4	249	9.4	253	9.4	344	10.3	412	12.2	332	9.5

Table N6a – Low Birth Weight by Mother's Age and Race, 2005

LOW BIRTH WEIGHT - TOTALS AND PERCENTAGES

LOW BIRTH WEIGHT	<i>White</i>		<i>Black</i>		<i>Asian</i>		<i>ALL RACES</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
< 15	0	0.0	17	25.8	0	0.0	19	21.3
15 to 17	15	9.7	110	12.9	2	9.5	167	12.9
18 to 19	24	7.2	177	13.0	4	16.0	248	11.4
20 to 24	95	8.2	464	14.0	21	8.5	679	11.4
25 to 29	128	7.3	390	14.6	28	6.4	623	10.7
30 to 34	125	7.8	205	13.4	18	4.5	398	9.9
35 to 39	86	10.6	147	18.3	19	9.5	279	13.6
40 & >	15	6.8	37	16.7	3	7.5	64	11.8
Unknown	0	0.0	6	16.7	0	0.0	7	11.9
ALL AGES	488	8.1	1,553	14.3	95	6.9	2,484	11.3

Table N6b – Low Birth Weight by Mother's Age, Race & Ethnicity, 2005

LOW BIRTH WEIGHT - TOTALS AND PERCENTAGES											
LOW BIRTH WEIGHT	White, Non-Hispanic		Black, Non-Hispanic		Asian, Non-Hispanic		Hispanic (of any Race)		ALL		
	N	%	N	%	N	%	N	%	N	%	
	< 15	0	0.0	14	23.0	0	0.0	5	22.7	19	21.3
	15 to 17	12	9.7	102	12.7	2	10.0	45	15.1	167	12.9
	18 to 19	20	6.8	170	13.2	4	16.0	42	9.0	248	11.4
	20 to 24	87	8.4	437	13.7	19	7.9	107	9.1	679	11.4
	25 to 29	115	7.1	374	14.6	28	6.5	67	7.7	623	10.7
	30 to 34	121	8.0	193	13.1	18	4.7	41	9.1	398	9.9
	35 to 39	84	10.9	139	18.1	19	9.8	21	11.8	279	13.6
	40 & >	15	7.1	35	16.5	2	5.4	4	9.1	64	11.8
	Unknown	0	0.0	5	14.7	0	0.0	0	0.0	7	11.9
	ALL AGES	454	8.1	1,469	14.2	92	6.9	332	9.5	2,484	11.3

Table N7 – Very Low Birth Weight by Mother's Race and by Ethnicity, 1995-2005

VERY LOW BIRTH WEIGHT- TOTALS AND PERCENTAGES

VERY LOW BIRTH WEIGHT	1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<i>White</i>	129	1.2	135	1.5	140	1.5	154	1.7	120	1.4	130	1.5	116	1.5	136	1.6	79	1.2	133	2.2	93	1.5
<i>Black</i>	444	3.6	397	3.4	412	3.7	392	3.4	399	3.5	355	3.2	351	3.3	387	3.5	350	3.3	454	4.2	362	3.3
<i>Asian</i>	12	1.0	9	0.8	13	1.2	13	1.3	7	0.7	10	0.8	14	1.2	13	0.9	10	0.8	15	1.2	10	0.7
<i>TOTAL</i>	593	2.6	549	2.4	572	2.6	567	2.5	539	2.5	515	2.4	492	2.4	605	2.6	517	2.4	740	3.4	555	2.5
<i>Hispanic (of any Race)</i>	44	1.8	51	1.9	58	2.4	48	2.0	40	1.6	51	2.0	49	1.9	51	1.9	67	2.0	112	3.4	74	2.1

Table N8a – Very Low Birth Weight by Mother's Age and Race, 2005

VERY LOW BIRTH WEIGHT - TOTALS AND PERCENTAGES

VERY LOW BIRTH WEIGHT	<i>White</i>		<i>Black</i>		<i>Asian</i>		<i>ALL RACES</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>< 15</i>	0	0.0	4	6.1	0	0.0	5	5.6
<i>15 to 17</i>	1	0.6	22	2.6	0	0.0	34	2.6
<i>18 to 19</i>	6	1.8	39	2.9	1	4.0	54	2.5
<i>20 to 24</i>	22	1.9	104	3.1	1	0.4	149	2.5
<i>25 to 29</i>	27	1.5	91	3.4	3	0.7	142	2.4
<i>30 to 34</i>	20	1.3	60	3.9	0	0.0	92	2.3
<i>35 to 39</i>	16	2.0	33	4.1	4	2.0	63	3.1
<i>40 & ></i>	1	0.5	8	3.6	1	2.5	14	2.6
<i>Unknown</i>	0	0.0	1	2.8	0	0.0	2	3.4
<i>ALL AGES</i>	93	1.5	362	3.3	10	0.7	555	2.5

Table N8b – Very Low Birth Weight by Mother’s Age, Race & Ethnicity, 2005

VERY LOW BIRTH WEIGHT- TOTALS AND PERCENTAGES

VERY LOW BIRTH WEIGHT		White, Non-Hispanic		Black, Non-Hispanic		Asian, Non-Hispanic		Hispanic (of any Race)		ALL	
		N	%	N	%	N	%	N	%	N	%
	< 15	0	0.0	3	4.9	0	0.0	2	9.1	5	5.6
	15 to 17	1	0.8	20	2.5	0	0.0	12	4.0	34	2.6
	18 to 19	6	2.0	38	2.9	1	4.0	5	1.1	54	2.5
	20 to 24	20	1.9	98	3.1	0	0.0	26	2.2	149	2.5
	25 to 29	23	1.4	86	3.4	3	0.7	15	1.7	142	2.4
	30 to 34	20	1.3	56	3.8	0	0.0	7	1.6	92	2.3
	35 to 39	16	2.1	31	4.0	4	2.1	5	2.8	63	3.1
	40 & >	1	0.5	8	3.8	1	2.7	2	4.5	14	2.6
	Unknown	0	0.0	1	2.9	0	0.0	0	0.0	2	3.4
	ALL AGES	87	1.6	341	3.3	9	0.7	74	2.1	555	2.5

Table N9 – Gestational Age by Mother's Age, Race and Ethnicity, 2005

GESTATIONAL AGE - TOTALS AND PERCENTAGES

		Pre-Term		Term		Post-term		
		N	%	N	%	N	%	
GESTATIONAL AGE	White, Non-Hispanic	Under 15	0	0.0	2	100.0	0	0.0
		15 to 19	34	8.2	372	89.2	3	0.7
		20 to 24	74	7.2	912	88.5	10	1.0
		25 to 29	144	8.9	1,428	88.0	6	0.4
		30 to 34	151	10.0	1,317	87.0	6	0.4
		35 to 39	111	14.3	638	82.4	5	0.6
		40 and above	25	11.8	183	86.3	0	0.0
		Unknown	0	0.0	6	100.0	0	0.0
		ALL AGES	539	9.7	4,858	87.1	30	0.5
	Black, Non-Hispanic	Under 15	10	16.4	48	78.7	0	0.0
		15 to 19	257	12.3	1,735	82.8	13	0.6
		20 to 24	421	13.2	2,636	82.7	24	0.8
		25 to 29	377	14.8	2,060	80.7	9	0.4
		30 to 34	210	14.3	1,193	81.1	9	0.6
		35 to 39	149	19.5	587	76.6	0	0.0
		40 and above	44	20.8	164	77.4	2	0.9
		Unknown	6	17.6	27	79.4	0	0.0
		ALL AGES	1,474	14.2	8,450	81.4	57	0.5
	Asian, Non-Hispanic	Under 15	0	0.0	0	0.0	0	0.0
		15 to 19	2	4.4	41	91.1	0	0.0
		20 to 24	11	4.6	210	87.1	2	0.8
		25 to 29	23	5.3	381	88.0	6	1.4
		30 to 34	23	6.0	350	90.9	3	0.8
		35 to 39	19	9.8	160	82.5	0	0.0
		40 and above	3	8.1	32	86.5	0	0.0
		Unknown	1	33.3	2	66.7	0	0.0
		ALL AGES	82	6.1	1,176	87.9	11	0.8
	Hispanic (of any Race)	Under 15	4	18.2	16	72.7	0	0.0
		15 to 19	88	11.5	659	86.3	2	0.3
		20 to 24	133	11.4	997	85.2	11	0.9
		25 to 29	87	10.1	750	86.7	2	0.2
		30 to 34	54	12.0	374	83.3	3	0.7
		35 to 39	28	15.7	143	80.3	1	0.6
		40 and above	5	11.4	37	84.1	0	0.0
		Unknown	0	0.0	4	100.0	0	0.0
		All Ages	399	11.4	2,980	85.2	19	0.5
ALL	Under 15	16	18.0	68	76.4	0	0.0	
	15 to 19	398	11.5	2,939	84.6	19	0.5	
	20 to 24	676	11.4	5,033	84.5	48	0.8	
	25 to 29	688	11.8	4,903	84.2	26	0.4	
	30 to 34	466	11.6	3,408	84.5	21	0.5	
	35 to 39	331	16.2	1,635	79.8	8	0.4	
	40 and above	85	15.7	444	81.8	2	0.4	
	Unknown	9	15.3	48	81.4	0	0.0	
	ALL AGES	2,669	12.1	18,478	83.9	124	0.6	

Table N10a – Birth Parity by Mother’s Age and Race, 2005

		<i>1st</i>	<i>2nd</i>	<i>3rd</i>	<i>4th</i>	<i>5th or ></i>
		<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>
BIRTH PARITY	White	<i>Under 15</i>	4	0	0	0
		<i>15 to 19</i>	393	66	10	0
		<i>20 to 24</i>	644	300	106	9
		<i>25 to 29</i>	741	502	231	59
		<i>30 to 34</i>	631	484	221	52
		<i>35 to 39</i>	256	259	129	45
		<i>40 and above</i>	64	62	27	25
		<i>Unknown</i>	3	3	0	0
		<i>ALL AGES</i>	2,736	1676	724	190
	Black	<i>Under 15</i>	62	2	0	0
		<i>15 to 19</i>	1,599	409	71	5
		<i>20 to 24</i>	1,239	1077	537	84
		<i>25 to 29</i>	516	729	580	330
		<i>30 to 34</i>	261	350	312	269
		<i>35 to 39</i>	115	171	150	180
		<i>40 and above</i>	34	40	38	71
		<i>Unknown</i>	10	8	4	6
		<i>ALL AGES</i>	3,836	2786	1,692	945
	Asian	<i>Under 15</i>	0	0	0	0
		<i>15 to 19</i>	38	6	0	0
		<i>20 to 24</i>	144	60	18	2
		<i>25 to 29</i>	241	122	37	8
		<i>30 to 34</i>	168	133	50	9
		<i>35 to 39</i>	57	64	39	15
		<i>40 and above</i>	10	8	9	3
		<i>Unknown</i>	1	0	0	1
		<i>ALL AGES</i>	659	393	153	38
	ALL	<i>Under 15</i>	84	3	0	0
		<i>15 to 19</i>	2,544	636	117	5
		<i>20 to 24</i>	2,491	1872	868	124
		<i>25 to 29</i>	1,716	1621	1,076	487
		<i>30 to 34</i>	1,150	1111	692	405
		<i>35 to 39</i>	467	560	376	277
		<i>40 and above</i>	116	121	87	121
		<i>Unknown</i>	18	11	6	7
		<i>ALL AGES</i>	8,586	5935	3,222	1,426

Table N10b – Birth Parity by Mother's Age, Race & Ethnicity, 2005

		<i>1st</i>	<i>2nd</i>	<i>3rd</i>	<i>4th</i>	<i>5th or ></i>
		<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>	<i>N</i>
BIRTH PARITY	White, Non-Hispanic	<i>Under 15</i>	2	0	0	0
		<i>15 to 19</i>	338	55	8	0
		<i>20 to 24</i>	593	263	95	6
		<i>25 to 29</i>	700	466	213	51
		<i>30 to 34</i>	602	459	210	44
		<i>35 to 39</i>	245	247	124	42
		<i>40 and above</i>	61	61	27	23
		<i>Unknown</i>	3	1	0	0
		<i>ALL AGES</i>	2,544	1,552	677	276
	Black, Non-Hispanic	<i>Under 15</i>	58	1	0	0
		<i>15 to 19</i>	1,512	385	65	12
		<i>20 to 24</i>	1,192	1,028	519	191
		<i>25 to 29</i>	497	701	552	331
		<i>30 to 34</i>	254	338	303	219
		<i>35 to 39</i>	112	169	145	110
		<i>40 and above</i>	32	39	37	22
		<i>Unknown</i>	9	8	3	1
		<i>ALL AGES</i>	3,666	2,669	1,624	886
	Asian, Non-Hispanic	<i>Under 15</i>	0	0	0	0
		<i>15 to 19</i>	38	5	0	0
		<i>20 to 24</i>	141	60	17	4
		<i>25 to 29</i>	236	121	37	10
		<i>30 to 34</i>	162	130	50	13
		<i>35 to 39</i>	56	63	36	12
		<i>40 and above</i>	9	8	8	7
		<i>Unknown</i>	1	0	0	0
		<i>ALL AGES</i>	643	387	148	46
	Hispanic (of any Race)	<i>Under 15</i>	20	2	0	0
		<i>15 to 19</i>	547	158	39	3
		<i>20 to 24</i>	419	407	201	79
		<i>25 to 29</i>	178	259	203	118
		<i>30 to 34</i>	92	134	90	50
		<i>35 to 39</i>	33	58	42	18
		<i>40 and above</i>	6	11	9	7
		<i>Unknown</i>	1	2	0	1
		<i>ALL AGES</i>	1,296	1,031	584	276
	ALL	<i>Under 15</i>	84	3	0	0
		<i>15 to 19</i>	2,544	636	117	15
		<i>20 to 24</i>	2,491	1,872	868	317
		<i>25 to 29</i>	1,716	1,621	1,076	597
		<i>30 to 34</i>	1,150	1,111	692	393
		<i>35 to 39</i>	467	560	376	214
		<i>40 and above</i>	116	121	87	57
		<i>Unknown</i>	18	11	6	3
		<i>ALL AGES</i>	8,586	5,935	3,222	1,596

Table N11 – Birth Plurality by Mother’s Age, Race & Ethnicity, 2005

		Singleton	Twins	Triplets	
		N	N	N	
BIRTH PLURALITY	White, Non-Hispanic	Under 15	2	0	0
		15 to 19	407	10	0
		20 to 24	1,013	18	0
		25 to 29	1,573	46	3
		30 to 34	1,432	78	3
		35 to 39	734	40	0
		40 and above	194	18	0
		Unknown	6	0	0
		ALL AGES	5,361	210	6
	Black, Non-Hispanic	Under 15	61	0	0
		15 to 19	2,057	35	3
		20 to 24	3,072	114	0
		25 to 29	2,396	155	3
		30 to 34	1,425	46	0
		35 to 39	740	26	0
		40 and above	208	4	0
		Unknown	34	0	0
		ALL AGES	9,993	380	6
	Asian, Non-Hispanic	Under 15	0	0	0
		15 to 19	45	0	0
		20 to 24	239	2	0
		25 to 29	425	8	0
		30 to 34	381	4	0
		35 to 39	188	6	0
		40 and above	37	0	0
		Unknown	3	0	0
		ALL AGES	1,318	20	0
	Hispanic (of any Race)	Under 15	20	2	0
		15 to 19	756	8	0
		20 to 24	1,138	32	0
		25 to 29	849	16	0
		30 to 34	439	10	0
		35 to 39	172	3	3
		40 and above	44	0	0
		Unknown	4	0	0
		ALL AGES	3,422	71	3
	ALL	Under 15	87	2	0
		15 to 19	3,417	53	3
		20 to 24	5,786	167	0
		25 to 29	5,584	233	9
		30 to 34	3,890	138	6
		35 to 39	1,970	76	3
		40 and above	519	24	0
		Unknown	59	0	0
		ALL AGES	21,312	693	21

Table N12 – Labor and Delivery by Mother’s Age, Race and Ethnicity, 2005

		<i>At least one procedure</i>	<i>Induction of labor</i>	<i>Augmentation of labor</i>	<i>Non-vertex present</i>	<i>Steroids</i>	<i>Antibiotics</i>	<i>Clinical Chorioamnionitis</i>	<i>Meconium staining</i>	<i>Fetal intolerance of labor</i>	<i>Anesthesia during labor</i>
CHARACTERISTICS OF LABOR AND DELIVERY	White, Non-Hispanic	< 15 years	2	0	0	0	1	0	1	0	2
		15 - 17 years	112	18	47	2	3	2	7	3	103
		18 - 19 years	266	66	98	4	3	9	18	28	245
		20 - 24 years	908	248	292	18	8	19	40	67	829
		25 - 29 years	1,396	370	452	36	14	17	54	88	1,262
		30 - 34 years	1,284	306	414	38	13	21	64	92	1,180
		35 - 39 years	642	144	177	26	12	13	39	53	583
		40 & above	179	46	55	7	0	2	7	14	163
		ALL AGES	4,794	1,198	1,538	131	53	83	230	345	4,371
	Black, Non-Hispanic	< 15 years	53	11	16	0	4	3	5	6	46
		15 - 17 years	697	131	294	9	17	34	48	69	601
		18 - 19 years	1,090	199	474	13	19	63	71	115	951
		20 - 24 years	2,614	454	1,030	62	61	99	172	252	2,265
		25 - 29 years	2,020	357	694	61	52	63	137	194	1,707
		30 - 34 years	1,158	198	358	39	36	26	107	115	965
		35 - 39 years	607	132	152	18	20	8	45	66	515
		40 & above	175	34	46	13	11	4	13	33	149
		ALL AGES	8,442	1,517	3,071	215	220	302	600	852	7,225
	Asian, Non-Hispanic	< 15 years	0	0	0	0	0	0	0	0	0
		15 - 17 years	16	1	5	0	0	3	1	1	14
		18 - 19 years	20	4	10	0	0	1	1	2	17
		20 - 24 years	202	27	96	8	2	9	20	10	164
		25 - 29 years	349	68	152	3	3	16	16	34	293
		30 - 34 years	304	58	118	8	2	10	9	25	257
		35 - 39 years	148	25	56	5	4	5	7	15	116
		40 & above	33	2	13	1	1	1	1	3	21
		ALL AGES	1,075	186	451	26	12	46	55	91	884
	Hispanic (of any Race)	< 15 years	16	4	4	0	3	1	1	0	9
		15 - 17 years	250	56	109	2	9	14	16	11	198
		18 - 19 years	371	72	183	9	11	17	23	18	291
		20 - 24 years	941	175	420	24	20	44	50	50	730
		25 - 29 years	662	141	272	14	20	28	42	31	533
		30 - 34 years	359	75	141	13	6	11	23	26	289
		35 - 39 years	139	26	44	6	11	4	9	9	113
		40 & above	37	10	6	0	0	1	1	2	26
		ALL AGES	2,778	559	1,181	68	80	120	165	147	2,191
	ALL	< 15 years	74	15	22	0	7	4	7	6	59
		15 - 17 years	1,119	214	475	15	29	55	74	89	952
		18 - 19 years	1,830	354	794	29	34	93	118	174	1,574
		20 - 24 years	4,936	953	1,943	120	93	181	314	407	4,208
		25 - 29 years	4,706	985	1,674	129	96	133	267	383	4,024
		30 - 34 years	3,266	663	1,090	103	58	72	218	272	2,825
		35 - 39 years	1,653	349	468	64	51	35	111	162	1,416
		40 & above	455	96	130	24	14	10	25	55	383
		ALL AGES	18,086	3,633	6,610	486	382	586	1,137	1,551	15,483

Table N13 – Maternal Morbidity by Mother's Age, Race and Ethnicity, 2005

		<i>At least one procedure</i>	<i>Maternal transfusion</i>	<i>Perinatal laceration</i>	<i>Ruptured uterus</i>	<i>Unplanned hysterectomy</i>	<i>Admission to intensive care</i>	<i>Unplanned operation</i>
COMPLICATIONS OF LABOR AND DELIVERY	White, Non-Hispanic	< 15 years	0	0	0	0	0	0
		15 - 17 years	1	0	1	0	0	0
		18 - 19 years	5	0	4	0	0	1
		20 - 24 years	12	0	9	0	3	0
		25 - 29 years	24	4	17	0	2	3
		30 - 34 years	17	2	13	0	3	2
		35 - 39 years	6	0	4	0	0	2
		40 & above	3	1	1	0	0	1
		ALL AGES	68	7	49	0	8	9
	Black, Non-Hispanic	< 15 years	3	0	3	0	0	0
		15 - 17 years	19	2	16	0	0	1
		18 - 19 years	15	2	10	0	1	2
		20 - 24 years	35	12	20	1	2	2
		25 - 29 years	20	6	11	1	0	2
		30 - 34 years	12	6	3	0	2	4
		35 - 39 years	6	3	1	0	1	2
		40 & above	4	2	0	1	3	1
		ALL AGES	115	33	64	2	10	14
	Asian, Non-Hispanic	< 15 years	0	0	0	0	0	0
		15 - 17 years	0	0	0	0	0	0
		18 - 19 years	1	0	1	0	0	0
		20 - 24 years	8	0	7	0	1	0
		25 - 29 years	16	1	14	1	0	0
		30 - 34 years	4	0	4	0	0	0
		35 - 39 years	6	1	5	0	0	0
		40 & above	0	0	0	0	0	0
		ALL AGES	35	2	31	1	1	0
	Hispanic (of any Race)	< 15 years	0	0	0	0	0	0
		15 - 17 years	3	0	3	0	0	0
		18 - 19 years	5	3	2	0	0	0
		20 - 24 years	15	4	11	0	0	0
		25 - 29 years	14	3	11	0	0	0
		30 - 34 years	3	0	0	1	2	0
		35 - 39 years	3	3	0	0	0	0
		40 & above	0	0	0	0	0	0
		ALL AGES	43	13	27	1	2	0
	ALL	< 15 years	3	0	3	0	0	0
		15 - 17 years	24	3	20	0	0	1
		18 - 19 years	27	5	18	0	1	3
		20 - 24 years	76	16	53	1	6	2
		25 - 29 years	81	16	57	2	3	5
		30 - 34 years	38	8	22	1	7	6
		35 - 39 years	25	7	12	0	1	6
		40 & above	8	3	2	1	3	2
		ALL AGES	283	58	187	4	22	25

Table N14 – Method of Delivery by Mother's Age, Race and Ethnicity, 2005

ROUTE AND METHOD OF DELIVERY – TOTAL AND PERCENTAGES

		ROUTE AND METHOD OF DELIVERY - TOTAL AND PERCENTAGES								
		Vaginal/Spontaneous		Vaginal/Forceps		Vaginal/Vacuum		Cesarean		
		N	%	N	%	N	%	N	%	
ROUTE AND METHOD OF DELIVERY	White, Non-Hispanic	Under 15	1	50.0	0	0.0	0	0.0	1	50.0
		15 to 17	98	79.0	1	0.8	6	4.8	19	15.3
		18 to 19	178	60.8	12	4.1	30	10.2	71	24.2
		20 to 24	693	67.2	14	1.4	71	6.9	243	23.6
		25 to 29	1,052	64.9	27	1.7	101	6.2	417	25.7
		30 to 34	892	59.0	10	0.7	92	6.1	507	33.5
		35 to 39	431	55.7	7	0.9	44	5.7	282	36.4
		40 and above	103	48.6	1	0.5	14	6.6	94	44.3
		ALL AGES	3,452	61.9	72	1.3	359	6.4	1,635	29.3
	Black, Non-Hispanic	Under 15	49	80.3	2	3.3	5	8.2	5	8.2
		15 to 17	579	72.0	10	1.2	39	4.9	174	21.6
		18 to 19	908	70.3	22	1.7	60	4.7	297	23.0
		20 to 24	2,219	69.6	39	1.2	115	3.6	792	24.9
		25 to 29	1,754	68.7	18	0.7	61	2.4	702	27.5
		30 to 34	935	63.6	5	0.3	32	2.2	487	33.1
		35 to 39	430	56.1	2	0.3	19	2.5	310	40.5
		40 and above	92	43.4	2	0.9	6	2.8	112	52.8
		ALL AGES	6,983	67.3	102	1.0	338	3.3	2,891	27.9
	Asian, Non-Hispanic	Under 15	0	0.0	0	0.0	0	0.0	0	0.0
		15 to 17	15	75.0	0	0.0	2	10.0	3	15.0
		18 to 19	19	76.0	1	4.0	3	12.0	2	8.0
		20 to 24	175	72.6	3	1.2	25	10.4	36	14.9
		25 to 29	274	63.3	18	4.2	39	9.0	101	23.3
		30 to 34	225	58.4	5	1.3	34	8.8	117	30.4
		35 to 39	121	62.4	3	1.6	8	4.1	61	31.4
		40 and above	19	51.4	0	0.0	0	0.0	18	48.7
		ALL AGES	849	63.5	30	2.2	111	8.3	340	25.4
	Hispanic (of any Race)	Under 15	12	54.6	3	13.6	1	4.6	5	22.7
		15 to 17	230	76.9	8	2.7	15	5.0	45	15.1
		18 to 19	351	75.5	6	1.3	21	4.5	85	18.3
		20 to 24	801	68.5	25	2.1	40	3.4	302	25.8
		25 to 29	591	68.3	7	0.8	22	2.5	240	27.8
		30 to 34	275	61.3	3	0.7	15	3.3	155	34.5
		35 to 39	83	46.6	1	0.6	11	6.2	83	46.6
		40 and above	27	61.4	0	0.0	1	2.3	16	36.4
		ALL AGES	2,372	67.9	53	1.5	126	3.6	932	26.7
	ALL	Under 15	65	73.0	5	5.6	7	7.9	11	12.4
		15 to 17	965	74.4	19	1.5	64	4.9	247	19.0
		18 to 19	1,534	70.5	41	1.9	120	5.5	471	21.7
		20 to 24	4,126	69.3	87	1.5	268	4.5	1,432	24.1
		25 to 29	3,921	67.3	73	1.3	236	4.1	1,542	26.5
		30 to 34	2,460	61.0	30	0.7	176	4.4	1,333	33.0
		35 to 39	1,146	55.9	14	0.7	86	4.2	786	38.4
		40 and above	262	48.3	4	0.7	21	3.9	256	47.2
		ALL AGES	14,512	65.9	276	1.3	980	4.5	6,096	27.7

Table N15 – Abnormal Conditions of Newborn by Mother's Age, Race and Ethnicity, 2005

		At least one condition	Assisted Ventilation	Assisted ventilation 6 hours +	Admission to NICU	Surfactant replacement therapy	Newborn antibiotics	Seizure	Significant birth injury
ABNORMAL CONDITIONS OF NEWBORN	White, Non-Hispanic	< 15 years	0	0	0	0	0	0	0
		15 - 17 years	14	7	4	11	0	3	0
		18 - 19 years	20	10	8	18	1	6	1
		20 - 24 years	73	29	27	68	5	22	1
		25 - 29 years	97	33	19	85	6	28	1
		30 - 34 years	104	28	24	97	8	34	1
		35 - 39 years	64	17	13	56	1	15	0
		40 & above	17	2	1	16	0	4	0
		ALL AGES	389	126	96	351	21	112	4
	Black, Non-Hispanic	< 15 years	14	3	2	13	0	2	0
		15 - 17 years	77	16	15	72	3	19	1
		18 - 19 years	142	39	38	128	15	48	1
		20 - 24 years	313	76	61	282	19	92	0
		25 - 29 years	273	72	66	243	28	90	1
		30 - 34 years	169	42	41	148	15	50	1
		35 - 39 years	105	26	15	99	9	32	1
		40 & above	34	5	4	33	2	11	0
		ALL AGES	1,135	281	242	1,026	91	345	5
	Asian, Non-Hispanic	< 15 years	0	0	0	0	0	0	0
		15 - 17 years	2	0	0	2	0	0	0
		18 - 19 years	1	0	0	1	0	0	0
		20 - 24 years	17	3	2	15	1	6	0
		25 - 29 years	27	3	1	23	1	7	0
		30 - 34 years	13	0	1	12	0	3	0
		35 - 39 years	21	4	1	20	0	5	0
		40 & above	3	0	0	3	0	0	0
		ALL AGES	85	10	5	77	2	21	0
	Hispanic (of any Race)	< 15 years	2	0	0	2	0	0	0
		15 - 17 years	28	9	3	26	1	7	0
		18 - 19 years	27	5	4	23	2	11	0
		20 - 24 years	74	19	15	63	4	15	0
		25 - 29 years	55	12	10	49	1	9	0
		30 - 34 years	27	4	3	25	1	4	0
		35 - 39 years	18	4	1	16	0	7	0
		40 & above	4	2	1	3	0	0	0
		ALL AGES	235	55	37	207	9	53	0
	ALL	< 15 years	17	3	2	16	0	3	0
		15 - 17 years	124	33	23	113	4	30	1
		18 - 19 years	198	59	52	175	18	67	2
		20 - 24 years	507	136	115	454	33	148	1
		25 - 29 years	491	130	107	435	41	144	3
		30 - 34 years	332	75	73	299	26	97	2
		35 - 39 years	222	56	34	205	12	65	1
		40 & above	65	12	7	62	2	17	0
		ALL AGES	1,965	506	413	1,768	136	572	10

Table N16 – Congenital Anomalies of Newborn by Mother's Age, Race and Ethnicity, 2005

		At least one of the congenital anomalies listed	Anencephaly	Meningocele/Spina Bifida	Cyanotic congenital heart disease	Diaphragmatic hernia	Omphalocele	Gastroschisis	Lim reduction defect	Cleft lip with or without cleft palate	Cleft palate alone	Down Syndrome – karyotype confirmed	Down Syndrome – karyotype pending	Suspected chromosomal disorder – karyotype confirmed	Suspected chromosomal disorder – karyotype pending	Hypospadia
White, Non-Hispanic		< 15 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		15 - 17 years	1	0	0	0	0	1	0	0	0	0	0	0	0	0
		18 - 19 years	1	0	0	0	0	0	0	0	0	0	1	0	0	0
		20 - 24 years	4	0	0	1	0	1	0	0	0	0	0	0	1	1
		25 - 29 years	4	0	0	1	0	0	0	2	0	0	0	1	0	0
		30 - 34 years	4	0	0	2	0	0	0	0	0	0	2	0	0	0
		35 - 39 years	3	0	0	1	0	0	0	0	0	0	0	1	0	1
		40 & above	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		ALL AGES	17	0	0	5	0	2	0	2	0	0	3	2	1	2
Black, Non-Hispanic		< 15 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		15 - 17 years	2	0	0	1	0	0	0	0	0	0	0	0	0	1
		18 - 19 years	5	0	1	0	0	2	1	0	0	1	0	0	0	0
		20 - 24 years	12	1	0	3	2	0	1	0	1	1	1	0	1	3
		25 - 29 years	6	0	0	1	0	1	0	0	0	0	1	0	2	2
		30 - 34 years	2	0	0	0	1	0	0	0	0	0	0	0	0	0
		35 - 39 years	2	0	0	0	0	0	0	0	0	0	0	0	0	2
		40 & above	2	0	0	0	0	0	0	0	0	0	1	1	0	0
		ALL AGES	31	1	1	5	3	3	2	0	1	2	3	1	3	8
Asian, Non-Hispanic		< 15 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		15 - 17 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		18 - 19 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		20 - 24 years	1	0	0	1	0	0	0	0	0	0	0	0	0	0
		25 - 29 years	1	0	0	1	0	0	0	0	0	0	0	0	0	0
		30 - 34 years	1	0	0	0	0	0	0	0	1	0	0	0	0	0
		35 - 39 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		40 & above	1	0	0	0	0	0	0	0	0	0	0	0	1	0
		unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		ALL AGES	4	0	0	2	0	0	0	0	1	0	0	0	1	0
Hispanic (of any Race)		< 15 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		15 - 17 years	2	0	0	0	0	0	0	0	0	0	1	0	1	0
		18 - 19 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		20 - 24 years	4	0	0	2	0	1	0	0	0	1	0	0	0	0
		25 - 29 years	1	0	0	1	0	0	0	0	0	0	0	0	0	0
		30 - 34 years	1	1	0	0	0	0	0	0	0	0	0	0	0	0
		35 - 39 years	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		40 & above	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		ALL AGES	8	1	0	3	0	1	0	0	0	1	1	0	1	0

<i>ALL</i>	<i>< 15 years</i>	<i>At least one of the congenital anomalies listed</i>	<i>Anencephaly</i>	<i>Meningocele/Spina Bifida</i>	<i>Cyanotic congenital heart disease</i>	<i>Diaphragmatic hernia</i>	<i>Omphalocele</i>	<i>Gastroschisis</i>	<i>Lim reduction defect</i>	<i>Cleft lip with or without cleft palate</i>	<i>Cleft palate alone</i>	<i>Down Syndrome –karotype confirmed</i>	<i>Down Syndrome – karotype pending</i>	<i>Suspected chromosomal disorder – karotype confirmed</i>	<i>Suspected chromosomal disorder – karotype pending</i>	<i>Hypospadia</i>
	<i>15 - 17 years</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	<i>18 - 19 years</i>	5	0	0	1	0	0	1	0	0	0	0	1	0	1	1
	<i>20 - 24 years</i>	6	0	1	0	0	0	2	1	0	0	1	1	0	0	0
	<i>25 - 29 years</i>	22	1	0	7	2	0	3	1	0	1	2	1	0	2	4
	<i>30 - 34 years</i>	14	0	0	5	0	0	1	0	2	1	0	1	1	2	2
	<i>35 - 39 years</i>	9	1	0	2	1	1	0	0	0	1	0	2	0	1	0
	<i>40 & above</i>	6	0	0	1	0	0	0	0	0	0	0	0	2	0	3
	<i>ALL AGES</i>	3	0	0	0	0	0	0	0	0	0	0	1	1	1	0
	<i>ALL AGES</i>	66	3	1	16	3	1	7	2	2	3	3	7	4	7	10

Table N17 – Top 10 Baby Names by Gender of Infant, 2005

TOP TEN BABY NAMES		Female Infant		Male Infant	
		Name	N	Name	N
	1	KAYLA	93	MICHAEL	156
	2	DESTINY	79	ANTHONY	140
	3	EMILY	69	CHRISTOPHER	125
	4	MADISON	61	JOSEPH	123
	5	SAMANTHA	53	JOSHUA	102
	6	ANGELINA	52	DANIEL	101
	7	AVA	50	NICHOLAS	99
	8	BRIANNA	50	MATTHEW	97
	9	MAKAYLA	49	JOHN	84
	10	OLIVIA	48	ISAIAH	82

Mortality Section

There were 15,459 deaths recorded for residents of Philadelphia in 2005. Resident deaths include all events to Philadelphia residents regardless if the place of death is within or outside the City limits. All mortality data are derived from the death certificate, which are registered with Pennsylvania Department of Health.

Key Mortality Statistics

Table M1 shows the number of resident deaths, infant, neonatal, post-neonatal and perinatal deaths from 1995 to 2005. The 2005 crude death rate for Philadelphia residents was calculated at 10.6 deaths per 1,000 resident population.

Infant mortality rate for 2005 was 11.3 infant deaths per 1,000 live births. This rate represents an increase from 2004.

Perinatal mortality numbered 230 in 2005, with a rate of 10.4 deaths per 1,000 live births plus late fetal deaths (i.e. stillborns). This Report reintroduces this key mortality statistics, which have not been reported in the preceding 10 years.

Mortality Differences by Race and Ethnicity

Key mortality statistics were calculated for three race groups and one ethnic minority group. Table M2 shows the number resident deaths, infant, neonatal, post-neonatal and perinatal deaths by race and by ethnicity from 1995 to 2005. The presentation of mortality statistics are by race and by ethnicity individually in this table. Hence, the numbers of White, Black or Asian deaths include individuals for whom Hispanic ethnicity was reported. The Hispanic ethnicity category includes Hispanics of any race, including White, Black or Asian. The race and ethnicity categories in this table are not mutually exclusive. This table enables the comparison to mortality statistics by race and by ethnicity reported for prior years. The crude death rates were calculated utilizing population estimates from PASDC as the denominators for the specified race or ethnicity population group.

Table M2a shows the number of resident deaths, infant, neonatal, post-neonatal and perinatal deaths by race and ethnicity. Combining race and ethnicity reported this table presents mortality statistics for the mutually exclusive categories of non-Hispanic Whites, non-Hispanic Blacks, non-Hispanic Asians, and Hispanics. The crude death rates utilized the specified combinations of race-ethnicity population groups respectively in the numerators as well as in the denominators. While the death certificate records serve as the data source for the numerators in both Tables M2 and M2a, the data source for the denominators were different. Population estimates developed by the Census Bureau Population Estimates Program included single and multiple race categories in combination with Hispanic ethnicity. These are the estimates used in rate calculation for Table M2a. In keeping with the single race data recorded on the death certificate, only the single Race alone variables were used. To calculate the crude death rate for non-Hispanic Whites, this table utilized the non-Hispanic White Alone estimates.

This is the first instance that the annual vital statistics report presents combined race-ethnicity specific mortality statistics. Thus, this is a first time use of the combined race-ethnicity specific population estimates in calculation of rates. Readers are advised that the resultant death rates calculated for race or ethnicity alone (in Table M2) are different from those calculated for combined race-ethnicity categories (in Table M2a).

In monitoring key mortality statistics by race, Table M2 notes that there are still disparities between White, Black and Asian infant mortality rates. The difference in rates between White and Black is smaller in

2005; however there is little change in differences between White and Asian or Black and Asian rates. The White infant mortality rate increased to 12.1 per 1,000 in 2005; the Black infant mortality rate for this period had decreased to 14.9 in 2005 and Asian infant mortality rate showed little change, with a reported rate of 4.4 per 1,000. During this period, infant mortality for the Hispanic population has increased to 10.3 deaths per 1,000 live births.

Comparing race-ethnicity specific rates in Table M2a, there are notable differences between the different race-ethnicity groups. Non-Hispanic Asians reported the lowest infant mortality rate of 4.5 infant deaths per 1,000 live births, followed by non-Hispanic White with a rate 7.4, Hispanic at 10.3 and non-Hispanic Black at 15.3 per 1,000.

Causes of Death

The underlying cause of death field from the death certificate is the data item used to tabulate cause of death statistics. The underlying cause is either the disease or injury which initiated the train of events leading directly to death or the circumstances. Pennsylvania Department of Health codes the cause of death on the death certificate and classifies death by causes according to the International Classification of Diseases, Tenth Revision (ICD-10) of the World Health Organization.

Leading Causes

One of the key revisions for this Report is the tabulation of cause of death statistics. Beginning with this Report, the Health Department followed the guidelines in Instruction Manual Part 9 issued by the National Center for Health Statistics (NCHS). Instruction Manual Part 9 presents the lists of causes of death for tabulation and dissemination of mortality data by NCHS using ICD-10 codes. The tabulation lists have been developed to maintain continuity with the lists from the Ninth Revision of the International Classification of Diseases (ICD-9); to facilitate trend analysis; and to separately identify cause of death that are of public health and medical importance. The use of Instruction Manual Part 9 will enable Philadelphia Department of Public Health to generate mortality statistics comparable to federal statistics as well as keep up-to-date on causes of mortality of public health importance.

Of the eight mortality tabulation lists in the Manual, this Report utilized two: List of 113 Selected Causes of Death (Table B in Instruction Manual Part 9) and List of 130 Selected Causes of Infant Death (Table C). Table B is used for the general analysis of mortality and for ranking leading causes of death. The rankable causes of death from the list in Table B were utilized to tabulate, rank and determine leading causes of death statistics for Tables M3, M4, M5a, M5b, M5c, and M5d. Table C is used for the analysis of infant mortality and for ranking leading causes of infant death. The rankable causes of death from the list in Table C were utilized to tabulate, rank and determine the leading causes of death for Table M8. Table C list was also utilized for the infant death statistics in Tables M3, M4, M5a, M5b, M5c, and M5d.

Table M3 presents the top five leading causes of death to Philadelphia residents in 2005 by specified age groups. These age groups approximate stage of life age groupings including: infants (under 1 year), young children (1 to 4 years), children (5 to 14 years), teens and young adults (15 to 24 years), adults (25 to 44 years), middle-aged adults (45 to 65), older adults (65 plus years). In keeping with the guidelines for ranking causes of death, causes that tie for one of the ranked positions are listed. Thus amongst infant deaths in 2005, there are five causes that ranked as the fifth leading cause of death, including: bacterial sepsis of newborn; necrotizing enterocolitis of newborn; neonatal hemorrhage; newborn affected by complications of placenta, cord and membranes; septicemia. There were 6 infant deaths each for each of the causes listed. For young children ages 1 to 4 years, accidents (unintentional injuries) were the leading cause of death. Assaults (homicide) were the number one cause of death among children 5 to 14 years old, teens and young adults 15 to 24 years old. Among

adults aged 25 to 44, accidents were the leading cause while malignant neoplasm and diseases of the heart were the leading causes for middle-aged adults 45 to 65 and older adults 65 plus.

Leading causes of death statistics by age and gender are presented in Table M4. The tabulation and ranking procedures were repeated for each of the following race-ethnicity group: non-Hispanic White, non-Hispanic Black, non-Hispanic Asian and Hispanics (of any race). Tables M5a, M5b, M5c, M5d shows the leading causes of death by race-ethnicity, age and gender.

Selected Causes

Selected causes of death by age and gender are presented in Tables M6, M6a, and M6b. Tabulations of the selected causes tables are based on the list in Table B of Instruction Manual Part 9. These tables allow for examination of specific causes not explicated in the leading causes of death tables. The underlying cause of death is aggregated according to the grouping of causes in Table B list. These statistics are not ranked; hence, the selected causes of death are presented in the chapter order in which they appear in ICD-10. Readers interested in specific causes of death should utilize the selected causes of death tables. ICD-10 codes are included in these tables.

This tabulation procedure was repeated for each of the following race-ethnicity group: non-Hispanic White, non-Hispanic Black, non-Hispanic Asian and Hispanics (of any race). Tables M7, M7b, M7c, and M7d present selected causes of death statistics by race-ethnicity, age and gender.

Causes of Infant, Neonatal and Post-Neonatal Deaths

Leading causes of infant, neonatal, and post-neonatal deaths are presented in Table M8. The tabulation and ranking procedures were repeated for each of the following race-ethnicity group: non-Hispanic White, non-Hispanic Black, non-Hispanic Asian and Hispanics (of any race). These statistics are presented in Table 8 as well. Tabulation of infant, neonatal, and post-neonatal deaths utilized the rankable list in Table C.

Selected causes of infant, neonatal, and post-neonatal deaths are presented in Tables M9, M9a, and M9b. Tabulations of the selected causes tables are based on the list in Table C of Instruction Manual Part 9. These tables allow for examination of specific causes. These statistics are not ranked; hence, the selected causes of death are presented in the order in which they appear in ICD-10. Readers interested in specific causes of death should utilize the selected causes of death tables.

Manner of Death

Manner (a.k.a. mode) of death statistics are presented in Table M10. Natural deaths account for 88.39% of all Philadelphia resident deaths. This is followed by accident (4.77%), homicide (2.36%), and suicide (1.03%). 2.49% of deaths had no manner recorded (i.e. not provided), 0.59 % were undetermined and 0.36% are still pending at the time of this Report.

Youth Homicides

Homicide deaths have been on the increase in Philadelphia. Youth violence is of particular concern. To supplement the causes of death statistics tables, this Report presents two supplemental tables on youth homicides. Table S1a presents the demographic distribution of youth homicide (ages 10 to 24) deaths. Table S1b presents the specific cause of youth homicide deaths.

Life Expectancy

This is a mortality measurement newly introduced in this Report. Life expectancy summarizes the effect of mortality rates prevailing at a specific time on individuals born or living at that time. Table M presents life expectancy at different ages for Philadelphia residents by gender. Life expectancy at birth for Philadelphia males based on 2005 mortality rates is 70.2. The statistics for Philadelphia females is 78.48.

Table M1 – Overall and Infant Mortality, 1995-2005

	1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005	
	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>
ALL DEATHS (rate per 1,000 population)	18,947	12.6	18,492	12.5	18,299	12.6	17,561	12.2	17,709	12.5	17,618	11.6	17,266	11.6	16,690	11.2	16,374	11.1	15,471	10.5	15,459	10.6
INFANT DEATHS (rate per 1,000 live births)	295	12.3	278	12.2	287	13.0	271	12.3	252	11.6	224	10.3	228	10.8	227	10.6	228	10.7	226	10.5	250	11.3
NEONATAL DEATHS (rate per 1,000 live births)	197	8.2	195	8.6	211	9.6	194	8.8	174	8.0	144	6.6	143	6.8	149	7.0	156	7.3	145	6.7	170	7.7
POST-NEONATAL DEATHS (rate per 1,000 live births)	98	4.1	83	3.7	76	3.5	77	3.5	78	3.6	80	3.7	85	4.1	78	3.6	72	3.4	81	3.8	80	3.7
PERINATAL DEATHS (rate per 1,000 live births plus late fetal deaths)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	230	10.4

Table M2 – Overall and Infant Mortality by Race and by Ethnicity, 1995-2005

		1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005	
		N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
ALL DEATHS	White	11,079	13.6	10,854	13.6	10,815	14.0	10,290	13.5	10,230	13.7	10,071	14.7	9,743	14.7	9,360	12.9	8,953	12.7	8,495	12.1	8,241	11.8
	Black	7,659	12.3	7,430	11.9	7,259	11.8	7,058	11.4	7,282	11.9	7,325	11.2	7,273	11.2	7,087	10.6	7,186	10.8	6,740	10.0	6,949	10.4
	Asian	169	N/A	179	N/A	179	N/A	166	N/A	157	N/A	189	2.8	209	3.0	187	2.4	184	2.3	193	2.7	221	3.1
	Hispanic (of any Race)	493	N/A	506	N/A	562	N/A	482	N/A	504	N/A	561	4.4	539	4.0	573	4.2	600	4.5	544	3.8	583	3.9
INFANT	White	75	7.4	67	7.0	62	6.8	72	8.0	51	5.8	53	6.1	54	6.6	63	7.8	58	9.0	51	8.4	73	12.1
	Black	210	17.1	196	16.9	206	18.1	179	15.5	187	16.7	159	14.1	167	15.4	147	13.5	153	14.3	168	15.7	162	14.9
	Asian	6	5.1	7	6.2	7	6.4	4	3.7	4	3.6	9	7.2	6	4.9	1	0.7	8	6.6	5	4.0	6	4.4
	Hispanic (of any Race)	25	9.7	27	10.4	29	11.2	23	9.6	18	7.1	26	10.1	22	8.3	25	9.3	20	6.0	25	7.4	36	10.3
NEONATAL	White	50	4.9	49	5.1	46	5.0	57	6.3	29	3.3	36	4.1	31	3.8	41	5.0	33	5.1	32	5.3	54	9.0
	Black	140	11.4	133	11.5	149	13.1	118	10.2	132	11.8	101	9.0	108	9.9	92	8.5	108	10.1	108	10.1	103	9.5
	Asian	4	3.4	5	4.4	4	3.7	4	3.7	3	2.7	4	3.2	3	2.5	1	0.7	7	5.8	3	2.4	5	3.6
	Hispanic (of any Race)	17	6.6	20	7.7	25	9.7	19	7.9	12	4.7	19	7.4	12	4.5	17	6.3	13	3.9	15	4.4	25	7.2
POST-NEONATAL	White	25	2.5	18	1.9	16	1.8	15	1.7	22	2.5	17	2.0	23	2.8	22	2.7	25	3.9	19	3.2	19	3.2
	Black	70	5.8	63	5.5	57	5.1	61	5.3	55	5	58	5.2	59	5.5	55	5.1	45	4.2	60	5.7	59	5.5
	Asian	2	1.7	2	1.8	3	2.8	0	0	1	0.9	5	4.0	3	2.5	0	0	1	0.8	2	1.6	1	0.7
	Hispanic (of any Race)	8	3.1	7	2.7	4	1.6	4	1.7	6	2.4	7	2.7	10	3.8	8	3.0	7	2.1	10	3.0	11	3.2
PERINATAL	White	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	72	11.9
	Black	N/A	NA	NA	NA	NA	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	139	12.7
	Asian	N/A	NA	NA	NA	NA	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	4.4
	Hispanic (of any Race)	N/A	NA	NA	NA	NA	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37	10.5

Table M2a – Overall and Infant Mortality by Race and Ethnicity, 2005

	<i>White, Non-Hispanic</i>		<i>Black, Non-Hispanic</i>		<i>Asian, Non-Hispanic</i>		<i>Hispanic (of any Race)</i>		<i>ALL</i>	
	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>	<i>N</i>	<i>Rate</i>
ALL DEATHS (rate per 1,000 population)*	7,692	13.9	6,928	10.9	221	2.9	583	4.0	15,459	10.6
INFANT DEATHS (rate per 1,000 live births)	41	7.4	159	15.3	6	4.5	36	10.3	250	11.3
NEONATAL DEATHS (rate per 1,000 live births)	32	5.7	101	9.7	5	3.7	25	7.2	170	7.7
POST-NEONATAL DEATHS (rate per 1,000 live births)	9	1.6	58	5.6	1	0.7	11	3.1	80	3.7
PERINATAL DEATHS (rate per 1,000 live births plus late fetal deaths)	37	6.6	137	13.1	6	4.5	21	10.5	230	10.4

Table M3 – Top Five Causes of Death by Age, 2005

UNDER One Year			1 - 4 years		5 - 14 Years		15 - 24 years	
Rank	Cause	N	Cause	N	Cause	N	Cause	N
1	Disorders related to short gestation and low birth weight, not elsewhere classified	59	Accidents (unintentional injuries)	8	Assaults (homicide)	9	Assaults (homicide)	137
2	Congenital malformations, deformations and chromosomal abnormalities	35	Assaults (homicide)	6	Congenital malformations, deformations and chromosomal abnormalities	6	Accidents (unintentional injuries)	69
3	Newborn affected by maternal complications of pregnancy	20	Nephritis, nephrotic syndrome and nephrosis	2	Accidents (unintentional injuries)	5	Intentional self-harm (suicide)	16
4	Anoxic brain damage, not elsewhere classified	10	Congenital malformations, deformations and chromosomal abnormalities	1	Cerebrovascular diseases	3	Diseases of heart	12
5	Bacterial sepsis of newborn	6	Diseases of heart	1	Chronic lower respiratory diseases	2	Malignant neoplasms	11
	Necrotizing enterocolitis of newborn	6	Influenza and pneumonia	1	Diseases of heart	2		
	Neonatal hemorrhage	6	Malignant neoplasms	1				
	Newborn affected by complications of placenta, cord and membranes	6						
	Septicemia	6						

25 - 44 Years			45 - 64 years		65 Years +	
Rank	Cause	N	Cause	N	Cause	N
1	Accidents (unintentional injuries)	213	Malignant neoplasms	929	Diseases of heart	3,193
2	Assaults (homicide)	166	Diseases of heart	804	Malignant neoplasms	2,362
3	Malignant neoplasms	128	Accidents (unintentional injuries)	201	Cerebrovascular diseases	702
4	Diseases of heart	112	Cerebrovascular diseases	136	Chronic lower respiratory diseases	468
5	Human immunodeficiency virus (HIV) disease	76	Septicemia	113	Septicemia	381

Table M4 – Leading Causes of Death by Age and Gender, 2005

RANKED UNDERLYING CAUSE OF DEATH

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>All Ages</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Diseases of heart	1,960	25.93	2,166	27.41	4,126	26.69
2	Malignant neoplasms	1,706	22.57	1,726	21.85	3,432	22.20
3	Cerebrovascular diseases	318	4.21	551	6.97	869	5.62
4	Accidents (unintentional injuries)	451	5.97	234	2.96	685	4.43
5	Chronic lower respiratory diseases	249	3.29	316	4.00	565	3.65
6	Septicemia	247	3.27	279	3.53	526	3.40
7	Nephritis, nephrotic syndrome and nephrosis	201	2.66	217	2.75	418	2.70
8	Assault (homicide)	330	4.37	32	0.41	362	2.34
9	Diabetes mellitus	166	2.20	182	2.30	348	2.25
10	Influenza and Pneumonia	133	1.76	160	2.03	293	1.90
	All other causes	1,797	23.78	2,038	25.79	3,835	24.81
	<i>TOTAL</i>	<i>7,558</i>	<i>100.00</i>	<i>7,901</i>	<i>100.00</i>	<i>15,459</i>	<i>100.00</i>

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>Under 1 Year</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Disorders related to short gestation and low birth weight, not elsewhere classified	42	28.77	17	16.35	59	23.60
2	Congenital malformations, deformations and chromosomal abnormalities	21	14.38	14	13.46	35	14.00
3	Newborn affected by maternal complications of pregnancy	10	6.85	10	9.62	20	8.00
4	Anoxic brain damage, not elsewhere classified	4	2.74	6	5.77	10	4.00
5	Bacterial sepsis of newborn	5	3.42	1	0.96	6	2.40
	Necrotizing enterocolitis of newborn	5	3.42	1	0.96	6	2.40
	Neonatal hemorrhage	4	2.74	2	1.92	6	2.40
	Newborn affected by complications of placenta, cord and membranes	3	2.05	3	2.88	6	2.40
	Septicemia	3	2.05	3	2.88	6	2.40
10	Diseases of the circulatory system	2	1.37	3	2.88	5	2.00
	Intrauterine hypoxia and birth asphyxia	3	2.05	2	1.92	5	2.00
	All other causes	44	30.14	42	40.38	86	34.40
	<i>TOTAL</i>	<i>146</i>	<i>100.00</i>	<i>104</i>	<i>100.00</i>	<i>250</i>	<i>100.00</i>

RANKED UNDERLYING CAUSE OF DEATH

		MALE		FEMALE		ALL	
Rank	1 to 4 Years	N	Percent	N	Percent	N	Percent
1	Accidents (unintentional injuries)	5	29.41	3	27.27	8	28.57
2	Assault (homicide)	3	17.65	3	27.27	6	21.43
3	Nephritis, nephrotic syndrome and nephrosis	1	5.88	1	9.09	2	7.14
4	Congenital malformations, deformations and chromosomal abnormalities	1	5.88	0	0.00	1	3.57
	Diseases of heart	0	0.00	1	9.09	1	3.57
	Influenza and pneumonia	1	5.88	0	0.00	1	3.57
	Malignant neoplasms	1	5.88	0	0.00	1	3.57
	All other causes	5	29.41	3	27.27	8	28.57
	TOTAL	17	100.00	11	100.00	28	100.00

		MALE		FEMALE		ALL	
Rank	5 to 14 Years	N	Percent	N	Percent	N	Percent
1	Assault (homicide)	6	23.08	3	25.00	9	23.68
2	Congenital malformations, deformations and chromosomal abnormalities	5	19.23	1	8.33	6	15.79
3	Accidents (unintentional injuries)	2	7.69	3	25.00	5	13.16
4	Cerebrovascular diseases	2	7.69	1	8.33	3	7.89
5	Chronic lower respiratory diseases	1	3.85	1	8.33	2	5.26
	Diseases of heart	2	7.69	0	0.00	2	5.26
7	Anemias	1	3.85	0	0.00	1	2.63
	Diseases of appendix	1	3.85	0	0.00	1	2.63
	Human Immunodeficiency Virus (HIV) disease	1	3.85	0	0.00	1	2.63
	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	1	3.85	0	0.00	1	2.63
	Influenza and Pneumonia	0	0.00	1	8.33	1	2.63
	Malignant neoplasms	0	0.00	1	8.33	1	2.63
	All other causes	4	15.38	1	8.33	5	13.16
	TOTAL	26	100.00	12	100.00	38	100.00

RANKED UNDERLYING CAUSE OF DEATH

		MALE		FEMALE		ALL	
Rank	15 to 24 Years	N	Percent	N	Percent	N	Percent
1	Assault (homicide)	127	54.98	10	16.39	137	46.92
2	Accidents (unintentional injuries)	48	20.78	21	34.43	69	23.63
3	Intentional self-harm (suicide)	11	4.76	5	8.20	16	5.48
4	Diseases of heart	8	3.46	4	6.56	12	4.11
5	Malignant neoplasms	10	4.33	1	1.64	11	3.77
6	Human immunodeficiency virus (HIV) disease	3	1.30	1	1.64	4	1.37
7	Cerebrovascular diseases	0	0.00	3	4.92	3	1.03
8	Anemias	0	0.00	2	3.28	2	0.68
10	Chronic lower respiratory diseases	2	0.87	0	0.00	2	0.68
	Congenital malformations, deformations and chromosomal abnormalities	0	0.00	1	1.64	1	0.34
	Influenza and pneumonia	1	0.43	0	0.00	1	0.34
	Legal intervention	1	0.43	0	0.00	1	0.34
	Meningitis	0	0.00	1	1.64	1	0.34
	Nephritis, nephrotic syndrome and nephrosis	1	0.43	0	0.00	1	0.34
	Septicemia	1	0.43	0	0.00	1	0.34
	Viral hepatitis	0	0.00	1	1.64	1	0.34
	All other causes	18	7.79	11	18.03	29	9.93
TOTAL		231	100.00	61	100.00	292	100.00

		MALE		FEMALE		ALL	
Rank	25 - 44 Years	N	Percent	N	Percent	N	Percent
1	Accidents (unintentional injuries)	153	21.86	60	17.19	213	20.31
2	Assault (homicide)	158	22.57	8	2.29	166	15.82
3	Malignant neoplasms	70	10.00	58	16.62	128	12.20
4	Diseases of heart	68	9.71	44	12.61	112	10.68
5	Human immunodeficiency virus (HIV) disease	50	7.14	26	7.45	76	7.24
6	Intentional self-harm (suicide)	44	6.29	14	4.01	58	5.53
7	Septicemia	13	1.86	12	3.44	25	2.38
8	Cerebrovascular diseases	11	1.57	12	3.44	23	2.19
9	Diabetes Mellitus	18	2.57	4	1.15	22	2.10
10	Nephritis, nephrotic syndrome and nephrosis	7	1.00	8	2.29	15	1.43
	All other causes	108	15.43	103	29.51	211	20.11
TOTAL		700	100.00	349	100.00	1,049	100.00

RANKED UNDERLYING CAUSE OF DEATH

		MALE		FEMALE		ALL	
Rank	45 - 64 Years	N	Percent	N	Percent	N	Percent
1	Malignant neoplasms	497	24.74	432	32.63	929	27.87
2	Diseases of heart	524	26.08	280	21.15	804	24.12
3	Accidents (unintentional injuries)	152	7.57	49	3.70	201	6.03
4	Cerebrovascular diseases	68	3.38	68	5.14	136	4.08
5	Septicemia	72	3.58	41	3.10	113	3.39
6	Diabetes Mellitus	58	2.89	44	3.32	102	3.06
7	Nephritis, nephrotic syndrome and nephrosis	55	2.74	39	2.95	94	2.82
8	Human immunodeficiency virus (HIV) disease	60	2.99	26	1.96	86	2.58
9	Chronic lower respiratory diseases	47	2.34	38	2.87	85	2.55
10	Chronic Liver disease and cirrhosis	51	2.54	22	1.66	73	2.19
	All other causes	425	21.15	285	21.53	710	21.30
	TOTAL	2,009	100.00	1,324	100.00	3,333	100.00

		MALE		FEMALE		ALL	
Rank	65 years and over	N	Percent	N	Percent	N	Percent
1	Diseases of heart	1,357	30.65	1,836	30.41	3,193	30.51
2	Malignant neoplasms	1,128	25.47	1,234	20.44	2,362	22.57
3	Cerebrovascular diseases	236	5.33	466	7.72	702	6.71
4	Chronic lower respiratory diseases	193	4.36	275	4.55	468	4.47
5	Septicemia	158	3.57	223	3.69	381	3.64
6	Nephritis, nephrotic syndrome and nephrosis	136	3.07	168	2.78	304	2.90
7	Influenza and pneumonia	103	2.33	141	2.34	244	2.33
8	Diabetes Mellitus	90	2.03	134	2.22	224	2.14
9	Alzheimer's Disease	43	0.97	158	2.62	201	1.92
10	Accidents (unintentional injuries)	91	2.06	97	1.61	188	1.80
	All other causes	893	20.17	1,306	21.63	2,199	21.01
	TOTAL	4,428	100.00	6,038	100.00	10,466	100.00

Table M5a – Leading Causes of Death by Age and Gender, Non-Hispanic Whites, 2005
RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC WHITES

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>All Ages</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Diseases of heart	1,056	25.9	1,213	33.6	2,269	29.5
2	Malignant neoplasms	860	21.1	882	24.4	1,742	22.6
3	Cerebrovascular diseases	144	3.5	279	7.7	423	5.5
4	Accidents (unintentional injuries)	230	5.6	121	3.3	351	4.6
5	Chronic lower respiratory diseases	139	3.4	199	5.5	338	4.4
6	Septicemia	103	2.5	133	3.7	236	3.1
7	Nephritis, nephrotic syndrome and nephrosis	81	2.0	90	2.5	171	2.2
8	Influenza and pneumonia	76	1.9	93	2.6	169	2.2
9	Diabetes mellitus	74	1.8	69	1.9	143	1.9
10	Alzheimer's disease	30	0.7	102	2.8	132	1.7
	All other causes	1,284	31.5	434	12.0	1,718	22.3
<i>TOTAL</i>		<i>4,077</i>	<i>100.0</i>	<i>3,615</i>	<i>100.0</i>	<i>7,692</i>	<i>100.0</i>

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>Under 1 Year</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Disorders related to short gestation and low birth weight, not elsewhere classified	8	42.1	2	9.1	10	24.4
2	Congenital malformations, deformations and chromosomal abnormalities	3	15.8	3	13.6	6	14.6
3	Newborn affected by complications of placenta, cord and membranes	2	10.5	2	9.1	4	9.8
4	Newborn affected by maternal complications of pregnancy	2	10.5	2	9.1	4	9.8
5	Diseases of the circulatory system	-	0.0	2	9.1	2	4.9
6	Anoxic brain damage, not elsewhere classified	1	5.3	-	0.0	1	2.4
7	Chronic respiratory disease originating in the perinatal period	-	0.0	1	4.5	1	2.4
8	Intrauterine hypoxia and birth asphyxia	-	0.0	1	4.5	1	2.4
9	Neonatal hemorrhage	-	0.0	1	4.5	1	2.4
10	Newborn affected by other complications of labor and delivery	-	0.0	1	4.5	1	2.4
	Pulmonary hemorrhage originating in the perinatal period	1	5.3	-	0.0	1	2.4
	Respiratory distress of newborn	-	0.0	1	4.5	1	2.4
	Slow fetal growth and fetal malnutrition	1	5.3	-	0.0	1	2.4
	All other causes	1	5.3	6	27.3	7	17.1
<i>TOTAL</i>		<i>19</i>	<i>100.0</i>	<i>22</i>	<i>100.0</i>	<i>41</i>	<i>100.0</i>

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC WHITES

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>1 - 4 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Nephritis, nephrotic syndrome and nephrosis	1	33.3	1	50.0	2	40.0
2	Accidents (unintentional injuries)	1	33.3	-	0.0	1	20.0
	All other causes	1	33.3	1	50.0	2	40.0
<i>TOTAL</i>		3	100.0	2	100.0	5	100.0

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>5 - 14 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Accidents (unintentional injuries)	-	0.0	1	100.0	1	33.3
2	Congenital malformations, deformations and chromosomal abnormalities	1	50.0	-	0.0	1	33.3
	Diseases of heart	1	50.0	-	0.0	1	33.3
<i>TOTAL</i>		2	100.0	1	100.0	3	100.0

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>15 - 24 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Accidents (unintentional injuries)	28	62.2	12	63.2	40	62.5
2	Assault (homicide)	5	11.1	1	5.3	6	9.4
3	Intentional self-harm (suicide)	3	6.7	2	10.5	5	7.8
4	Malignant neoplasms	3	6.7	1	5.3	4	6.3
5	Cerebrovascular diseases	-	0.0	1	5.3	1	1.6
6	Congenital malformations, deformations and chromosomal abnormalities	-	0.0	1	5.3	1	1.6
7	Influenza and pneumonia	1	2.2	-	0.0	1	1.6
	Nephritis, nephrotic syndrome and nephrosis	1	2.2	-	0.0	1	1.6
	All other causes	4	8.9	1	5.3	5	7.8
<i>TOTAL</i>		45	100.0	19	100.0	64	100.0

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC WHITES

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>25 - 44 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Accidents (unintentional injuries)	88	38.4	26	27.1	114	35.1
2	Malignant neoplasms	28	12.2	15	15.6	43	13.2
3	Diseases of heart	29	12.7	6	6.3	35	10.8
4	Intentional self-harm (suicide)	25	10.9	8	8.3	33	10.2
5	Assault (homicide)	9	3.9	2	2.1	11	3.4
6	Chronic liver disease and cirrhosis	6	2.6	5	5.2	11	3.4
7	Human immunodeficiency virus (HIV) disease	6	2.6	4	4.2	10	3.1
8	Septicemia	3	1.3	3	3.1	6	1.8
9	Cerebrovascular diseases	2	0.9	3	3.1	5	1.5
10	Congenital malformations, deformations and chromosomal abnormalities	2	0.9	2	2.1	4	1.2
	Diabetes mellitus	4	1.7	-	0.0	4	1.2
	Influenza and pneumonia	2	0.9	2	2.1	4	1.2
	All other causes	25	10.9	20	20.8	45	13.8
<i>TOTAL</i>		229	100.0	96	100.0	325	100.0

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>45 - 64 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Malignant neoplasms	196	25.7	180	37.1	376	30.2
2	Diseases of heart	210	27.6	101	20.8	311	24.9
3	Accidents (unintentional injuries)	61	8.0	21	4.3	82	6.6
4	Diabetes mellitus	24	3.1	17	3.5	41	3.3
5	Chronic lower respiratory diseases	24	3.1	15	3.1	39	3.1
6	Intentional self-harm (suicide)	33	4.3	6	1.2	39	3.1
7	Septicemia	24	3.1	15	3.1	39	3.1
8	Chronic liver disease and cirrhosis	31	4.1	6	1.2	37	3.0
9	Cerebrovascular diseases	12	1.6	14	2.9	26	2.1
10	Nephritis, nephrotic syndrome and nephrosis	10	1.3	10	2.1	20	1.6
	All other causes	137	18.0	100	20.6	237	19.0
<i>TOTAL</i>		762	100.0	485	100.0	1,247	100.0

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC WHITES

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>65 Years +</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Diseases of heart	816	31.9	1,105	32.0	1,921	32.0
2	Malignant neoplasms	633	24.8	686	19.9	1,319	22.0
3	Cerebrovascular diseases	130	5.1	261	7.6	391	6.5
7	Chronic lower respiratory diseases	115	4.5	183	5.3	298	5.0
8	Septicemia	76	3.0	115	3.3	191	3.2
4	Influenza and pneumonia	64	2.5	83	2.4	147	2.4
5	Nephritis, nephrotic syndrome and nephrosis	68	2.7	78	2.3	146	2.4
6	Alzheimer's disease	30	1.2	100	2.9	130	2.2
9	Accidents (unintentional injuries)	52	2.0	61	1.8	113	1.9
10	Pneumonitis due to solids and liquids	51	2.0	48	1.4	99	1.6
	All other causes	520	20.4	732	21.2	1,252	20.8
<i>TOTAL</i>		2,555	100.0	3,452	100.0	6,007	100.0

Table M5b – Leading Causes of Death by Age and Gender, Non-Hispanic Blacks, 2005
RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC BLACKS

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>All Ages</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Diseases of heart	808	23.5	888	25.5	1,696	24.5
2	Malignant neoplasms	756	22.0	773	22.2	1,529	22.1
3	Cerebrovascular diseases	151	4.4	244	7.0	395	5.7
4	Assault (homicide)	263	7.6	25	0.7	288	4.2
5	Accidents (unintentional injuries)	185	5.4	101	2.9	286	4.1
6	Septicemia	128	3.7	134	3.8	262	3.8
7	Nephritis, Nephrotic syndrome and Nephrosis	107	3.1	118	3.4	225	3.2
8	Chronic lower respiratory disease	101	2.9	115	3.3	216	3.1
9	Diabetes Mellitus	87	2.5	102	2.9	189	2.7
10	Human immunodeficiency virus (HIV) disease	91	2.6	45	1.3	136	2.0
	All other causes	763	22.2	943	27.0	1,706	24.6
<i>TOTAL</i>		<i>3,440</i>	<i>100.0</i>	<i>3,488</i>	<i>100.0</i>	<i>6,928</i>	<i>100.0</i>

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>Under 1 Year</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Disorders related to short gestation and low birth weight, not elsewhere classified	25	25.8	12	19.4	37	23.3
2	Congenital malformations, deformations and chromosomal abnormalities	12	12.4	5	8.1	17	10.7
3	Newborn affected by material complications of pregnancy	6	6.2	4	6.5	10	6.3
4	Anoxic brain damage, not elsewhere classified	2	2.1	5	8.1	7	4.4
5	Septicemia	3	3.1	3	4.8	6	3.8
6	Neonatal Hemorrhage	4	4.1	1	1.6	5	3.1
7	Bacterial Sepsis of newborn	3	3.1	1	1.6	4	2.5
8	Intrauterine hypoxia and birth asphyxia	3	3.1	1	1.6	4	2.5
9	Necrotizing enterocolitis of newborn	4	4.1	0	0.0	4	2.5
10	Disease of the circulatory system	2	2.1	1	1.6	3	1.9
	All other causes	33	34.0	29	46.8	62	39.0
<i>TOTAL</i>		<i>97</i>	<i>100.0</i>	<i>62</i>	<i>100.0</i>	<i>159</i>	<i>100.0</i>

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC BLACKS

		MALE		FEMALE		ALL	
Rank	1 - 4 Years	N	Percent	N	Percent	N	Percent
1	Accidents (unintentional injuries)	3	30.0	2	25.0	5	27.8
2	Assault (homicide)	2	20.0	3	37.5	5	27.8
3	Congenital malformations, deformations and chromosomal abnormalities	1	10.0	0	0.0	1	5.6
4	Diseases of heart	0	0.0	1	12.5	1	5.6
5	Influenza and Pneumonia	1	10.0	0	0.0	1	5.6
	All other causes	3	30.0	2	25.0	5	27.8
TOTAL		10	100.0	8	100.0	18	100.0

		MALE		FEMALE		ALL	
Rank	5 - 14 Years	N	Percent	N	Percent	N	Percent
1	Assault (homicide)	4	25.0	2	20.0	6	23.1
2	Accidents (unintentional injuries)	1	6.3	2	20.0	3	11.5
	Cerebrovascular diseases	2	12.5	1	10.0	3	11.5
4	Chronic lower respiratory disease	1	6.3	1	10.0	2	7.7
	Congenital malformations, deformations and chromosomal abnormalities	1	6.3	1	10.0	2	7.7
6	Anemias	1	6.3	0	0.0	1	3.8
	Diseases of Appendix	1	6.3	0	0.0	1	3.8
	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	1	6.3	0	0.0	1	3.8
	Influenza and Pneumonia	0	0.0	1	10.0	1	3.8
	Malignant neoplasms	0	0.0	1	10.0	1	3.8
	All other causes	4	25.0	1	10.0	5	19.2
TOTAL		16	100.0	10	100.0	26	100.0

		MALE		FEMALE		ALL	
Rank	15 - 24 Years	N	Percent	N	Percent	N	Percent
1	Assault (homicide)	104	69.3	9	26.5	113	61.4
2	Accidents (unintentional injuries)	12	8.0	7	20.6	19	10.3
3	Diseases of heart	6	4.0	3	8.8	9	4.9
4	Intentional self-harm (suicide)	5	3.3	2	5.9	7	3.8
5	Malignant neoplasms	5	3.3	0	0.0	5	2.7
6	Human immunodeficiency virus (HIV) disease	3	2.0	1	2.9	4	2.2
7	Anemias	0	0.0	2	5.9	2	1.1
	Cerebrovascular diseases	0	0.0	2	5.9	2	1.1
	Legal intervention	2	1.3	0	0.0	2	1.1
10	Viral Hepatitis	1	0.7	0	0.0	1	0.5
	All other causes	12	8.0	8	23.5	20	10.9
TOTAL		150	100.0	34	100.0	184	100.0

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC BLACKS

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>25 - 44 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Assault (homicide)	126	33.2	5	2.3	131	22.0
2	Accidents (unintentional injuries)	47	12.4	29	13.5	76	12.8
3	Malignant neoplasms	36	9.5	34	15.8	70	11.8
4	Diseases of heart	33	8.7	36	16.7	69	11.6
5	Human immunodeficiency virus (HIV) disease	36	9.5	18	8.4	54	9.1
6	Intentional self-harm (suicide)	12	3.2	5	2.3	17	2.9
7	Septicemia	9	2.4	7	3.3	16	2.7
8	Cerebrovascular diseases	7	1.8	8	3.7	15	2.5
9	Diabetes Mellitus	12	3.2	3	1.4	15	2.5
10	Nephritis, Nephrotic syndrome and Nephrosis	4	1.1	7	3.3	11	1.8
	All other causes	58	15.3	63	29.3	121	20.3
<i>TOTAL</i>		<i>380</i>	<i>100.0</i>	<i>215</i>	<i>100.0</i>	<i>595</i>	<i>100.0</i>

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>45 - 64 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Malignant neoplasms	265	24.0	230	30.2	495	26.5
2	Diseases of heart	280	25.4	158	20.7	438	23.5
3	Accidents (unintentional injuries)	86	7.8	25	3.3	111	5.9
4	Cerebrovascular diseases	48	4.3	49	6.4	97	5.2
5	Human immunodeficiency virus (HIV) disease	47	4.3	24	3.1	71	3.8
6	Nephritis, Nephrotic syndrome and Nephrosis	43	3.9	27	3.5	70	3.8
7	Septicemia	42	3.8	22	2.9	64	3.4
8	Diabetes Mellitus	32	2.9	27	3.5	59	3.2
9	Chronic lower respiratory disease	20	1.8	23	3.0	43	2.3
10	Assault (homicide)	26	2.4	5	0.7	31	1.7
	All other causes	215	19.5	172	22.6	387	20.7
<i>TOTAL</i>		<i>1,104</i>	<i>100.0</i>	<i>762</i>	<i>100.0</i>	<i>1,866</i>	<i>100.0</i>

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC BLACKS

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>65 Years +</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Diseases of heart	488	29.0	690	28.8	1,178	28.9
2	Malignant neoplasms	450	26.7	508	21.2	958	23.5
3	Cerebrovascular diseases	93	5.5	183	7.6	276	6.8
4	Septicemia	74	4.4	102	4.3	176	4.3
5	Chronic lower respiratory disease	72	4.3	90	3.8	162	4.0
6	Nephritis, Nephrotic syndrome and Nephrosis	59	3.5	83	3.5	142	3.5
7	Diabetes Mellitus	43	2.6	72	3.0	115	2.8
8	Influenza and Pneumonia	33	2.0	54	2.3	87	2.1
9	Accidents (unintentional injuries)	36	2.1	35	1.5	71	1.7
10	Alzheimer's Disease	12	0.7	54	2.3	66	1.6
	All other causes	323	19.2	526	21.9	849	20.8
<i>TOTAL</i>		<i>1,683</i>	<i>100.0</i>	<i>2,397</i>	<i>100.0</i>	<i>4,080</i>	<i>100.0</i>

Table M5c – Leading Causes of Death by Age and Gender, Non-Hispanic Asians, 2005

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC ASIANS

		MALE		FEMALE		ALL	
Rank	All Ages	N	Percent	N	Percent	N	Percent
1	Malignant neoplasms	37	27.2	20	23.5	57	25.8
2	Diseases of heart	25	18.4	17	20.0	42	19.0
3	Cerebrovascular diseases	12	8.8	11	12.9	23	10.4
4	Assault (homicide)	10	7.4	2	2.4	12	5.4
5	Accidents (unintentional injuries)	8	5.9	0	0.0	8	3.6
	Septicemia	7	5.1	1	1.2	8	3.6
7	Intentional self-harm (suicide)	5	3.7	2	2.4	7	3.2
	Nephritis, Nephrotic syndrome and Nephrosis	3	2.2	4	4.7	7	3.2
9	Congenital malformations, deformations and chromosomal abnormalities	2	1.5	2	2.4	4	1.8
10	Certain conditions originating in the perinatal period	1	0.7	2	2.4	3	1.4
	All other causes	26	19.1	24	28.2	50	22.6
TOTAL		136	100.0	85	100.0	221	100.0

		MALE		FEMALE		ALL	
Rank	Under 1 Year	N	Percent	N	Percent	N	Percent
1	Congenital malformations, deformations and chromosomal abnormalities	1	50.0	2	50.0	3	50.0
2	Bacterial Sepsis of newborn	1	50.0	0	0.0	1	16.7
	Disorders related to short gestation and low birth weight, not elsewhere classified	0	0.0	1	25.0	1	16.7
	Necrotizing enterocolitis of newborn	0	0.0	1	25.0	1	16.7
TOTAL		2	100.0	4	100.0	6	100.0

		MALE		FEMALE		ALL	
Rank	1 - 4 Years	N	Percent	N	Percent	N	Percent
1	Malignant neoplasms	1	100.0	0	0.0	1	100.0
TOTAL		1	100.0	0	0.0	1	100.0

		MALE		FEMALE		ALL	
Rank	5 - 14 Years	N	Percent	N	Percent	N	Percent
1	Assault (homicide)	1	100.0	1	100.0	2	100.0
TOTAL		1	100.0	1	100.0	2	100.0

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC ASIANS

		MALE		FEMALE		ALL	
Rank	15 - 24 Years	N	Percent	N	Percent	N	Percent
1	Assault (homicide)	4	40.0	0	0.0	4	33.3
2	Accidents (unintentional injuries)	3	30.0	0	0.0	3	25.0
4	Intentional self-harm (suicide)	1	10.0	1	50.0	2	16.7
5	Malignant neoplasms	1	10.0	0	0.0	1	8.3
6	Septicemia	1	10.0	0	0.0	1	8.3
	All other causes	0	0.0	1	50.0	1	8.3
	TOTAL	10	100.0	2	100.0	12	100.0

		MALE		FEMALE		ALL	
Rank	25 - 44 Years	N	Percent	N	Percent	N	Percent
1	Assault (homicide)	5	22.7	1	14.3	6	20.7
2	Intentional self-harm (suicide)	4	18.2	1	14.3	5	17.2
	Malignant neoplasms	2	9.1	3	42.9	5	17.2
4	Diseases of heart	3	13.6	0	0.0	3	10.3
5	Accidents (unintentional injuries)	1	4.5	0	0.0	1	3.4
	Cerebrovascular diseases	1	4.5	0	0.0	1	3.4
	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	1	4.5	0	0.0	1	3.4
	Nephritis, Nephrotic syndrome and Nephrosis	1	4.5	0	0.0	1	3.4
	Viral hepatitis	1	4.5	0	0.0	1	3.4
	All other causes	3	13.6	2	28.6	5	17.2
	TOTAL	22	100.0	7	100.0	29	100.0

		MALE		FEMALE		ALL	
Rank	45 - 64 Years	N	Percent	N	Percent	N	Percent
1	Malignant neoplasms	13	43.3	7	36.8	20	40.8
2	Diseases of heart	5	16.7	4	21.1	9	18.4
3	Cerebrovascular diseases	4	13.3	2	10.5	6	12.2
4	Septicemia	1	3.3	1	5.3	2	4.1
5	Accidents (unintentional injuries)	1	3.3	0	0.0	1	2.0
6	Aortic aneurysm and dissection	0	0.0	1	5.3	1	2.0
7	Diabetes Mellitus	1	3.3	0	0.0	1	2.0
8	Nephritis, nephrotic syndrome and nephrosis	0	0.0	1	5.3	1	2.0
9	Pneumonitis due to solids and liquids	1	3.3	0	0.0	1	2.0
	All other causes	4	13.3	3	15.8	7	14.3
	TOTAL	30	100.0	19	100.0	49	100.0

RANKED UNDERLYING CAUSES OF DEATH
NON-HISPANIC ASIANS

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
Rank	65 Years	N	Percent	N	Percent	N	Percent
1	Diseases of heart	17	24.3	13	25.0	30	24.6
	Malignant neoplasms	20	28.6	10	19.2	30	24.6
3	Cerebrovascular diseases	7	10.0	9	17.3	16	13.1
	Nephritis, Nephrotic syndrome and Nephrosis	2	2.9	3	5.8	5	4.1
5	Septicemia	5	7.1	0	0.0	5	4.1
	Accidents (unintentional injuries)	3	4.3	0	0.0	3	2.5
6	Alzheimer's Disease	0	0.0	2	3.8	2	1.6
7	Chronic liver disease and cirrhosis	1	1.4	1	1.9	2	1.6
	Chronic lower respiratory diseases	2	2.9	0	0.0	2	1.6
	Diabetes mellitus	0	0.0	2	3.8	2	1.6
	Tuberculosis	1	1.4	1	1.9	2	1.6
	Viral hepatitis	1	1.4	1	1.9	2	1.6
	All other causes	11	15.7	10	19.2	21	17.2
<i>TOTAL</i>		<i>70</i>	<i>100.0</i>	<i>52</i>	<i>100.0</i>	<i>122</i>	<i>100.0</i>

Table M5d – Leading Causes of Death by Age and Gender, Hispanics, 2005
RANKED UNDERLYING CAUSES OF DEATH
HISPANICS

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>All Ages</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Diseases of heart	66	19.2	47	19.6	113	19.4
2	Malignant neoplasms	49	14.3	50	20.8	99	17.0
3	Accidents (unintentional injuries)	28	8.2	11	4.6	39	6.7
4	Assault (homicide)	37	10.8	0	0.0	37	6.3
5	Cerebrovascular diseases	11	3.2	16	6.7	27	4.6
6	Human immunodeficiency virus (HIV) disease	16	4.7	4	1.7	20	3.4
7	Certain conditions originating in the perinatal period	13	3.8	6	2.5	19	3.3
8	Septicemia	7	2.0	11	4.6	18	3.1
9	Nephritis, Nephrotic syndrome and Nephrosis	10	2.9	5	2.1	15	2.6
10	Diabetes Mellitus	4	1.2	9	3.8	13	2.2
	All other causes	102	29.7	81	33.8	183	31.4
	<i>TOTAL</i>	<i>343</i>	<i>100.0</i>	<i>240</i>	<i>100.0</i>	<i>583</i>	<i>100.0</i>

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>Under 1 Year</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Congenital malformations, deformations and chromosomal abnormalities	5	22.7	3	21.4	8	22.2
2	Disorders related to short gestation and low birth weight, not elsewhere classified	6	27.3	1	7.1	7	19.4
3	Newborn affected by material complications of pregnancy	2	9.1	4	28.6	6	16.7
4	Anoxic brain damage, not elsewhere classified	1	4.5	1	7.1	2	5.6
5	Bacterial Sepsis of newborn	1	4.5	0	0.0	1	2.8
	Gastritis, duodenitis, and noninfective enteritis and colitis	1	4.5	0	0.0	1	2.8
	Interstitial emphysema and related conditions originating in the perinatal period	0	0.0	1	7.1	1	2.8
	Necrotizing enterocolitis of newborn	1	4.5	0	0.0	1	2.8
	Sudden Infant death syndrome	1	4.5	0	0.0	1	2.8
	All other causes	4	18.2	4	28.6	8	22.2
	<i>TOTAL</i>	<i>22</i>	<i>100.0</i>	<i>14</i>	<i>100.0</i>	<i>36</i>	<i>100.0</i>

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>1 - 4 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Accidents (unintentional injuries)	1	33.3	1	100.0	2	50.0
2	Assault (homicide)	1	33.3	0	0.0	1	25.0
	All other causes	1	33.3	0	0.0	1	25.0
	<i>TOTAL</i>	<i>3</i>	<i>100.0</i>	<i>1</i>	<i>100.0</i>	<i>4</i>	<i>100.0</i>

RANKED UNDERLYING CAUSES OF DEATH
HISPANICS

		MALE		FEMALE		ALL	
Rank	5 - 14 Years	N	Percent	N	Percent	N	Percent
1	Congenital malformations, deformations and chromosomal abnormalities	3	12.0	3	12.0	6	24.0
2	Accidents (unintentional injuries)	1	4.0	1	4.0	2	8.0
3	Assault (homicide)	2	8.0	1	4.0	3	12.0
4	Diseases of heart	1	4.0	1	4.0	2	8.0
	All other causes	4	16.0	1	4.0	5	20.0
	TOTAL	11	44.0	7	28.0	18	72.0

		MALE		FEMALE		ALL	
Rank	15 - 24 Years	N	Percent	N	Percent	N	Percent
1	Assault (homicide)	14	53.8	0	0.0	14	43.8
2	Accidents (unintentional injuries)	5	19.2	2	33.3	7	21.9
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	7.7	1	16.7	3	9.4
4	Intentional self-harm (suicide) (X60-X84,Y87.0)	2	7.7	0	0.0	2	6.3
5	Malignant neoplasms	1	3.8	0	0.0	1	3.1
	Meningitis	0	0.0	1	16.7	1	3.1
	All other causes	2	7.7	2	33.3	4	12.5
		26	100.0	6	100.0	32	100.0

		MALE		FEMALE		ALL	
Rank	25 - 44 Years	N	Percent	N	Percent	N	Percent
1	Accidents (unintentional injuries)	17	25.0	5	16.7	22	22.4
2	Assault (homicide)	18	26.5	0	0.0	18	18.4
3	Human immunodeficiency virus (HIV) disease	8	11.8	4	13.3	12	12.2
4	Malignant neoplasms	4	5.9	6	20.0	10	10.2
5	Diseases of heart	3	4.4	2	6.7	5	5.1
6	Diabetes Mellitis	2	2.9	1	3.3	3	3.1
7	Intentional self-harm (suicide)	3	4.4	0	0.0	3	3.1
8	Cerebrovascular diseases	1	1.5	1	3.3	2	2.0
9	Septicemia	0	0.0	2	6.7	2	2.0
10	Aortic aneurysm and dissection	0	0.0	1	3.3	1	1.0
	All other causes	12	17.6	8	26.7	20	20.4
		68	100.0	30	100.0	98	100.0

RANKED UNDERLYING CAUSES OF DEATH
HISPANICS

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>45 - 64 Years</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Diseases of heart	27	25.7	16	28.6	43	26.7
2	Malignant neoplasms	21	20.0	15	26.8	36	22.4
3	Cerebrovascular diseases	4	3.8	3	5.4	7	4.3
4	Human immunodeficiency virus (HIV) disease	7	6.7	0	0.0	7	4.3
5	Septicemia	4	3.8	3	5.4	7	4.3
6	Accidents (unintentional injuries)	4	3.8	2	3.6	6	3.7
7	Chronic liver disease and cirrhosis	4	3.8	1	1.8	5	3.1
8	Assault (homicide)	3	2.9	0	0.0	3	1.9
9	Chronic lower respiratory disease	3	2.9	0	0.0	3	1.9
10	Intentional self-harm (suicide)	2	1.9	1	1.8	3	1.9
	All other causes	26	24.8	15	26.8	41	25.5
		105	100.0	56	100.0	161	100.0

		<i>MALE</i>		<i>FEMALE</i>		<i>ALL</i>	
<i>Rank</i>	<i>65 Years +</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>	<i>N</i>	<i>Percent</i>
1	Diseases of heart	28	21.2	33	29.7	61	25.1
2	Malignant neoplasms	29	22.0	23	20.7	52	21.4
3	Cerebrovascular diseases	12	9.1	6	5.4	18	7.4
4	Nephritis, Nephrotic syndrome and Nephrosis	4	3.0	7	6.3	11	4.5
5	Diabetes Mellitis	8	6.1	1	0.9	9	3.7
6	Influenza and Pneumonia	3	2.3	6	5.4	9	3.7
7	Septicemia	6	4.5	3	2.7	9	3.7
8	Chronic lower respiratory disease	2	1.5	4	3.6	6	2.5
9	Chronic liver disease and cirrhosis	1	0.8	4	3.6	5	2.1
10	Essential (primary) hypertension and hypertensive renal disease	3	2.3	1	0.9	4	1.6
	All other causes	36	27.3	23	20.7	59	24.3
		132	100.0	111	100.0	243	100.0

Table M6 – Selected Causes of Death by Age, 2005

UNDERLYING CAUSE OF DEATH, RESIDENT DEATHS	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	1	0	6	22	22	0	51
<i>Respiratory tuberculosis (A16)</i>	0	0	0	1	0	0	0	1	1	1	0	4
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Septicemia (A40-A41)</i>	6	0	1	6	19	44	69	93	168	120	0	526
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	1	0	2	26	11	3	2	1	0	46
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	1	4	13	63	57	29	6	4	0	0	177
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	1	0	1	2	9	13	10	8	10	5	0	59
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	2	9	14	12	10	4	0	51
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	3	9	28	21	22	6	0	89
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	4	9	10	22	21	23	0	89
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	4	7	30	48	75	116	73	0	353
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	1	0	4	20	32	27	25	6	0	115
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	5	22	24	37	65	23	0	176
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	2	11	9	10	1	0	33
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	2	20	81	218	272	288	110	0	991
<i>Malignant melanoma of skin (C43)</i>	0	0	0	1	3	4	4	5	9	6	0	32
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	4	10	44	45	53	63	45	0	264
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	9	3	5	2	8	4	0	31
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	1	1	2	10	26	16	7	0	63
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	5	6	16	17	24	10	0	78
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	4	18	48	80	50	0	200
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	3	1	6	9	14	13	13	0	59
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	3	8	18	22	23	0	74

UNDERLYING CAUSE OF DEATH, RESIDENT DEATHS	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	1	1	2	5	6	12	8	7	0	42
<i>Hodgkin's disease (C81)</i>	0	0	1	1	1	0	0	0	2	0	0	5
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	3	6	10	15	23	37	16	0	110
<i>Leukemia (C91-C95)</i>	1	0	1	3	7	10	11	17	25	25	0	100
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	1	7	12	19	28	9	0	76
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms(C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	1	7	3	11	32	67	97	110	73	0	401
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	1	0	0	5	7	8	10	24	18	0	73
<i>Anemias (D50-D64)</i>	1	1	2	2	1	5	1	2	11	9	0	35
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	7	15	35	67	65	103	56	0	348
<i>Malnutrition (E40-E46)</i>	0	0	0	0	1	0	0	0	1	4	0	6
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	1	0	0	0	0	1	0	2
<i>Meningitis (G00,G03)</i>	1	0	1	0	0	1	2	0	0	0	0	5
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	3	8	34	37	0	82
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	2	10	67	124	0	203
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	1	0	3	4	0	8
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	7	21	20	18	29	39	0	134
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	1	1	2	0	2	6	2	0	14
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	2	10	58	91	163	266	282	0	872
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	1	3	2	3	0	9
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	2	28	121	229	329	536	592	0	1,837
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	1	0	0	2	3	2	1	0	0	9
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	2	0	1	2	1	1	0	7
<i>Heart failure (I50)</i>	0	0	1	1	1	14	31	32	113	166	0	359
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	3	2	10	13	44	98	111	146	215	235	0	877
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	1	5	11	21	32	48	40	0	158
<i>Cerebrovascular diseases (I60-I69)</i>	2	3	3	3	20	54	82	125	283	294	0	869
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	4	1	7	16	0	28
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	2	4	10	16	30	18	0	80
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	1	3	7	8	16	0	35
<i>Other disorders of circulatory system (I80-I99)</i>	1	0	0	1	3	9	1	7	9	6	0	37
<i>Influenza (J10-J11)</i>	1	0	0	0	0	0	0	0	3	4	0	8
<i>Pneumonia (J12-J18)</i>	0	1	1	1	10	11	24	43	89	105	0	285
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	2	0	2
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, RESIDENT DEATHS	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	1	2	0	3
<i>Emphysema (J43)</i>	0	0	0	0	0	2	12	18	31	16	0	79
<i>Asthma (J45-J46)</i>	0	1	2	2	1	6	5	1	2	1	0	21
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	1	0	0	5	16	44	106	163	127	0	462
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	2	2	0	4
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	2	8	6	11	78	68	0	173
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	2	3	11	15	22	38	59	60	0	210
<i>Peptic ulcer (K25-K28)</i>	0	0	0	1	2	1	2	5	3	3	0	17
<i>Diseases of appendix (K35-K38)</i>	0	1	0	0	0	0	2	0	0	1	0	4
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	1	2	4	3	0	10
<i>Alcoholic liver disease (K70)</i>	0	0	0	1	3	11	11	2	2	0	0	30
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	10	31	20	17	10	6	0	94
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	1	1	0	1	3	3	0	9
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic,and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Renal failure (N17-N19)</i>	4	0	1	3	12	31	63	84	134	84	0	416
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	1	0	1	0	0	2
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	1	0	0	0	0	0	0	0	1
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	3	1	0	0	0	0	0	0	4
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	142	0	0	0	0	0	0	0	0	0	0	142
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	36	6	1	3	3	4	0	3	0	0	0	56
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	41	0	4	7	15	24	17	36	72	113	2	331
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	19	3	15	17	58	133	169	201	360	454	1	1,430
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	1	22	23	7	13	12	9	10	6	0	103
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	2	1	1	0	0	0	0	0	0	4
<i>Water, air and space, and other and unspecified transport accidents and their sequelae(V90-V99,Y85)</i>	0	0	0	1	0	1	0	0	0	0	0	2
<i>Falls (W00-W19)</i>	1	0	2	1	2	2	6	18	42	30	0	104
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	1	0	0	0	0	0	0	1
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	3	1	3	0	2	0	1	0	0	10
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	5	4	3	1	3	3	5	8	7	3	0	42

UNDERLYING CAUSE OF DEATH, RESIDENT DEATHS	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	36	65	95	110	27	7	0	1	0	341
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	3	0	1	3	5	8	12	13	17	16	0	78
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	7	12	15	16	9	6	10	4	0	79
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	9	12	19	19	12	6	2	2	0	81
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	1	5	122	95	42	13	5	1	1	1	0	286
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	5	4	15	14	15	16	4	1	1	1	0	76
<i>Legal intervention (Y35,Y89.0)</i>	0	0	1	0	1	0	0	0	0	0	0	2
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	3	1	0	1	0	0	0	0	0	5
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	3	2	4	3	9	8	3	1	1	0	0	34
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	3	6	2	14	3	0	28
<i>All Deaths in Category</i>	278	38	292	356	693	1,409	1,924	2,566	4,132	3,768	3	15,459

Table M6a – Selected Causes of Death by Age, Males, 2005

UNDERLYING CAUSE OF DEATH, RESIDENT MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	1	0	3	12	6	0	22
<i>Respiratory tuberculosis (A16)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Septicemia (A40-A41)</i>	3	0	1	3	10	29	43	56	66	36	0	247
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	0	0	2	18	9	2	1	0	0	32
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	1	3	8	42	34	26	4	4	0	0	122
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	0	0	1	2	5	8	5	6	4	2	0	33
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	1	7	11	8	6	2	0	35
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	3	7	22	15	16	1	0	64
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	3	7	7	14	8	8	0	47
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	3	2	15	29	38	46	26	0	159
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	1	0	3	16	23	20	19	1	0	83
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	4	12	13	17	24	9	0	79
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	0	8	7	9	1	0	25
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	1	14	47	117	154	128	57	0	518
<i>Malignant melanoma of skin (C43)</i>	0	0	0	1	3	2	0	4	5	0	0	15
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	0	0	1	0	0	1	0	0	2
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	4	18	48	80	50	0	200
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	2	1	6	7	12	5	8	0	41
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	3	5	13	13	10	0	44
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	1	1	2	4	2	6	5	4	0	25
<i>Hodgkin's disease (C81)</i>	0	0	0	1	0	0	0	0	0	0	0	1
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	2	6	5	10	17	12	7	0	59

UNDERLYING CAUSE OF DEATH, RESIDENT MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Leukemia (C91-C95)</i>	1	0	1	1	4	6	6	9	15	5	0	48
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	1	5	7	12	13	2	0	40
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms(C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	0	7	3	8	20	45	58	53	27	0	221
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	1	0	0	3	5	5	6	11	2	0	33
<i>Anemias (D50-D64)</i>	1	1	0	1	0	4	0	0	6	3	0	16
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	6	12	24	34	31	35	24	0	166
<i>Malnutrition (E40-E46)</i>	0	0	0	0	0	0	0	0	0	2	0	2
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningitis (G00,G03)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	2	7	23	21	0	53
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	0	3	26	14	0	43
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	0	0	1	1	0	2
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	3	12	12	13	9	9	0	58
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	0	0	1	0	2	3	1	0	7
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	2	7	38	52	93	131	88	0	411
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	0	3	1	1	0	5
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	1	18	92	158	201	286	180	0	936
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	0	0	0	1	0	1	0	0	0	2
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	1	0	1	1	0	1	0	4
<i>Heart failure (I50)</i>	0	0	0	1	1	9	20	16	51	34	0	132
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	1	2	8	10	24	64	64	76	96	58	0	403
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	0	4	3	11	14	23	12	0	67
<i>Cerebrovascular diseases (I60-I69)</i>	1	2	0	1	10	25	43	58	102	76	0	318
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	0	0	3	4	0	7
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	1	1	8	5	13	7	0	35
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	1	2	5	4	2	0	14
<i>Other disorders of circulatory system (I80-I99)</i>	0	0	0	0	2	5	0	3	3	2	0	15
<i>Influenza (J10-J11)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Pneumonia (J12-J18)</i>	0	0	1	0	6	8	14	22	42	39	0	132
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Emphysema (J43)</i>	0	0	0	0	0	2	6	4	12	8	0	32
<i>Asthma (J45-J46)</i>	0	1	2	0	1	0	3	0	1	0	0	8
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	0	0	0	5	8	28	51	77	39	0	208
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	2	2	0	4
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	0	5	3	6	43	28	0	85

UNDERLYING CAUSE OF DEATH, RESIDENT MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	0	2	4	7	13	18	30	24	0	98
<i>Peptic ulcer (K25-K28)</i>	0	0	0	1	0	1	2	0	3	0	0	7
<i>Diseases of appendix (K35-K38)</i>	0	1	0	0	0	0	1	0	0	1	0	3
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	1	1	2	1	0	5
<i>Alcoholic liver disease (K70)</i>	0	0	0	0	0	8	6	2	2	0	0	18
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	8	23	14	13	8	3	0	69
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	0	0	0	1	1	0	0	2
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Renal failure (N17-N19)</i>	2	0	1	1	6	19	36	37	62	36	0	200
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	87	0	0	0	0	0	0	0	0	0	0	87
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	22	5	0	2	1	2	0	3	0	0	0	35
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	24	0	2	5	9	15	7	17	32	31	1	143
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	9	2	9	8	25	81	87	97	144	107	1	570
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	0	15	17	5	8	3	6	7	4	0	65
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	1	1	1	0	0	0	0	0	0	3
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	1	0	1	0	0	0	0	0	2
<i>Falls (W00-W19)</i>	1	0	2	1	2	1	4	11	16	11	0	49
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	1	0	0	0	0	0	0	1
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	3	1	3	0	2	0	0	0	0	9
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	2	2	2	0	3	3	3	4	3	1	0	23
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	24	45	65	89	25	6	0	0	0	254
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	2	0	1	3	4	4	9	7	10	5	0	45
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	5	9	12	16	8	6	10	4	0	70
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	6	8	15	15	7	4	1	1	0	57
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	1	4	115	91	40	11	5	0	0	0	0	267

<i>UNDERLYING CAUSE OF DEATH, RESIDENT MALES</i>	<i>< 5</i>	<i>5-14</i>	<i>15-24</i>	<i>25-34</i>	<i>35-44</i>	<i>45-54</i>	<i>55-64</i>	<i>65-74</i>	<i>75-84</i>	<i>85+</i>	<i>Missing</i>	<i>ALL AGES</i>
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	2	2	12	13	14	14	3	1	1	1	0	63
<i>Legal intervention (Y35,Y89.0)</i>	0	0	1	0	1	0	0	0	0	0	0	2
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	3	1	0	0	0	0	0	0	0	4
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	2	2	3	2	7	4	1	1	0	0	0	22
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	2	2	2	5	3	0	14
<i>All Deaths in Category</i>	162	26	231	262	438	890	1,119	1,384	1,889	1,155	2	7,558

Table M6b – Selected Causes of Death by Age, Females, 2005

UNDERLYING CAUSE OF DEATH, RESIDENT FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	0	0	3	10	16	0	29
<i>Respiratory tuberculosis (A16)</i>	0	0	0	1	0	0	0	0	1	1	0	3
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Septicemia (A40-A41)</i>	3	0	0	3	9	15	26	37	102	84	0	279
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	1	0	0	8	2	1	1	1	0	14
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	1	5	21	23	3	2	0	0	0	55
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	1	0	0	0	4	5	5	2	6	3	0	26
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	1	2	3	4	4	2	0	16
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	0	2	6	6	6	5	0	25
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	1	2	3	8	13	15	0	42
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	1	5	15	19	37	70	47	0	194
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	0	0	1	4	9	7	6	5	0	32
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	1	10	11	20	41	14	0	97
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	2	3	2	1	0	0	8
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	1	6	34	101	118	160	53	0	473
<i>Malignant melanoma of skin (C43)</i>	0	0	0	0	0	2	4	1	4	6	0	17
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	4	10	43	45	53	62	45	0	262
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	9	3	5	2	8	4	0	31
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	1	1	2	10	26	16	7	0	63
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	5	6	16	17	24	10	0	78
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	1	0	0	2	2	8	5	0	18
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	0	3	5	9	13	0	30

UNDERLYING CAUSE OF DEATH, RESIDENT FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	0	0	0	1	4	6	3	3	0	17
<i>Hodgkin's disease (C81)</i>	0	0	1	0	1	0	0	0	2	0	0	4
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	1	0	5	5	6	25	9	0	51
<i>Leukemia (C91-C95)</i>	0	0	0	2	3	4	5	8	10	20	0	52
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	0	2	5	7	15	7	0	36
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	1	0	0	3	12	22	39	57	46	0	180
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	0	0	0	2	2	3	4	13	16	0	40
<i>Anemias (D50-D64)</i>	0	0	2	1	1	1	1	2	5	6	0	19
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	1	3	11	33	34	68	32	0	182
<i>Malnutrition (E40-E46)</i>	0	0	0	0	1	0	0	0	1	2	0	4
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	1	0	0	0	0	1	0	2
<i>Meningitis (G00,G03)</i>	1	0	1	0	0	0	2	0	0	0	0	4
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	1	1	11	16	0	29
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	2	7	41	110	0	160
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	1	0	2	3	0	6
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	4	9	8	5	20	30	0	76
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	1	1	1	0	0	3	1	0	7
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	0	3	20	39	70	135	194	0	461
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	1	0	1	2	0	4
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	1	10	29	71	128	250	412	0	901
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	1	0	0	1	3	1	1	0	0	7
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	1	0	0	1	1	0	0	3
<i>Heart failure (I50)</i>	0	0	1	0	0	5	11	16	62	132	0	227
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	2	0	2	3	20	34	47	70	119	177	0	474
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	1	1	8	10	18	25	28	0	91
<i>Cerebrovascular diseases (I60-I69)</i>	1	1	3	2	10	29	39	67	181	218	0	551
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	4	1	4	12	0	21
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	1	3	2	11	17	11	0	45
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	0	1	2	4	14	0	21
<i>Other disorders of circulatory system (I80-I99)</i>	1	0	0	1	1	4	1	4	6	4	0	22
<i>Influenza (J10-J11)</i>	0	0	0	0	0	0	0	0	3	4	0	7
<i>Pneumonia (J12-J18)</i>	0	1	0	1	4	3	10	21	47	66	0	153
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, RESIDENT FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	0	2	0	2
<i>Emphysema (J43)</i>	0	0	0	0	0	0	6	14	19	8	0	47
<i>Asthma (J45-J46)</i>	0	0	0	2	0	6	2	1	1	1	0	13
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	1	0	0	0	8	16	55	86	88	0	254
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	2	3	3	5	35	40	0	88
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	2	1	7	8	9	20	29	36	0	112
<i>Peptic ulcer (K25-K28)</i>	0	0	0	0	2	0	0	5	0	3	0	10
<i>Diseases of appendix (K35-K38)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	0	1	2	2	0	5
<i>Alcoholic liver disease (K70)</i>	0	0	0	1	3	3	5	0	0	0	0	12
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	2	8	6	4	2	3	0	25
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	1	1	0	0	2	3	0	7
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Renal failure (N17-N19)</i>	2	0	0	2	6	12	27	47	72	48	0	216
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	1	0	0	0	0	0	0	0	1
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	3	1	0	0	0	0	0	0	4
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	55	0	0	0	0	0	0	0	0	0	0	55
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	14	1	1	1	2	2	0	0	0	0	0	21
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	17	0	2	2	6	9	10	19	40	82	1	188
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	10	1	6	9	33	52	82	104	216	347	0	860
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	1	7	6	2	5	9	3	3	2	0	38
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	1	0	0	0	0	0	0	0	0	1
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Falls (W00-W19)</i>	0	0	0	0	0	1	2	7	26	19	0	55
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	0	0	0	0	0	0	1	0	0	1

UNDERLYING CAUSE OF DEATH, RESIDENT FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	3	2	1	1	0	0	2	4	4	2	0	19
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	12	20	30	21	2	1	0	1	0	87
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	1	0	0	0	1	4	3	6	7	11	0	33
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	2	3	3	0	1	0	0	0	0	9
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	3	4	4	4	5	2	1	1	0	24
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	0	1	7	4	2	2	0	1	1	1	0	19
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	3	2	3	1	1	2	1	0	0	0	0	13
<i>Legal intervention (Y35,Y89.0)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	1	0	1	1	2	4	2	0	1	0	0	12
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	1	4	0	9	0	0	14
<i>All Deaths in Category</i>	116	12	61	94	255	519	805	1,182	2,243	2,613	1	7,901

Table M7a – Selected Causes of Death by Age, non-Hispanic White Males, 2005

UNDERLYING CAUSE OF DEATH, NON-HISPANIC WHITE MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	0	0	2	8	5	0	15
<i>Respiratory tuberculosis (A16)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Septicemia (A40-A41)</i>	0	0	0	1	2	10	14	25	29	22	0	103
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	0	0	1	11	2	1	1	0	0	16
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	0	1	5	4	1	0	2	0	0	13
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	0	0	0	0	1	2	0	2	2	1	0	8
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	0	0	3	1	4	1	0	9
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	1	3	10	6	9	0	0	29
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	2	2	2	6	6	4	0	22
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	1	1	2	12	21	23	20	0	80
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	0	0	1	6	7	6	10	1	0	31
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	2	5	5	7	10	7	0	36
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	0	2	3	8	0	0	13
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	0	5	15	59	78	83	35	0	275
<i>Malignant melanoma of skin (C43)</i>	0	0	0	1	3	1	0	4	5	0	0	14
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	1	6	13	36	28	0	84
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	0	1	4	2	10	4	5	0	26
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	1	3	8	12	8	0	32

UNDERLYING CAUSE OF DEATH, NON-HISPANIC WHITE MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	0	1	1	2	2	4	3	3	0	16
<i>Hodgkin's disease (C81)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	0	3	3	6	13	11	6	0	42
<i>Leukemia (C91-C95)</i>	0	0	0	0	1	3	2	5	8	5	0	24
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	1	1	2	2	6	1	0	13
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	0	3	0	3	4	20	29	34	21	0	114
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	0	0	0	1	0	4	2	9	2	0	18
<i>Anemias (D50-D64)</i>	0	0	0	0	0	0	0	0	1	1	0	2
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	1	3	10	14	14	17	15	0	74
<i>Malnutrition (E40-E46)</i>	0	0	0	0	0	0	0	0	0	2	0	2
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningitis (G00,G03)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	2	3	17	18	0	40
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	0	3	15	12	0	30
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	0	0	1	1	0	2
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	1	3	2	5	2	2	0	15
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	0	5	18	30	63	82	72	0	270
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	0	2	0	0	0	2
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	1	8	41	67	85	170	135	0	507
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	0	0	0	1	0	1	0	2
<i>Heart failure (I50)</i>	0	0	0	1	0	1	5	8	23	30	0	68
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	0	1	0	6	7	17	25	35	54	43	0	188
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	0	0	2	1	3	11	7	0	24
<i>Cerebrovascular diseases (I60-I69)</i>	0	0	0	0	2	3	9	20	63	47	0	144
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	0	0	2	3	0	5
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	0	0	3	2	7	6	0	18
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	0	0	4	1	2	0	7
<i>Other disorders of circulatory system (I80-I99)</i>	0	0	0	0	0	1	0	0	2	1	0	4
<i>Influenza (J10-J11)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonia (J12-J18)</i>	0	0	1	0	2	3	6	6	29	29	0	76
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, NON-HISPANIC WHITE MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Emphysema (J43)</i>	0	0	0	0	0	0	6	4	5	5	0	20
<i>Asthma (J45-J46)</i>	0	0	0	0	0	0	1	0	1	0	0	2
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	0	0	0	0	3	14	27	47	26	0	117
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	2	2	0	4
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	0	3	1	3	29	19	0	55
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	0	0	2	2	7	14	21	15	0	61
<i>Peptic ulcer (K25-K28)</i>	0	0	0	1	0	0	1	0	2	0	0	4
<i>Diseases of appendix (K35-K38)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	1	1	1	1	0	4
<i>Alcoholic liver disease (K70)</i>	0	0	0	0	0	3	5	1	1	0	0	10
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	6	13	10	6	5	3	0	43
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Renal failure (N17-N19)</i>	1	0	1	0	1	5	5	11	33	23	0	80
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	15	0	0	0	0	0	0	0	0	0	0	15
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	3	1	0	1	1	1	0	2	0	0	0	9
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	1	0	1	2	2	4	2	6	20	24	0	62
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	1	0	3	3	7	25	39	51	73	69	0	271
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	0	3	6	1	3	2	3	6	3	0	27
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	1	0	0	0	0	0	0	0	0	1
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Falls (W00-W19)</i>	0	0	2	0	2	0	2	8	11	9	0	34

UNDERLYING CAUSE OF DEATH, NON-HISPANIC WHITE MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	1	1	0	0	0	0	0	0	0	2
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	0	0	0	0	2	0	0	2	1	1	0	6
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	20	33	40	36	10	1	0	0	0	140
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	1	0	1	1	2	3	5	2	2	3	0	20
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	0	5	8	10	7	6	3	2	0	41
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	3	3	9	11	5	1	1	0	0	33
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	0	0	3	4	2	0	2	0	0	0	0	11
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	0	0	2	2	1	2	0	1	1	0	0	9
<i>Legal intervention (Y35,Y89.0)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	0	0	0	0	4	3	1	0	0	0	0	8
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	0	0	0	3	3	0	6
<i>All Deaths in Category</i>	22	2	45	76	153	307	455	655	1,088	812	0	3,615

Table M7b – Selected Causes of Death by Age, non-Hispanic White Females, 2005

UNDERLYING CAUSE OF DEATH, NON-HISPANIC WHITE FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	0	0	2	9	10	0	21
<i>Respiratory tuberculosis (A16)</i>	0	0	0	1	0	0	0	0	1	0	0	2
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Septicemia (A40-A41)</i>	0	0	0	0	3	7	8	19	50	46	0	133
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	0	0	0	4	1	0	1	1	0	7
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	0	0	4	2	0	0	0	0	0	6
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	0	0	0	0	0	0	3	0	4	2	0	9
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	1	2	1	3	2	1	0	10
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	0	1	0	4	1	2	0	8
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	0	1	1	1	5	7	0	15
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	0	1	4	7	15	43	25	0	95
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	0	0	1	2	3	2	5	5	0	18
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	0	2	3	10	18	8	0	41
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	0	2	1	0	0	0	3
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	0	1	10	51	65	93	34	0	254
<i>Malignant melanoma of skin (C43)</i>	0	0	0	0	0	2	4	0	2	5	0	13
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	1	2	12	21	28	34	24	0	122
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	3	0	1	1	3	2	0	10
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	0	1	2	5	7	5	7	0	27
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	2	2	9	9	17	10	0	49
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	0	0	0	1	0	6	2	0	9
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	0	0	3	4	8	0	15

UNDERLYING CAUSE OF DEATH, NON-HISPANIC WHITE FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	0	0	0	0	2	5	3	2	0	12
<i>Hodgkin's disease (C81)</i>	0	0	1	0	0	0	0	0	2	0	0	3
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	1	0	3	2	3	19	6	0	34
<i>Leukemia (C91-C95)</i>	0	0	0	0	1	2	3	5	8	15	0	34
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	0	1	3	3	6	4	0	17
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms(C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	0	0	0	0	7	8	18	30	30	0	93
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	0	0	0	0	1	0	3	8	12	0	24
<i>Anemias (D50-D64)</i>	0	0	0	0	0	0	0	0	3	3	0	6
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	0	0	4	13	12	28	12	0	69
<i>Malnutrition (E40-E46)</i>	0	0	0	0	1	0	0	0	0	2	0	3
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Meningitis (G00,G03)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	1	1	5	14	0	21
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	2	1	22	77	0	102
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	1	0	2	3	0	6
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	0	0	2	1	9	13	0	25
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	0	0	0	0	0	1	1	0	2
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	0	1	9	18	41	90	139	0	298
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	1	3	12	28	60	128	275	0	507
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	0	0	0	0	0	1	1	0	0	2
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Heart failure (I50)</i>	0	0	0	0	0	1	2	4	39	98	0	144
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	1	0	0	0	1	12	16	25	65	107	0	227
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	0	0	3	4	5	15	10	0	37
<i>Cerebrovascular diseases (I60-I69)</i>	0	0	1	1	2	2	12	28	97	136	0	279
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	2	0	3	10	0	15
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	0	0	1	4	11	7	0	23
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	0	0	1	0	9	0	10
<i>Other disorders of circulatory system (I80-I99)</i>	1	0	0	0	0	2	0	2	2	3	0	10
<i>Influenza (J10-J11)</i>	0	0	0	0	0	0	0	0	2	3	0	5
<i>Pneumonia (J12-J18)</i>	0	0	0	0	2	2	6	10	26	42	0	88
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	1	0	1

UNDERLYING CAUSE OF DEATH, NON-HISPANIC WHITE FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	0	2	0	2
<i>Emphysema (J43)</i>	0	0	0	0	0	0	4	10	14	6	0	34
<i>Asthma (J45-J46)</i>	0	0	0	1	0	1	0	0	1	1	0	4
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	0	0	0	0	3	7	30	54	65	0	159
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	0	2	0	2	18	28	0	50
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	0	0	1	2	3	10	17	26	0	59
<i>Peptic ulcer (K25-K28)</i>	0	0	0	0	2	0	0	1	0	1	0	4
<i>Diseases of appendix (K35-K38)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	0	1	2	2	0	5
<i>Alcoholic liver disease (K70)</i>	0	0	0	1	3	2	2	0	0	0	0	8
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	1	2	0	1	1	2	0	7
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	0	0	0	0	1	2	0	3
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Renal failure (N17-N19)</i>	1	0	0	0	1	3	7	9	38	31	0	90
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	14	0	0	0	0	0	0	0	0	0	0	14
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	3	0	1	0	2	0	0	0	0	0	0	6
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	2	0	1	1	3	3	4	6	24	53	0	97
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	2	0	0	1	6	11	32	38	103	213	0	406
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	1	3	4	0	4	5	2	3	1	0	23
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	1	0	0	0	0	0	0	0	0	1
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Falls (W00-W19)</i>	0	0	0	0	0	1	0	2	16	18	0	37
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, NON-HISPANIC WHITE FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	0	0	0	0	0	0	0	2	2	2	0	6
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	8	11	11	9	0	1	0	1	0	41
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	0	0	0	0	0	1	1	2	3	5	0	12
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	0	2	2	0	1	0	0	0	0	5
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	2	2	2	2	3	2	1	0	0	14
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	0	0	1	0	1	0	0	0	1	1	0	4
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	0	0	0	1	0	0	0	0	0	0	0	1
<i>Legal intervention (Y35,Y89.0)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	0	0	0	1	1	3	1	0	1	0	0	7
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	1	3	0	4	0	0	8
<i>All Deaths in Category</i>	24	1	19	30	66	165	320	522	1,235	1,695	0	4,077

Table M7c – Selected Causes of Death by Age, non-Hispanic Black Males, 2005

UNDERLYING CAUSE OF DEATH, NON-HISPANIC BLACK MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	1	0	1	2	1	0	5
<i>Respiratory tuberculosis (A16)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Septicemia (A40-A41)</i>	3	0	0	2	7	17	25	28	35	11	0	128
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	0	0	0	6	6	0	0	0	0	12
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	3	6	30	25	22	3	2	0	0	91
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	0	0	1	2	3	5	4	4	2	1	0	22
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	1	7	8	6	2	1	0	25
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	1	3	12	7	7	1	0	31
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	1	5	4	8	2	3	0	23
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	2	1	9	15	16	23	4	0	70
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	1	0	1	9	13	13	7	0	0	44
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	2	5	7	8	13	2	0	37
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	0	6	4	1	1	0	12
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	1	8	28	54	66	42	19	0	218
<i>Malignant melanoma of skin (C43)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	0	0	1	0	0	1	0	0	2
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	3	11	33	42	21	0	110
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	1	0	2	5	2	1	3	0	14
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	1	1	3	1	1	0	7

UNDERLYING CAUSE OF DEATH, NON-HISPANIC BLACK MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	0	0	1	2	0	1	2	1	0	7
<i>Hodgkin's disease (C81)</i>	0	0	0	1	0	0	0	0	0	0	0	1
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	2	3	2	2	3	1	1	0	14
<i>Leukemia (C91-C95)</i>	0	0	1	1	3	2	3	3	7	0	0	20
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	0	4	5	10	7	1	0	27
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	0	3	3	3	12	23	27	17	5	0	93
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	1	0	0	1	4	1	3	2	0	0	12
<i>Anemias (D50-D64)</i>	1	1	0	1	0	4	0	0	5	2	0	14
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	4	8	14	18	16	18	9	0	87
<i>Malnutrition (E40-E46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningitis (G00,G03)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	0	3	5	2	0	10
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	0	0	10	2	0	12
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	2	9	10	8	7	7	0	43
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	0	0	0	0	1	2	0	0	3
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	1	2	17	14	24	44	12	0	114
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	0	9	48	80	104	111	43	0	395
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Heart failure (I50)</i>	0	0	0	0	1	6	15	7	23	4	0	56
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	1	0	6	4	14	43	37	36	40	13	0	194
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	0	4	1	10	10	11	5	0	41
<i>Cerebrovascular diseases (I60-I69)</i>	1	2	0	0	7	19	29	30	36	27	0	151
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	0	0	1	1	0	2
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	1	1	5	3	5	1	0	16
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	1	1	1	3	0	0	6
<i>Other disorders of circulatory system (I80-I99)</i>	0	0	0	0	2	4	0	3	1	1	0	11
<i>Influenza (J10-J11)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Pneumonia (J12-J18)</i>	0	0	0	0	3	5	6	13	12	8	0	47
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, NON-HISPANIC BLACK MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Emphysema (J43)</i>	0	0	0	0	0	2	0	0	7	2	0	11
<i>Asthma (J45-J46)</i>	0	1	2	0	1	0	2	0	0	0	0	6
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	0	0	0	5	3	13	23	28	12	0	84
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	0	2	1	3	14	9	0	29
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	0	2	2	4	6	2	8	9	0	33
<i>Peptic ulcer (K25-K28)</i>	0	0	0	0	0	1	1	0	1	0	0	3
<i>Diseases of appendix (K35-K38)</i>	0	1	0	0	0	0	1	0	0	0	0	2
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Alcoholic liver disease (K70)</i>	0	0	0	0	0	5	1	1	1	0	0	8
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	1	8	2	3	2	0	0	16
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	0	0	0	1	1	0	0	2
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Renal failure (N17-N19)</i>	1	0	0	0	4	12	31	21	27	11	0	107
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	54	0	0	0	0	0	0	0	0	0	0	54
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	13	1	0	1	0	1	0	0	0	0	0	16
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	19	0	0	3	2	11	5	8	10	5	0	63
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	6	2	6	5	12	47	39	39	65	37	0	258
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	0	7	6	4	5	1	2	1	1	0	27
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	0	0	1	0	0	0	0	0	0	1
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	1	0	1	0	0	0	0	0	2
<i>Falls (W00-W19)</i>	1	0	0	1	0	0	2	2	5	1	0	12
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	1	0	0	0	0	0	0	1

UNDERLYING CAUSE OF DEATH, NON-HISPANIC BLACK MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	2	0	2	0	2	0	0	0	0	6
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	2	1	1	0	1	3	3	2	2	0	0	15
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	2	7	19	49	15	5	0	0	0	97
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	0	0	0	2	2	1	4	5	8	2	0	24
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	3	2	4	4	1	0	7	2	0	23
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	2	1	5	3	2	2	0	0	0	15
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	0	3	97	76	33	9	3	0	0	0	0	221
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	2	1	7	7	10	11	3	0	0	1	0	42
<i>Legal intervention (Y35,Y89.0)</i>	0	0	1	0	1	0	0	0	0	0	0	2
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	3	1	0	0	0	0	0	0	0	4
<i>Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	2	2	2	2	3	1	0	0	0	0	0	12
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	1	2	2	2	0	0	7
<i>All Deaths in Category</i>	107	16	150	148	232	511	593	630	745	308	0	3,440

Table M7d – Selected Causes of Death by Age, non-Hispanic Black Females, 2005

UNDERLYING CAUSE OF DEATH, NON-HISPANIC BLACK FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	0	0	1	1	5	0	7
<i>Respiratory tuberculosis (A16)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Septicemia (A40-A41)</i>	3	0	0	2	5	8	14	16	50	36	0	134
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	1	0	0	4	1	0	0	0	0	6
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	1	3	15	21	3	2	0	0	0	45
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	0	0	0	0	1	5	1	2	2	1	0	12
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	0	0	2	1	2	1	0	6
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	0	1	6	2	3	2	0	14
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	1	1	2	5	7	8	0	24
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	1	3	9	11	19	22	21	0	86
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	0	0	0	2	5	4	1	0	0	12
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	1	8	7	10	23	6	0	55
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	2	1	1	1	0	0	5
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	1	5	23	45	52	63	19	0	208
<i>Malignant melanoma of skin (C43)</i>	0	0	0	0	0	0	0	0	2	1	0	3
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	2	7	29	20	25	27	20	0	130
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	5	3	4	1	4	2	0	19
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	0	0	0	5	17	11	0	0	33
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	2	4	5	6	6	0	0	23
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	1	0	0	1	2	2	3	0	9
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	0	2	2	5	4	0	13

UNDERLYING CAUSE OF DEATH, NON-HISPANIC BLACK FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	0	0	0	1	2	1	0	1	0	5
<i>Hodgkin's disease (C81)</i>	0	0	0	0	1	0	0	0	0	0	0	1
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	0	0	2	3	3	5	2	0	15
<i>Leukemia (C91-C95)</i>	0	0	0	2	1	2	2	2	1	5	0	15
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	0	1	2	4	9	3	0	19
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms(C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	1	0	0	1	5	12	18	26	15	0	78
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	0	0	0	2	1	3	1	5	4	0	16
<i>Anemias (D50-D64)</i>	0	0	2	1	1	1	1	2	2	3	0	13
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	1	2	7	20	20	32	20	0	102
<i>Malnutrition (E40-E46)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	1	0	0	0	0	0	0	1
<i>Meningitis (G00,G03)</i>	1	0	0	0	0	0	2	0	0	0	0	3
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	0	0	6	0	0	6
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	0	5	17	32	0	54
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	3	8	5	4	11	16	0	47
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	1	1	1	0	0	2	0	0	5
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	0	2	8	19	24	42	54	0	149
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	1	0	1	1	0	3
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	0	7	15	38	61	117	129	0	367
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	1	0	0	1	3	0	0	0	0	5
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	1	0	0	1	0	0	0	2
<i>Heart failure (I50)</i>	0	0	1	0	0	4	8	12	21	32	0	78
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	1	0	1	3	18	21	26	43	52	67	0	232
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	1	1	4	6	11	9	18	0	50
<i>Cerebrovascular diseases (I60-I69)</i>	1	1	2	0	8	24	25	35	73	75	0	244
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	2	1	1	2	0	6
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	0	2	1	6	6	4	0	19
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	0	1	1	4	5	0	11
<i>Other disorders of circulatory system (I80-I99)</i>	0	0	0	1	1	1	1	2	4	1	0	11
<i>Influenza (J10-J11)</i>	0	0	0	0	0	0	0	0	1	1	0	2
<i>Pneumonia (J12-J18)</i>	0	1	0	1	2	1	3	9	21	22	0	60
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, NON-HISPANIC BLACK FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Emphysema (J43)</i>	0	0	0	0	0	0	2	4	5	2	0	13
<i>Asthma (J45-J46)</i>	0	0	0	1	0	5	2	1	0	0	0	9
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	1	0	0	0	5	9	24	32	22	0	93
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	2	1	3	3	14	11	0	34
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	1	0	5	4	3	8	10	10	0	41
<i>Peptic ulcer (K25-K28)</i>	0	0	0	0	0	0	0	4	0	2	0	6
<i>Diseases of appendix (K35-K38)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alcoholic liver disease (K70)</i>	0	0	0	0	0	1	3	0	0	0	0	4
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	1	5	6	1	1	1	0	15
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	0	1	0	0	1	1	0	3
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Renal failure (N17-N19)</i>	1	0	0	2	5	9	18	34	32	16	0	117
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	3	1	0	0	0	0	0	0	4
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	31	0	0	0	0	0	0	0	0	0	0	31
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	5	1	0	1	0	2	0	0	0	0	0	9
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	13	0	0	0	3	6	5	9	15	28	0	79
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	7	1	6	7	26	36	48	60	104	124	0	419
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	0	4	2	1	1	2	1	0	1	0	12
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Falls (W00-W19)</i>	0	0	0	0	0	0	2	4	10	1	0	17
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, NON-HISPANIC BLACK FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	2	2	1	1	0	0	2	2	2	0	0	12
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	2	7	17	12	1	0	0	0	0	39
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	1	0	0	0	1	3	2	4	4	6	0	21
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	2	1	1	0	0	0	0	0	0	4
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	0	2	1	2	1	0	0	1	0	7
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	0	1	6	3	1	2	0	1	0	0	0	14
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	3	1	3	0	1	2	1	0	0	0	0	11
<i>Legal intervention (Y35,Y89.0)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	0	0	0	0	0	1	1	0	0	0	0	2
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	0	1	0	3	0	0	4
<i>All Deaths in Category</i>	70	10	34	51	164	328	434	595	935	867	0	3,488

Table M7e – Selected Causes of Death by Age, non-Hispanic Asian Males, 2005

UNDERLYING CAUSE OF DEATH, NON-HISPANIC ASIAN MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	0	0	0	2	0	0	2
<i>Respiratory tuberculosis (A16)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Septicemia (A40-A41)</i>	0	0	1	0	0	0	1	2	1	2	0	7
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	0	0	1	0	0	1	0	0	0	2
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	0	0	1	0	0	1	0	2
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	0	0	1	0	0	0	1	0	2
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	0	0	1	1	0	0	1	0	0	3
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	0	1	1	1	1	0	0	4
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	0	1	1	1	7	1	1	0	12
<i>Malignant melanoma of skin (C43)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	1	1	0	0	0	0	2

UNDERLYING CAUSE OF DEATH, NON-HISPANIC ASIAN MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	1	0	0	0	0	1	0	0	0	2
<i>Hodgkin's disease (C81)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Leukemia (C91-C95)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms(C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	0	0	0	0	3	1	1	0	0	0	5
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	0	0	0	1	0	0	0	0	0	0	1
<i>Anemias (D50-D64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Malnutrition (E40-E46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningitis (G00,G03)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	1	0	1	0	1	1	3	0	7
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	0	0	0	2	4	2	1	0	9
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	1	0	0	0	0	0	0	1
<i>Heart failure (I50)</i>	0	0	0	0	0	0	0	0	2	0	0	2
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	0	0	0	0	1	2	0	1	1	0	0	5
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Cerebrovascular diseases (I60-I69)</i>	0	0	0	0	1	1	3	5	0	2	0	12
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other disorders of circulatory system (I80-I99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Influenza (J10-J11)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonia (J12-J18)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, NON-HISPANIC ASIAN MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Emphysema (J43)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Asthma (J45-J46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Peptic ulcer (K25-K28)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diseases of appendix (K35-K38)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alcoholic liver disease (K70)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Renal failure (N17-N19)</i>	0	0	0	1	0	0	0	1	0	1	0	3
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	1	0	0	0	0	0	0	1	0	0	0	2
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	0	0	0	0	3	0	0	1	0	0	0	4
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	0	0	0	0	0	3	1	1	3	0	0	8
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	0	3	0	0	0	0	1	0	0	0	4
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	0	1	0	0	0	0	0	0	0	1
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Falls (W00-W19)</i>	0	0	0	0	0	1	0	1	0	1	0	3

UNDERLYING CAUSE OF DEATH, NON-HISPANIC ASIAN MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	1	1	0	0	0	0	0	0	0	2
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	0	2	1	0	0	0	0	0	0	3
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	0	0	4	1	3	0	0	0	0	0	0	8
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	0	1	0	0	1	0	0	0	0	0	0	2
<i>Legal intervention (Y35,Y89.0)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All Deaths in Category</i>	3	1	10	7	15	16	14	34	22	14	0	136

Table M7f – Selected Causes of Death by Age, non-Hispanic Asian Females, 2005

UNDERLYING CAUSE OF DEATH, NON-HISPANIC ASIAN FEMALES	<5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Respiratory tuberculosis (A16)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Septicemia (A40-A41)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	0	0	0	3	0	3	0	0	6
<i>Malignant melanoma of skin (C43)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	0	1	0	1	0	0	0	0	2
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	0	1	0	0	0	0	1

UNDERLYING CAUSE OF DEATH, NON-HISPANIC ASIAN FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hodgkin's disease (C81)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Leukemia (C91-C95)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms(C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	0	0	0	2	0	0	1	0	0	0	3
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Anemias (D50-D64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	0	0	0	0	0	2	0	0	2
<i>Malnutrition (E40-E46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningitis (G00,G03)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	0	0	2	0	0	2
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	0	0	0	0	1	2	0	0	3
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	0	0	1	1	2	2	1	0	7
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Heart failure (I50)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	0	0	0	0	0	1	1	1	0	2	0	5
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cerebrovascular diseases (I60-I69)</i>	0	0	0	0	0	1	1	1	3	5	0	11
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other disorders of circulatory system (I80-I99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Influenza (J10-J11)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonia (J12-J18)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, NON-HISPANIC ASIAN FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Emphysema (J43)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Asthma (J45-J46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	1	0	0	0	1	0	1	0	0	3
<i>Peptic ulcer (K25-K28)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diseases of appendix (K35-K38)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alcoholic liver disease (K70)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Renal failure (N17-N19)</i>	0	0	0	0	0	0	1	2	0	1	0	4
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	2	0	0	0	0	0	0	0	0	0	0	2
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	2	0	0	0	0	0	0	0	0	0	0	2
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	0	0	0	1	1	2	0	1	2	4	0	11
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Falls (W00-W19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, NON-HISPANIC ASIAN FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	1	0	1	0	0	0	0	0	0	2
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	0	0	0	1	0	0	0	0	0	0	0	1
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	0	1	0	0	0	0	0	0	0	0	0	1
<i>Legal intervention (Y35,Y89.0)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All Deaths in Category</i>	4	1	2	2	5	6	13	15	20	17	0	85

Table M7g – Selected Causes of Death by Age, Hispanic Males, 2005

UNDERLYING CAUSE OF DEATH, HISPANIC MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Respiratory tuberculosis (A16)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Septicemia (A40-A41)</i>	0	0	0	0	0	1	3	1	1	1	0	7
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	0	0	0	1	1	0	0	0	0	2
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	0	1	7	4	3	1	0	0	0	16
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	0	0	0	0	1	1	1	0	0	0	0	3
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	1	1	0	1	0	0	0	3
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	0	0	2	2	1	0	1	0	6
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	0	0	0	0	2	1	0	0	0	3
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	0	1	0	1	0	0	0	2
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	0	0	3	3	2	2	2	0	12
<i>Malignant melanoma of skin (C43)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	0	1	2	1	1	0	5
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	1	0	0	0	0	0	0	0	1
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	0	0	2	0	1	0	3

UNDERLYING CAUSE OF DEATH, HISPANIC MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hodgkin's disease (C81)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	0	0	0	2	0	0	0	0	2
<i>Leukemia (C91-C95)</i>	0	0	0	0	0	1	1	1	0	0	0	3
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms(C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</i>	0	0	1	0	2	1	1	1	2	1	0	9
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	0	0	0	0	1	0	1	0	0	0	2
<i>Anemias (D50-D64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	1	1	0	1	1	0	0	0	4
<i>Malnutrition (E40-E46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningitis (G00,G03)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	0	1	0	1	0	2
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	0	0	2	8	5	4	1	0	20
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	0	1	1	0	0	2
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	0	1	3	8	8	2	0	0	22
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Heart failure (I50)</i>	0	0	0	0	0	2	0	1	3	0	0	6
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	0	1	2	0	2	2	2	3	1	2	0	15
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Cerebrovascular diseases (I60-I69)</i>	0	0	0	1	0	2	2	3	3	0	0	11
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Other disorders of circulatory system (I80-I99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Influenza (J10-J11)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonia (J12-J18)</i>	0	0	0	0	1	0	1	3	1	2	0	8
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, HISPANIC MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Emphysema (J43)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Asthma (J45-J46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	0	0	0	0	2	1	1	1	1	0	6
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	0	0	0	1	0	2	0	0	0	3
<i>Peptic ulcer (K25-K28)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diseases of appendix (K35-K38)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alcoholic liver disease (K70)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	1	2	2	4	0	0	0	9
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Renal failure (N17-N19)</i>	0	0	0	0	1	2	0	4	2	1	0	10
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	13	0	0	0	0	0	0	0	0	0	0	13
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	5	3	0	0	0	0	0	0	0	0	0	8
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	3	0	1	0	2	0	0	1	1	2	1	11
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	2	0	0	0	6	6	8	5	2	1	1	31
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	0	2	5	0	0	0	0	0	0	0	7
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Falls (W00-W19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	0	0	1	0	0	0	0	0	0	1

UNDERLYING CAUSE OF DEATH, HISPANIC MALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	0	1	1	0	0	0	0	0	0	0	0	2
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	2	5	6	4	0	0	0	0	0	17
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	1	1	0	2	0	0	0	0	0	4
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	1	2	0	0	0	1	0	1	0	5
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	1	1	11	10	2	2	0	0	0	0	0	27
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	0	0	3	4	2	1	0	0	0	0	0	10
<i>Legal intervention (Y35,Y89.0)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	0	0	1	0	0	0	0	1	0	0	0	2
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>All Deaths in Category</i>	25	6	26	31	37	51	54	61	30	20	2	343

Table M7h – Selected Causes of Death by Age, Hispanic Females, 2005

UNDERLYING CAUSE OF DEATH, HISPANIC FEMALES	<5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Salmonella infections (A01-A02)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Shigellosis and amebiasis (A03,A06)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain other intestinal infections (A04,A07-A09)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Respiratory tuberculosis (A16)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other tuberculosis (A17-A19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Whooping cough (A37)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scarlet fever and erysipelas (A38,A46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningococcal infection (A39)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Septicemia (A40-A41)</i>	0	0	0	1	1	0	3	2	2	2	0	11
<i>Syphilis (A50-A53)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute poliomyelitis (A80)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Arthropod-borne viral encephalitis (A83-A84,A85.2)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Measles (B05)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Viral hepatitis (B15-B19)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Human immunodeficiency virus (HIV) disease (B20-B24)</i>	0	0	0	2	2	0	0	0	0	0	0	4
<i>Malaria (B50-B54)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified infectious and parasitic diseases and their sequelae(A00,A05,A20-A36,A42-A44,A48-A49,A54-A79, A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</i>	1	0	0	0	3	0	1	0	0	0	0	5
<i>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of esophagus (C15)</i>	0	0	0	0	0	0	0	0	2	0	0	2
<i>Malignant neoplasm of stomach (C16)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>Malignant neoplasms of colon, rectum and anus (C18-C21)</i>	0	0	0	0	1	2	0	3	5	1	0	12
<i>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Malignant neoplasm of pancreas (C25)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Malignant neoplasm of larynx (C32)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</i>	0	0	0	0	0	1	2	1	1	0	0	5
<i>Malignant melanoma of skin (C43)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of breast (C50)</i>	0	0	0	1	0	2	3	0	1	1	0	8
<i>Malignant neoplasm of cervix uteri (C53)</i>	0	0	0	0	1	0	0	0	1	0	0	2
<i>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</i>	0	0	0	1	0	0	0	2	0	0	0	3
<i>Malignant neoplasm of ovary (C56)</i>	0	0	0	0	1	0	2	1	1	0	0	5
<i>Malignant neoplasm of prostate (C61)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasms of kidney and renal pelvis (C64-C65)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Malignant neoplasm of bladder (C67)</i>	0	0	0	0	0	0	0	0	0	1	0	1

UNDERLYING CAUSE OF DEATH, HISPANIC FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hodgkin's disease (C81)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Non-Hodgkin's lymphoma (C82-C85)</i>	0	0	0	0	0	0	0	0	0	1	0	1
<i>Leukemia (C91-C95)</i>	0	0	0	0	1	0	0	0	1	0	0	2
<i>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>All other and unspecified malignant neoplasms(C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66-C68-C69,C73-C80,C97)</i>	0	0	0	0	0	0	2	2	1	1	0	6
<i>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Anemias (D50-D64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diabetes mellitus (E10-E14)</i>	0	0	0	0	1	0	0	2	6	0	0	9
<i>Malnutrition (E40-E46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other nutritional deficiencies (E50-E64)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Meningitis (G00,G03)</i>	0	0	1	0	0	0	0	0	0	0	0	1
<i>Parkinson's disease (G20-G21)</i>	0	0	0	0	0	0	0	0	0	2	0	2
<i>Alzheimer's disease (G30)</i>	0	0	0	0	0	0	0	1	0	1	0	2
<i>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hypertensive heart disease (I11)</i>	0	0	0	0	1	1	1	0	0	0	0	3
<i>Hypertensive heart and renal disease (I13)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute myocardial infarction (I21-I22)</i>	0	0	0	0	0	3	2	4	1	1	0	11
<i>Other acute ischemic heart diseases (I24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Atherosclerotic cardiovascular disease, so described (I25.0)</i>	0	0	0	0	0	1	4	5	3	7	0	20
<i>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acute and subacute endocarditis (I33)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diseases of pericardium and acute myocarditis (I30-I31,I40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Heart failure (I50)</i>	0	0	0	0	0	0	1	0	1	2	0	4
<i>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</i>	0	0	1	0	1	0	3	1	2	1	0	9
<i>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</i>	0	0	0	0	0	1	0	2	1	0	0	4
<i>Cerebrovascular diseases (I60-I69)</i>	0	0	0	1	0	2	1	3	8	1	0	16
<i>Atherosclerosis (I70)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Aortic aneurysm and dissection (I71)</i>	0	0	0	0	1	0	0	1	0	0	0	2
<i>Other diseases of arteries, arterioles and capillaries (I72-I78)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other disorders of circulatory system (I80-I99)</i>	0	0	0	0	0	1	0	0	0	0	0	1
<i>Influenza (J10-J11)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonia (J12-J18)</i>	0	0	0	0	0	0	1	2	0	1	0	4
<i>Acute bronchitis and bronchiolitis (J20-J21)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Unspecified acute lower respiratory infection (J22)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, HISPANIC FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Bronchitis, chronic and unspecified (J40-J42)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Emphysema (J43)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Asthma (J45-J46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other chronic lower respiratory diseases (J44,J47)</i>	0	0	0	0	0	0	0	1	0	1	0	2
<i>Pneumoconioses and chemical effects (J60-J66,J68)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pneumonitis due to solids and liquids (J69)</i>	0	0	0	0	0	0	0	0	2	1	0	3
<i>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</i>	0	0	0	1	1	2	2	2	1	0	0	9
<i>Peptic ulcer (K25-K28)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Diseases of appendix (K35-K38)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hernia (K40-K46)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alcoholic liver disease (K70)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other chronic liver disease and cirrhosis (K73-K74)</i>	0	0	0	0	0	1	0	1	0	0	0	2
<i>Cholelithiasis and other disorders of gallbladder (K80-K82)</i>	0	0	0	0	1	0	0	0	0	0	0	1
<i>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Renal failure (N17-N19)</i>	0	0	0	0	0	0	1	2	2	0	0	5
<i>Other disorders of kidney (N25,N27)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Infections of kidney (N10-N12,N13.6,N15.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Hyperplasia of prostate (N40)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Inflammatory diseases of female pelvic organs (N70-N76)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pregnancy with abortive outcome (O00-O07)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other complications of pregnancy, childbirth and the puerperium (O10-O99)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Certain conditions originating in the perinatal period (P00-P96)</i>	6	0	0	0	0	0	0	0	0	0	0	6
<i>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</i>	3	0	0	0	0	0	0	0	0	0	0	3
<i>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</i>	2	0	1	1	0	0	1	3	0	1	1	10
<i>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)</i>	1	0	0	0	0	3	2	5	7	6	0	24
<i>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</i>	0	0	0	0	1	0	1	0	0	0	0	2
<i>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Falls (W00-W19)</i>	0	0	0	0	0	0	0	1	0	0	0	1
<i>Accidental discharge of firearms (W32-W34)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Accidental drowning and submersion (W65-W74)</i>	0	0	0	0	0	0	0	0	0	0	0	0

UNDERLYING CAUSE OF DEATH, HISPANIC FEMALES	< 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Missing	ALL AGES
<i>Accidental exposure to smoke, fire and flames (X00-X09)</i>	1	0	0	0	0	0	0	0	0	0	0	1
<i>Accidental poisoning and exposure to noxious substances (X40-X49)</i>	0	0	2	2	2	0	1	0	0	0	0	7
<i>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)</i>	0	0	0	0	0	0	1	0	0	0	0	1
<i>Assault (homicide) by discharge of firearms (X93-X95)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Legal intervention (Y35,Y89.0)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Discharge of firearms, undetermined intent (Y22-Y24)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Other and unspecified events of undetermined intent and their sequelae(Y10-Y21,Y25-Y34,Y87.2,Y89.9)</i>	1	0	1	0	1	0	0	0	0	0	0	3
<i>Operations of war and their sequelae (Y36,Y89.1)</i>	0	0	0	0	0	0	0	0	0	0	0	0
<i>Complications of medical and surgical care (Y40-Y84,Y88)</i>	0	0	0	0	0	0	0	0	1	0	0	1
<i>All Deaths in Category</i>	15	0	6	10	20	20	36	48	51	33	1	240

Table M8 – Leading Causes of Infant Mortality by Race and Ethnicity, 2005

Rank	Cause of Death - Infant Deaths	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic (of any Race)	ALL
1	Disorders related to short gestation and low birth weight, not elsewhere classified	10	37	1	7	59
2	Congenital malformations, deformations and chromosomal abnormalities	6	17	3	8	35
3	Newborn affected by maternal complications of pregnancy	4	10	0	6	20
4	Anoxic brain damage, not elsewhere classified	1	7	0	2	10
5	Newborn affected by complications of placenta, cord and membranes	4	2	0	0	6
	Necrotizing enterocolitis of newborn	0	4	1	1	6
	Septicemia	0	6	0	0	6
	Bacterial sepsis of newborn	0	4	1	1	6
	Neonatal hemorrhage	1	5	0	0	6
10	Diseases of the circulatory system	2	3	0	0	5
	All other causes	13	64	0	11	91
	TOTAL	41	159	6	36	250

Rank	Cause of Death - Neonatal Deaths	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic (of any Race)	ALL
1	Disorders related to short gestation and low birth weight, not elsewhere classified	10	36	1	7	58
2	Congenital malformations, deformations and chromosomal abnormalities	4	13	2	5	25
3	Newborn affected by maternal complications of pregnancy	4	10	0	6	20
4	Newborn affected by complications of placenta, cord and membranes	4	2	0	0	6
	Bacterial sepsis of newborn	0	4	1	1	6
	Neonatal hemorrhage	1	5	0	0	6
7	Intrauterine hypoxia and birth asphyxia	1	4	0	0	5
8	Necrotizing enterocolitis of newborn	0	3	1	0	4
9	Pulmonary hemorrhage originating in the perinatal period	1	2	0	0	3
	Respiratory distress of newborn	1	1	0	0	3
	All other causes	6	21	0	6	34
	TOTAL	32	101	5	25	170

Rank	Cause of Death- Post-neonatal Deaths	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Hispanic (of any Race)	ALL
1	Congenital malformations, deformations and chromosomal abnormalities	2	4	1	3	10
	Anoxic brain damage, not elsewhere classified	1	7	0	2	10
3	Septicemia	0	6	0	0	6
4	Diseases of the circulatory system	2	2	0	0	4
5	Sudden infant death syndrome	0	3	0	0	3
6	Chronic respiratory disease originating in the perinatal period	1	1	0	0	2
	Necrotizing enterocolitis of newborn	0	1	0	1	2
	Gastritis, duodenitis, and noninfective enteritis and colitis	0	1	0	1	2
9	Meningococcal infection	0	1	0	0	1
	Accidents (unintentional injuries)	0	1	0	0	1
	Disorders related to short gestation and low birth weight, not elsewhere classified	0	1	0	0	1
	Meningitis	0	1	0	0	1
	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	0	1	0	0	1
	All other causes	3	31	0	4	39
	TOTAL	9	58	1	11	80

Table M9a – Selected Causes of Infant Deaths by Race and Ethnicity, 2005

UNDERLYING CAUSES OF INFANT DEATHS	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Other, Non-Hispanic	Hispanic (of any Race)	Unknown	ALL
<i>Certain Infectious and Parasitic Diseases</i>	0	7	0	0	1	0	8
<i>Neoplasms</i>	0	0	0	0	0	0	0
<i>Diseases of Blood & Blood-Forming Organs and Certain Disorders</i>	0	1	0	0	0	0	1
<i>Endocrine, Nutritional & Metabolic Diseases</i>	0	0	0	0	0	0	0
<i>Diseases of the Nervous System</i>	2	9	0	0	2	0	13
<i>Diseases of the Circulatory System</i>	2	3	0	0	0	0	5
<i>Diseases of the Respiratory System</i>	0	0	0	0	0	0	0
<i>Diseases of the Digestive System</i>	0	3	0	0	1	0	4
<i>Diseases of the Genitourinary System</i>	0	2	0	0	0	0	2
<i>Newborn affected by maternal hypertensive disorder</i>	0	0	0	0	0	1	1
<i>Newborn affected by other maternal conditions which may be unrelated to present pregnancy</i>	0	0	0	0	0	0	0
<i>Newborn affected by incompetent cervix</i>	1	4	0	0	2	0	7
<i>Newborn affected by premature rupture of membranes</i>	1	4	0	0	3	0	8
<i>Newborn affected by multiple pregnancy</i>	2	1	0	0	0	0	3
<i>Newborn affected by other maternal complications of pregnancy</i>	0	1	0	0	1	0	2
<i>Newborn affected by complications involving placenta</i>	0	0	0	0	0	0	0
<i>Newborn affected by complications involving cord</i>	0	0	0	0	0	0	0
<i>Newborn affected by chorioamnionitis</i>	4	2	0	0	0	0	6
<i>Newborn affected by other and unspecified abnormalities of membranes</i>	0	0	0	0	0	0	0
<i>Newborn affected by other complications of labor and delivery</i>	1	1	0	0	0	0	2
<i>Newborn affected by noxious influences transmitted via placenta or breast milk</i>	0	1	0	0	0	0	1
<i>Slow fetal growth and fetal malnutrition</i>	1	1	0	0	0	0	2
<i>Extremely low birth weight or extreme immaturity</i>	9	34	1	0	7	4	55
<i>Other low birth weight or preterm</i>	1	3	0	0	0	0	4
<i>Other Conditions Originating in Perinatal Period</i>	9	33	2	0	6	1	51
<i>Congenital Malformations, Deformations & Chromosomal Abnormalities</i>	6	17	3	0	8	1	35
<i>Symptoms, Signs & Abnormal Clinical & Laboratory Findings, NEC</i>	2	27	0	0	3	1	33
<i>Sudden Infant Death Syndrome (SIDS)</i>	0	3	0	0	1	0	4
<i>Accidents (Unintentional Injuries)</i>	0	1	0	0	0	0	1
<i>Assault (Homicide)</i>	0	0	0	0	0	0	0
<i>All Other Causes</i>	0	1	0	0	1	0	2
ALL CAUSES	41	159	6	0	36	8	250

Table M9b – Selected Causes of Neonatal Deaths by Race and Ethnicity, 2005

UNDERLYING CAUSES OF NEONATAL DEATHS	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Other, Non-Hispanic	Hispanic (of any Race)	Unknown	ALL
<i>Certain Infectious and Parasitic Diseases</i>	0	0	0	0	0	0	0
<i>Neoplasms</i>	0	0	0	0	0	0	0
<i>Diseases of Blood & Blood-Forming Organs and Certain Disorders</i>	0	0	0	0	0	0	0
<i>Endocrine, Nutritional & Metabolic Diseases</i>	0	0	0	0	0	0	0
<i>Diseases of the Nervous System</i>	0	0	0	0	0	0	0
<i>Diseases of the Circulatory System</i>	0	1	0	0	0	0	1
<i>Diseases of the Respiratory System</i>	0	0	0	0	0	0	0
<i>Diseases of the Digestive System</i>	0	1	0	0	0	0	1
<i>Diseases of the Genitourinary System</i>	0	2	0	0	0	0	2
<i>Newborn affected by maternal hypertensive disorder</i>	0	0	0	0	0	1	1
<i>Newborn affected by other maternal conditions which may be unrelated to present pregnancy</i>	0	0	0	0	0	0	0
<i>Newborn affected by incompetent cervix</i>	1	4	0	0	2	0	7
<i>Newborn affected by premature rupture of membranes</i>	1	4	0	0	3	0	8
<i>Newborn affected by multiple pregnancy</i>	2	1	0	0	0	0	3
<i>Newborn affected by other maternal complications of pregnancy</i>	0	1	0	0	1	0	2
<i>Newborn affected by complications involving placenta</i>	0	0	0	0	0	0	0
<i>Newborn affected by complications involving cord</i>	0	0	0	0	0	0	0
<i>Newborn affected by chorioamnionitis</i>	4	2	0	0	0	0	6
<i>Newborn affected by other and unspecified abnormalities of membranes</i>	0	0	0	0	0	0	0
<i>Newborn affected by other complications of labor and delivery</i>	1	1	0	0	0	0	2
<i>Newborn affected by noxious influences transmitted via placenta or breast milk</i>	0	1	0	0	0	0	1
<i>Slow fetal growth and fetal malnutrition</i>	1	1	0	0	0	0	2
<i>Extremely low birth weight or extreme immaturity</i>	9	33	1	0	7	4	54
<i>Other low birth weight or preterm</i>	1	3	0	0	0	0	4
<i>Other Conditions Originating in Perinatal Period</i>	8	31	2	0	5	1	47
<i>Congenital Malformations, Deformations & Chromosomal Abnormalities</i>	4	13	2	0	5	1	25
<i>Symptoms, Signs & Abnormal Clinical & Laboratory Findings, NEC</i>	0	2	0	0	1	0	3
<i>Sudden Infant Death Syndrome (SIDS)</i>	0	0	0	0	1	0	1
<i>Accidents (Unintentional Injuries)</i>	0	0	0	0	0	0	0
<i>Assault (Homicide)</i>	0	0	0	0	0	0	0
<i>All Other Causes</i>	0	0	0	0	0	0	0
ALL CAUSES	32	101	5	0	25	7	170

Table M9c – Selected Causes of Post-Neonatal Deaths by Race and Ethnicity, 2005

UNDERLYING CAUSES OF POST-NEONATAL DEATHS	White, Non-Hispanic	Black, Non-Hispanic	Asian, Non-Hispanic	Other, Non-Hispanic	Hispanic(of any Race)	Unknown	ALL
<i>Certain Infectious and Parasitic Diseases</i>	0	7	0	0	1	0	8
<i>Neoplasms</i>	0	0	0	0	0	0	0
<i>Diseases of Blood & Blood-Forming Organs and Certain Disorders</i>	0	1	0	0	0	0	1
<i>Endocrine, Nutritional & Metabolic Diseases</i>	0	0	0	0	0	0	0
<i>Diseases of the Nervous System</i>	2	9	0	0	2	0	13
<i>Diseases of the Circulatory System</i>	2	2	0	0	0	0	4
<i>Diseases of the Respiratory System</i>	0	0	0	0	0	0	0
<i>Diseases of the Digestive System</i>	0	2	0	0	1	0	3
<i>Diseases of the Genitourinary System</i>	0	0	0	0	0	0	0
<i>Newborn affected by maternal hypertensive disorder</i>	0	0	0	0	0	0	0
<i>Newborn affected by other maternal conditions which may be unrelated to present pregnancy</i>	0	0	0	0	0	0	0
<i>Newborn affected by incompetent cervix</i>	0	0	0	0	0	0	0
<i>Newborn affected by premature rupture of membranes</i>	0	0	0	0	0	0	0
<i>Newborn affected by multiple pregnancy</i>	0	0	0	0	0	0	0
<i>Newborn affected by other maternal complications of pregnancy</i>	0	0	0	0	0	0	0
<i>Newborn affected by complications involving placenta</i>	0	0	0	0	0	0	0
<i>Newborn affected by complications involving cord</i>	0	0	0	0	0	0	0
<i>Newborn affected by chorioamnionitis</i>	0	0	0	0	0	0	0
<i>Newborn affected by other and unspecified abnormalities of membranes</i>	0	0	0	0	0	0	0
<i>Newborn affected by other complications of labor and delivery</i>	0	0	0	0	0	0	0
<i>Newborn affected by noxious influences transmitted via placenta or breast milk</i>	0	0	0	0	0	0	0
<i>Slow fetal growth and fetal malnutrition</i>	0	0	0	0	0	0	0
<i>Extremely low birth weight or extreme immaturity</i>	0	1	0	0	0	0	1
<i>Other low birth weight or preterm</i>	0	0	0	0	0	0	0
<i>Other Conditions Originating in Perinatal Period</i>	1	2	0	0	1	0	4
<i>Congenital Malformations, Deformations & Chromosomal Abnormalities</i>	2	4	1	0	3	0	10
<i>Symptoms, Signs & Abnormal Clinical & Laboratory Findings, NEC</i>	2	25	0	0	2	1	30
<i>Sudden Infant Death Syndrome (SIDS)</i>	0	3	0	0	0	0	3
<i>Accidents (Unintentional Injuries)</i>	0	1	0	0	0	0	1
<i>Assault (Homicide)</i>	0	0	0	0	0	0	0
<i>All Other Causes</i>	0	1	0	0	1	0	2
ALL CAUSES	9	58	1	0	11	1	80

Table M10 – Manner of Deaths, 2005

<i>MANNER</i>	<i>ALL RESIDENT DEATHS</i>	
	<i>N</i>	<i>Percent</i>
Accident	738	4.8
Homicide	365	2.4
Natural	13,664	88.4
Pending	56	0.4
Suicide	160	1.0
Undetermined	91	0.6
Not Provided	385	2.5
TOTAL	15,459	100.0

Table M11s – Youth Homicides, Selected Characteristics, 2005

<i>Males</i>					
		<i>10 to 14</i>	<i>15 to 19</i>	<i>20 to 24</i>	<i>ALL</i>
	White, Non-Hispanic	0	4	1	5
	Black, Non-Hispanic	3	48	56	107
	Asian, Non-Hispanic	1	1	3	5
	Hispanic	0	3	11	14
	<i>Total</i>	<i>4</i>	<i>56</i>	<i>71</i>	<i>131</i>

<i>Females</i>					
		<i>10 to 14</i>	<i>15 to 19</i>	<i>20 to 24</i>	<i>ALL</i>
	White, Non-Hispanic	0	1	0	1
	Black, Non-Hispanic	1	3	6	10
	Asian, Non-Hispanic	0	0	0	0
	Hispanic	0	0	0	0
	<i>Total</i>	<i>1</i>	<i>4</i>	<i>6</i>	<i>11</i>

Table M12s – Youth Homicides, Specific Causes of Death, 2005

<i>Youth (10 to 24 year old)</i>			
<i>Specific Causes of Death</i>		<i>N</i>	<i>Percent</i>
	Firearm Discharge	126	88.7
	Hanging, Strangulation and Suffocation	5	3.5
	Sharp Object	6	4.2
	Crashing of Motor Vehicle	1	0.7
	Other or Unspecified Means or Sequelae of Assault	4	2.8
	TOTAL YOUTH HOMICIDE DEATHS	142	100.0

Table M – Life Expectancy, Philadelphia Residents, 2005

LIFE EXPECTANCY AT AGE x		
<i>Exact Age x</i>	<i>Males (e_x)</i>	<i>Females (e_x)</i>
0	70.20	78.48
1	70.11	78.24
5	66.23	74.33
10	61.30	69.38
15	56.38	64.42
20	51.82	59.54
25	47.36	54.70
30	43.01	49.89
35	38.54	45.15
40	34.25	40.51
45	30.14	36.12
50	26.36	31.92
55	22.89	27.77
60	19.70	23.84
65	16.54	20.30
70	13.61	16.82
75	11.15	13.69
80	9.27	11.02
85	8.53	9.31

DEFINITIONS OF TERMS

Natality:

PRETERM - Less than 37 completed weeks of gestation.

TERM - 37 to 41 weeks of completed gestation.

POST-TERM - 42 weeks or more of gestation

BIRTHWEIGHT - The first weight of the newborn obtained after birth. This weight should be measured preferably within the first hour of delivery before significant postnatal weight loss has occurred.

LOW BIRTHWEIGHT - A birth weight under 2500 grams or 5 pounds, 9 ounces.

VERY LOW BIRTHWEIGHT - A birth weight under 1500 grams or 3 pounds, 5 ounces.

LIVE BIRTH - According to Pennsylvania law, is the expulsion or extraction from its mother of a product of conception, irrespective of the period of gestation, which shows any evidence of life at any moment after such expulsion or extraction.

Mortality:

FETAL DEATH - As defined by Pennsylvania law: "the expulsion or extraction from its mother of a product of conception after 16 weeks gestation, which shows no evidence of life after such expulsion or extraction".

INFANT DEATH - Death of an infant under 1 year of age.

NEONATAL DEATH - An infant death occurring within the first 27 days of life.

POST-NEONATAL DEATH - An infant death occurring at 28 days to 364 days of age.

PERINATAL MORTALITY RATE- Is the sum of late fetal deaths (28 weeks or more) plus infant deaths within 7 days of birth divided by the sum of live births plus late fetal deaths, per 1,000 live births plus late fetal deaths. (Perinatal relates to the period surrounding the birth event. Rates and ratios are based on events reported in a calendar year.)

BRIDGING TABLES

Bridging tables have been prepared to assist readers locate statistics that were previously reported, in tables newly numbered in the revised vital statistics report. Please note that some statistics are no longer being reported. These are noted in the narrative of both the natality and mortality sections. If there is no comparable statistics, the old table number will not appear in the bridging tables. Bridging tables are provided for the population, natality and mortality sections.

Population Section Tables

<i>Old table number in previous vital statistics report (prior to 2005)</i>	<i>Current table number in revised vital statistics report (2005 to current)</i>	<i>Notes regarding difference in table contents</i>
1	P1, P2	Estimates for “All Races” are presented in Table P1; estimates by race are presented in Table P2; “Other” race statistics are discontinued

Natality Section Tables

<i>Old table number in previous vital statistics report (prior to 2005)</i>	<i>Current table number in revised vital statistics report (2005 to current)</i>	<i>Notes regarding difference in table contents</i>
25, 26	N1	Statistics from Tables 25 and 26 are combined into Table N1
27, 28, 30, 31	N4	Statistics from Tables 27, 28, 30 and 31 are combined into Table N4; trend statistics from Tables 27 and 28 are standardized to 10 years preceding report year in Table N4
34	N6a	“Unmarried Mothers” and “Prenatal Care” statistics are discontinued
35, 36	N6b	Tables 35 and 36 statistics are combined into Table N6b; “Unmarried Mothers” and “Prenatal Care” statistics are discontinued
46	N10a	Highest numeric category for “Birth Parity” statistics standardized to 5 or higher
47	N10b	Highest numeric category for “Birth Parity” statistics standardized to 5 or higher
48	N11	“Birth Plurality” statistics report on counts replacing percentages; highest numeric category for “Birth Plurality” statistics standardized to triplets
49, 50	N12	Race and Hispanic Ethnicity statistics on “Complications of Labor and/or Delivery” from Tables 49 and 50 are combined into Table N12;

		“Complications of Labor and/or Delivery” category expanded to include all Labor and Delivery fields collected on live birth certificate;
49, 50	N13	Race and Hispanic Ethnicity statistics on “Medical Risk Factors of Mother” from Tables 49 and 50 are combined into Table N13; “Medical Risk Factors of Mother” category expanded to include all Maternal Morbidity fields collected on live birth certificate
49, 50	N14	Race and Hispanic Ethnicity statistics on “C-Section Deliveries” from Tables 49 and 50 are combined into Table N14; “C-Section Deliveries” category expanded to include all Route and Method of Delivery fields collected on live birth certificate
49, 50	N15	Race and Hispanic Ethnicity statistics on “Newborn Abnormal Conditions” from Tables 49 and 50 are combined into Table N15; “Newborn Abnormal Conditions” category expanded to include all Abnormal Conditions of Newborn fields collected on live birth certificate
49, 50	N16	Race and Hispanic Ethnicity statistics on “Congenital Anomalies” from Tables 49 and 50 are combined into Table N16; “Congenital Anomalies” category expanded to include all Congenital Anomalies of Newborn fields collected on live birth certificate
51	N7	Birth Weight categories are collapsed into a single Very Low Birth Weight category; trend statistics on VLBW are presented for 10 years preceding report year

Mortality Section Tables

<i>Old table number in previous vital statistics report (prior to 2005)</i>	<i>Current table number in revised vital statistics report (2005 to current)</i>	<i>Notes regarding difference in table contents</i>
4	M1	Trend statistics from Table 4 are standardized to 10 years preceding report year in Table M1; “Maternal Deaths” statistics are reported in Tables M6b, M7b, M7d, M7f, M7h according to Race and Ethnicity of decedent; Table M1 includes “Perinatal Mortality” statistics
5, 7, 8	M2	Trend statistics from Tables 5, 7, and 8 are combined and standardized to 10 years preceding report year in Table M2; “Maternal Deaths” statistics are reported in Tables M6b, M7b, M7d, M7f, M7h according to Race

		and Ethnicity of decent; Table M2 now includes “Perinatal Mortality” statistics
9, 10	M4	“Causes of Resident Deaths” statistics are tabulated and ranked according to the guidelines in Instruction Manual Part 9 issued by the National Center for Health Statistics; the “Cause of Death” categories in Tables 9 and 10 are not 100% compatible with the “Leading Causes of Death” categories in Table M4
11	M5	“Causes of Resident Deaths” statistics are tabulated and ranked according to the guidelines in Instruction Manual Part 9 issued by the National Center for Health Statistics; the “Cause of Death” categories in Table 11 are not 100% compatible with the “Leading Causes of Death” categories in Table M5
12, 13, 14, 15	M5a – M5b	“Causes of Resident Deaths” statistics are tabulated and ranked according to the guidelines in Instruction Manual Part 9 issued by the National Center for Health Statistics; the “Cause of Death” categories in Tables 12, 13, 14, and 15 are not 100% compatible with the “Leading Causes of Death” categories in Tables M5a – M5d
16	M9a	“Selected Causes of Infant Deaths” statistics are tabulated according to the guidelines in Instruction Manual Part 9 issued by the National Center for Health Statistics; “Cause of Death” categories in Table 16 are not 100% compatible with the “Selected Causes of Infant Death” categories in Table M9a
17	M9b	“Selected Causes of Neonatal Deaths” statistics are tabulated according to the guidelines in Instruction Manual Part 9 issued by the National Center for Health Statistics; “Cause of Death” categories in Table 17 are not 100% compatible with the “Selected Causes of Infant Death” categories in Table M9b
18	M9c	“Selected Causes of Post-neonatal Deaths” statistics are tabulated according to the guidelines in Instruction Manual Part 9 issued by the National Center for Health Statistics; “Cause of Death” categories in Table 18 are not 100% compatible with the “Selected Causes of Infant Death” categories in Table M9c
19, 20, 21, 22, 23	M7a – M7h	“Selected Causes of Resident Deaths” statistics are tabulated according to the guidelines in Instruction Manual Part 9 issued by the National Center for Health Statistics; the “Cause of Death” categories in Tables 19, 20, 21, 22, 23 are not 100% compatible with the

		“Selected Causes of Death” categories in Tables M7a – M7h
24A, 24B	M11s	“Demographic” statistics from Tables 24A and 24B are presented in Table M11s
24A, 24B	M12s	“Specific Causes of Death” statistics from Tables 24A and 24B are presented in Table 12s

APPENDIX

CHILD	1. CHILD'S NAME (First, Middle, Last, Suffix)		2. TIME OF BIRTH ____ A.M. ____ P.M.		3. SEX	4. DATE OF BIRTH (Mo/Day/Yr)
	5. FACILITY NAME (If not institution, give street and number)		6. FACILITY ID. (NPI)	7. CITY, TOWN OR LOCATION OF BIRTH		8. COUNTY OF BIRTH
MOTHER	9a. MOTHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)				9b. DATE OF BIRTH (Mo/Day/Yr)	
	9c. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last, Suffix)				9d. BIRTHPLACE (State, Territory or Foreign Country)	
	10. WHERE DOES MOTHER ACTUALLY LIVE?				DOES MOTHER LIVE IN A TOWNSHIP?	
	10a. State _____ 10c. <input type="checkbox"/> Yes, mother lives in _____ twp. 10b. County _____ 10d. <input type="checkbox"/> No, mother lives within limits of _____ city/town					
FATHER	11a. FATHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)				11b. DATE OF BIRTH (Mo/Day/Yr)	11c. BIRTHPLACE (State, Territory or Foreign Country)
	12a. I certify that this child was born alive at the place and time and on the date stated.				12b. CERTIFIER'S NAME AND TITLE (Print) Name _____ Title: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> HOSPITAL ADMIN. <input type="checkbox"/> CNM/CM <input type="checkbox"/> Other MIDWIFE <input type="checkbox"/> OTHER (Specify) _____	
CERTIFIER	13. DATE CERTIFIED ____ MM ____ DD ____ YYYY				14. DATE FILED BY REGISTRAR ____ MM ____ DD ____ YYYY	
	15. REGISTRAR'S SIGNATURE				16. REGISTRAR'S NUMBER	
MOTHER	17. MOTHER'S MAILING ADDRESS: <input type="checkbox"/> Same as residence, or: State/Country: _____ City, Town or Location: _____ Number & Street: _____ Apartment No.: _____ Zip Code: _____					
	18. MOTHER MARRIED? <input type="checkbox"/> Yes <input type="checkbox"/> No IF NO, HAS PATERNITY ACKNOWLEDGMENT BEEN SIGNED IN THE HOSPITAL? <input type="checkbox"/> Yes <input type="checkbox"/> No					
MOTHER	20. MOTHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at time of delivery) <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th - 12th grade, no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEd, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		21. MOTHER OF HISPANIC ORIGIN? (Check the box that best describes whether the mother is Spanish/Hispanic/Latina. Check the "No" box if mother is not Spanish/Hispanic/Latina) <input type="checkbox"/> No, not Spanish/Hispanic/Latina <input type="checkbox"/> Yes, Mexican/Mexican American/Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latina (Specify) _____		22. MOTHER'S RACE (Check ONE OR MORE races to indicate what the mother considers herself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander <input type="checkbox"/> Other (Specify) _____	
	23. MOTHER'S SINGLE RACE SELF-DESIGNATION (Check ONLY ONE to indicate which best represents the mother's race) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander <input type="checkbox"/> Other (Specify) _____ <input type="checkbox"/> Don't Know/Not Sure <input type="checkbox"/> Refused		24. MOTHER'S SOCIAL SECURITY NUMBER: ____ _			
FATHER	25. FATHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at time of delivery) <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th - 12th grade, no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEd, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		26. FATHER OF HISPANIC ORIGIN? (Check the box that best describes whether the father is Spanish/Hispanic/Latino. Check the "No" box if father is not Spanish/Hispanic/Latino) <input type="checkbox"/> No, not Spanish/Hispanic/Latino <input type="checkbox"/> Yes, Mexican/Mexican American/Chicano <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino (Specify) _____		27. FATHER'S RACE (Check ONE OR MORE races to indicate what the father considers himself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander <input type="checkbox"/> Other (Specify) _____	
	28. FATHER'S SINGLE RACE SELF-DESIGNATION (Check ONLY ONE to indicate which best represents the father's race) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander <input type="checkbox"/> Other (Specify) _____ <input type="checkbox"/> Don't Know/Not Sure <input type="checkbox"/> Refused		29. FATHER'S SOCIAL SECURITY NUMBER: ____ _			
MOTHER'S Name	30. PLACE WHERE BIRTH OCCURRED (Check one) <input type="checkbox"/> Hospital <input type="checkbox"/> Freestanding birthing center <input type="checkbox"/> Home Birth: Planned to deliver at home? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Clinic/Doctor's office <input type="checkbox"/> Other (Specify) _____		31. ATTENDANT'S NAME, TITLE, AND NPI NAME: _____ NPI: _____ TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> OTHER (Specify) _____		32. MOTHER TRANSFERRED FOR MATERNAL MEDICAL OR FETAL INDICATIONS FOR DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, ENTER NAME OF FACILITY MOTHER TRANSFERRED FROM: _____	

CONTINUED ON BACK...

Copy of Certificate of Live Birth con'd.

MOTHER		33a. DATE OF FIRST PRENATAL CARE VISIT MM / DD / YYYY <input type="checkbox"/> No Prenatal Care		33b. DATE OF LAST PRENATAL CARE VISIT MM / DD / YYYY		34. TOTAL NUMBER OF PRENATAL VISITS FOR THIS PREGNANCY _____ (If none, enter "0")	
		35. MOTHER'S HEIGHT _____ (feet/inches)		36. MOTHER'S PRE-PREGNANCY WEIGHT _____ (pounds)		37. MOTHER'S WEIGHT AT DELIVERY _____ (pounds)	
MEDICAL AND HEALTH INFORMATION		38. DID MOTHER GET WIC FOOD FOR HERSELF DURING THIS PREGNANCY? <input type="checkbox"/> Yes <input type="checkbox"/> No		39. NUMBER OF PREVIOUS LIVE BIRTHS (Do not include this child)		40. NUMBER OF OTHER PREGNANCY OUTCOMES (spontaneous or induced losses or ectopic pregnancies)	
		39a. Now Living Number _____ <input type="checkbox"/> None		39b. Now Dead Number _____ <input type="checkbox"/> None		40a. OTHER OUTCOMES Number _____ <input type="checkbox"/> None	
		39c. DATE OF LAST LIVE BIRTH MM / YYYY		40b. DATE OF LAST OTHER PREGNANCY OUTCOME MM / YYYY		41. CIGARETTE SMOKING BEFORE AND DURING PREGNANCY For each time period, enter either the number of cigarettes or the number of packs of cigarettes smoked. IF NONE, ENTER "0" Average number of cigarettes smoked per day: Three Months Before Pregnancy _____ OR _____ First Three Months of Pregnancy _____ OR _____ Second Three Months of Pregnancy _____ OR _____ Last Three Months of Pregnancy _____ OR _____	
		42. PRINCIPAL SOURCE OF PAYMENT FOR THIS DELIVERY <input type="checkbox"/> Private Insurance <input type="checkbox"/> Medicaid <input type="checkbox"/> Self-pay <input type="checkbox"/> Other (Specify) _____		43. DATE LAST NORMAL MENSES BEGAN MM / DD / YYYY		44. MOTHER'S MEDICAL RECORD NUMBER	
MEDICAL AND HEALTH INFORMATION		45. RISK FACTORS OF THIS PREGNANCY (Check all that apply) Diabetes <input type="checkbox"/> Pre-pregnancy (Diagnosed prior to this pregnancy) <input type="checkbox"/> Gestational (Diagnosis in this pregnancy) Hypertension <input type="checkbox"/> Pre-pregnancy (Chronic) <input type="checkbox"/> Gestational (PIH, preeclampsia, eclampsia) <input type="checkbox"/> Previous preterm birth <input type="checkbox"/> Other previous poor pregnancy outcome (includes perinatal death, small-for-gestational age/insutrine growth restricted birth) <input type="checkbox"/> Vaginal bleeding during this pregnancy prior to the onset of labor <input type="checkbox"/> Pregnancy resulted from infertility treatment <input type="checkbox"/> Mother had a previous cesarean delivery If yes, how many _____ <input type="checkbox"/> None of the above		46. ONSET OF LABOR (Check all that apply) <input type="checkbox"/> Premature Rupture of the Membranes (prolonged ≥ 12 hrs.) <input type="checkbox"/> Precipitous Labor (<3 hrs.) <input type="checkbox"/> Prolonged Labor (≥ 20 hrs.) <input type="checkbox"/> None of the above		47. METHOD OF DELIVERY A. Was delivery with forceps attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No B. Was delivery with vacuum extraction attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No C. Fetal presentation at birth <input type="checkbox"/> Cephalic <input type="checkbox"/> Breech <input type="checkbox"/> Other D. Final route and method of delivery (Check one) <input type="checkbox"/> Vaginal/Spontaneous <input type="checkbox"/> Vaginal/Forceps <input type="checkbox"/> Vaginal/Vacuum <input type="checkbox"/> Cesarean If cesarean, was a trial of labor attempted? <input type="checkbox"/> Yes <input type="checkbox"/> No	
		48. INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY (Check all that apply) <input type="checkbox"/> Gonorrhea <input type="checkbox"/> Syphilis <input type="checkbox"/> Herpes Simplex Virus (HSV) <input type="checkbox"/> Chlamydia <input type="checkbox"/> Hepatitis B <input type="checkbox"/> Hepatitis C <input type="checkbox"/> None of the above		49. CHARACTERISTICS OF LABOR AND DELIVERY (Check all that apply) <input type="checkbox"/> Induction of labor <input type="checkbox"/> Augmentation of labor <input type="checkbox"/> Non-vertex presentation <input type="checkbox"/> Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery <input type="checkbox"/> Antibiotics received by the mother during labor <input type="checkbox"/> Clinical chorioamnionitis diagnosed during labor or maternal temperature $\geq 38^{\circ}\text{C}$ (100.4°F) <input type="checkbox"/> Moderate/heavy meconium staining of the amniotic fluid <input type="checkbox"/> Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitation measures, further fetal assessment, or operative delivery <input type="checkbox"/> Epidural or spinal anesthesia during labor <input type="checkbox"/> None of the above		50. MATERIAL MORBIDITY (Check all that apply) (Complications associated with labor and delivery) <input type="checkbox"/> Maternal transfusion <input type="checkbox"/> Third or fourth degree perineal laceration <input type="checkbox"/> Ruptured uterus <input type="checkbox"/> Unplanned hysterectomy <input type="checkbox"/> Admission to intensive care unit <input type="checkbox"/> Unplanned operating room procedure following delivery <input type="checkbox"/> None of the above	
		47. OBSTETRIC PROCEDURES (Check all that apply) <input type="checkbox"/> Cervical cerclage <input type="checkbox"/> Tocolysis External cephalic version: <input type="checkbox"/> Successful <input type="checkbox"/> Failed <input type="checkbox"/> None of the above		51. CONGENITAL ANOMALIES OF THE NEWBORN (Check all that apply) <input type="checkbox"/> Anencephaly <input type="checkbox"/> Meningocele/Spina bifida <input type="checkbox"/> Symptomatic congenital heart disease <input type="checkbox"/> Congenital diaphragmatic hernia <input type="checkbox"/> Omphalocele <input type="checkbox"/> Gastroschisis <input type="checkbox"/> Limb reduction defect (excluding congenital amputation and dwarfing syndromes) <input type="checkbox"/> Cleft Lip with or without Cleft Palate <input type="checkbox"/> Cleft Palate alone <input type="checkbox"/> Down Syndrome <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Suspected chromosomal disorder <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Hypospadias <input type="checkbox"/> None of the anomalies listed above		52. NEWBORN MEDICAL RECORD NUMBER: _____	
		53. BIRTHWEIGHT: (grams preferred, specify unit) _____ <input type="checkbox"/> grams <input type="checkbox"/> lb/oz		54. OBSTETRIC ESTIMATE OF GESTATION: _____ (completed weeks)		55. APGAR SCORE: Score at 5 minutes: _____ If 5 minute score is less than 8, Score at 10 minutes: _____	
NEWBORN		56. PLURALITY - Single, Twin, Triplet, etc. (Specify) _____		57. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify) _____		58. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) <input type="checkbox"/> Assisted ventilation required immediately following delivery <input type="checkbox"/> Assisted ventilation required for more than six hours <input type="checkbox"/> NICU admission <input type="checkbox"/> Newborn given surfactant replacement therapy <input type="checkbox"/> Antibiotics received by the newborn for suspected neonatal sepsis <input type="checkbox"/> Seizure or serious neurologic dysfunction <input type="checkbox"/> Significant birth injury (skull fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention) <input type="checkbox"/> None of the above	
		59. WAS INFANT TRANSFERRED WITHIN 24 HOURS OF DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, NAME OF FACILITY INFANT TRANSFERRED TO: _____		60. IS INFANT BEING BREASTFED? <input type="checkbox"/> Yes <input type="checkbox"/> No		61. ADOPTION? <input type="checkbox"/> Yes <input type="checkbox"/> No	
		62. IS INFANT LIVING AT TIME OF REPORT? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Infant transferred, status unknown		63. IS INFANT BEING BREASTFED? <input type="checkbox"/> Yes <input type="checkbox"/> No		64. ADOPTION? <input type="checkbox"/> Yes <input type="checkbox"/> No	
		65. IS INFANT LIVING AT TIME OF REPORT? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Infant transferred, status unknown		66. IS INFANT BEING BREASTFED? <input type="checkbox"/> Yes <input type="checkbox"/> No		67. ADOPTION? <input type="checkbox"/> Yes <input type="checkbox"/> No	

Mother's Name _____

Mother's Medical Record No. _____

CERTIFICATE OF DEATH

Copy of Certificate of Death

NAME OF DECEDENT (First, Middle, Last)				SEX		SOCIAL SECURITY NUMBER		DATE OF DEATH (Month, Day, Year)	
1. NAME OF DECEDENT (First, Middle, Last)				2. SEX		3. SOCIAL SECURITY NUMBER		4. DATE OF DEATH (Month, Day, Year)	
5. COUNTY OF DEATH		6. CITY, BORO, TWP OF DEATH		7. BIRTHPLACE (City and State or Foreign Country)		8. PLACE OF DEATH (Check only one -- see instructions on other side)		9. HOSPITAL:	
5. COUNTY OF DEATH		6. CITY, BORO, TWP OF DEATH		7. BIRTHPLACE (City and State or Foreign Country)		8. PLACE OF DEATH (Check only one -- see instructions on other side)		9. HOSPITAL:	
8b. DECEDENT'S USUAL OCCUPATION (Give kind of work done during most of working life, do not use retired.)		8c. KIND OF BUSINESS/INDUSTRY		10. DATE OF BIRTH (Month, Day, Year)		11. UNDER 1 DAY: Hours, Minutes		12. UNDER 1 YEAR: Months, Days	
8b. DECEDENT'S USUAL OCCUPATION (Give kind of work done during most of working life, do not use retired.)		8c. KIND OF BUSINESS/INDUSTRY		10. DATE OF BIRTH (Month, Day, Year)		11. UNDER 1 DAY: Hours, Minutes		12. UNDER 1 YEAR: Months, Days	
11a. DECEDENT'S MAILING ADDRESS (Street, City/Town, State, Zip Code)		11b. DECEDENT'S RESIDENCE (See instructions on other side)		12. DATE OF DEATH (Month, Day, Year)		13. CITY, BORO, TWP OF DEATH		14. COUNTY OF DEATH	
11a. DECEDENT'S MAILING ADDRESS (Street, City/Town, State, Zip Code)		11b. DECEDENT'S RESIDENCE (See instructions on other side)		12. DATE OF DEATH (Month, Day, Year)		13. CITY, BORO, TWP OF DEATH		14. COUNTY OF DEATH	
16. FATHER'S NAME (First, Middle, Last)		17. MOTHER'S NAME (First, Middle, Maiden Surname)		18. DID DECEDENT LIVE IN A TOWNSHIP?		19. YES, DECEDENT LIVED IN A TOWNSHIP		20. NO, DECEDENT LIVED WITHIN ACTUAL LIMITS OF	
16. FATHER'S NAME (First, Middle, Last)		17. MOTHER'S NAME (First, Middle, Maiden Surname)		18. DID DECEDENT LIVE IN A TOWNSHIP?		19. YES, DECEDENT LIVED IN A TOWNSHIP		20. NO, DECEDENT LIVED WITHIN ACTUAL LIMITS OF	
18. INFORMANT'S NAME (Type/Print)		19. INFORMANT'S MAILING ADDRESS (Street, City/Town, State, Zip Code)		20. PLACE OF DISPOSITION - Name of Cemetery, Crematory or Other Place		21. LOCATION - City/Town, State, Zip Code		22. DATE OF DEATH (Month, Day, Year)	
18. INFORMANT'S NAME (Type/Print)		19. INFORMANT'S MAILING ADDRESS (Street, City/Town, State, Zip Code)		20. PLACE OF DISPOSITION - Name of Cemetery, Crematory or Other Place		21. LOCATION - City/Town, State, Zip Code		22. DATE OF DEATH (Month, Day, Year)	
20a. METHOD OF DISPOSITION: Burial, Cremation, Removal from State, Other (Specify)		21b. DATE OF DISPOSITION (Month, Day, Year)		22b. LICENSE NUMBER		23b. DATE OF DEATH (Month, Day, Year)		24b. DATE OF DEATH (Month, Day, Year)	
20a. METHOD OF DISPOSITION: Burial, Cremation, Removal from State, Other (Specify)		21b. DATE OF DISPOSITION (Month, Day, Year)		22b. LICENSE NUMBER		23b. DATE OF DEATH (Month, Day, Year)		24b. DATE OF DEATH (Month, Day, Year)	
21a. SIGNATURE OF FUNERAL SERVICE LICENSEE OR PERSON ACTING AS SUCH		22a. SIGNATURE OF DECEDENT		23a. DATE OF DEATH (Month, Day, Year)		24a. DATE OF DEATH (Month, Day, Year)		25a. DATE OF DEATH (Month, Day, Year)	
21a. SIGNATURE OF FUNERAL SERVICE LICENSEE OR PERSON ACTING AS SUCH		22a. SIGNATURE OF DECEDENT		23a. DATE OF DEATH (Month, Day, Year)		24a. DATE OF DEATH (Month, Day, Year)		25a. DATE OF DEATH (Month, Day, Year)	
27. PART I: Enter the diseases, injuries or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock or heart failure. List only one cause on each line		28. IMMEDIATE CAUSE (Final diagnosis or condition resulting in death)		29. DUE TO (OR AS A CONSEQUENCE OF)		30. DUE TO (OR AS A CONSEQUENCE OF)		31. DUE TO (OR AS A CONSEQUENCE OF)	
27. PART I: Enter the diseases, injuries or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock or heart failure. List only one cause on each line		28. IMMEDIATE CAUSE (Final diagnosis or condition resulting in death)		29. DUE TO (OR AS A CONSEQUENCE OF)		30. DUE TO (OR AS A CONSEQUENCE OF)		31. DUE TO (OR AS A CONSEQUENCE OF)	
32. WERE AN AUTOPSY PERFORMED?		33. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH?		34. MANNER OF DEATH		35. DATE OF INJURY (Month, Day, Year)		36. TIME OF INJURY	
32. WERE AN AUTOPSY PERFORMED?		33. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH?		34. MANNER OF DEATH		35. DATE OF INJURY (Month, Day, Year)		36. TIME OF INJURY	
37. CERTIFYING PHYSICIAN (Physician certifying cause of death when another physician has pronounced death and completed item 23)		38. PRONOUNCING AND CERTIFYING PHYSICIAN (Physician both pronouncing death and certifying to cause of death)		39. MEDICAL EXAMINER/CORONER (On the basis of examination and/or investigation, in my opinion, death occurred at the time, date, and place, and due to the cause(s) and manner as stated.)		40. SIGNATURE AND TITLE OF CERTIFIER		41. DATE SIGNED (Month, Day, Year)	
37. CERTIFYING PHYSICIAN (Physician certifying cause of death when another physician has pronounced death and completed item 23)		38. PRONOUNCING AND CERTIFYING PHYSICIAN (Physician both pronouncing death and certifying to cause of death)		39. MEDICAL EXAMINER/CORONER (On the basis of examination and/or investigation, in my opinion, death occurred at the time, date, and place, and due to the cause(s) and manner as stated.)		40. SIGNATURE AND TITLE OF CERTIFIER		41. DATE SIGNED (Month, Day, Year)	
42. REGISTRAR'S SIGNATURE AND NUMBER		43. DATE FILED (Month, Day, Year)		44. LICENSE NUMBER		45. NAME AND ADDRESS OF PERSON WHO COMPLETED CAUSE OF DEATH (Item 27), Type or Print		46. DATE SIGNED (Month, Day, Year)	
42. REGISTRAR'S SIGNATURE AND NUMBER		43. DATE FILED (Month, Day, Year)		44. LICENSE NUMBER		45. NAME AND ADDRESS OF PERSON WHO COMPLETED CAUSE OF DEATH (Item 27), Type or Print		46. DATE SIGNED (Month, Day, Year)	

Copy of Certificate of Fetal Death

COMMONWEALTH OF PENNSYLVANIA • DEPARTMENT OF HEALTH • VITAL RECORDS

CERTIFICATE OF FETAL DEATH

PLEASE TYPE

State File Number

1. FACILITY NAME (If not institution, give street and number)		2. CITY, BORO, OR TOWNSHIP OF DELIVERY		3. COUNTY OF DELIVERY	4. DATE OF DELIVERY (Month, Day, Year)	5. SEX OF FETUS
6a. MOTHER'S NAME (First, Middle, Last)		6b. MAIDEN SURNAME		7a. DATE OF BIRTH (Month, Day, Year)		7b. AGE
8. BIRTHPLACE (State or Foreign Country)		9. MAILING ADDRESS (Street and Number, City and State, Zip Code)				
10. WHERE DOES MOTHER ACTUALLY LIVE?		DOES MOTHER LIVE IN A TOWNSHIP?				
10a. State		10c. <input type="checkbox"/> Yes, mother lives in _____ twp.				
10b. County		10d. <input type="checkbox"/> No, mother lives within limits of _____ city/boro.				
11. FATHER'S NAME (First, Middle, Last)		12a. DATE OF BIRTH (Month, Day, Year)		12b. AGE	13. BIRTHPLACE (State or Foreign Country)	
14. OF HISPANIC ORIGIN? (Specify No or Yes — If yes, specify Cuban, Mexican, Puerto Rican, etc.) (Specify below)		15. RACE — American Indian, Black, White, etc. (Specify below)		16. EDUCATION (Specify only highest grade completed)		17. OCCUPATION AND BUSINESS/INDUSTRY (Worked during last year)
				Elementary/Secondary (0-12)	College (1-4 or 5+)	Occupation
						Business/Industry
14a. <input type="checkbox"/> No <input type="checkbox"/> Yes		15a.		16a.	17a.	
Specify:						
14b. <input type="checkbox"/> No <input type="checkbox"/> Yes		15b.		16b.	17c.	
Specify:						
18. PART I. Fetal or maternal condition directly causing fetal death.						
IMMEDIATE CAUSE						
Enter only one cause per line for a, b, and c.						
a. DUE TO (OR AS A CONSEQUENCE OF):						
Specify Fetal or Maternal						
b. DUE TO (OR AS A CONSEQUENCE OF):						
Specify Fetal or Maternal						
c.						
PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying cause given in Part I.						
19. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify)						
20. I hereby certify this fetus was delivered dead on the date stated above (4)						
SIGNATURE (Physician or Coroner)						
ADDRESS						
DATE SIGNED						
21a. METHOD OF DISPOSITION		21b. PLACE OF DISPOSITION (Name of cemetery, crematory, or other place)		21c. LOCATION — City or Town, State, Zip Code		
<input type="checkbox"/> Burial <input type="checkbox"/> Cremation <input type="checkbox"/> Removal from State						
<input type="checkbox"/> Donation <input type="checkbox"/> Other (Specify)						
22a. SIGNATURE OF FUNERAL SERVICE LICENSEE OR PERSON ACTING AS SUCH		22b. LICENSE NUMBER (of Licensee)		23. NAME AND ADDRESS OF FACILITY		
24. REGISTRAR'S SIGNATURE AND NUMBER				25. DATE FILED (Month, Day, Year)		

INFORMATION FOR MEDICAL AND HEALTH USE ONLY

26. PREGNANCY HISTORY (Complete each section)			27. IS MOTHER MARRIED TO FATHER?		28. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)			
LIVE BIRTHS			<input type="checkbox"/> YES <input type="checkbox"/> NO					
OTHER TERMINATIONS (Spontaneous and induced at any time after conception)			29. MONTH OF PREGNANCY PRENATAL CARE BEGAN — First, Second, Third Month, etc. (Specify)		30. PRENATAL VISITS — Total Number (If none, so state)			
26a. Now Living	26b. Now Dead	26c. (Do not include this fetus)	31. WEIGHT OF FETUS (Specify unit)		32. CLINICAL ESTIMATE OF GESTATION (Weeks)			
Number _____	Number _____	Number _____						
<input type="checkbox"/> None	<input type="checkbox"/> None	<input type="checkbox"/> None	33a. PLURALITY — Single, Twin, Triplet, etc. (Specify)		33b. IF NOT SINGLE BIRTH — Born First, Second, Third, etc. (Specify)			
26d. DATE OF LAST LIVE BIRTH (Month, Year)	26e. DATE OF LAST OTHER TERMINATION (Month, Year)							
34a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)			36. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)			38. CONGENITAL ANOMALIES OF FETUS (Check all that apply)		
AIDS 01 <input type="checkbox"/>			Febrile (> 100°F or 38°C) 01 <input type="checkbox"/>			Anencephalus 01 <input type="checkbox"/>		
Anemia (Hct. < 30/Hgb. < 10) 02 <input type="checkbox"/>			Meconium, moderate/heavy 02 <input type="checkbox"/>			Spina bifida/Meningocele 02 <input type="checkbox"/>		
Cardiac disease 03 <input type="checkbox"/>			Premature rupture of membrane (> 12 hours) 03 <input type="checkbox"/>			Hydrocephalus 03 <input type="checkbox"/>		
Acute or chronic lung disease 04 <input type="checkbox"/>			Abruptio placentae 04 <input type="checkbox"/>			Microcephalus 04 <input type="checkbox"/>		
Diabetes 05 <input type="checkbox"/>			Placenta previa 05 <input type="checkbox"/>			Other central nervous system anomalies (Specify) 05 <input type="checkbox"/>		
Genital herpes 06 <input type="checkbox"/>			Other excessive bleeding 06 <input type="checkbox"/>			Heart malformations 06 <input type="checkbox"/>		
Hydramnios/Oligohydramnios 07 <input type="checkbox"/>			Seizures during labor 07 <input type="checkbox"/>			Other circulatory/respiratory anomalies (Specify) 07 <input type="checkbox"/>		
Hemoglobinopathy 08 <input type="checkbox"/>			Precipitous labor (< 3 hours) 08 <input type="checkbox"/>			Rectal atresia/stenosis 08 <input type="checkbox"/>		
Hypertension, chronic 09 <input type="checkbox"/>			Prolonged labor (> 20 hours) 09 <input type="checkbox"/>			Tracheo-esophageal fistula/Esophageal atresia 09 <input type="checkbox"/>		
Hypertension, pregnancy-associated 10 <input type="checkbox"/>			Dysfunctional labor 10 <input type="checkbox"/>			Club foot 10 <input type="checkbox"/>		
Eclampsia 11 <input type="checkbox"/>			Breach/Malpresentation 11 <input type="checkbox"/>			Omphalocele/Gastroschisis 10 <input type="checkbox"/>		
Incompetent cervix 12 <input type="checkbox"/>			Cephalopelvic disproportion 12 <input type="checkbox"/>			Other gastrointestinal anomalies (Specify) 11 <input type="checkbox"/>		
Previous infant 4000+ grams 13 <input type="checkbox"/>			Cord prolapse 13 <input type="checkbox"/>			Malformed genitalia 12 <input type="checkbox"/>		
Previous preterm or small-for-gestational-age infant 14 <input type="checkbox"/>			Anesthetic complications 14 <input type="checkbox"/>			Finnal agenesis 13 <input type="checkbox"/>		
Renal disease 15 <input type="checkbox"/>			Fetal distress 15 <input type="checkbox"/>			Other urogenital anomalies (Specify) 14 <input type="checkbox"/>		
Rh sensitization 16 <input type="checkbox"/>			None 16 <input type="checkbox"/>			Cleft lip/palate 15 <input type="checkbox"/>		
Uterine bleeding 17 <input type="checkbox"/>			Other 16 <input type="checkbox"/>			Polydactyly/Syndactyly/Anadactyly 16 <input type="checkbox"/>		
None 18 <input type="checkbox"/>						Club foot 17 <input type="checkbox"/>		
Other (Specify) 18 <input type="checkbox"/>						Diaphragmatic hernia 18 <input type="checkbox"/>		
						Other musculoskeletal/orthopedic anomalies (Specify) 19 <input type="checkbox"/>		
34b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)			37. METHOD OF DELIVERY (Check all that apply)			Down syndrome 20 <input type="checkbox"/>		
Tobacco use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/>			Vaginal 01 <input type="checkbox"/>			Other chromosomal anomalies (Specify) 21 <input type="checkbox"/>		
Average number cigarettes per day _____			Vaginal birth after previous C section 02 <input type="checkbox"/>			None 22 <input type="checkbox"/>		
Alcohol use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/>			Primary C section 03 <input type="checkbox"/>			Other (Specify) 22 <input type="checkbox"/>		
Average number drinks per week _____			Ruptured C-section 04 <input type="checkbox"/>					
Weight gained during pregnancy lbs. _____			Forceps 05 <input type="checkbox"/>					
			Vacuum 06 <input type="checkbox"/>					
			Hysterotomy/Hysterectomy 07 <input type="checkbox"/>					
			Other (Specify) 08 <input type="checkbox"/>					
35. OBSTETRIC PROCEDURES (Check all that apply)								
Amniocentesis 01 <input type="checkbox"/>								
Electronic fetal monitoring 02 <input type="checkbox"/>								
Induction of labor 03 <input type="checkbox"/>								
Stimulation of labor 04 <input type="checkbox"/>								
Tocolysis 05 <input type="checkbox"/>								
Ultrasound 06 <input type="checkbox"/>								
None 07 <input type="checkbox"/>								
Other (Specify) 07 <input type="checkbox"/>								



Philadelphia Department of Public Health
Health Data, Statistics and Research Unit
1101 Market Street, Suite 801
Philadelphia, PA 19107

tel: (215) 685-5690
fax: (215) 685-5398
www.phila.gov/health
