



CITY OF PHILADELPHIA
 DEPARTMENT OF PUBLIC HEALTH
 PUBLIC HEALTH SERVICES
 AIR MANAGEMENT SERVICES

Air Management Services
 321 University Avenue
 Philadelphia PA 19104-4543
 Phone: (215) 685-7572
 FAX: (215) 685-7593

ADDENDUM 3 CAM APPLICABILITY WORKSHEET FOR SOURCES

SECTION A. GENERAL INFORMATION

Federal Tax ID		
Firm Name		
Plant ID		
Control Type	Control Unit ID	Pollutant
Control Make	Control Model No.	Control Efficiency
Source Unit ID	Source or Emission Unit Name	

SECTION B. MONITORING

The emissions unit is exempted from CAM because the emission limitations or standards are:

- | | | |
|--------------------------|--------------------------|--|
| Yes | No | |
| <input type="checkbox"/> | <input type="checkbox"/> | Proposed by the EPA Administrator after November 15, 1990 pursuant to Sections 111 or 112 of the Clean Air Act. |
| <input type="checkbox"/> | <input type="checkbox"/> | Stratospheric ozone protection requirements under Title VI of the Act. |
| <input type="checkbox"/> | <input type="checkbox"/> | Acid Rain Program requirements pursuant to sections 404-407(b) or 410 of the Clean Air Act |
| <input type="checkbox"/> | <input type="checkbox"/> | Approved under an emissions trading program. |
| <input type="checkbox"/> | <input type="checkbox"/> | An emissions cap that meets the requirements specified in 40 CFR § 70.4(b)(12). |
| <input type="checkbox"/> | <input type="checkbox"/> | Determined by a continuous compliance method that does not use an assumed control factor |
| <input type="checkbox"/> | <input type="checkbox"/> | Requirements for a backup utility power emissions unit as defined in § 72.2 which: |
| | Yes | No |
| | <input type="checkbox"/> | <input type="checkbox"/> |
| | | Is owned by a municipality and |
| | <input type="checkbox"/> | <input type="checkbox"/> |
| | | Is exempt from all Part 75 monitoring requirements |
| | <input type="checkbox"/> | <input type="checkbox"/> |
| | | Is operated solely for providing power during peak electrical demand or emergency situations |
| | <input type="checkbox"/> | <input type="checkbox"/> |
| | | Has annual average emissions (for previous 3 years) of less than 50% of the major source cut off and emissions are expected to remain below 50 % |

SECTION C. CAM STATUS

Yes

No

CAM applies (be sure to include appropriate citation numbers under Source Applicable Requirements section of the application)

CAM Plan is attached or has been submitted

An Implementation Plan is attached