

SUMMER 2019

Bustleton Center City East Center City West Chestnut Hill-West Mt Airy Cobbs Creek East Falls-West Side East Mt. Airy Eastwick-Elmwood Fairmount-Spring Garden Frankford Germantown Grays Ferry-Passyunk Haddington-Overbrook Hunting Park-Fairhill Juniata Park-Harrowgate Lawndale-Crescentville Logan Lower Kensington Mayfair-Holmesburg Mill Creek-Parkside Nicetown-Tioga Northern Liberties-West Kensington Oak Lane-Fernrock Ogontz Olney-Feltonville Overbrook Park-Wynnefield Heights Oxford Circle Paschall-Kingsessing Pennsport-Queen Village Poplar-Temple Rhawnhurst-Fox Chase Richmond-Bridesburg Roxborough-Manayunk Schuylkill-Point Breeze Sharswood-Stanton Snyder-Whitman Somerton South Broad-Cinque Esplanades South Park-Bella Vista Strawberry Mansion Torresdale North Torresdale South Park University City University City-Kensington West Oak Lane Cedarbrook Wissinoming-Tioga University City East Center City East Center City West Chestnut Hill-West Mt Airy Cobbs Creek East Falls-West Side Eastwick-Elmwood Fairmount-Spring Garden Frankford

Philadelphia

CLOSE TO HOME:

The Health of Philadelphia's Neighborhoods




INTRODUCTION

Despite overall progress in recent years, Philadelphia's health significantly lags behind other major cities. For example, among counties that contain the nation's largest cities, Philadelphia has the highest rates of premature death, infant and child mortality, cardiovascular disease, hypertension, HIV, and homicide. Underlying these poor health outcomes are also high rates of behavioral and economic determinants, including smoking, poverty, single parent households, housing-cost burden, and low education.

These poor outcomes are not experienced across all communities in Philadelphia.

Living just a few miles away can decrease life expectancy by nearly twenty years. Many Philadelphians live, learn, work, shop, and play in neighborhoods that make good health difficult to achieve. These contextual factors mediate genetic determinants of health and shape health behaviors. Ultimately, contextual factors both explain poor health and point toward potential solutions.



Creating the Health Rankings

Using census tract-level data from various sources, a team from the Philadelphia Department of Public Health and from Dornsife School of Public Health at Drexel University created comprehensive community health and well-being rankings for neighborhoods throughout Philadelphia, composed of clusters of census tracts. These rankings elucidate which areas of the City are experiencing the poorest outcomes and facilitate targeted public health interventions and planning efforts to reduce health disparities in Philadelphia.

Using neighborhood-level health-related data in combination with data from other sectors about key determinants of health to understand and target health inequities in the most vulnerable communities in Philadelphia is an essential component of fostering a culture of health in those communities. It is virtually impossible to create healthier, more equitable communities without understanding the unique and underlying drivers of health outcomes in those communities. The Neighborhood Health Rankings provide key insights into community health and well-being and serve as a baseline for monitoring and improving health.

Methodology

To create neighborhoods, census tracts were grouped together based on boundaries created for the Southeast Pennsylvania Household Health Survey. Special land-use tracts with little or no residential population and special characteristics such as large parks or employment areas were not assigned to neighborhoods.

Based on methodology used by the Robert Wood Johnson Foundation County Health Rankings, data were collected from various sources, including the CDC 500 Cities, the US Census Bureau American Community Survey, the School District of Philadelphia, and the Pennsylvania Department of Health Vital Statistics. Using data at the census tract level, estimates for each measure were created for every neighborhood.

The included measures were assigned to several categories, weighted by importance, across two domains: health outcomes and health factors.

Health Outcomes

- Length of Life (50%)
- Quality of Life (50%)

Health Factors

- Health Behaviors (30%)
- Clinical Care (20%)
- Social and Economic Factors (40%)
- Physical Environment (10%)

The weighted scores for each category were aggregated and neighborhoods received rankings for both domains.

The neighborhood ranking results make clear several points:

People living in poverty are more likely to develop the chronic diseases that are the leading causes of death and to have shorter life spans.

Neighborhoods that are hit hard by poverty have substantially worse health statistics than wealthier neighborhoods. These health rankings show exactly how much income matters to health.

These health rankings do not lay out solutions to these problems; that is not the purpose of this report. However, there are steps everyone can take to prevent the risk factors for the leading causes of death and to reduce disparities in health by income and by neighborhood.

Policy-makers can:

- » Take steps to reduce poverty, such as supporting a higher minimum wage.
- » Support efforts in low-income neighborhoods to improve access to healthy products (such as fresh fruits and vegetables) and reduce the over-supply of unhealthy products, particularly tobacco, alcohol, and junk food.
- » Support efforts to reduce neighborhood blight and improve access to affordable housing.
- » Support efforts to reduce community gun violence.
- » Support infrastructure for active transportation (walking and bicycling) and engineering changes to improve safety for pedestrians.
- » Expand access to health insurance for those not currently insured.


Health care providers can:

- » Expand primary care services in under-served neighborhoods.
- » Identify and treat risk factors for mortality, including obesity, hypertension, diabetes, and high blood cholesterol.
- » Counsel patients to reduce or stop risky behaviors, particularly smoking, binge drinking, and drug use, and encourage healthy eating and physical activity.
- » Identify and then refer or provide treatment for patients with mental illness or drug dependence.


People can:

- » Avoid behaviors that increase health risks, particularly smoking, binge drinking, and drug use. Eat healthier foods, particularly fresh fruits and vegetables, and avoid junk food. Increase your physical activity, including walking regularly.
- » Store guns unloaded and in a locked cabinet, safe, or case. Store ammunition in a separate locked container.
- » If you are using opioids or other addictive drugs, seek treatment by calling 888-545-2600.
- » If you having difficulty coping or have symptoms of mental illness, seek treatment by calling 888-545-2600.

HEALTH OUTCOMES RANKINGS



Health Outcomes ranking is based on two factors:



QUARTILES

1 Rank 1-11

1. Center City East
2. Center City West
3. Roxborough-Manayunk
4. University City
5. Pennsport-Queen Village
6. Southwark-Bella Vista
7. Bustleton
8. Chestnut Hill-West Mount Airy
9. Fairmount-Spring Garden
10. Somerton
11. Oxford Circle



2 Rank 12-23

12. Rhawnhurst-Fox Chase
13. South Broad-Girard Estates
14. Lower Kensington
15. Torresdale South-Pennypack Park
16. Torresdale North
17. East Falls-Westside
18. Schuylkill-Point Breeze
19. Mayfair-Holmesburg
20. Overbrook Park-Wynnefield Heights
21. Richmond-Bridesburg
22. Grays Ferry-Passyunk
23. Snyder-Whitman



3 Rank 24-35

24. East Mount Airy
25. Oak Lane-Fernrock
26. Northern Liberties-West Kensington
27. Wissinoming-Tacony
28. Eastwick-Elmwood
29. Olney-Feltonville
30. West Oak Lane-Cedarbrook
31. Lawndale-Crescentville
32. Juniata Park-Harrowgate
33. Poplar-Temple
34. Hunting Park-Fairhill
35. Logan




4 Rank 36-46


36. Germantown
37. Cobbs Creek
38. Haddington-Overbrook
39. Paschall-Kingsessing
40. Sharswood-Stanton
41. Ogontz
42. Frankford
43. Mill Creek-Parkside
44. Strawberry Mansion
45. Nicetown-Tioga
46. Upper Kensington



HEALTH FACTORS RANKINGS



Health Factors ranking is based on four factors:



QUARTILES

1 Rank 1-11

1. Center City West
2. Center City East
3. Chestnut Hill-West Mount Airy
4. Fairmount-Spring Garden
5. Pennsport-Queen Village
6. Roxborough-Manayunk
7. Bustleton
8. University City
9. Somerton
10. Torresdale South-Pennypack Park
11. Torresdale North



2 Rank 12-23

12. Southwark-Bella Vista
13. East Falls-Westside
14. Schuylkill-Point Breeze
15. Rhawnhurst-Fox Chase
16. Overbrook Park-Wynnefield Heights
17. South Broad-Girard Estates
18. West Oak Lane-Cedarbrook
19. Lower Kensington
20. East Mount Airy
21. Oak Lane-Fernrock
22. Richmond-Bridesburg
23. Grays Ferry-Passyunk



3 Rank 24-35

24. Mayfair-Holmesburg
25. Oxford Circle
26. Ogontz
27. Northern Liberties-West Kensington
28. Eastwick-Elmwood
29. Snyder-Whitman
30. Poplar-Temple
31. Haddington-Overbrook
32. Lawndale-Crescentville
33. Wissinoming-Tacony
34. Cobbs Creek
35. Olney-Feltonville



4 Rank 36-46

36. Germantown
37. Sharswood-Stanton
38. Logan
39. Mill Creek-Parkside
40. Paschall-Kingsessing
41. Nicetown-Tioga
42. Strawberry Mansion
43. Frankford
44. Juniata Park-Harrowgate
45. Hunting Park-Fairhill
46. Upper Kensington






















46 Neighborhoods













Overview


Our overview of health outcomes and health factors in Philadelphia shows the city average against the best and worst neighborhood statistics, and underscores the impact of location on health.







Bustleton



HEALTH
OUTCOMES
RANK

7/46

HEALTH
FACTORS
RANK

7/46

POPULATION **31,990**

MEDIAN AGE **44.9**

MEDIAN HOUSEHOLD
INCOME **\$46,754**


HEALTH OUTCOMES

| Length of Life | Bustleton | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 78.5 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 80.7 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 12.8% | 13.7% |
| Poor Mental Health | ★★★★★ | 11.9% | 14.6% |
| Low Birth Weight | ★★★★★ | 7.7% | 10.8% |
| Adult Asthma | ★★★★★ | 9.5% | 10.9% |
| Hypertension | ★★★☆☆ | 33.8% | 32.9% |
| High Cholesterol | ★☆☆☆☆ | 41.4% | 34.6% |
| Cancer | ★☆☆☆☆ | 8.3% | 5.6% |
| Chronic Kidney Disease | ★★★☆☆ | 2.8% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★☆☆ | 7.4% | 7.2% |
| Coronary Heart Disease | ★☆☆☆☆ | 8.2% | 6.3% |
| Diabetes | ★★★★☆ | 11.0% | 12.2% |
| Stroke | ★★★★☆ | 3.6% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Bustleton | Philadelphia |
|--------------------------------------|---|------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★★★★ | 19.7% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 24.9% 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆☆ | 36.4% 22.3% |
| | Physically Inactive Adults | ★★★★★ | 24.2% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★☆☆ | 17.6% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 28.3 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 6.3 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★★★★ | 8.1% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 757.9 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 26.2% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 73.8% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 34.3% 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 34.0% 28.7% |
| | Mammography Screening | ★★★☆☆ | 79.0% 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 83.0% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 66.5% 45.0% |
| | Completed Some College | ★★★★☆ | 56.4% 49.1% |
| Employment | Unemployment | ★★★★★ | 6.3% 12.5% |
| Income | Children in Poverty | ★★★★★ | 10.1% 36.7% |
| | Income Inequality | ★★★★☆ | 0.06 -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 7.5% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 14.1 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 59.9 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.0 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 126.2 164.1 |
| | Driving Alone to Work | ★☆☆☆☆ | 72.2% 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆☆ | 31.7% 14.1% |
| | Walk Score™ | ★☆☆☆☆ | 38.9 79.0 |
| | Vacant Buildings | ★★★★★ | 0.2% 2.4% |

Center City East



HEALTH
OUTCOMES
RANK

1/46

HEALTH
FACTORS
RANK

2/46

POPULATION **29,382**

MEDIAN AGE **30.7**

MEDIAN HOUSEHOLD
INCOME **\$80,975**


HEALTH OUTCOMES

| Length of Life | Center City East | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 82.0 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 84.2 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 7.5% | 13.7% |
| Poor Mental Health | ★★★★★ | 9.8% | 14.6% |
| Low Birth Weight | ★★★★★ | 6.8% | 10.8% |
| Adult Asthma | ★★★★★ | 8.7% | 10.9% |
| Hypertension | ★★★★★ | 23.3% | 32.9% |
| High Cholesterol | ★★★★★ | 31.7% | 34.6% |
| Cancer | ★★★★★ | 4.8% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 1.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 3.5% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 3.8% | 6.3% |
| Diabetes | ★★★★★ | 6.2% | 12.2% |
| Stroke | ★★★★★ | 1.7% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Center City East | Philadelphia |
|--------------------------------------|---|------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★★★★ | 15.6% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 21.3% 30.6% |
| | Residents >½ mile from Supermarket | ★★★★★ | 0.7% 22.3% |
| | Physically Inactive Adults | ★★★★★ | 15.6% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆☆ | 23.8% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 13.7 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 3.6 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★★★★ | 5.8% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 312.2 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 21.5% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆☆ | 68.5% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 36.1% 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 38.0% 28.7% |
| | Mammography Screening | ★★★★★ | 82.6% 79.2% |
| | Hypertension Medication Adherence | ★☆☆☆☆ | 72.9% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 67.0% 45.0% |
| | Completed Some College | ★★★★★ | 84.7% 49.1% |
| Employment | Unemployment | ★★★★★ | 4.9% 12.5% |
| Income | Children in Poverty | ★★★★★ | 10.4% 36.7% |
| | Income Inequality | ★★★★★ | 0.25 -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 1.5% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆☆ | 98.4 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 22.3 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.0 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 280.2 164.1 |
| | Driving Alone to Work | ★★★★★ | 30.3% 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 13.2% 14.1% |
| | Walk Score™ | ★★★★★ | 93.3 79.0 |
| | Vacant Buildings | ★★★★★ | 0.7% 2.4% |

Center City West



HEALTH
OUTCOMES
RANK

2/46

HEALTH
FACTORS
RANK

1/46

POPULATION **31,136**

MEDIAN AGE **32.8**

MEDIAN HOUSEHOLD INCOME **\$74,961**


HEALTH OUTCOMES

| Length of Life | Center City West | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 73.8 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 84.6 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 6.8% | 13.7% |
| Poor Mental Health | ★★★★★ | 8.5% | 14.6% |
| Low Birth Weight | ★★★★★ | 8.0% | 10.8% |
| Adult Asthma | ★★★★★ | 8.3% | 10.9% |
| Hypertension | ★★★★★ | 24.3% | 32.9% |
| High Cholesterol | ★★★★★ | 32.9% | 34.6% |
| Cancer | ★★☆☆☆ | 5.7% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 1.8% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 3.3% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 4.2% | 6.3% |
| Diabetes | ★★★★★ | 5.9% | 12.2% |
| Stroke | ★★★★★ | 1.8% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Center City West | Philadelphia |
|--------------------------------------|---|------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★★★★ | 12.7% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 19.9% 30.6% |
| | Residents >½ mile from Supermarket | ★★★★★ | 0.0% 22.3% |
| | Physically Inactive Adults | ★★★★★ | 13.4% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆☆ | 23.6% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 4.5 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 0.0 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★★★★ | 2.4% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 456.4 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 14.2% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★☆☆ | 69.7% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 37.7% 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 38.3% 28.7% |
| | Mammography Screening | ★★★★★ | 83.0% 79.2% |
| | Hypertension Medication Adherence | ★★★☆☆ | 75.5% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 72.1% 45.0% |
| | Completed Some College | ★★★★★ | 91.4% 49.1% |
| Employment | Unemployment | ★★★★★ | 3.4% 12.5% |
| Income | Children in Poverty | ★★★★★ | 4.7% 36.7% |
| | Income Inequality | ★★★★★ | 0.28 -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 1.1% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★☆☆ | 79.3 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 22.0 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.0 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 155.9 164.1 |
| | Driving Alone to Work | ★★★★★ | 23.0% 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 12.2% 14.1% |
| | Walk Score™ | ★★★★★ | 98.6 79.0 |
| | Vacant Buildings | ★★★★★ | 0.3% 2.4% |

Chestnut Hill- West Mt. Airy



HEALTH
OUTCOMES
RANK

8/46

HEALTH
FACTORS
RANK

3/46

POPULATION **25,197**

MEDIAN AGE **43.6**

MEDIAN HOUSEHOLD
INCOME **\$67,499**


HEALTH OUTCOMES

| Length of Life | Chestnut Hill-West Mt. Airy | | Philadelphia |
|--|-----------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 77.3 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 81.8 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 9.7% | 13.7% |
| Poor Mental Health | ★★★★★ | 10.0% | 14.6% |
| Low Birth Weight | ★★★★☆ | 10.3% | 10.8% |
| Adult Asthma | ★★★★★ | 9.6% | 10.9% |
| Hypertension | ★★★☆☆ | 34.7% | 32.9% |
| High Cholesterol | ★★★☆☆ | 38.3% | 34.6% |
| Cancer | ★★☆☆☆ | 7.2% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 4.9% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 5.9% | 6.3% |
| Diabetes | ★★★★☆ | 10.3% | 12.2% |
| Stroke | ★★★★★ | 3.1% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Chestnut Hill-West Mt. Airy | Philadelphia |
|--------------------------------------|---|-----------------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★★★★ | 14.8% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 26.7% 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆☆ | 18.1% 22.3% |
| | Physically Inactive Adults | ★★★★★ | 17.8% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★☆☆☆ | 18.7% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 20.0 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 1.4 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★★★★ | 6.6% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 342.3 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 18.5% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 76.1% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 33.6% 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 35.3% 28.7% |
| | Mammography Screening | ★★★★★ | 84.0% 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 82.5% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 61.5% 45.0% |
| | Completed Some College | ★★★★★ | 79.2% 49.1% |
| Employment | Unemployment | ★★★★★ | 7.2% 12.5% |
| Income | Children in Poverty | ★★★★★ | 3.9% 36.7% |
| | Income Inequality | ★★★★★ | 0.23 -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 5.9% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 23.8 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 25.5 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.0 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 129.9 164.1 |
| | Driving Alone to Work | ★★☆☆☆ | 56.2% 50.8% |
| | Commute ≥ 60 Minutes | ★★★☆☆ | 23.9% 14.1% |
| | Walk Score™ | ★☆☆☆☆ | 48.0 79.0 |
| | Vacant Buildings | ★★★★★ | 0.7% 2.4% |

Cobbs Creek



HEALTH
OUTCOMES
RANK

37/46

HEALTH
FACTORS
RANK

34/46

POPULATION **39,503**

MEDIAN AGE **34.3**

MEDIAN HOUSEHOLD
INCOME **\$30,535**


HEALTH OUTCOMES

| Length of Life | Cobbs Creek | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 64.9 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 78.6 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆☆ | 17.6% | 13.7% |
| Poor Mental Health | ★★☆☆☆ | 16.5% | 14.6% |
| Low Birth Weight | ★☆☆☆☆ | 14.8% | 10.8% |
| Adult Asthma | ★★☆☆☆ | 13.2% | 10.9% |
| Hypertension | ★☆☆☆☆ | 46.0% | 32.9% |
| High Cholesterol | ★☆☆☆☆ | 38.8% | 34.6% |
| Cancer | ★★☆☆☆ | 6.2% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆☆ | 4.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆☆ | 8.7% | 7.2% |
| Coronary Heart Disease | ★☆☆☆☆ | 8.3% | 6.3% |
| Diabetes | ★☆☆☆☆ | 18.9% | 12.2% |
| Stroke | ★☆☆☆☆ | 6.2% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Cobbs Creek | | Philadelphia |
|--------------------------------------|---|------------------|--------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 27.0% | 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆ | 41.6% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 10.2% | 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 33.8% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★★ | 13.7% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 35.4 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆ | 26.6 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆ | 13.4% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆ | 2510.5 | 1460 |
| | Inadequate Prenatal Care | ★☆☆☆ | 37.3% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 78.7% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆ | 23.2% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆ | 23.8% | 28.7% |
| | Mammography Screening | ★★★★☆ | 81.1% | 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 84.2% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆ | 43.9% | 45.0% |
| | Completed Some College | ★★☆☆ | 41.8% | 49.1% |
| Employment | Unemployment | ★☆☆☆ | 21.2% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 46.5% | 36.7% |
| | Income Inequality | ★☆☆☆ | -0.19 | -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆ | 21.9% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆ | 140.0 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 47.7 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆ | 2.3 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆ | 459.7 | 164.1 |
| | Driving Alone to Work | ★★★★★ | 34.0% | 50.8% |
| | Commute ≥ 60 Minutes | ★★☆☆ | 25.5% | 14.1% |
| | Walk Score™ | ★★★★☆ | 86.5 | 79.0 |
| | Vacant Buildings | ★☆☆☆ | 3.4% | 2.4% |

East Falls- Westside



HEALTH
OUTCOMES
RANK

17/46

HEALTH
FACTORS
RANK

13/46

POPULATION **19,008**

MEDIAN AGE **32.0**

MEDIAN HOUSEHOLD
INCOME **\$43,670**


HEALTH OUTCOMES

| Length of Life | East Falls-Westside | | Philadelphia |
|--|---------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 72.6 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 79.9 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 12.2% | 13.7% |
| Poor Mental Health | ★★★★☆ | 14.0% | 14.6% |
| Low Birth Weight | ★★★☆☆ | 10.4% | 10.8% |
| Adult Asthma | ★★★★☆ | 11.4% | 10.9% |
| Hypertension | ★★★★☆ | 31.0% | 32.9% |
| High Cholesterol | ★★★★★ | 33.6% | 34.6% |
| Cancer | ★★★★☆ | 4.9% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 2.5% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 5.9% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 5.2% | 6.3% |
| Diabetes | ★★★★☆ | 10.9% | 12.2% |
| Stroke | ★★★★☆ | 3.3% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | East Falls-Westside | Philadelphia | |
|--------------------------------------|---|---------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★☆ | 22.7% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 31.4% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★☆☆ | 22.9% | 22.3% |
| | Physically Inactive Adults | ★★★★★ | 23.6% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★☆☆ | 20.0% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 16.3 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 10.4 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★★ | 8.1% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★☆☆ | 1862.8 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 27.9% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 72.3% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 28.9% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 29.8% | 28.7% |
| | Mammography Screening | ★★★★★ | 81.4% | 79.2% |
| | Hypertension Medication Adherence | ★★★☆☆ | 78.1% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 53.7% | 45.0% |
| | Completed Some College | ★★★★★ | 64.9% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 9.3% | 12.5% |
| Income | Children in Poverty | ★★★☆☆ | 37.2% | 36.7% |
| | Income Inequality | ★★★★☆ | -0.05 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 8.8% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 75.2 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 23.7 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 1.1 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 268.3 | 164.1 |
| | Driving Alone to Work | ★★★☆☆ | 56.2% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 16.3% | 14.1% |
| | Walk Score™ | ★★★☆☆ | 67.0 | 79.0 |
| | Vacant Buildings | ★★★☆☆ | 1.8% | 2.4% |

East Mt. Airy



HEALTH
OUTCOMES
RANK

24/46

HEALTH
FACTORS
RANK

20/46

POPULATION **24,405**

MEDIAN AGE **43.9**

MEDIAN HOUSEHOLD
INCOME **\$40,379**


HEALTH OUTCOMES

| Length of Life | East Mt. Airy | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★☆☆ | 70.2 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 78.2 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆ | 15.3% | 13.7% |
| Poor Mental Health | ★★★★☆ | 14.8% | 14.6% |
| Low Birth Weight | ★★☆☆ | 11.2% | 10.8% |
| Adult Asthma | ★★☆☆ | 12.3% | 10.9% |
| Hypertension | ★☆☆☆ | 42.6% | 32.9% |
| High Cholesterol | ★★☆☆ | 38.2% | 34.6% |
| Cancer | ★☆☆☆ | 6.4% | 5.6% |
| Chronic Kidney Disease | ★★☆☆ | 3.5% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆ | 7.6% | 7.2% |
| Coronary Heart Disease | ★★☆☆ | 7.5% | 6.3% |
| Diabetes | ★★☆☆ | 16.5% | 12.2% |
| Stroke | ★☆☆☆ | 5.2% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | East Mt. Airy | Philadelphia |
|--------------------------------------|---|------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★★★☆ | 23.6% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★☆☆ | 38.0% 30.6% |
| | Residents >½ mile from Supermarket | ★★★☆☆ | 35.9% 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 28.8% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★★ | 14.9% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 16.3 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★☆☆ | 27.5 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★★★☆ | 9.2% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★☆☆ | 1693.8 1460 |
| | Inadequate Prenatal Care | ★☆☆☆☆ | 39.7% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 78.2% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★☆☆ | 26.1% 29.0% |
| | Core Preventive Services, Women 65+ | ★★★☆☆ | 27.4% 28.7% |
| | Mammography Screening | ★★★★★ | 82.4% 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 83.6% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆☆ | 43.1% 45.0% |
| | Completed Some College | ★★★★★ | 59.1% 49.1% |
| Employment | Unemployment | ★★★★☆ | 12.4% 12.5% |
| Income | Children in Poverty | ★★★★★ | 19.9% 36.7% |
| | Income Inequality | ★★★★☆ | -0.01 -0.06 |
| Family & Social Support | Single Parent Households | ★★★☆☆ | 15.4% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 74.2 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 44.0 68.6 |
| | Homicides (per 10,000 people) | ★★★☆☆ | 1.6 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 354.9 164.1 |
| | Driving Alone to Work | ★★★☆☆ | 52.0% 50.8% |
| | Commute ≥ 60 Minutes | ★★★☆☆ | 26.2% 14.1% |
| | Walk Score™ | ★★★☆☆ | 69.1 79.0 |
| | Vacant Buildings | ★★★☆☆ | 2.9% 2.4% |

Eastwick- Elmwood



HEALTH
OUTCOMES
RANK

28/46

HEALTH
FACTORS
RANK

28/46

POPULATION **30,125**

MEDIAN AGE **35.8**

MEDIAN HOUSEHOLD
INCOME **\$33,894**

HEALTH OUTCOMES

| Length of Life | Eastwick-Elmwood | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★☆☆ | 70.7 | 72.3 |
| Life Expectancy, Women | ★★☆☆ | 77.0 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆ | 15.9% | 13.7% |
| Poor Mental Health | ★★☆☆ | 16.9% | 14.6% |
| Low Birth Weight | ★★☆☆ | 11.9% | 10.8% |
| Adult Asthma | ★★☆☆ | 12.8% | 10.9% |
| Hypertension | ★★☆☆ | 37.3% | 32.9% |
| High Cholesterol | ★★★★☆ | 35.5% | 34.6% |
| Cancer | ★★★★☆ | 5.0% | 5.6% |
| Chronic Kidney Disease | ★★☆☆ | 3.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆ | 7.6% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 6.3% | 6.3% |
| Diabetes | ★★☆☆ | 14.2% | 12.2% |
| Stroke | ★★☆☆ | 4.2% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Eastwick-Elmwood | Philadelphia | |
|--------------------------------------|---|------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 28.8% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★☆☆ | 38.4% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 11.6% | 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 31.3% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 15.8% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 22.1 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆ | 29.2 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆ | 12.5% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★☆☆ | 2144.7 | 1460 |
| | Inadequate Prenatal Care | ★☆☆☆ | 42.7% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 75.0% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★☆☆ | 26.2% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆ | 26.9% | 28.7% |
| | Mammography Screening | ★★★★☆ | 80.2% | 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 79.3% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆ | 40.3% | 45.0% |
| | Completed Some College | ★★☆☆ | 44.5% | 49.1% |
| Employment | Unemployment | ★★☆☆ | 14.1% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 38.9% | 36.7% |
| | Income Inequality | ★★☆☆ | -0.16 | -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆ | 19.3% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆ | 90.3 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 42.7 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆ | 2.3 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 252.7 | 164.1 |
| | Driving Alone to Work | ★★☆☆ | 51.2% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 27.3% | 14.1% |
| | Walk Score™ | ★☆☆☆ | 53.3 | 79.0 |
| | Vacant Buildings | ★★☆☆ | 2.1% | 2.4% |


Fairmount-Spring Garden

HEALTH
OUTCOMES
RANK

9/46

HEALTH
FACTORS
RANK

4/46



POPULATION **24,379**

MEDIAN AGE **31.8**

MEDIAN HOUSEHOLD INCOME **\$74,442**


HEALTH OUTCOMES

| Length of Life | Fairmount-Spring Garden | | Philadelphia |
|--|-------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 75.6 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 80.5 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 7.9% | 13.7% |
| Poor Mental Health | ★★★★★ | 10.2% | 14.6% |
| Low Birth Weight | ★★☆☆☆ | 11.2% | 10.8% |
| Adult Asthma | ★★★★★ | 9.1% | 10.9% |
| Hypertension | ★★★★★ | 24.2% | 32.9% |
| High Cholesterol | ★★★★★ | 31.7% | 34.6% |
| Cancer | ★★★★☆ | 5.2% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 1.8% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 3.7% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 4.0% | 6.3% |
| Diabetes | ★★★★★ | 6.4% | 12.2% |
| Stroke | ★★★★★ | 1.9% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Fairmount-Spring Garden | Philadelphia | |
|--------------------------------------|---|-------------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★ | 16.2% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★ | 23.0% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 9.5% | 22.3% |
| | Physically Inactive Adults | ★★★★ | 15.7% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆ | 23.9% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★ | 20.4 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 15.6 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★ | 5.4% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1180.5 | 1460 |
| | Inadequate Prenatal Care | ★★★★ | 17.2% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆ | 69.3% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★ | 36.6% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★ | 36.8% | 28.7% |
| | Mammography Screening | ★★★★ | 82.9% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆ | 74.0% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆ | 44.0% | 45.0% |
| | Completed Some College | ★★★★ | 82.4% | 49.1% |
| Employment | Unemployment | ★★★★ | 4.8% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 22.2% | 36.7% |
| | Income Inequality | ★★★★ | 0.25 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★ | 5.1% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★ | 44.3 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★ | 41.8 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 0.8 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★ | 187.3 | 164.1 |
| | Driving Alone to Work | ★★★★☆ | 41.4% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 16.8% | 14.1% |
| | Walk Score™ | ★★★★ | 93.6 | 79.0 |
| | Vacant Buildings | ★★★★ | 0.7% | 2.4% |

Frankford



HEALTH
OUTCOMES
RANK

42/46

HEALTH
FACTORS
RANK

43/46

POPULATION **33,351**

MEDIAN AGE **30.8**

MEDIAN HOUSEHOLD
INCOME **\$28,517**


HEALTH OUTCOMES

| Length of Life | Frankford | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 66.4 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 73.7 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 18.2% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 19.3% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 14.4% | 10.8% |
| Adult Asthma | ★★☆☆ | 13.0% | 10.9% |
| Hypertension | ★★☆☆ | 33.0% | 32.9% |
| High Cholesterol | ★★★★☆ | 35.7% | 34.6% |
| Cancer | ★★★★★ | 4.5% | 5.6% |
| Chronic Kidney Disease | ★★☆☆ | 2.9% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆ | 8.6% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 6.5% | 6.3% |
| Diabetes | ★★☆☆ | 13.4% | 12.2% |
| Stroke | ★★☆☆ | 4.0% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Frankford | | Philadelphia |
|--------------------------------------|---|------------------|--------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★☆☆☆ | 32.1% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★☆☆ | 38.6% | 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆ | 23.5% | 22.3% |
| | Physically Inactive Adults | ★☆☆☆ | 34.3% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★☆☆ | 17.1% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆ | 71.2 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆ | 39.7 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★☆☆☆ | 15.1% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆ | 2575.8 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆ | 33.8% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆ | 69.7% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★☆☆ | 25.9% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆ | 23.9% | 28.7% |
| | Mammography Screening | ★☆☆☆ | 75.5% | 79.2% |
| | Hypertension Medication Adherence | ★☆☆☆ | 76.7% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★☆☆ | 51.8% | 45.0% |
| | Completed Some College | ★☆☆☆ | 34.2% | 49.1% |
| Employment | Unemployment | ★☆☆☆ | 21.1% | 12.5% |
| Income | Children in Poverty | ★☆☆☆ | 54.6% | 36.7% |
| | Income Inequality | ★★☆☆ | -0.19 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆ | 29.3% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆ | 170.9 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆ | 100.1 | 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆ | 3.3 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆ | 845.4 | 164.1 |
| | Driving Alone to Work | ★★☆☆ | 49.3% | 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆ | 27.8% | 14.1% |
| | Walk Score™ | ★★★☆☆ | 82.0 | 79.0 |
| | Vacant Buildings | ★★☆☆ | 3.2% | 2.4% |

Germantown



HEALTH
OUTCOMES
RANK

36/46

HEALTH
FACTORS
RANK

36/46

POPULATION **24,938**

MEDIAN AGE **34.4**

MEDIAN HOUSEHOLD
INCOME **\$21,508**


HEALTH OUTCOMES

| Length of Life | Germantown | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 68.4 | 72.3 |
| Life Expectancy, Women | ★★☆☆ | 75.4 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 17.9% | 13.7% |
| Poor Mental Health | ★★☆☆ | 17.3% | 14.6% |
| Low Birth Weight | ★★☆☆ | 14.0% | 10.8% |
| Adult Asthma | ★☆☆☆ | 13.4% | 10.9% |
| Hypertension | ★☆☆☆ | 43.6% | 32.9% |
| High Cholesterol | ★☆☆☆ | 38.5% | 34.6% |
| Cancer | ★★☆☆ | 5.8% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 3.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 8.9% | 7.2% |
| Coronary Heart Disease | ★☆☆☆ | 7.9% | 6.3% |
| Diabetes | ★☆☆☆ | 17.7% | 12.2% |
| Stroke | ★☆☆☆ | 5.7% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Germantown | | Philadelphia |
|--------------------------------------|---|------------------|--------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 28.5% | 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆ | 41.1% | 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆ | 38.7% | 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 33.4% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★ | 14.4% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆ | 47.9 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆ | 28.7 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 10.4% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1002.2 | 1460 |
| | Inadequate Prenatal Care | ★☆☆☆ | 38.4% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 76.9% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★☆☆ | 23.9% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆ | 23.9% | 28.7% |
| | Mammography Screening | ★★★★☆ | 80.1% | 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 82.9% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆ | 34.9% | 45.0% |
| | Completed Some College | ★★☆☆ | 44.6% | 49.1% |
| Employment | Unemployment | ★★☆☆ | 17.4% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 44.0% | 36.7% |
| | Income Inequality | ★☆☆☆ | -0.24 | -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆ | 21.5% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆ | 165.6 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆ | 87.9 | 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆ | 3.2 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆ | 647.3 | 164.1 |
| | Driving Alone to Work | ★★★★☆ | 47.6% | 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆ | 33.7% | 14.1% |
| | Walk Score™ | ★★★★☆ | 82.6 | 79.0 |
| | Vacant Buildings | ★☆☆☆ | 3.9% | 2.4% |

Grays Ferry-Passyunk



HEALTH
OUTCOMES
RANK

22/46

HEALTH
FACTORS
RANK

23/46

POPULATION **23,087**

MEDIAN AGE **38.7**

MEDIAN HOUSEHOLD
INCOME **\$35,052**


HEALTH OUTCOMES

| Length of Life | Grays Ferry-Passyunk | | Philadelphia |
|--|----------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 71.2 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 78.5 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆☆ | 16.2% | 13.7% |
| Poor Mental Health | ★★☆☆☆ | 16.1% | 14.6% |
| Low Birth Weight | ★★★★☆ | 8.9% | 10.8% |
| Adult Asthma | ★★☆☆☆ | 11.8% | 10.9% |
| Hypertension | ★★☆☆☆ | 35.7% | 32.9% |
| High Cholesterol | ★☆☆☆☆ | 39.0% | 34.6% |
| Cancer | ★☆☆☆☆ | 6.5% | 5.6% |
| Chronic Kidney Disease | ★★☆☆☆ | 3.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆☆ | 8.7% | 7.2% |
| Coronary Heart Disease | ★☆☆☆☆ | 7.7% | 6.3% |
| Diabetes | ★★☆☆☆ | 13.1% | 12.2% |
| Stroke | ★★☆☆☆ | 4.4% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Grays Ferry-Passyunk | Philadelphia | |
|--------------------------------------|---|----------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 27.1% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 32.7% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 13.4% | 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 30.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 17.2% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆ | 43.8 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆ | 27.2 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 9.3% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★☆☆ | 1894.8 | 1460 |
| | Inadequate Prenatal Care | ★★★★ | 22.1% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 72.6% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 31.1% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 29.9% | 28.7% |
| | Mammography Screening | ★★☆☆ | 77.8% | 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 81.0% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆ | 51.0% | 45.0% |
| | Completed Some College | ★★☆☆ | 43.4% | 49.1% |
| Employment | Unemployment | ★★☆☆ | 14.2% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 36.4% | 36.7% |
| | Income Inequality | ★★★★☆ | -0.03 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 14.5% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆ | 94.0 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 58.7 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆ | 1.7 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 446.5 | 164.1 |
| | Driving Alone to Work | ★★☆☆ | 50.0% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★ | 14.7% | 14.1% |
| | Walk Score™ | ★★☆☆ | 62.2 | 79.0 |
| | Vacant Buildings | ★★☆☆ | 2.2% | 2.4% |

Haddington-Overbrook



HEALTH
OUTCOMES
RANK

38/46

HEALTH
FACTORS
RANK

31/46

POPULATION 49,972

MEDIAN AGE 34.6

MEDIAN HOUSEHOLD INCOME \$29,291


HEALTH OUTCOMES

| Length of Life | Haddington-Overbrook | | Philadelphia |
|--|----------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 67.9 | 72.3 |
| Life Expectancy, Women | ★★☆☆ | 76.7 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 18.5% | 13.7% |
| Poor Mental Health | ★★☆☆ | 17.9% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 15.9% | 10.8% |
| Adult Asthma | ★☆☆☆ | 13.9% | 10.9% |
| Hypertension | ★☆☆☆ | 44.6% | 32.9% |
| High Cholesterol | ★★☆☆ | 38.0% | 34.6% |
| Cancer | ★★☆☆ | 5.7% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 3.8% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 9.1% | 7.2% |
| Coronary Heart Disease | ★☆☆☆ | 7.9% | 6.3% |
| Diabetes | ★☆☆☆ | 18.4% | 12.2% |
| Stroke | ★☆☆☆ | 6.0% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Haddington-Overbrook | Philadelphia | |
|--------------------------------------|---|----------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★☆☆☆ | 29.1% | 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆ | 42.8% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★ | 5.1% | 22.3% |
| | Physically Inactive Adults | ★☆☆☆ | 34.6% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★ | 13.8% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 41.0 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆ | 20.4 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆ | 13.9% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆ | 3611.3 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆ | 34.6% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★ | 77.6% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆ | 22.9% | 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆ | 22.6% | 28.7% |
| | Mammography Screening | ★★★★☆ | 80.2% | 79.2% |
| | Hypertension Medication Adherence | ★★★★ | 82.9% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆ | 47.7% | 45.0% |
| | Completed Some College | ★★★★☆ | 48.1% | 49.1% |
| Employment | Unemployment | ★★☆☆ | 13.3% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 42.9% | 36.7% |
| | Income Inequality | ★★☆☆ | -0.19 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆ | 23.1% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆ | 124.7 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 58.5 | 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆ | 2.8 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆ | 505.1 | 164.1 |
| | Driving Alone to Work | ★★★★☆ | 43.4% | 50.8% |
| | Commute ≥ 60 Minutes | ★★☆☆ | 26.1% | 14.1% |
| | Walk Score™ | ★★★★☆ | 86.6 | 79.0 |
| | Vacant Buildings | ★☆☆☆ | 4.2% | 2.4% |

Hunting Park-Fairhill



HEALTH
OUTCOMES
RANK

34/46

HEALTH
FACTORS
RANK

45/46

POPULATION **53,206**

MEDIAN AGE **29.3**

MEDIAN HOUSEHOLD INCOME **\$18,955**


HEALTH OUTCOMES

| Length of Life | Hunting Park-Fairhill | | Philadelphia |
|--|-----------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 68.1 | 72.3 |
| Life Expectancy, Women | ★★☆☆ | 76.5 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 23.3% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 21.4% | 14.6% |
| Low Birth Weight | ★★☆☆ | 10.8% | 10.8% |
| Adult Asthma | ★★☆☆ | 12.6% | 10.9% |
| Hypertension | ★★☆☆ | 34.3% | 32.9% |
| High Cholesterol | ★☆☆☆ | 39.2% | 34.6% |
| Cancer | ★★★★ | 3.8% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 3.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 8.9% | 7.2% |
| Coronary Heart Disease | ★★☆☆ | 7.5% | 6.3% |
| Diabetes | ★☆☆☆ | 17.9% | 12.2% |
| Stroke | ★★☆☆ | 4.5% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Hunting Park-Fairhill | Philadelphia | |
|--------------------------------------|---|-----------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★☆☆☆ | 32.2% | 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆ | 42.8% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★ | 4.1% | 22.3% |
| | Physically Inactive Adults | ★☆☆☆ | 42.8% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★ | 15.3% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆ | 52.8 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆ | 51.2 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★☆☆☆ | 15.1% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1127.8 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 30.9% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆ | 66.0% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆ | 20.7% | 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆ | 17.7% | 28.7% |
| | Mammography Screening | ★☆☆☆ | 72.0% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆ | 77.1% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆ | 37.5% | 45.0% |
| | Completed Some College | ★☆☆☆ | 22.6% | 49.1% |
| Employment | Unemployment | ★☆☆☆ | 25.3% | 12.5% |
| Income | Children in Poverty | ★☆☆☆ | 67.1% | 36.7% |
| | Income Inequality | ★☆☆☆ | -0.37 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆ | 31.1% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆ | 166.7 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆ | 85.5 | 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆ | 7.3 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆ | 619.4 | 164.1 |
| | Driving Alone to Work | ★★★★☆ | 45.7% | 50.8% |
| | Commute ≥ 60 Minutes | ★★☆☆ | 27.3% | 14.1% |
| | Walk Score™ | ★★☆☆ | 70.8 | 79.0 |
| | Vacant Buildings | ★☆☆☆ | 3.7% | 2.4% |

Juniata Park-Harrowgate



HEALTH
OUTCOMES
RANK

32/46

HEALTH
FACTORS
RANK

44/46

POPULATION **37,989**

MEDIAN AGE **25.6**

MEDIAN HOUSEHOLD
INCOME **\$27,461**


HEALTH OUTCOMES

| Length of Life | Juniata Park-Harrowgate | | Philadelphia |
|--|-------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★☆☆ | 69.3 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 75.1 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 19.7% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 19.8% | 14.6% |
| Low Birth Weight | ★★★★☆ | 9.8% | 10.8% |
| Adult Asthma | ★★☆☆ | 12.1% | 10.9% |
| Hypertension | ★★★★☆ | 29.8% | 32.9% |
| High Cholesterol | ★★★★☆ | 36.7% | 34.6% |
| Cancer | ★★★★★ | 4.1% | 5.6% |
| Chronic Kidney Disease | ★★☆☆ | 3.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆ | 8.4% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 6.5% | 6.3% |
| Diabetes | ★★☆☆ | 13.5% | 12.2% |
| Stroke | ★★☆☆ | 3.6% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Juniata Park-Harrowgate | Philadelphia | |
|--------------------------------------|---|-------------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★☆☆☆☆ | 31.5% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★☆☆ | 37.5% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 11.0% | 22.3% |
| | Physically Inactive Adults | ★☆☆☆☆ | 37.6% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 17.0% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★☆☆ | 60.6 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆☆ | 35.7 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★☆☆ | 12.7% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1260.2 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 30.7% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆☆ | 65.5% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★☆☆ | 25.0% | 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆☆ | 22.5% | 28.7% |
| | Mammography Screening | ★☆☆☆☆ | 72.3% | 79.2% |
| | Hypertension Medication Adherence | ★☆☆☆☆ | 74.9% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆☆ | 40.5% | 45.0% |
| | Completed Some College | ★☆☆☆☆ | 21.6% | 49.1% |
| Employment | Unemployment | ★☆☆☆☆ | 21.3% | 12.5% |
| Income | Children in Poverty | ★☆☆☆☆ | 54.8% | 36.7% |
| | Income Inequality | ★☆☆☆☆ | -0.22 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆☆ | 35.2% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆☆ | 134.0 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★☆☆ | 81.2 | 68.6 |
| | Homicides (per 10,000 people) | ★★★☆☆ | 2.1 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★☆☆ | 568.3 | 164.1 |
| | Driving Alone to Work | ★★★☆☆ | 54.8% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★☆☆ | 25.4% | 14.1% |
| | Walk Score™ | ★★★★☆ | 85.4 | 79.0 |
| | Vacant Buildings | ★★★☆☆ | 3.2% | 2.4% |

Lawndale-Crescentville



HEALTH
OUTCOMES
RANK

31/46

HEALTH
FACTORS
RANK

32/46

POPULATION **43,303**

MEDIAN AGE **29.8**

MEDIAN HOUSEHOLD
INCOME **\$37,775**


HEALTH OUTCOMES

| Length of Life | Lawndale-Crescentville | | Philadelphia |
|--|------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 71.2 | 72.3 |
| Life Expectancy, Women | ★☆☆☆☆ | 75.2 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★☆☆ | 15.6% | 13.7% |
| Poor Mental Health | ★★★☆☆ | 16.5% | 14.6% |
| Low Birth Weight | ★★★☆☆ | 12.6% | 10.8% |
| Adult Asthma | ★★★☆☆ | 11.7% | 10.9% |
| Hypertension | ★★★★☆ | 31.8% | 32.9% |
| High Cholesterol | ★★★★☆ | 35.6% | 34.6% |
| Cancer | ★★★★☆ | 5.0% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 7.2% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 6.1% | 6.3% |
| Diabetes | ★★★★☆ | 12.2% | 12.2% |
| Stroke | ★★★★☆ | 3.5% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Lawndale-Crescentville | Philadelphia | |
|--------------------------------------|---|------------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 27.5% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★☆☆ | 34.4% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 14.5% | 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 31.2% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 17.3% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 31.4 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆ | 21.9 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★☆☆☆ | 17.2% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆ | 3084.1 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆ | 33.2% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆ | 70.9% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 28.9% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆ | 27.2% | 28.7% |
| | Mammography Screening | ★☆☆☆ | 77.5% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆ | 77.1% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 57.1% | 45.0% |
| | Completed Some College | ★★☆☆ | 39.9% | 49.1% |
| Employment | Unemployment | ★★☆☆ | 16.9% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 40.6% | 36.7% |
| | Income Inequality | ★★☆☆ | -0.11 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆ | 25.7% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 65.8 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 63.1 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 0.9 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆ | 503.3 | 164.1 |
| | Driving Alone to Work | ★★☆☆ | 57.8% | 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆ | 27.5% | 14.1% |
| | Walk Score™ | ★☆☆☆ | 65.2 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 0.8% | 2.4% |

Logan



HEALTH
OUTCOMES
RANK

35/46

HEALTH
FACTORS
RANK

38/46

POPULATION 25,264

MEDIAN AGE 31.7

MEDIAN HOUSEHOLD INCOME \$26,906


HEALTH OUTCOMES

| Length of Life | Logan | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 68.8 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 76.0 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 19.0% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 18.5% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 14.1% | 10.8% |
| Adult Asthma | ★☆☆☆ | 13.8% | 10.9% |
| Hypertension | ★☆☆☆ | 43.3% | 32.9% |
| High Cholesterol | ★★☆☆ | 38.4% | 34.6% |
| Cancer | ★★★★☆ | 5.1% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 3.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 9.1% | 7.2% |
| Coronary Heart Disease | ★★☆☆ | 7.6% | 6.3% |
| Diabetes | ★☆☆☆ | 18.4% | 12.2% |
| Stroke | ★☆☆☆ | 5.7% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Logan | Philadelphia |
|--------------------------------------|---|------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★☆☆☆ | 30.6% 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆ | 42.5% 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆ | 47.2% 22.3% |
| | Physically Inactive Adults | ★☆☆☆ | 36.1% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★★ | 13.9% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 29.4 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆☆ | 26.2 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★☆☆☆ | 12.6% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 424.3 1460 |
| | Inadequate Prenatal Care | ★☆☆☆☆ | 38.3% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 76.1% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆☆ | 22.1% 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆☆ | 22.8% 28.7% |
| | Mammography Screening | ★★★★☆ | 79.7% 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 82.3% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆☆ | 46.2% 45.0% |
| | Completed Some College | ★★☆☆☆ | 39.7% 49.1% |
| Employment | Unemployment | ★☆☆☆☆ | 22.2% 12.5% |
| Income | Children in Poverty | ★☆☆☆☆ | 48.7% 36.7% |
| | Income Inequality | ★★☆☆☆ | -0.17 -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆☆ | 30.5% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆☆ | 125.1 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 36.4 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆☆ | 3.2 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆☆ | 604.3 164.1 |
| | Driving Alone to Work | ★★☆☆☆ | 52.1% 50.8% |
| | Commute ≥ 60 Minutes | ★★☆☆☆ | 27.0% 14.1% |
| | Walk Score™ | ★★★★☆ | 85.7 79.0 |
| | Vacant Buildings | ★☆☆☆☆ | 4.1% 2.4% |

Lower Kensington



HEALTH
OUTCOMES
RANK

14/46

HEALTH
FACTORS
RANK

19/46

POPULATION 20,577

MEDIAN AGE 33.2

MEDIAN HOUSEHOLD INCOME \$52,576


HEALTH OUTCOMES

| Length of Life | Lower Kensington | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 70.3 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 80.3 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 13.1% | 13.7% |
| Poor Mental Health | ★★★★☆ | 15.0% | 14.6% |
| Low Birth Weight | ★★★★★ | 5.5% | 10.8% |
| Adult Asthma | ★★★★☆ | 10.6% | 10.9% |
| Hypertension | ★★★★★ | 26.2% | 32.9% |
| High Cholesterol | ★★★★★ | 35.4% | 34.6% |
| Cancer | ★★★★☆ | 5.1% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 2.2% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 6.7% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 5.5% | 6.3% |
| Diabetes | ★★★★★ | 8.6% | 12.2% |
| Stroke | ★★★★★ | 2.6% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Lower Kensington | Philadelphia |
|--------------------------------------|---|------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★★★☆ | 26.2% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 28.1% 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 9.0% 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 24.2% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆☆ | 22.3% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆☆ | 73.3 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 95.7 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★☆☆☆ | 11.6% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★☆☆☆ | 2122.5 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 17.4% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆☆ | 66.2% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 31.8% 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 32.0% 28.7% |
| | Mammography Screening | ★☆☆☆☆ | 76.7% 79.2% |
| | Hypertension Medication Adherence | ★☆☆☆☆ | 74.6% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 53.4% 45.0% |
| | Completed Some College | ★★★★☆ | 54.5% 49.1% |
| Employment | Unemployment | ★★☆☆☆ | 12.5% 12.5% |
| Income | Children in Poverty | ★★★★☆ | 24.4% 36.7% |
| | Income Inequality | ★★★★★ | 0.08 -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 7.4% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 52.5 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆☆ | 96.0 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 1.0 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆☆ | 595.3 164.1 |
| | Driving Alone to Work | ★★★★☆ | 48.8% 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 16.5% 14.1% |
| | Walk Score™ | ★★★★☆ | 88.8 79.0 |
| | Vacant Buildings | ★★★★☆ | 1.2% 2.4% |

Mayfair-Holmesburg



HEALTH
OUTCOMES
RANK

19/46

HEALTH
FACTORS
RANK

24/46

POPULATION 52,369

MEDIAN AGE 34.6

MEDIAN HOUSEHOLD INCOME \$40,294


HEALTH OUTCOMES

| Length of Life | Mayfair-Holmesburg | | Philadelphia |
|--|--------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 71.1 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 80.3 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 13.6% | 13.7% |
| Poor Mental Health | ★★★★☆ | 14.4% | 14.6% |
| Low Birth Weight | ★★★★☆ | 10.2% | 10.8% |
| Adult Asthma | ★★★★☆ | 10.4% | 10.9% |
| Hypertension | ★★★★☆ | 29.3% | 32.9% |
| High Cholesterol | ★★★★☆ | 37.1% | 34.6% |
| Cancer | ★☆☆☆☆ | 6.4% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 2.5% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 7.3% | 7.2% |
| Coronary Heart Disease | ★★★☆☆ | 6.7% | 6.3% |
| Diabetes | ★★★★★ | 9.9% | 12.2% |
| Stroke | ★★★★☆ | 3.2% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Mayfair-Holmesburg | Philadelphia | |
|--------------------------------------|---|--------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★☆ | 25.2% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 28.7% | 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆☆ | 55.2% | 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 26.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★☆☆☆ | 20.2% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆☆ | 75.8 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 18.2 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆☆ | 11.7% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★☆☆☆ | 1453.5 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 29.2% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆☆ | 69.9% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 32.5% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 31.3% | 28.7% |
| | Mammography Screening | ★★☆☆☆ | 77.5% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆☆ | 78.5% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆☆ | 48.8% | 45.0% |
| | Completed Some College | ★★☆☆☆ | 41.5% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 11.8% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 30.1% | 36.7% |
| | Income Inequality | ★★★★☆ | -0.01 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 13.0% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 65.3 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆☆ | 96.7 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.8 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆☆ | 742.6 | 164.1 |
| | Driving Alone to Work | ★☆☆☆☆ | 65.6% | 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆☆ | 29.1% | 14.1% |
| | Walk Score™ | ★★☆☆☆ | 76.7 | 79.0 |
| | Vacant Buildings | ★★★★★ | 0.7% | 2.4% |

Mill Creek-Parkside



HEALTH
OUTCOMES
RANK

43/46

HEALTH
FACTORS
RANK

39/46

POPULATION **33,549**

MEDIAN AGE **32.2**

MEDIAN HOUSEHOLD INCOME **\$19,822**


HEALTH OUTCOMES

| Length of Life | Mill Creek-Parkside | | Philadelphia |
|--|---------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 67.7 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 75.1 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 20.8% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 20.0% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 14.3% | 10.8% |
| Adult Asthma | ★☆☆☆ | 14.7% | 10.9% |
| Hypertension | ★☆☆☆ | 44.7% | 32.9% |
| High Cholesterol | ★★☆☆ | 38.4% | 34.6% |
| Cancer | ★★★★☆ | 5.4% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 4.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 10.4% | 7.2% |
| Coronary Heart Disease | ★☆☆☆ | 8.5% | 6.3% |
| Diabetes | ★☆☆☆ | 19.5% | 12.2% |
| Stroke | ★☆☆☆ | 6.7% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Mill Creek-Parkside | Philadelphia | |
|--------------------------------------|---|---------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★☆☆☆☆ | 32.4% | 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆☆ | 44.0% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 14.6% | 22.3% |
| | Physically Inactive Adults | ★☆☆☆☆ | 37.9% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★★ | 13.5% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆☆ | 57.4 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆☆ | 23.3 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 11.4% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 907.1 | 1460 |
| | Inadequate Prenatal Care | ★☆☆☆☆ | 41.0% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 75.8% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆☆ | 20.9% | 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆☆ | 20.0% | 28.7% |
| | Mammography Screening | ★★☆☆☆ | 78.6% | 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 82.7% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆☆ | 43.0% | 45.0% |
| | Completed Some College | ★★☆☆☆ | 42.6% | 49.1% |
| Employment | Unemployment | ★★☆☆☆ | 16.8% | 12.5% |
| Income | Children in Poverty | ★☆☆☆☆ | 60.1% | 36.7% |
| | Income Inequality | ★☆☆☆☆ | -0.40 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆☆ | 27.7% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆☆ | 168.1 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆☆ | 72.4 | 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆☆ | 3.6 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆☆ | 905.1 | 164.1 |
| | Driving Alone to Work | ★★★★★ | 35.8% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 23.0% | 14.1% |
| | Walk Score™ | ★★★★☆ | 84.8 | 79.0 |
| | Vacant Buildings | ★☆☆☆☆ | 4.8% | 2.4% |

Nicetown-Tioga



HEALTH
OUTCOMES
RANK

45/46

HEALTH
FACTORS
RANK

41/46

POPULATION **36,992**

MEDIAN AGE **35.7**

MEDIAN HOUSEHOLD INCOME **\$24,655**


HEALTH OUTCOMES

| Length of Life | Nicetown-Tioga | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 63.9 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 74.5 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 19.8% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 18.7% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 14.7% | 10.8% |
| Adult Asthma | ★☆☆☆ | 14.0% | 10.9% |
| Hypertension | ★☆☆☆ | 45.4% | 32.9% |
| High Cholesterol | ★☆☆☆ | 38.8% | 34.6% |
| Cancer | ★★☆☆ | 5.6% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 4.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 9.9% | 7.2% |
| Coronary Heart Disease | ★☆☆☆ | 8.5% | 6.3% |
| Diabetes | ★☆☆☆ | 19.8% | 12.2% |
| Stroke | ★☆☆☆ | 6.5% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Nicetown-Tioga | Philadelphia |
|--------------------------------------|---|------------------|--------------|
| | | Quartile ranking | Data |
| Tobacco Use | Adult Smoking | ★☆☆☆ | 31.2% 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆ | 44.1% 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆ | 30.4% 22.3% |
| | Physically Inactive Adults | ★☆☆☆ | 37.1% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★ | 13.6% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆ | 64.4 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆ | 35.5 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★☆☆ | 12.8% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★☆☆ | 1313.8 1460 |
| | Inadequate Prenatal Care | ★☆☆☆ | 36.6% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★ | 77.1% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆ | 21.5% 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆ | 21.7% 28.7% |
| | Mammography Screening | ★★★☆☆ | 79.4% 79.2% |
| | Hypertension Medication Adherence | ★★★★ | 83.5% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆ | 47.5% 45.0% |
| | Completed Some College | ★☆☆☆ | 35.3% 49.1% |
| Employment | Unemployment | ★☆☆☆ | 17.7% 12.5% |
| Income | Children in Poverty | ★★☆☆ | 40.4% 36.7% |
| | Income Inequality | ★☆☆☆ | -0.32 -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆ | 19.0% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆ | 244.9 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆ | 89.7 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆ | 6.8 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆ | 826.0 164.1 |
| | Driving Alone to Work | ★★★☆☆ | 47.0% 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆ | 28.1% 14.1% |
| | Walk Score™ | ★★☆☆ | 73.3 79.0 |
| | Vacant Buildings | ★☆☆☆ | 6.6% 2.4% |

Northern Liberties- West Kensington



HEALTH
OUTCOMES
RANK

26/46

HEALTH
FACTORS
RANK

27/46

POPULATION 28,983

MEDIAN AGE 31.2

MEDIAN HOUSEHOLD INCOME \$47,579


HEALTH OUTCOMES

| Length of Life | Northern Liberties- West Kensington | | Philadelphia |
|--|--|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★☆☆ | 69.5 | 72.3 |
| Life Expectancy, Women | ★★☆☆ | 76.4 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆ | 15.8% | 13.7% |
| Poor Mental Health | ★★☆☆ | 16.1% | 14.6% |
| Low Birth Weight | ★★★★☆ | 10.3% | 10.8% |
| Adult Asthma | ★★★★☆ | 10.8% | 10.9% |
| Hypertension | ★★★★★ | 28.5% | 32.9% |
| High Cholesterol | ★★★★★ | 35.2% | 34.6% |
| Cancer | ★★★★★ | 3.9% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.8% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 6.3% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 5.7% | 6.3% |
| Diabetes | ★★☆☆ | 12.4% | 12.2% |
| Stroke | ★★★★★ | 3.1% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Northern Liberties- West Kensington | | Philadelphia |
|--------------------------------------|---|--|-------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★☆ | 25.3% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★☆☆ | 33.1% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★★ | 0.1% | 22.3% |
| | Physically Inactive Adults | ★★★☆☆ | 29.6% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★☆☆☆ | 20.6% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆☆ | 72.9 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆☆ | 39.1 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆☆ | 15.1% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 966.8 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 25.5% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆☆ | 66.5% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★☆☆ | 25.3% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆☆ | 23.5% | 28.7% |
| | Mammography Screening | ★★☆☆☆ | 75.5% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆☆ | 74.9% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★☆☆ | 50.2% | 45.0% |
| | Completed Some College | ★★★★☆ | 51.7% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 10.7% | 12.5% |
| Income | Children in Poverty | ★★☆☆☆ | 51.5% | 36.7% |
| | Income Inequality | ★★★★☆ | -0.04 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 13.4% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★☆☆ | 129.4 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆☆ | 132.9 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆☆ | 3.1 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆☆ | 873.1 | 164.1 |
| | Driving Alone to Work | ★★★★☆ | 49.9% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 15.2% | 14.1% |
| | Walk Score™ | ★★★★★ | 93.3 | 79.0 |
| | Vacant Buildings | ★★★☆☆ | 2.0% | 2.4% |

Oak Lane- Fernrock



HEALTH
OUTCOMES
RANK

25/46

HEALTH
FACTORS
RANK

21/46

POPULATION **21,497**

MEDIAN AGE **37.8**

MEDIAN HOUSEHOLD
INCOME **\$41,312**


HEALTH OUTCOMES

| Length of Life | Oak Lane-Fernrock | | Philadelphia |
|--|-------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 72.1 | 72.3 |
| Life Expectancy, Women | ★★★☆☆ | 77.6 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 14.6% | 13.7% |
| Poor Mental Health | ★★★★☆ | 14.8% | 14.6% |
| Low Birth Weight | ★☆☆☆☆ | 14.0% | 10.8% |
| Adult Asthma | ★★★☆☆ | 12.0% | 10.9% |
| Hypertension | ★★★☆☆ | 40.2% | 32.9% |
| High Cholesterol | ★★★☆☆ | 37.3% | 34.6% |
| Cancer | ★★★☆☆ | 5.6% | 5.6% |
| Chronic Kidney Disease | ★★★☆☆ | 3.3% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 6.9% | 7.2% |
| Coronary Heart Disease | ★★★☆☆ | 6.7% | 6.3% |
| Diabetes | ★★★☆☆ | 15.2% | 12.2% |
| Stroke | ★★★☆☆ | 4.4% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Oak Lane-Fernrock | Philadelphia |
|--------------------------------------|---|-------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★★★☆ | 24.3% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★☆☆ | 36.9% 30.6% |
| | Residents >½ mile from Supermarket | ★★★☆☆ | 24.8% 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 28.9% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 15.4% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 24.1 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★☆☆ | 23.5 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★☆☆☆☆ | 15.5% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1185.0 1460 |
| | Inadequate Prenatal Care | ★★★☆☆ | 31.3% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 77.3% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★☆☆ | 26.0% 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 27.5% 28.7% |
| | Mammography Screening | ★★★★★ | 82.1% 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 82.0% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 53.9% 45.0% |
| | Completed Some College | ★★★★☆ | 51.6% 49.1% |
| Employment | Unemployment | ★★★☆☆ | 14.2% 12.5% |
| Income | Children in Poverty | ★★★★★ | 22.0% 36.7% |
| | Income Inequality | ★★★☆☆ | -0.06 -0.06 |
| Family & Social Support | Single Parent Households | ★★★☆☆ | 18.1% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 69.3 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 54.6 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 1.4 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 234.9 164.1 |
| | Driving Alone to Work | ★★★☆☆ | 52.2% 50.8% |
| | Commute ≥ 60 Minutes | ★★★☆☆ | 26.4% 14.1% |
| | Walk Score™ | ★★★☆☆ | 70.5 79.0 |
| | Vacant Buildings | ★★★★☆ | 1.4% 2.4% |

Ogontz



HEALTH
OUTCOMES
RANK

41/46

HEALTH
FACTORS
RANK

26/46

POPULATION **28,843**

MEDIAN AGE **36.9**

MEDIAN HOUSEHOLD
INCOME **\$28,946**


HEALTH OUTCOMES

| Length of Life | Ogontz | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 67.3 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 75.1 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆ | 16.9% | 13.7% |
| Poor Mental Health | ★★☆☆ | 16.9% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 16.9% | 10.8% |
| Adult Asthma | ★☆☆☆ | 13.5% | 10.9% |
| Hypertension | ★☆☆☆ | 42.3% | 32.9% |
| High Cholesterol | ★★☆☆ | 37.1% | 34.6% |
| Cancer | ★★☆☆ | 5.7% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 3.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆ | 8.3% | 7.2% |
| Coronary Heart Disease | ★☆☆☆ | 7.7% | 6.3% |
| Diabetes | ★☆☆☆ | 17.6% | 12.2% |
| Stroke | ★☆☆☆ | 5.7% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Ogontz | Philadelphia | |
|--------------------------------------|---|------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 27.4% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★☆☆ | 39.6% | 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆ | 52.1% | 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 32.7% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★ | 14.8% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 27.2 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 16.5 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 11.2% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 589.8 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆ | 33.7% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 77.3% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆ | 22.9% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆ | 24.3% | 28.7% |
| | Mammography Screening | ★★★★☆ | 81.0% | 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 83.2% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 53.9% | 45.0% |
| | Completed Some College | ★★☆☆ | 40.2% | 49.1% |
| Employment | Unemployment | ★☆☆☆ | 19.6% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 39.1% | 36.7% |
| | Income Inequality | ★☆☆☆ | -0.21 | -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆ | 23.0% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆ | 101.9 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 57.0 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆ | 2.1 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆ | 630.9 | 164.1 |
| | Driving Alone to Work | ★★★★☆ | 42.5% | 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆ | 33.2% | 14.1% |
| | Walk Score™ | ★★★★☆ | 81.8 | 79.0 |
| | Vacant Buildings | ★★☆☆ | 2.7% | 2.4% |

Olney-Feltonville



HEALTH
OUTCOMES
RANK

29/46

HEALTH
FACTORS
RANK

35/46

POPULATION **54,106**

MEDIAN AGE **28.0**

MEDIAN HOUSEHOLD INCOME **\$35,800**


HEALTH OUTCOMES

| Length of Life | Olney-Feltonville | | Philadelphia |
|--|-------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★☆☆ | 70.5 | 72.3 |
| Life Expectancy, Women | ★★☆☆ | 76.1 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆ | 17.1% | 13.7% |
| Poor Mental Health | ★★☆☆ | 17.7% | 14.6% |
| Low Birth Weight | ★★☆☆ | 10.6% | 10.8% |
| Adult Asthma | ★★☆☆ | 12.0% | 10.9% |
| Hypertension | ★★☆☆ | 32.6% | 32.9% |
| High Cholesterol | ★★★☆☆ | 35.9% | 34.6% |
| Cancer | ★★★★★ | 3.9% | 5.6% |
| Chronic Kidney Disease | ★★☆☆ | 2.9% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★☆☆ | 7.1% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 5.7% | 6.3% |
| Diabetes | ★★☆☆ | 14.0% | 12.2% |
| Stroke | ★★★★☆ | 3.6% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Olney-Feltonville | Philadelphia | |
|--------------------------------------|---|-------------------|--------------|-------|
| | | Quartile ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 28.8% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★☆☆ | 35.9% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★ | 7.7% | 22.3% |
| | Physically Inactive Adults | ★☆☆☆ | 34.7% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★☆☆ | 15.9% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★☆☆ | 30.4 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆☆ | 31.4 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★☆☆☆☆ | 17.1% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1214.9 | 1460 |
| | Inadequate Prenatal Care | ★☆☆☆☆ | 36.5% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆☆ | 70.2% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★☆☆☆ | 24.2% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆☆ | 24.1% | 28.7% |
| | Mammography Screening | ★☆☆☆☆ | 77.1% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆☆ | 76.8% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆☆ | 47.4% | 45.0% |
| | Completed Some College | ★☆☆☆☆ | 34.2% | 49.1% |
| Employment | Unemployment | ★★☆☆☆ | 16.5% | 12.5% |
| Income | Children in Poverty | ★★☆☆☆ | 36.2% | 36.7% |
| | Income Inequality | ★★☆☆☆ | -0.17 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆☆ | 28.0% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆☆ | 93.5 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆☆ | 88.4 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆☆ | 1.5 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆☆ | 454.9 | 164.1 |
| | Driving Alone to Work | ★★☆☆☆ | 49.7% | 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆☆ | 30.1% | 14.1% |
| | Walk Score™ | ★★☆☆☆ | 81.2 | 79.0 |
| | Vacant Buildings | ★★☆☆☆ | 1.8% | 2.4% |

Overbrook Park- Wynnefield Heights



HEALTH
OUTCOMES
RANK

20/46

HEALTH
FACTORS
RANK

16/46

POPULATION **37,688**

MEDIAN AGE **41.2**

MEDIAN HOUSEHOLD
INCOME **\$38,294**


HEALTH OUTCOMES

| Length of Life | Overbrook Park- Wynnefield Heights | | Philadelphia |
|--|---------------------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 72.4 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 79.6 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 13.2% | 13.7% |
| Poor Mental Health | ★★★★☆ | 13.7% | 14.6% |
| Low Birth Weight | ★★★☆☆ | 12.3% | 10.8% |
| Adult Asthma | ★★★☆☆ | 11.6% | 10.9% |
| Hypertension | ★★★☆☆ | 38.1% | 32.9% |
| High Cholesterol | ★★★★☆ | 36.5% | 34.6% |
| Cancer | ★★★☆☆ | 6.0% | 5.6% |
| Chronic Kidney Disease | ★★★☆☆ | 3.1% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 6.5% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 6.6% | 6.3% |
| Diabetes | ★★★☆☆ | 13.8% | 12.2% |
| Stroke | ★★★☆☆ | 4.3% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Overbrook Park- Wynnefield Heights | Philadelphia | |
|--------------------------------------|---|---------------------------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★ | 26.1% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★☆☆ | 33.7% | 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆ | 65.4% | 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 25.7% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 16.9% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★ | 18.3 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★ | 10.8 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 10.0% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1060.0 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 29.2% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 76.1% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★☆☆ | 27.6% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 28.1% | 28.7% |
| | Mammography Screening | ★★★★ | 82.5% | 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 82.2% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆ | 50.3% | 45.0% |
| | Completed Some College | ★★★★ | 61.9% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 10.6% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 31.7% | 36.7% |
| | Income Inequality | ★★☆☆ | -0.11 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 15.3% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★ | 51.5 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★ | 32.8 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★ | 0.8 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★ | 169.2 | 164.1 |
| | Driving Alone to Work | ★★☆☆ | 58.9% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 20.1% | 14.1% |
| | Walk Score™ | ★★☆☆ | 66.7 | 79.0 |
| | Vacant Buildings | ★★☆☆ | 1.6% | 2.4% |

Oxford Circle



HEALTH
OUTCOMES
RANK

11/46

HEALTH
FACTORS
RANK

25/46

POPULATION **51,974**

MEDIAN AGE **30.6**

MEDIAN HOUSEHOLD
INCOME **\$37,659**


HEALTH OUTCOMES

| Length of Life | Oxford Circle | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★ | 76.3 | 72.3 |
| Life Expectancy, Women | ★★★★ | 80.6 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆ | 15.2% | 13.7% |
| Poor Mental Health | ★★☆☆ | 16.2% | 14.6% |
| Low Birth Weight | ★★★★ | 8.5% | 10.8% |
| Adult Asthma | ★★★★☆ | 11.1% | 10.9% |
| Hypertension | ★★★★☆ | 30.1% | 32.9% |
| High Cholesterol | ★★★★☆ | 36.3% | 34.6% |
| Cancer | ★★★★ | 4.7% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.5% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 7.2% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 5.8% | 6.3% |
| Diabetes | ★★★★☆ | 11.6% | 12.2% |
| Stroke | ★★★★☆ | 3.2% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Oxford Circle | Philadelphia |
|--------------------------------------|---|------------------|----------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★☆☆ | 27.4% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 31.1% 30.6% |
| | Residents >½ mile from Supermarket | ★★★★★ | 0.1% 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 30.9% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 17.2% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 15.4 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 18.1 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★☆☆☆ | 20.5% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆ | 3199.5 1460 |
| | Inadequate Prenatal Care | ★☆☆☆ | 35.8% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆ | 69.3% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 28.1% 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆ | 27.4% 28.7% |
| | Mammography Screening | ★☆☆☆ | 76.4% 79.2% |
| | Hypertension Medication Adherence | ★☆☆☆ | 76.5% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆ | 44.5% 45.0% |
| | Completed Some College | ★☆☆☆ | 37.3% 49.1% |
| Employment | Unemployment | ★★★★☆ | 12.2% 12.5% |
| Income | Children in Poverty | ★★★★☆ | 28.9% 36.7% |
| | Income Inequality | ★★☆☆ | -0.05 -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆ | 21.4% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 57.1 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 27.8 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 1.0 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆ | 577.5 164.1 |
| | Driving Alone to Work | ★☆☆☆ | 61.1% 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆ | 27.4% 14.1% |
| | Walk Score™ | ★★☆☆ | 78.2 79.0 |
| | Vacant Buildings | ★★★★★ | 0.4% 2.4% |

Paschall-Kingsessing



HEALTH
OUTCOMES
RANK

39/46

HEALTH
FACTORS
RANK

40/46

POPULATION **40,701**

MEDIAN AGE **34.2**

MEDIAN HOUSEHOLD INCOME **\$26,259**


HEALTH OUTCOMES

| Length of Life | Paschall-Kingsessing | | Philadelphia |
|--|----------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 67.4 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 74.0 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 19.0% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 18.8% | 14.6% |
| Low Birth Weight | ★★☆☆ | 12.1% | 10.8% |
| Adult Asthma | ★☆☆☆ | 14.1% | 10.9% |
| Hypertension | ★☆☆☆ | 42.9% | 32.9% |
| High Cholesterol | ★★☆☆ | 37.8% | 34.6% |
| Cancer | ★★★★☆ | 5.2% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 3.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 9.3% | 7.2% |
| Coronary Heart Disease | ★☆☆☆ | 7.6% | 6.3% |
| Diabetes | ★☆☆☆ | 18.1% | 12.2% |
| Stroke | ★☆☆☆ | 5.8% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Paschall-Kingsessing | Philadelphia |
|--------------------------------------|---|----------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★☆☆☆☆ | 31.4% 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆☆ | 42.3% 30.6% |
| | Residents >½ mile from Supermarket | ★★★★★ | 6.6% 22.3% |
| | Physically Inactive Adults | ★☆☆☆☆ | 36.2% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★★ | 13.9% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆☆ | 44.5 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆☆ | 24.7 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★☆☆☆☆ | 15.4% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆☆ | 3590.1 1460 |
| | Inadequate Prenatal Care | ★☆☆☆☆ | 41.9% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 76.2% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆☆ | 21.7% 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆☆ | 22.3% 28.7% |
| | Mammography Screening | ★★★★☆ | 79.5% 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 82.0% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 52.0% 45.0% |
| | Completed Some College | ★☆☆☆☆ | 37.3% 49.1% |
| Employment | Unemployment | ★☆☆☆☆ | 20.2% 12.5% |
| Income | Children in Poverty | ★☆☆☆☆ | 46.9% 36.7% |
| | Income Inequality | ★☆☆☆☆ | -0.27 -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆☆ | 21.6% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆☆ | 166.3 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆☆ | 75.1 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆☆ | 3.9 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★☆☆☆ | 714.4 164.1 |
| | Driving Alone to Work | ★★★★☆ | 39.5% 50.8% |
| | Commute ≥ 60 Minutes | ★★☆☆☆ | 26.6% 14.1% |
| | Walk Score™ | ★★☆☆☆ | 74.1 79.0 |
| | Vacant Buildings | ★☆☆☆☆ | 5.4% 2.4% |

Pennsport-Queen Village



HEALTH
OUTCOMES
RANK

5/46

HEALTH
FACTORS
RANK

5/46

POPULATION **23,616**

MEDIAN AGE **34.7**

MEDIAN HOUSEHOLD INCOME **\$62,326**


HEALTH OUTCOMES

| Length of Life | Pennsport-Queen Village | | Philadelphia |
|--|-------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 74.9 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 83.4 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 9.1% | 13.7% |
| Poor Mental Health | ★★★★★ | 11.2% | 14.6% |
| Low Birth Weight | ★★★★☆ | 10.0% | 10.8% |
| Adult Asthma | ★★★★★ | 9.3% | 10.9% |
| Hypertension | ★★★★★ | 24.5% | 32.9% |
| High Cholesterol | ★★★★★ | 32.7% | 34.6% |
| Cancer | ★★★★☆ | 5.0% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 1.9% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 4.4% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 4.2% | 6.3% |
| Diabetes | ★★★★★ | 7.3% | 12.2% |
| Stroke | ★★★★★ | 2.1% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Pennsport-Queen Village | Philadelphia | |
|--------------------------------------|---|-------------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★★ | 18.8% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 24.6% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★★ | 0.0% | 22.3% |
| | Physically Inactive Adults | ★★★★★ | 18.1% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆☆ | 23.6% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 27.7 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 7.4 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 11.3% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 600.2 | 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 14.8% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆☆ | 69.2% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 34.0% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 35.0% | 28.7% |
| | Mammography Screening | ★★★★★ | 81.8% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆☆ | 74.4% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 74.8% | 45.0% |
| | Completed Some College | ★★★★★ | 71.5% | 49.1% |
| Employment | Unemployment | ★★★★★ | 6.4% | 12.5% |
| Income | Children in Poverty | ★★★★★ | 20.4% | 36.7% |
| | Income Inequality | ★★★★★ | 0.24 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 6.7% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 47.8 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 36.5 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 0.9 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 304.2 | 164.1 |
| | Driving Alone to Work | ★★★★★ | 36.3% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 14.4% | 14.1% |
| | Walk Score™ | ★★★★★ | 95.8 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 0.8% | 2.4% |

Poplar-Temple



HEALTH
OUTCOMES
RANK

33/46

HEALTH
FACTORS
RANK

30/46

POPULATION **22,638**

MEDIAN AGE **30.2**

MEDIAN HOUSEHOLD
INCOME **\$19,968**


HEALTH OUTCOMES

| Length of Life | Poplar-Temple | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★ ★ ☆ ☆ | 69.4 | 72.3 |
| Life Expectancy, Women | ★ ☆ ☆ ☆ | 72.8 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★ ★ ☆ ☆ | 15.8% | 13.7% |
| Poor Mental Health | ★ ☆ ☆ ☆ | 18.3% | 14.6% |
| Low Birth Weight | ★ ★ ☆ ☆ | 12.6% | 10.8% |
| Adult Asthma | ★ ☆ ☆ ☆ | 13.5% | 10.9% |
| Hypertension | ★ ★ ☆ ☆ | 33.0% | 32.9% |
| High Cholesterol | ★ ★ ★ ★ | 33.2% | 34.6% |
| Cancer | ★ ★ ★ ★ | 4.1% | 5.6% |
| Chronic Kidney Disease | ★ ★ ☆ ☆ | 3.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★ ★ ☆ ☆ | 7.5% | 7.2% |
| Coronary Heart Disease | ★ ★ ★ ☆ | 6.0% | 6.3% |
| Diabetes | ★ ★ ☆ ☆ | 13.5% | 12.2% |
| Stroke | ★ ★ ☆ ☆ | 4.4% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Poplar-Temple | | Philadelphia |
|--------------------------------------|---|------------------|--------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 28.8% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★☆☆ | 35.0% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★ | 0.0% | 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 31.5% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★☆☆ | 17.8% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆ | 44.1 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★ | 10.8 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★ | 8.9% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1092.1 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆ | 33.9% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆ | 71.0% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆ | 22.7% | 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆ | 22.0% | 28.7% |
| | Mammography Screening | ★★☆☆ | 78.8% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆ | 78.0% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆ | 42.4% | 45.0% |
| | Completed Some College | ★☆☆☆ | 38.1% | 49.1% |
| Employment | Unemployment | ★☆☆☆ | 17.7% | 12.5% |
| Income | Children in Poverty | ★☆☆☆ | 49.5% | 36.7% |
| | Income Inequality | ★☆☆☆ | -0.33 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆ | 24.2% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆ | 126.8 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 53.9 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆ | 1.8 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆ | 793.1 | 164.1 |
| | Driving Alone to Work | ★★★★ | 36.6% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★ | 15.6% | 14.1% |
| | Walk Score™ | ★★★★☆ | 88.9 | 79.0 |
| | Vacant Buildings | ★★☆☆ | 2.6% | 2.4% |

Rhawnhurst-Fox Chase



HEALTH
OUTCOMES
RANK

12/46

HEALTH
FACTORS
RANK

15/46

POPULATION **49,944**

MEDIAN AGE **38.2**

MEDIAN HOUSEHOLD
INCOME **\$50,142**


HEALTH OUTCOMES

| Length of Life | Rhawnhurst-Fox Chase | | Philadelphia |
|--|----------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 74.0 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 80.7 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 13.1% | 13.7% |
| Poor Mental Health | ★★★★★ | 12.9% | 14.6% |
| Low Birth Weight | ★★★★★ | 8.4% | 10.8% |
| Adult Asthma | ★★★★★ | 9.8% | 10.9% |
| Hypertension | ★★★★☆ | 31.4% | 32.9% |
| High Cholesterol | ★☆☆☆☆ | 39.3% | 34.6% |
| Cancer | ★☆☆☆☆ | 7.5% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.6% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 7.3% | 7.2% |
| Coronary Heart Disease | ★☆☆☆☆ | 7.6% | 6.3% |
| Diabetes | ★★★★☆ | 10.5% | 12.2% |
| Stroke | ★★★★☆ | 3.5% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Rhawnhurst-Fox Chase | Philadelphia | |
|--------------------------------------|---|----------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★ | 22.0% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★ | 26.3% | 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆ | 30.3% | 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 25.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★☆☆ | 19.0% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆ | 42.3 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★ | 11.3 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆ | 13.0% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1107.1 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆ | 32.6% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 71.9% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★ | 33.4% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 32.5% | 28.7% |
| | Mammography Screening | ★★☆☆ | 78.3% | 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 81.2% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 56.1% | 45.0% |
| | Completed Some College | ★★★★☆ | 46.7% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 10.2% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 23.0% | 36.7% |
| | Income Inequality | ★★★★☆ | 0.06 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 9.7% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★ | 29.4 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆ | 73.1 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★ | 0.0 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★ | 242.7 | 164.1 |
| | Driving Alone to Work | ★☆☆☆ | 68.6% | 50.8% |
| | Commute ≥ 60 Minutes | ★★☆☆ | 25.6% | 14.1% |
| | Walk Score™ | ★☆☆☆ | 62.9 | 79.0 |
| | Vacant Buildings | ★★★★ | 0.3% | 2.4% |

Richmond-Bridesburg



HEALTH
OUTCOMES
RANK

21/46

HEALTH
FACTORS
RANK

22/46

POPULATION **22,901**

MEDIAN AGE **40.4**

MEDIAN HOUSEHOLD INCOME **\$51,423**


HEALTH OUTCOMES

| Length of Life | Richmond-Bridesburg | | Philadelphia |
|--|---------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 69.4 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 75.0 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 14.0% | 13.7% |
| Poor Mental Health | ★★★★☆ | 15.0% | 14.6% |
| Low Birth Weight | ★★★★★ | 4.7% | 10.8% |
| Adult Asthma | ★★★★☆ | 10.6% | 10.9% |
| Hypertension | ★★★★★ | 28.7% | 32.9% |
| High Cholesterol | ★★☆☆☆ | 38.0% | 34.6% |
| Cancer | ★☆☆☆☆ | 6.6% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 2.4% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆☆ | 8.0% | 7.2% |
| Coronary Heart Disease | ★★☆☆☆ | 6.9% | 6.3% |
| Diabetes | ★★★★★ | 9.4% | 12.2% |
| Stroke | ★★★★☆ | 3.2% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Richmond-Bridesburg | Philadelphia | |
|--------------------------------------|---|---------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 27.0% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 28.4% | 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆ | 37.5% | 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 25.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆ | 21.7% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆ | 97.2 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 15.7 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 11.5% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆ | 2207.1 | 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 22.3% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆ | 68.4% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 32.2% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 31.4% | 28.7% |
| | Mammography Screening | ★☆☆☆ | 76.8% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆ | 78.5% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 63.1% | 45.0% |
| | Completed Some College | ★★☆☆ | 42.1% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 11.8% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 27.8% | 36.7% |
| | Income Inequality | ★★★★★ | 0.09 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 13.8% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 62.4 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆ | 111.8 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆ | 2.6 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 407.4 | 164.1 |
| | Driving Alone to Work | ★☆☆☆ | 63.4% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 21.5% | 14.1% |
| | Walk Score™ | ★☆☆☆ | 52.3 | 79.0 |
| | Vacant Buildings | ★★★★★ | 0.7% | 2.4% |

Roxborough- Manayunk



HEALTH
OUTCOMES
RANK

3/46

HEALTH
FACTORS
RANK

6/46

POPULATION **43,123**

MEDIAN AGE **31.7**

MEDIAN HOUSEHOLD
INCOME **\$71,366**


HEALTH OUTCOMES

| Length of Life | Roxborough-Manayunk | | Philadelphia |
|--|---------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 76.5 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 82.3 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 8.9% | 13.7% |
| Poor Mental Health | ★★★★★ | 11.2% | 14.6% |
| Low Birth Weight | ★★★★★ | 5.6% | 10.8% |
| Adult Asthma | ★★★★★ | 9.3% | 10.9% |
| Hypertension | ★★★★★ | 24.1% | 32.9% |
| High Cholesterol | ★★★★★ | 33.0% | 34.6% |
| Cancer | ★★★☆☆ | 5.7% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 1.9% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 4.7% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 4.7% | 6.3% |
| Diabetes | ★★★★★ | 6.6% | 12.2% |
| Stroke | ★★★★★ | 2.1% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Roxborough-Manayunk | Philadelphia | |
|--------------------------------------|---|---------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★★ | 18.9% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 23.3% | 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆☆ | 39.9% | 22.3% |
| | Physically Inactive Adults | ★★★★★ | 17.1% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆☆ | 24.8% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 36.2 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 14.4 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★★ | 6.7% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1243.1 | 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 17.0% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆☆ | 68.8% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 36.0% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 36.5% | 28.7% |
| | Mammography Screening | ★★★★☆ | 81.4% | 79.2% |
| | Hypertension Medication Adherence | ★☆☆☆☆ | 75.2% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 60.0% | 45.0% |
| | Completed Some College | ★★★★★ | 67.2% | 49.1% |
| Employment | Unemployment | ★★★★★ | 5.1% | 12.5% |
| Income | Children in Poverty | ★★★★★ | 11.4% | 36.7% |
| | Income Inequality | ★★★★★ | 0.20 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 5.3% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 28.1 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 58.4 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.2 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 196.0 | 164.1 |
| | Driving Alone to Work | ★☆☆☆☆ | 67.4% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 19.1% | 14.1% |
| | Walk Score™ | ★☆☆☆☆ | 44.6 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 0.9% | 2.4% |

Schuylkill-Point Breeze



HEALTH
OUTCOMES
RANK

18/46

HEALTH
FACTORS
RANK

14/46

POPULATION **28,540**

MEDIAN AGE **34.1**

MEDIAN HOUSEHOLD INCOME **\$54,257**


HEALTH OUTCOMES

| Length of Life | Schuylkill-Point Breeze | | Philadelphia |
|--|-------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 71.3 | 72.3 |
| Life Expectancy, Women | ★★★☆☆ | 78.1 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 12.3% | 13.7% |
| Poor Mental Health | ★★★★☆ | 13.7% | 14.6% |
| Low Birth Weight | ★★★★☆ | 8.6% | 10.8% |
| Adult Asthma | ★★★★☆ | 11.2% | 10.9% |
| Hypertension | ★★★☆☆ | 33.6% | 32.9% |
| High Cholesterol | ★★★★★ | 33.6% | 34.6% |
| Cancer | ★★★★★ | 4.9% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.8% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 5.8% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 5.3% | 6.3% |
| Diabetes | ★★★★☆ | 12.0% | 12.2% |
| Stroke | ★★★☆☆ | 3.7% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Schuylkill-Point Breeze | | Philadelphia |
|--------------------------------------|---|-------------------------|--------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★☆ | 22.7% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 32.6% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★★ | 0.0% | 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 24.2% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★☆☆☆ | 20.1% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 31.8 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★☆☆☆ | 21.6 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 10.6% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★☆☆☆ | 1301.2 | 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 23.3% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 72.9% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★☆☆☆ | 26.3% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆☆ | 27.4% | 28.7% |
| | Mammography Screening | ★★★★★ | 82.3% | 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 79.0% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 58.1% | 45.0% |
| | Completed Some College | ★★★★★ | 66.5% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 9.5% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 30.2% | 36.7% |
| | Income Inequality | ★★★★★ | 0.10 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 10.3% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆☆ | 84.8 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★☆ | 55.8 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆☆ | 1.4 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆☆ | 758.8 | 164.1 |
| | Driving Alone to Work | ★★★★★ | 34.8% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 15.5% | 14.1% |
| | Walk Score™ | ★★★★★ | 89.5 | 79.0 |
| | Vacant Buildings | ★★☆☆☆ | 2.8% | 2.4% |

Sharswood-Stanton



HEALTH
OUTCOMES
RANK

40/46

HEALTH
FACTORS
RANK

37/46

POPULATION **21,816**

MEDIAN AGE **33.1**

MEDIAN HOUSEHOLD INCOME **\$19,750**


HEALTH OUTCOMES

| Length of Life | Sharswood-Stanton | | Philadelphia |
|--|-------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 67.4 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 74.9 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★☆☆ | 16.3% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 19.2% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 16.0% | 10.8% |
| Adult Asthma | ★☆☆☆ | 13.9% | 10.9% |
| Hypertension | ★★☆☆ | 33.9% | 32.9% |
| High Cholesterol | ★★★★ | 32.4% | 34.6% |
| Cancer | ★★★★ | 3.9% | 5.6% |
| Chronic Kidney Disease | ★★☆☆ | 3.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆ | 7.9% | 7.2% |
| Coronary Heart Disease | ★★★☆☆ | 5.9% | 6.3% |
| Diabetes | ★★☆☆ | 13.5% | 12.2% |
| Stroke | ★★☆☆ | 4.5% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Sharswood-Stanton | Philadelphia | |
|--------------------------------------|---|-------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★☆☆☆☆ | 30.4% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★☆☆☆ | 36.6% | 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆☆ | 19.3% | 22.3% |
| | Physically Inactive Adults | ★★☆☆☆ | 31.8% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★☆☆☆ | 17.6% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆☆ | 87.6 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 16.1 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆☆ | 11.8% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★☆☆☆ | 1436.6 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆☆ | 32.7% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆☆ | 70.7% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆☆ | 21.8% | 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆☆ | 20.6% | 28.7% |
| | Mammography Screening | ★★☆☆☆ | 78.7% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆☆ | 76.7% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆☆ | 50.8% | 45.0% |
| | Completed Some College | ★★☆☆☆ | 38.4% | 49.1% |
| Employment | Unemployment | ★★☆☆☆ | 15.0% | 12.5% |
| Income | Children in Poverty | ★☆☆☆☆ | 49.1% | 36.7% |
| | Income Inequality | ★☆☆☆☆ | -0.39 | -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆☆ | 17.0% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆☆ | 214.5 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆☆ | 132.6 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆☆ | 1.8 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆☆ | 1154.4 | 164.1 |
| | Driving Alone to Work | ★★★★★ | 31.0% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 21.0% | 14.1% |
| | Walk Score™ | ★★★★☆ | 86.6 | 79.0 |
| | Vacant Buildings | ★☆☆☆☆ | 5.2% | 2.4% |

Snyder-Whitman



HEALTH
OUTCOMES
RANK

23/46

HEALTH
FACTORS
RANK

29/46

POPULATION **31,685**

MEDIAN AGE **34.4**

MEDIAN HOUSEHOLD INCOME **\$43,970**


HEALTH OUTCOMES

| Length of Life | Snyder-Whitman | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 73.5 | 72.3 |
| Life Expectancy, Women | ★★★☆☆ | 76.2 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★☆☆ | 16.7% | 13.7% |
| Poor Mental Health | ★★★☆☆ | 16.7% | 14.6% |
| Low Birth Weight | ★★★★☆ | 8.8% | 10.8% |
| Adult Asthma | ★★★★☆ | 11.2% | 10.9% |
| Hypertension | ★★★★☆ | 30.5% | 32.9% |
| High Cholesterol | ★☆☆☆☆ | 38.6% | 34.6% |
| Cancer | ★★★☆☆ | 5.8% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.7% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆☆ | 8.9% | 7.2% |
| Coronary Heart Disease | ★★★☆☆ | 7.3% | 6.3% |
| Diabetes | ★★★★☆ | 12.1% | 12.2% |
| Stroke | ★★★☆☆ | 3.8% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Snyder-Whitmen | Philadelphia | |
|--------------------------------------|---|------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 29.0% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 29.0% | 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆ | 19.5% | 22.3% |
| | Physically Inactive Adults | ★★☆☆ | 32.4% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 17.2% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆ | 81.4 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆ | 36.2 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★☆☆☆ | 18.3% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★☆☆ | 1713.0 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 27.2% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆ | 68.1% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 28.5% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 27.5% | 28.7% |
| | Mammography Screening | ★☆☆☆ | 74.6% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆ | 78.9% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆ | 47.2% | 45.0% |
| | Completed Some College | ★☆☆☆ | 31.6% | 49.1% |
| Employment | Unemployment | ★★☆☆ | 13.4% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 40.9% | 36.7% |
| | Income Inequality | ★★★★☆ | -0.05 | -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆ | 15.6% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 61.5 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆ | 94.2 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 0.9 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 432.4 | 164.1 |
| | Driving Alone to Work | ★★★★★ | 38.1% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 16.1% | 14.1% |
| | Walk Score™ | ★★★★★ | 90.5 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 1.4% | 2.4% |

Somerton



HEALTH
OUTCOMES
RANK

10/46

HEALTH
FACTORS
RANK

9/46

POPULATION **33,019**

MEDIAN AGE **43.8**

MEDIAN HOUSEHOLD
INCOME **\$53,731**


HEALTH OUTCOMES

| Length of Life | Somerton | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 72.7 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 80.8 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 12.0% | 13.7% |
| Poor Mental Health | ★★★★★ | 12.1% | 14.6% |
| Low Birth Weight | ★★★★★ | 5.8% | 10.8% |
| Adult Asthma | ★★★★★ | 9.4% | 10.9% |
| Hypertension | ★★★★☆ | 31.1% | 32.9% |
| High Cholesterol | ★☆☆☆☆ | 39.7% | 34.6% |
| Cancer | ★☆☆☆☆ | 7.5% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.5% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 6.7% | 7.2% |
| Coronary Heart Disease | ★★★☆☆ | 7.1% | 6.3% |
| Diabetes | ★★★★★ | 10.1% | 12.2% |
| Stroke | ★★★★★ | 3.1% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Somerton | | Philadelphia |
|--------------------------------------|---|------------------|-------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★★ | 20.5% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 25.1% | 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆☆ | 51.0% | 22.3% |
| | Physically Inactive Adults | ★★★★★ | 23.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★☆☆ | 19.3% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★☆☆ | 63.6 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 8.8 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 10.4% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 861.9 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 30.7% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 72.4% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 34.4% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 34.8% | 28.7% |
| | Mammography Screening | ★★★★☆ | 79.4% | 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 81.1% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 65.8% | 45.0% |
| | Completed Some College | ★★★★☆ | 50.1% | 49.1% |
| Employment | Unemployment | ★★★★★ | 7.7% | 12.5% |
| Income | Children in Poverty | ★★★★★ | 14.7% | 36.7% |
| | Income Inequality | ★★★★☆ | 0.03 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 5.4% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 19.7 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆☆ | 90.9 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.0 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 122.4 | 164.1 |
| | Driving Alone to Work | ★☆☆☆☆ | 79.6% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★☆☆ | 24.5% | 14.1% |
| | Walk Score™ | ★☆☆☆☆ | 42.7 | 79.0 |
| | Vacant Buildings | ★★★★★ | 0.1% | 2.4% |

South Broad-Girard Estates



HEALTH
OUTCOMES
RANK

13/46

HEALTH
FACTORS
RANK

17/46

POPULATION **31,408**

MEDIAN AGE **38.3**

MEDIAN HOUSEHOLD INCOME **\$41,334**


HEALTH OUTCOMES

| Length of Life | South Broad-Girard Estates | | Philadelphia |
|--|----------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 74.7 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 80.3 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 13.3% | 13.7% |
| Poor Mental Health | ★★★★☆ | 14.1% | 14.6% |
| Low Birth Weight | ★★★★★ | 8.3% | 10.8% |
| Adult Asthma | ★★★★☆ | 10.6% | 10.9% |
| Hypertension | ★★★★☆ | 31.1% | 32.9% |
| High Cholesterol | ★★★☆☆ | 37.5% | 34.6% |
| Cancer | ★★★☆☆ | 6.3% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.6% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 7.1% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 6.6% | 6.3% |
| Diabetes | ★★★★☆ | 10.7% | 12.2% |
| Stroke | ★★★★☆ | 3.3% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | South Broad-Girard Estates | Philadelphia | |
|--------------------------------------|---|----------------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★☆ | 24.5% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 28.4% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 10.9% | 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 26.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★☆☆ | 19.3% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆☆ | 73.3 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★☆☆ | 23.6 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★☆ | 11.5% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★☆☆ | 1315.9 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 26.8% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 71.4% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 32.3% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 32.6% | 28.7% |
| | Mammography Screening | ★★★☆☆ | 78.9% | 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 79.6% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 56.6% | 45.0% |
| | Completed Some College | ★★★★☆ | 45.7% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 11.9% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 24.2% | 36.7% |
| | Income Inequality | ★★★★☆ | -0.01 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 12.3% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 69.4 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★☆☆ | 85.7 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 1.3 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 306.0 | 164.1 |
| | Driving Alone to Work | ★★★★☆ | 42.4% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 13.2% | 14.1% |
| | Walk Score™ | ★★★★★ | 94.5 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 1.2% | 2.4% |

Southwark- Bella Vista



HEALTH
OUTCOMES
RANK

6/46

HEALTH
FACTORS
RANK

12/46

POPULATION **30,461**

MEDIAN AGE **36.1**

MEDIAN HOUSEHOLD
INCOME **\$51,205**


HEALTH OUTCOMES

| Length of Life | Southwark-Bella Vista | | Philadelphia |
|--|-----------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 75.0 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 83.0 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 12.0% | 13.7% |
| Poor Mental Health | ★★★★★ | 13.1% | 14.6% |
| Low Birth Weight | ★★★★☆ | 8.5% | 10.8% |
| Adult Asthma | ★★★★★ | 9.8% | 10.9% |
| Hypertension | ★★★★★ | 28.0% | 32.9% |
| High Cholesterol | ★★★★☆ | 35.9% | 34.6% |
| Cancer | ★★★★☆ | 5.2% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 2.4% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 5.8% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 5.4% | 6.3% |
| Diabetes | ★★★★★ | 9.6% | 12.2% |
| Stroke | ★★★★★ | 2.8% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Southwark-Bella Vista | Philadelphia | |
|--------------------------------------|---|-----------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★ | 22.3% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★ | 25.4% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★ | 0.0% | 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 25.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★☆☆ | 19.9% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆ | 45.8 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 19.8 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★☆☆☆ | 20.9% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★ | 780.6 | 1460 |
| | Inadequate Prenatal Care | ★★★★ | 22.3% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆ | 68.9% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 31.1% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 31.4% | 28.7% |
| | Mammography Screening | ★★☆☆ | 78.6% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆ | 77.0% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 51.4% | 45.0% |
| | Completed Some College | ★★★★☆ | 54.0% | 49.1% |
| Employment | Unemployment | ★★★★ | 6.7% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 22.8% | 36.7% |
| | Income Inequality | ★★★★ | 0.08 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★ | 7.3% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 61.4 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆ | 76.0 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 1.0 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 344.9 | 164.1 |
| | Driving Alone to Work | ★★★★ | 30.3% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★ | 15.8% | 14.1% |
| | Walk Score™ | ★★★★ | 96.3 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 1.1% | 2.4% |

Strawberry Mansion



HEALTH
OUTCOMES
RANK

44/46

HEALTH
FACTORS
RANK

42/46

POPULATION **32,617**

MEDIAN AGE **33.2**

MEDIAN HOUSEHOLD
INCOME **\$20,939**


HEALTH OUTCOMES

| Length of Life | Strawberry Mansion | | Philadelphia |
|--|--------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 65.7 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 74.8 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 20.8% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 20.0% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 14.1% | 10.8% |
| Adult Asthma | ★☆☆☆ | 14.7% | 10.9% |
| Hypertension | ★☆☆☆ | 44.9% | 32.9% |
| High Cholesterol | ★★☆☆ | 38.1% | 34.6% |
| Cancer | ★★★☆☆ | 5.3% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆ | 3.9% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 10.3% | 7.2% |
| Coronary Heart Disease | ★☆☆☆ | 8.2% | 6.3% |
| Diabetes | ★☆☆☆ | 19.5% | 12.2% |
| Stroke | ★☆☆☆ | 6.5% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Strawberry Mansion | Philadelphia | |
|--------------------------------------|---|--------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★☆☆☆☆ | 33.0% | 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆☆ | 44.8% | 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆☆ | 19.1% | 22.3% |
| | Physically Inactive Adults | ★☆☆☆☆ | 38.3% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★★ | 13.5% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★☆☆☆ | 45.3 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆☆ | 34.8 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆☆ | 12.6% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆☆ | 2585.1 | 1460 |
| | Inadequate Prenatal Care | ★☆☆☆☆ | 36.6% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 76.2% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆☆ | 20.8% | 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆☆ | 20.4% | 28.7% |
| | Mammography Screening | ★★☆☆☆ | 78.6% | 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 82.5% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆☆ | 40.6% | 45.0% |
| | Completed Some College | ★☆☆☆☆ | 35.3% | 49.1% |
| Employment | Unemployment | ★☆☆☆☆ | 18.1% | 12.5% |
| Income | Children in Poverty | ★☆☆☆☆ | 49.8% | 36.7% |
| | Income Inequality | ★☆☆☆☆ | -0.31 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆☆ | 25.5% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆☆ | 178.4 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆☆ | 67.0 | 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆☆ | 6.7 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆☆ | 1095.0 | 164.1 |
| | Driving Alone to Work | ★★★★★ | 37.0% | 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆☆ | 31.1% | 14.1% |
| | Walk Score™ | ★★★★☆ | 81.8 | 79.0 |
| | Vacant Buildings | ★☆☆☆☆ | 6.8% | 2.4% |

Torresdale North



HEALTH
OUTCOMES
RANK

16/46

HEALTH
FACTORS
RANK

11/46

POPULATION **43,452**

MEDIAN AGE **39.9**

MEDIAN HOUSEHOLD
INCOME **\$58,198**


HEALTH OUTCOMES

| Length of Life | Torresdale North | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 72.5 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 79.3 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 11.8% | 13.7% |
| Poor Mental Health | ★★★★★ | 12.7% | 14.6% |
| Low Birth Weight | ★★★★☆ | 9.4% | 10.8% |
| Adult Asthma | ★★★★★ | 9.7% | 10.9% |
| Hypertension | ★★★★★ | 28.8% | 32.9% |
| High Cholesterol | ★★★☆☆ | 37.9% | 34.6% |
| Cancer | ★☆☆☆☆ | 6.9% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 2.4% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 6.7% | 7.2% |
| Coronary Heart Disease | ★★★☆☆ | 6.6% | 6.3% |
| Diabetes | ★★★★★ | 9.3% | 12.2% |
| Stroke | ★★★★★ | 2.9% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Torresdale North | Philadelphia |
|--------------------------------------|---|------------------|--------------|
| | | Quartile Ranking | Data |
| Tobacco Use | Adult Smoking | ★★★★☆ | 22.6% 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 26.6% 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆☆ | 44.5% 22.3% |
| | Physically Inactive Adults | ★★★★★ | 22.3% 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆☆ | 21.8% 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★☆ | 40.0 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 13.5 26.0 |
| Clinical Care | | | |
| Access to Care | Uninsured | ★★★★★ | 6.0% 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆☆ | 2281.2 1460 |
| | Inadequate Prenatal Care | ★★★★★ | 15.8% 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★☆☆☆ | 71.2% 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 34.0% 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 35.7% 28.7% |
| | Mammography Screening | ★★★★☆ | 79.4% 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 79.5% 76.4% |
| Social & Economic Factors | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 60.4% 45.0% |
| | Completed Some College | ★★★★☆ | 46.8% 49.1% |
| Employment | Unemployment | ★★★★★ | 6.9% 12.5% |
| Income | Children in Poverty | ★★★★★ | 12.2% 36.7% |
| | Income Inequality | ★★★★★ | 0.16 -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 10.9% 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 25.8 95.7 |
| | Injury Deaths (per 100,000 people) | ★★☆☆☆ | 65.5 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.0 1.7 |
| Physical Environment | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 219.9 164.1 |
| | Driving Alone to Work | ★☆☆☆☆ | 78.6% 50.8% |
| | Commute ≥ 60 Minutes | ★★☆☆☆ | 24.2% 14.1% |
| | Walk Score™ | ★☆☆☆☆ | 33.3 79.0 |
| | Vacant Buildings | ★★★★★ | 0.3% 2.4% |

Torresdale South-Pennypack Park



HEALTH
OUTCOMES
RANK

15/46

HEALTH
FACTORS
RANK

10/46

POPULATION **40,676**

MEDIAN AGE **40.4**

MEDIAN HOUSEHOLD
INCOME **\$53,331**


HEALTH OUTCOMES

| Length of Life | Torresdale South-Pennypack Park | | Philadelphia |
|--|---------------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★☆ | 73.2 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 78.8 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 12.8% | 13.7% |
| Poor Mental Health | ★★★★★ | 12.8% | 14.6% |
| Low Birth Weight | ★★★★★ | 8.2% | 10.8% |
| Adult Asthma | ★★★★★ | 9.8% | 10.9% |
| Hypertension | ★★★★☆ | 31.8% | 32.9% |
| High Cholesterol | ★★★☆☆ | 39.6% | 34.6% |
| Cancer | ★☆☆☆☆ | 7.6% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.6% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★☆ | 7.2% | 7.2% |
| Coronary Heart Disease | ★★★☆☆ | 7.5% | 6.3% |
| Diabetes | ★★★★☆ | 10.5% | 12.2% |
| Stroke | ★★★★☆ | 3.3% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Torresdale South-Pennypack Park | Philadelphia | |
|--------------------------------------|---|---------------------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★★ | 22.0% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 27.2% | 30.6% |
| | Residents >½ mile from Supermarket | ★☆☆☆☆ | 43.7% | 22.3% |
| | Physically Inactive Adults | ★★★★★ | 24.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★☆☆ | 19.4% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆☆ | 71.3 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 8.8 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★★ | 7.3% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★☆☆ | 2014.4 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 25.3% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★☆ | 72.6% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★★ | 34.1% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★★ | 34.5% | 28.7% |
| | Mammography Screening | ★★★☆☆ | 79.0% | 79.2% |
| | Hypertension Medication Adherence | ★★★★☆ | 81.3% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 59.6% | 45.0% |
| | Completed Some College | ★★★★☆ | 49.6% | 49.1% |
| Employment | Unemployment | ★★★★★ | 6.8% | 12.5% |
| Income | Children in Poverty | ★★★★★ | 13.2% | 36.7% |
| | Income Inequality | ★★★★☆ | 0.06 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 7.4% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★★ | 23.8 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆☆ | 94.1 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.0 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 287.4 | 164.1 |
| | Driving Alone to Work | ★☆☆☆☆ | 76.7% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 23.9% | 14.1% |
| | Walk Score™ | ★☆☆☆☆ | 45.4 | 79.0 |
| | Vacant Buildings | ★★★★★ | 0.2% | 2.4% |

University City



HEALTH
OUTCOMES
RANK

4/46

HEALTH
FACTORS
RANK

8/46

POPULATION **46,664**

MEDIAN AGE **28.5**

MEDIAN HOUSEHOLD INCOME **\$36,185**


HEALTH OUTCOMES

| Length of Life | University City | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★★★★ | 76.5 | 72.3 |
| Life Expectancy, Women | ★★★★★ | 82.5 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★★ | 9.5% | 13.7% |
| Poor Mental Health | ★★★★☆ | 14.9% | 14.6% |
| Low Birth Weight | ★★★★★ | 8.0% | 10.8% |
| Adult Asthma | ★★★★☆ | 11.1% | 10.9% |
| Hypertension | ★★★★★ | 19.7% | 32.9% |
| High Cholesterol | ★★★★★ | 24.4% | 34.6% |
| Cancer | ★★★★★ | 2.6% | 5.6% |
| Chronic Kidney Disease | ★★★★★ | 1.6% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★★★★ | 4.2% | 7.2% |
| Coronary Heart Disease | ★★★★★ | 2.9% | 6.3% |
| Diabetes | ★★★★★ | 5.9% | 12.2% |
| Stroke | ★★★★★ | 1.8% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | University City | | Philadelphia |
|--------------------------------------|---|------------------|-------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★☆ | 23.0% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★★ | 23.6% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 12.2% | 22.3% |
| | Physically Inactive Adults | ★★★★★ | 21.6% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆☆ | 22.3% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 21.2 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★★ | 1.0 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★★ | 7.2% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★★ | 681.3 | 1460 |
| | Inadequate Prenatal Care | ★★★★☆ | 30.9% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆☆ | 64.4% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 27.7% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★☆☆☆ | 27.0% | 28.7% |
| | Mammography Screening | ★★★★☆ | 80.5% | 79.2% |
| | Hypertension Medication Adherence | ★☆☆☆☆ | 63.5% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★★ | 69.2% | 45.0% |
| | Completed Some College | ★★★★★ | 76.8% | 49.1% |
| Employment | Unemployment | ★★★★★ | 7.0% | 12.5% |
| Income | Children in Poverty | ★★★★★ | 21.6% | 36.7% |
| | Income Inequality | ★★☆☆☆ | -0.15 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★★ | 5.8% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 62.4 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 40.3 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★★ | 0.6 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★★ | 217.3 | 164.1 |
| | Driving Alone to Work | ★★★★★ | 22.9% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★★ | 11.7% | 14.1% |
| | Walk Score™ | ★★★★★ | 90.0 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 1.5% | 2.4% |

Upper Kensington



HEALTH
OUTCOMES
RANK

46/46

HEALTH
FACTORS
RANK

46/46

POPULATION **22,960**

MEDIAN AGE **27.7**

MEDIAN HOUSEHOLD INCOME **\$24,504**


HEALTH OUTCOMES

| Length of Life | Upper Kensington | | Philadelphia |
|--|------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 63.9 | 72.3 |
| Life Expectancy, Women | ★☆☆☆ | 71.5 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★☆☆☆ | 22.4% | 13.7% |
| Poor Mental Health | ★☆☆☆ | 22.7% | 14.6% |
| Low Birth Weight | ★★☆☆ | 11.0% | 10.8% |
| Adult Asthma | ★☆☆☆ | 13.4% | 10.9% |
| Hypertension | ★★★☆☆ | 31.1% | 32.9% |
| High Cholesterol | ★★★☆☆ | 37.1% | 34.6% |
| Cancer | ★★★★★ | 3.8% | 5.6% |
| Chronic Kidney Disease | ★★☆☆ | 3.0% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★☆☆☆ | 9.8% | 7.2% |
| Coronary Heart Disease | ★★☆☆ | 6.7% | 6.3% |
| Diabetes | ★★☆☆ | 14.3% | 12.2% |
| Stroke | ★★☆☆ | 4.0% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Upper Kensington | | Philadelphia |
|--------------------------------------|---|------------------|--------|--------------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★☆☆☆☆ | 35.7% | 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆☆ | 40.4% | 30.6% |
| | Residents >½ mile from Supermarket | ★★★★☆ | 17.8% | 22.3% |
| | Physically Inactive Adults | ★☆☆☆☆ | 40.8% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★☆ | 16.4% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆☆ | 152.1 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆☆ | 48.8 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★☆☆☆☆ | 16.8% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★★★★☆ | 1169.0 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆☆ | 31.7% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆☆ | 64.1% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★☆☆☆☆ | 23.4% | 29.0% |
| | Core Preventive Services, Women 65+ | ★☆☆☆☆ | 20.6% | 28.7% |
| | Mammography Screening | ★☆☆☆☆ | 69.7% | 79.2% |
| | Hypertension Medication Adherence | ★☆☆☆☆ | 74.3% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★☆☆☆☆ | 31.5% | 45.0% |
| | Completed Some College | ★☆☆☆☆ | 23.8% | 49.1% |
| Employment | Unemployment | ★☆☆☆☆ | 27.0% | 12.5% |
| Income | Children in Poverty | ★☆☆☆☆ | 60.3% | 36.7% |
| | Income Inequality | ★☆☆☆☆ | -0.32 | -0.06 |
| Family & Social Support | Single Parent Households | ★☆☆☆☆ | 34.4% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★☆☆☆☆ | 204.7 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆☆ | 203.1 | 68.6 |
| | Homicides (per 10,000 people) | ★☆☆☆☆ | 8.3 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆☆ | 961.7 | 164.1 |
| | Driving Alone to Work | ★★★★☆ | 40.7% | 50.8% |
| | Commute ≥ 60 Minutes | ★★★★☆ | 21.8% | 14.1% |
| | Walk Score™ | ★★★★★ | 90.4 | 79.0 |
| | Vacant Buildings | ★☆☆☆☆ | 5.3% | 2.4% |

West Oak Lane- Cedarbrook



HEALTH
OUTCOMES
RANK

30/46

HEALTH
FACTORS
RANK

18/46

POPULATION **39,272**

MEDIAN AGE **41.3**

MEDIAN HOUSEHOLD
INCOME **\$42,149**


HEALTH OUTCOMES

| Length of Life | West Oak Lane-Cedarbrook | | Philadelphia |
|--|--------------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★☆☆☆ | 71.1 | 72.3 |
| Life Expectancy, Women | ★★★★☆ | 78.6 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 15.1% | 13.7% |
| Poor Mental Health | ★★★★☆ | 14.4% | 14.6% |
| Low Birth Weight | ★☆☆☆ | 14.9% | 10.8% |
| Adult Asthma | ★★☆☆☆ | 12.5% | 10.9% |
| Hypertension | ★☆☆☆☆ | 45.6% | 32.9% |
| High Cholesterol | ★☆☆☆☆ | 39.0% | 34.6% |
| Cancer | ★☆☆☆☆ | 6.4% | 5.6% |
| Chronic Kidney Disease | ★☆☆☆☆ | 3.8% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆☆ | 7.4% | 7.2% |
| Coronary Heart Disease | ★★☆☆☆ | 7.5% | 6.3% |
| Diabetes | ★☆☆☆☆ | 18.1% | 12.2% |
| Stroke | ★☆☆☆☆ | 5.3% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | West Oak Lane-Cedarbrook | Philadelphia | |
|--------------------------------------|---|--------------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★★★☆ | 23.5% | 22.2% |
| Diet & Exercise | Adult Obesity | ★☆☆☆☆ | 40.0% | 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆☆ | 33.3% | 22.3% |
| | Physically Inactive Adults | ★★☆☆☆ | 29.4% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★★★★★ | 14.1% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★★★★★ | 13.3 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★★★★☆ | 14.9 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★★★★ | 9.2% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆☆ | 2163.3 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆☆ | 31.2% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★★★★★ | 80.6% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★☆☆☆ | 24.4% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 28.0% | 28.7% |
| | Mammography Screening | ★★★★★ | 84.0% | 79.2% |
| | Hypertension Medication Adherence | ★★★★★ | 84.9% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★★★☆ | 58.2% | 45.0% |
| | Completed Some College | ★★★★☆ | 53.8% | 49.1% |
| Employment | Unemployment | ★★☆☆☆ | 16.2% | 12.5% |
| Income | Children in Poverty | ★★★★☆ | 22.7% | 36.7% |
| | Income Inequality | ★★★★☆ | -0.01 | -0.06 |
| Family & Social Support | Single Parent Households | ★★★★☆ | 15.4% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★★★☆ | 62.4 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★★★★★ | 22.8 | 68.6 |
| | Homicides (per 10,000 people) | ★★☆☆☆ | 2.0 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★★★★☆ | 338.2 | 164.1 |
| | Driving Alone to Work | ★☆☆☆☆ | 60.4% | 50.8% |
| | Commute ≥ 60 Minutes | ★☆☆☆☆ | 30.3% | 14.1% |
| | Walk Score™ | ★★☆☆☆ | 70.4 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 1.1% | 2.4% |

Wissinoming-Tacony



HEALTH
OUTCOMES
RANK

27/46

HEALTH
FACTORS
RANK

33/46

POPULATION **36,854**

MEDIAN AGE **34.1**

MEDIAN HOUSEHOLD INCOME **\$40,820**

HEALTH OUTCOMES

| Length of Life | Wissinoming-Tacony | | Philadelphia |
|--|--------------------|-------|--------------|
| | Quartile Ranking | Data | |
| Life Expectancy, Men | ★★☆☆ | 69.1 | 72.3 |
| Life Expectancy, Women | ★★☆☆ | 75.8 | 79.3 |
| Quality of Life | | | |
| Poor Physical Health | ★★★★☆ | 14.7% | 13.7% |
| Poor Mental Health | ★★☆☆ | 16.1% | 14.6% |
| Low Birth Weight | ★★★★☆ | 9.2% | 10.8% |
| Adult Asthma | ★★★★☆ | 11.1% | 10.9% |
| Hypertension | ★★★★★ | 29.3% | 32.9% |
| High Cholesterol | ★★★★☆ | 36.4% | 34.6% |
| Cancer | ★★☆☆ | 5.5% | 5.6% |
| Chronic Kidney Disease | ★★★★☆ | 2.5% | 3.0% |
| Chronic Obstructive Pulmonary Disease (COPD) | ★★☆☆ | 7.7% | 7.2% |
| Coronary Heart Disease | ★★★★☆ | 6.4% | 6.3% |
| Diabetes | ★★★★☆ | 10.3% | 12.2% |
| Stroke | ★★★★☆ | 3.2% | 4.0% |

HEALTH FACTORS

| Health Behaviors | | Wissinoming-Tacony | Philadelphia | |
|--------------------------------------|---|--------------------|--------------|-------|
| | | Quartile Ranking | Data | |
| Tobacco Use | Adult Smoking | ★★☆☆ | 28.1% | 22.2% |
| Diet & Exercise | Adult Obesity | ★★★★☆ | 31.6% | 30.6% |
| | Residents >½ mile from Supermarket | ★★☆☆ | 34.9% | 22.3% |
| | Physically Inactive Adults | ★★★★☆ | 28.0% | 30.6% |
| Alcohol & Drug Use | Binge Drinking | ★☆☆☆ | 20.4% | 17.9% |
| | Drug Overdose Deaths (per 100,000 people) | ★☆☆☆ | 95.9 | 44.8 |
| Sexual Activity | Teen Births (per 1,000 females 15-19) | ★☆☆☆ | 29.6 | 26.0 |
| Clinical Care | | | | |
| Access to Care | Uninsured | ★★☆☆ | 13.8% | 12.0% |
| | Primary Care Physician Supply (residents per physician) | ★☆☆☆ | 2586.1 | 1460 |
| | Inadequate Prenatal Care | ★★☆☆ | 32.6% | 30.7% |
| | Recent Routine Medical Checkup, Adults | ★☆☆☆ | 68.8% | 74.9% |
| Quality of Care | Core Preventive Services, Men 65+ | ★★★★☆ | 30.7% | 29.0% |
| | Core Preventive Services, Women 65+ | ★★★★☆ | 29.5% | 28.7% |
| | Mammography Screening | ★☆☆☆ | 76.4% | 79.2% |
| | Hypertension Medication Adherence | ★★☆☆ | 76.8% | 76.4% |
| Social & Economic Factors | | | | |
| Education | Reading Proficiency (K-2) | ★★☆☆ | 45.7% | 45.0% |
| | Completed Some College | ★☆☆☆ | 35.5% | 49.1% |
| Employment | Unemployment | ★★★★☆ | 11.8% | 12.5% |
| Income | Children in Poverty | ★★☆☆ | 33.3% | 36.7% |
| | Income Inequality | ★★☆☆ | -0.07 | -0.06 |
| Family & Social Support | Single Parent Households | ★★☆☆ | 18.6% | 15.8% |
| Community Safety | Violent Crime (per 10,000 people) | ★★☆☆ | 94.2 | 95.7 |
| | Injury Deaths (per 100,000 people) | ★☆☆☆ | 138.1 | 68.6 |
| | Homicides (per 10,000 people) | ★★★★☆ | 1.4 | 1.7 |
| Physical Environment | | | | |
| Housing & Transit | Housing Code Violations (per 1,000 housing units) | ★☆☆☆ | 1068.9 | 164.1 |
| | Driving Alone to Work | ★☆☆☆ | 63.2% | 50.8% |
| | Commute ≥ 60 Minutes | ★★☆☆ | 25.6% | 14.1% |
| | Walk Score™ | ★☆☆☆ | 64.1 | 79.0 |
| | Vacant Buildings | ★★★★☆ | 1.3% | 2.4% |



Philadelphia Department of Public Health

The Philadelphia Department of Public Health (PDPH) promotes and protects the health of all Philadelphians and provides a safety net for the most vulnerable. The agency leads programs to prevent communicable diseases; prevent chronic diseases and promote healthy behaviors; prevent environmental health risks; investigate outbreaks of disease; respond to public health emergencies; and promote the health of women, children, and families. In addition, the department operates the eight City Health Centers that provide primary care to more than 80,000 Philadelphians. PDPH has been on the vanguard of public health, proposing policy solutions to problems like smoking and obesity, and intends to continue that tradition with creative solutions to both long-standing urban health problems and new crises.



Drexel University Urban Health Collaborative

The mission of the Drexel Urban Health Collaborative at the Dornsife School of Public Health is to improve health in cities by increasing scientific knowledge and public awareness of urban health challenges and opportunities, and by identifying and promoting actions and policies that improve population health and reduce health inequities. Through three areas of emphasis, research and data, training, and community and policy engagement, the UHC works to advance knowledge, build capacity, and translate knowledge into community and policy actions to improve urban health in Philadelphia and in cities all over the world.

REPORT CONTRIBUTORS

Drexel University Urban Health Collaborative

Jana A. Hirsch, MES, PhD

Steven Melly, MS, MA

Kari Moore, MS

Harrison Quick, PhD

Heather Rollins, MS

Guangzi Song, MS

Philadelphia Department of Public Health

Raynard Washington, PhD, MPH

Jessica Whitley, MPH

DATA SOURCES

Centers for Disease Control and Prevention—500 Cities

City Health Dashboard

County Health Rankings & Roadmaps

Leonard Davis Institute of Health Economics,
University of Pennsylvania

Pennsylvania Department of Health Vital Statistics

Philadelphia Department of Licenses and Inspections

Philadelphia Police Department

School District of Philadelphia

US Census—American Community Survey

USDA Food Access Research Atlas

.....

This work was supported by the Robert Wood Johnson Foundation 500 Cities Data Challenge Grant.

This research is based upon work supported by the Urban Institute through funds provided by the Robert Wood Johnson Foundation. We thank them for their support but acknowledge that the findings and conclusions presented in this report are those of the author(s) alone, and do not necessarily reflect the opinions of the Urban Institute of the Robert Wood Johnson Foundation.

