

TABLE OF CONTENTS

1	OVERVIEW	DISEASE REPORTING TRENDS REGIONAL OVERVIEW	5 7
2	CENTRAL NERVOUS SYSTEM INFECTIONS & SEPSIS	GROUP A STREPTOCOCCUS HAEMOPHILUS INFLUENZAE LISTERIOSIS MENINGITIS, ASEPTIC STREPTOCOCCUS PNEUMONIAE EBOLA VIRUS	10 11 12 13 14
3	GASTROINTESTINAL INFECTIONS	OVERVIEW CAMPYLOBACTERIOSIS CRYPTOSPORIDIOSIS GIARDIASIS SALMONELLOSIS SHIGELLOSIS	17 19 20 21 22 24
4	RESPIRATORY INFECTIONS	INFLUENZA LEGIONELLOSIS TUBERCULOSIS	26 27 28
5	SEXUALLY TRANSMITTED DISEASES	OVERVIEW CHLAMYDIA GONORRHEA SYPHILIS-PRIMARY & SECONDARY SYPHILIS-LATENT	30 32 34 36 38
6	VACCINE-PREVENTABLE DISEASES	CHICKEN POX & SHINGLES MENINGOCOCAL DISEASE PERTUSSIS	41 43 44
7	VECTORBORNE DISEASES	TICKBORNE INFECTIONS ARBOVIRAL INFECTIONS LYME DISEASE MALARIA WEST NILE VIRUS	46 47 48 49
8	VIRAL HEPATITIS INFECTIONS	HEPATITIS A HEPATITIS B-ACUTE HEPATITIS B-CHRONIC HEPATITIS B-PERINATAL HEPATITIS C-CHRONIC	51 52 53 54 55
9	REPORTING DISEASES & CONDITIONS	NOTIFIABLE DISEASE LIST REPORT FORM	57 58

DISEASE REPORTING TRENDS

Reports of Communicable Diseases Per Year: Philadelphia, 2006-2015

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Amebiasis	4	19	14	13	4	9	11	13	15	8
Animal Bites/Exposures	1457	1499	1641	1768	1624	1513	1598	1586	1644	1718
Anthrax	0	0	0	0	0	0	0	0	0	0
Babesiosis	0	1	0	0	0	1	0	1	1	3
Botulism	1	1	1	0	1	2	2	2	1	0
Brucellosis	0	1	0	0	0	0	1	1	0	1
Campylobacteriosis	73	80	118	117	121	141	182	103	167	211
Chlamydia trachomatis	17199	17029	17012	18104	19428	20471	20803	19570	18935	19169
Cholera	0	0	0	1	0	0	1	0	0	0
Cryptosporidiosis	29	94	23	38	17	14	18	58	30	26
Cyclosporiasis	0	2	1	3	0	0	1	0	1	3
Dengue Fever	1	8	1	0	3	1	1	11	0	5
Diphtheria	0	0	0	0	0	0	0	0	0	0
Escherichia coli, Shiga Toxin-Producing (STEC)	19	4	8	10	14	9	12	6	10	- 11
Giardiasis	81	65	99	106	122	43	60	76	65	61
Gonorrhea	5218	5246	4950	4823	6533	6761	7293	6303	5961	6260
Guillian-Barre Syndrome	2	1	3	1	0	0	0	1	1	4
Haemophilus influenzae [Type B]	16 [0]	19 [2]	11 [1]	30 [7]	28 [1]	22 [2]	39 [1]	26 [0]	23 [1]	24 [2]
Hepatitis A	14	9	10	2	13	8	2	6	6	6
Hepatitis B, Acute	21	15	21	9	5	7	4	5	7	8
Hepatitis C, Acute (Non-A, Non-B Until 1998)	1	0	0	0	1	0	13	18	10	40
Histoplasmosis	1	2	0	1	2	0	1	0	0	2
Legionellosis	21	24	26	60	33	64	29	61	42	53
Leptospirosis	0	0	0	0	1	0	1	0	0	0
Listeriosis	7	8	5	5	8	2	6	10	3	2
Lyme Disease	139	172	281	363	238	301	191	189	140	252
Malaria	15	7	19	16	22	19	13	21	30	18
Measles	0	0	0	1	0	0	2	0	0	0
Meningitis, Aseptic	66	86	79	68	84	104	92	124	60	55
Meningitis, Bacterial	1	4	4	6	12	12	5	3	0	2
Meningococcal Infections	2	9	5	12	5	4	6	3	2	0
Mumps	2	1	1	0	54	21	4	3	0	1
Pertussis	50	39	54	65	74	49	268	86	127	111

DISEASE REPORTING TRENDS


REGIONAL OVERVIEW

DISEASE REPORTING TRENDS (Cont.)

Reports of Communicable Diseases Per Year: Philadelphia, 2006-2015 (Cont.)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Plague	0	0	0	0	0	0	0	0	0	0
Poliomyelitis	0	0	0	0	0	0	0	0	0	0
Rabies (Human)	0	0	0	0	0	0	0	0	0	0
Rickettsial Diseases, Including RMSF	8	2	3	0	9	4	12	8	10	8
Rubella, Including Congenital Rubella Syndrome	0	0	0	0	0	0	0	0	1	0
Salmonellosis, Excluding Typhoid	293	404	420	396	395	301	305	284	229	237
Shigellosis	14	138	206	1051	141	41	48	66	66	90
Strep Pneumoniae, Invasive	139	162	165	198	154	158	103	149	101	119
Streptococcus, Invasive gp. A [TSS]	37 [0]	34 [0]	75 [0]	49 [1]	66 [0]	73 [0]	61 [0]	56 [0]	95 [0]	90 [0]
Syphilis-Primary & Secondary	125	136	150	218	238	207	269	278	308	314
Syphilis-Congenital	0	9	7	4	1	4	5	1	4	4
Syphilis-Total	540	500	526	704	667	698	798	962	894	916
Tetanus	0	0	0	0	0	0	0	0	0	0
Toxic Shock Syndrome, Staphylococcal	0	0	0	0	0	0	1	0	1	0
Tuberculosis	149	133	162	98	96	101	86	89	78	72
Tularemia	0	0	0	0	0	0	0	0	0	0
Typhoid Fever	4	0	6	2	2	3	2	1	5	3
Varicella (Chicken Pox only)	787	735	349	326	261	262	118	167	118	123
Vibrio SPP. Other	0	0	3	3	0	1	0	0	4	6
West Nile Virus	1	0	8	0	13	1	9	3	5	0
Yellow Fever	0	0	0	0	0	0	0	0	0	5

REGIONAL OVERVIEW



Total Population Count by Age and Region: Philadelphia, 2010


	NE	NW	N	CC/S	W/SW	Total
Age						
0-4 Yrs	23127	5055	41227	13888	17760	101057
5-17 Yrs	56820	12189	103578	26046	44165	242798
18-34 Yrs	86479	29154	149432	95613	89090	449768
35-60 Yrs	122363	34069	171370	81045	81124	489971
>60 Yrs	67760	20906	69859	43269	40698	242492
Total	356549	101373	535466	259861	272837	1526086

*Data according to the U.S. Census Bureau

REGIONAL OVERVIEW (Cont.)


Counts of Disease With Sufficient Burden: Philadelphia, 2015

	NE	NW	N	CC/S	w/sw	Missing	Total
	n	n	n	n	n	n	n
Disease							
Campylobacteriosis	38	20	72	51	30	0	211
Chlamydia	1831	749	9529	2315	4726	14	19164
Giardiasis	<12	<6	17	14	18	0	61
Gonorrhea	485	587	3060	1959	165	4	6260
Hepatitis C, Chronic (RNA only)	443	94	1026	349	367	75	2354
Influenza (Hospitalized)	71	22	237	127	221	0	678
Lyme Disease	81	62	43	38	28	0	252
Meningitis, Aseptic	13	<6	31	8	<6	0	55
Pertussis	<20	<6	33	25	21	1	111
Salmonellosis	42	13	100	33	49	0	237
Shigellosis	13	<6	23	<12	21	0	7 1
Strep Pneumoniae	25	<12	44	<20	28	1	119
Streptococcus, Invasive gp A	19	<6	37	<12	25	0	90
Syphilis-Early Latent	21	13	146	88	83	17	368
Syphilis-Primary & Secondary	20	12	123	72	83	4	314
Tuberculosis	<12	<6	29	18	14	1	72
Varicella (Chicken Pox & Shingles)	29	<6	40	32	<20	0	123



GROUP A STREPTOCOCCUS
HAEMOPHILUS INFLUENZAE
LISTERIOSIS
MENINGITIS, ASEPTIC
STREPTOCOCCUS PNEUMONIAE


GROUP A STREPTOCOCCUS



Number of *Group A Streptococcus* Reports by Age: Philadelphia, 2015

		29 ears		-45 ears		5+ ears	Total		
	n %		n	%	n	%	n	%	
Male	8	8.9	-11	12.2	23	25.6	42	46.7	
Female	15	16.7	11	12.2	22	24.4	48	53.3	
Total	23	23 25.6		24.4	45	50	90	100	

HAEMOPHILUS INFLUENZAE




Number of Invasive *Haemophilus influenza* by Age: Philadelphia, 2015


	O- Ye	0-5 Years n %		6-49 Years		50-69 Years		0+ ears	Total		
	n	%	n	%	n	%	n	%	n	%	
Total	<6		<6		9	37.5	7	29.2	24	100	

LISTERIOSIS

(Listeria monocytogenes)




MENINGITIS, ASEPTIC



Number of Aseptic Meningitis Reports by Age and Gender: Philadelphia, 2015

	0 Ye	-4 ears		30 ars]+ ears	То	tal	
	n %		n % n %		%	n	%	n %	
Male				14.5	13	23.6	30	54.5	
Female	<6		<12		13	23.6	25	45.5	
Total					26	47.3	55	100	

STREPTOCOCCUS PNEUMONIAE



Number of Invasive *Streptococcus pneumoniae* by Age and Gender: Philadelphia, 2015

		20 ars	21-50 Years		51-64 Years		65+ Years		Total	
	n %		n	%	n	%	n	%	n	%
Male		7.6	13	10.9	26	21.8	15	12.6	63	52.9
Female	<6		<12		23	19.3	20	16.8	56	47.1
Total					49	41.2	35	29.4	119	100

EBOLA VIRUS

OF NOTE

Monitoring Passengers from Ebola-Affected Countries

Beginning in October 2014, PDPH monitored airline passengers travelling from countries with ongoing Ebola outbreaks for signs and symptoms of this infection including fever, vomiting, diarrhea, abdominal pain, headache, etc. The objectives of this activity were to expedite disease identification, diagnosis, and assist with the prevention of further disease transmission through review of infection control precautions and contact tracing. The World Health Organization declared countries free of Ebola, marking the end of the largest recorded Ebola outbreak: Guinea as of December 29, 2015, Liberia as of May 9, 2015, and Sierra Leone on November 7, 2015. The final passenger completed their monitoring on January 8, 2016. This summary includes data from the entire duration of the monitoring program (N=961) and includes 98 (10%) individuals initially contacted by PDPH but later transferred to other jurisdictions.

Characteristics of Passengers from Ebola-Affected Countries Who Completed 21-Day Monitoring: Philadelphia, October 2014-December 2015

	Passe (90	
Median Age (Age Range)	34.4 \ (3 Months -	
	n	%
Female	455	47
Ebola-Affected County Visited		
Liberia	475	49
Mali	48	5
Guinea	255	27
Sierra Leone	170	18
>1 Affected Country	12	1
Ebola-exposure Risk Level		
Low (No contact with Ebola patient)	958	>99
Some (i.e., exposed to Ebola patient with precautions)	3	<1
High (i.e., exposed to Ebola patient without precautions)	0	0

GASTROINTESTINAL INFECTIONS

OVERVIEW

Antibiotic Resistance of Selected Enteric Pathogens: Philadelphia, 2015


Pathogen	Antibiotics Tested	Total Tested	Resi	stant	Interm	ediate
			n	%	n	%
Campylobacter	Ciprofloxacin	30	6	20	0	0
Campylobacter	Erythromycin	27	1	4	0	0
	Ampicillin	192	24	13	0	0
Calman alla	Ceftriaxone	70	4	6	1	1
Salmonella	Ciprofloxacin	155	0	0	2	1
	Trimethoprim- Sulfamethoxazole	185	1	1	0	0
	Ampicillin	63	50	79	2	3
a	Ceftriaxone	33	0	0	0	0
Shigella	Ciprofloxacin	51	2	4	0	0
	Trimethoprim- Sulfamethoxazole	59	33	56	0	0

GASTRO-INTESTINAL

INFECTIONS

OVERVIEW
CAMPYLOBACTERIOSIS
CRYPTOSPORIDIOSIS
GIARDIASIS
SALMONELLOSIS
SHIGELLOSIS

OVERVIEW (Cont.)



OF NOTE

Food Poisoning


In 2015, PDPH investigated **foodborne illness complaints following a banquet** (~250 attendees). Among 157 attendees responding to our request for interview, 55%(n=87) were determined to be ill with diarrhea and/or vomiting following the banquet. **No specific pathogen was identified and no food vehicle was confirmed as the source of illness**.

Norovirus Outbreaks

For the 2014-2015 norovirus season, 16 outbreaks occurring in long term care facilities were investigated.

CAMPYLOBACTERIOSIS

(Campylobacter **spp**.)




Number of Campylobateriosis Reports by Age and Gender: Philadelphia, 2015

	0-4 Years								25-49 Years		50-65 Years		65+ Years		Total*	
	n %		n	%	n	%	n	%	n	%	n	%				
Male	10	4.8	13	6.2	44	21	14	6.7	20	9.5	101	48.1				
Female	7	3.3	11	5.2	39	18.6	22	10,5	30	14.3	109	51.9				
Total	17	8.1	24	11.4	83	39.5	36	17.1	50	23.8	210	100				

'unknown=1

CRYPTOSPORIDIOSIS

(Cryptosporidium **spp**.)




Number of Cryptosporidiosis Reports by Age and Gender: Philadelphia, 2015

	0- Ye	• 20 ears	21 .	- 34 ears	3 . Ye	5+ ears	То	tal
	n	%	n	%	n	%	n	%
Total	6	23.1	10	38.5	10	38.5	26	100

GIARDIASIS

(Giardia lamblia)




Number of Giardiasis Reports by Age and Gender: Philadelphia, 2015

		29 ears		0+ ears	To	tal
	n	%	n	%	n	%
Male	20	32.8	25	41.0	45	73.8
Female	10	16.4	6	9.8	16	26.2
Total	30	49.2	31	50.8	61	100

SALMONELLOSIS


(Salmonella spp.)



Number of Salmonellosis Reports by Age and Gender: Philadelphia, 2015


	O Ye	0-4 Years		- 17 ears		- 34 ears		-60 ears]+ ears	То	tal
	n	n %		%	n	%	n	%	n	%	n	%
Male	33	13.9	16	6.8	32	13.5	15	6.3	11	4.6	107	45.1
Female	36	15.2	16	6.8	30	12.7	20	8.4	28	11.8	130	54.9
Total	69	29.1	32	13.5	62	26.2	35	14.8	39	16.5	237	100

SALMONELLOSIS (Cont.)



SHIGELLOSIS

(Shigella spp.)




Number of Shigellosis Reports by Age and Gender: Philadelphia, 2015

	0- Ye	0-20 Years		- 45 ars	> / Ye	45 ears	To	tal*			
	n	%	n	%	n	%	n	%			
Male	23	25.8	<12		<6		34	38.2			
Female	22	24.7	19	21.3	13	14.6	55	61.8			
Total	45	50.6					89	100			
	'unknown=19										



INFLUENZA LEGIONELLOSIS TUBERCULOSIS

INFLUENZA




Number of Hospitalized Influenza Reports by Age and Region: Philadelphia, 2015

	N	ΙE	N	W	ı	N	С	C	:	S	W/	'SW	То	tal
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Age														
0-4 Yrs	14	2.1	<6		66	9.7	<6		<12		18	2.7	109	16.1
5-17 Yrs	11	1.6	<6		32	4.7	<6		<6		13	1.9	61	9
18-44 Yrs	9	1.3	<12		53	7.82	<6		23	3.4	49	7.2	142	20.9
45-64 Yrs	13	1.9	6	0.9	54	8	6	0.9	40	5.9	72	10.6	191	28.2
65+ Yrs	24	3.5	<6		32	4.7	13	1.9	32	4.7	69	10.2	175	25.8
Total	71	10.5	22	3.2	237	35	22	3.2	105	15.5	221	32.6	678	100

LEGIONELLOSIS

(Legionella pneumophila)




Number of Legionellosis Reports by Age: Philadelphia, 2015

	0- Ye	• 50 ears		-64 ears	6 . Ye	5+ ears	То	tal
	n	%	n	%	n	%	n	%
Total		13.2	29	54.7	17	32.1	53	100

TUBERCULOSIS

(Mycobacterium tuberculosis)




Number of Tuberculosis Reports by Age: Philadelphia, 2015


	0- Ye	1 8 ars		-30 ears		-44 ears		-65 ears	6 Ye	6+ ears	То	tal
	n	%	n	%	n	%	n	%	n	%	n	%
Total	0	0	10	13.9	17	23.6	33	45.8	12		72	100




OVERVIEW
CHLAMYDIA
GONORRHEA
SYPHILIS-PRIMARY & SECONDARY
SYPHILIS-LATENT

OVERVIEW





OVERVIEW (Cont.)




Percent of Philadelphia Public High School Students Testing Positive for Chlamydia and/or Gonorrhea: Philadelphia, by School Year 2005-2016


	05-06	06-07	07-08	08-09	09-10	10-11	11-12	12-13	13-14	14-15	15-16
	%	%	%	%	%	%	%	%	%	%	%
Male	2.5	2.8	2.8	3.1	3.9	4.4	4.5	3.4	2.8	3.1	3.9
Female	7.4	7.2	8	7.7	9.7	10	10	7.8	7.5	7.1	6.6
Total	4.8	4.9	5.3	5.3	6.6	6.9	6.9	5.4	4.8	4.9	4.6

CHLAMYDIA

(Chlamydia trachomatis)



CHLAMYDIA (Cont.)




Number of Chlamydia Reports by Age, Gender, and Region: Philadelphia, 2015

	NE		N'	W	N	ı	С	С	S	;	W/:	SW	Tot	al [.]
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Male														
0-14 Yrs	<6		<6		16	0	<6		<6		11	0	37	1
15-19 Yrs	146	- 1	62	0	925	5	38	0	94	0	409	2	1674	9
20-24 Yrs	181	1	110	1	1119	6	90	0	174	1	644	3	2318	12
25-34 Yrs	176	- 1	107	1	919	5	187	1	282	-1	478	2	2149	11
35+ Yrs	56	0	41	0	362	2	79	0	130	1	161	1	829	4
Female														
0-14 Yrs	<20		<6		134	1	<6		<20		78	0	247	1
15-19 Yrs	369	2	135	1	2199	11	77	0	251	- 1	1012	5	4043	21
20-24 Yrs	468	2	155	1	2262	12	134	1	300	2	1079	6	4398	23
25-34 Yrs	314	2	102	1	1255	7	144	1	237	-1	689	4	2741	14
35+ Yrs	104	1	32	0	338	2	28	0	47	0	165	1	714	4
Grand Total	1831	10	749	4	9529	50	780	4	1535	8	4726	25	19150	100
'	`unknown=19													


unknown=19

GONORRHEA

(Neisseria gonorrhoeae)



GONORRHEA (Cont.)




Number of Gonorrhea Reports by Age, Gender, and Region: Philadelphia, 2015


	NE		N	W	N	ı	С	С	9	5	W/	sw	Tot	tal'
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Male														
0-14 Yrs	<6		<6		10	0	<6		<6		<6		15	0
15-19 Yrs	40	- 1	39	-1	319	5	16	0	153	2	15	0	582	9
20-24 Yrs	79	1	85	1	503	8	42	1	282	5	37	1	1028	17
25-34 Yrs	80	- 1	201	3	519	8	112	2	316	5	26	0	1254	20
35+ Yrs	74	1	101	2	298	5	77	1	149	2	26	0	725	12
Female														
0-14 Yrs	<6		<6		46	1	<6		<30		<6		83	1
15-19 Yrs	63	- 1	43	- 1	452	7	20	0	251	4	27	0	856	14
20-24 Yrs	69	1	60	1	476	8	18	0	239	4	15	0	877	14
25-34 Yrs	49	1	42	1	343	5	11	0	186	3	12	0	643	10
35+ Yrs	26	0	11	0	94	2	8	0	47	1	7	0	193	3
Grand Total	485	8	587	9	3060	49	305	5	1654	26	165	3	6256	100

SYPHILIS-PRIMARY & SECONDARY

(Treponema pallidum)



SYPHILIS-PRIMARY & SECONDARY (Cont.)




Number of Primary & Secondary Syphilis Reports by Age and Region: Philadelphia, 2015


	N	E	N,	W	١	1	С	С		5	W/	SW	To	tal [.]
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Age														
0-24 Yrs	<6		<6		48	15	<6		8	3	28	9	95	31
25-34 Yrs	<12		<12		47	15	16	5	20	6	39	12	136	44
35+ Yrs	10	3	<6		28	9	<12		14	4	16	5	79	25
Total	20	6	12	4	123	39	30	10	42	13	83	26	310	100
'	'unknown=4													

SYPHILIS-EARLY LATENT

(Treponema pallidum)



SYPHILIS-EARLY LATENT (Cont.)





Number of Early Latent Syphilis Reports by Age and Region: Philadelphia, 2015

	N	E	N,	W	<u> </u>	1	С	С	\$	5	W/	SW	То	tal [.]
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Age														
0-24 Yrs	<12		<6		45	12	<6		8	2	28	8	95	27
25-34 Yrs	10	3	<12		60	17	<20		20	6	39	11	148	42
35+ Yrs	<6		<6		41	11	15	4	28	8	16	4	108	31
Total	21	6	13	4	146	40	32	9	56	15	83	23	351	100
													unkno	wn=1

CHICKEN POX

(Varicella zoster virus)





CHICKEN POX & SHINGLES
MENINGOCOCAL DISEASE
PERTUSSIS

CHICKEN POX & SHINGLES (Cont.)

Number of Chicken Pox Reports by Age and Gender: Philadelphia, 2015

	0-4 Years		5-17 Years		18-30 Years			0+ ears	Total		
	n	n %		n %		%	n	%	n	%	
Male	17	13.8	17	13.8	16	13.0	27	22.0	77	62.6	
Female	13	10.6	8	6.5	13	10.6	12	9.8	46	37.4	
Total	30	24.4	25	20.3	29	23.6	39	31.7	123	100	

OF NOTE

In 2015, 2 varicella outbreaks occurred:

6 varicella cases occurred in a daycare following an initial exposure to herpes zoster. Four of these individuals (infants less than 1 years old) were **unvaccinated**. Post-exposure prophylaxis was administered to 18 susceptible children.


9 varicella cases occurred in a detention center for adult men following an initial exposure to herpes zoster. Eight of these individuals were inmates and one was an employee. Post-exposure prophylaxis was administered to 11 susceptible adult men.

Number of Shingles Reports by Age and Gender: Philadelphia, 2015

	0-23 Years					35-45 Years		46-60 Years		61+ Years		tal
	n	%	n	%	n	%	n	%	n	%	n	%
Male	6	3.1	14	7.2	7	3.6	9	4.6	30	15.5	66	34
Female	15	7.7	23	11.9	13	6.7	26	13.4	51	26.3	128	66
Total	21	10.8	37	19.1	20	10.3	35	18	81	41.8	194	100

MENINGOCOCAL DISEASE

(Neisseria meningitidis)




Reports of Meningococal Disease by Serogroup Per Year: Philadelphia, 2006-2015

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	Total N (%)
Serogroup											
В	0	0								0	14 (29%)
С	0	4	0	1	1	0	1	0	0	0	7 (15%)
w		0			0		0		0	0	2 (4%)
x	0	0	0	0	0	1	0	0	0	0	1 (2%)
	0								0	0	14 (29%)
z	0	1	0	0	0	0	0	0	0	0	1 (2%)
Nontypeable	1	2	2	0	1	0	1	1	1	0	9 (19%)
Total	2	9	5	12	5	4	6	3	2	0	48 (100%)

PERTUSSIS

(Bordetella pertussis)




Number of Pertussis Reports by Age and Gender: Philadelphia, 2015

		0-4 Years		5-17 Years		18-44 Years		45+ Years		tal
	n	n %		%	n	%	n	%	n	%
Male	18	16.2	16	14.4	6	5.4	10	9.0	50	45
Female	15	13.5	17	15.3	18	16.2	11	9.9	61	55
Total	33	29.7	33	29.7	24	21.6	21	18.9	111	100



TICKBORNE INFECTIONS
ARBOVIRAL INFECTIONS
LYME DISEASE
MALARIA
WEST NILE VIRUS

TICKBORNE INFECTIONS




Reported Cases of Other Tickborne Infections: Philadelphia, 2011-2015

	2011	2012	2013	2014	2015	Total
Anaplasmosis	3	0	0	1	0	4
Babesiosis*	1	0	1	1	3	6
Ehrlichiosis	4	2	6	3	2	17
Rocky Mountain Spotted Fever	6	10	5	5	8	34
Total	14	12	12	10	13	61

*Babesiosis includes locally-acquired and travel-associated tickborne infections as well as transfusion-associated cases

ARBOVIRAL INFECTIONS



Travel-associated Arboviral Infections: Philadelphia, 2011-2015


	Chikur	ngunya	Der	ngue
	n= 44	%	n= 18	%
Female	34	77	10	56
Foreign Born	31	70	6	33
Hospitalized	9	20	13	72
Death	0	0	1	6
Median Age (Range) Years	42.5	(5-78)	44	(10-79)

^{*}There were no Zika cases in 2015

^{*} The following countries had more than 1 case with documented travel (n=53): Puerto Rico, Dominican Republic, India, Jamaica, and Haiti

LYME DISEASE

(Borrelia burgdorferi)




Number of Lyme Disease Reports by Age and Gender: Philadelphia, 2015

		0-14 Years		15-34 Years		35-60 Years		61+ Years		tal
	n %		n	n %		%	n	%	n	%
Male	39	14.3	55	20.2	38	13.9	37	13.6	169	61.9
Female	16	5.9	34	12.5	27	9.9	27	9.9	104	38.1
Total	55	20.2	89	32.6	65	23.8	64	23.4	273	100

MALARIA

(Plasmodia spp.)



VECTOR-BORNE DISEASES

WEST NILE VIRUS

OF NOTE


During the 2015 season, 6 Philadelphia residents developed West Nile Virus (WNV) infections (4 neuro-invasive WNV and 2 WNV fever). The neuro-invasive cases occuered in 3 adults >50 years of age and an immunocompromised 28-year old, and all requiered hospitalization. No cases were fatal. Cumulative WNV positivity in mosquitoes collected during the 2015 season was higher than previous years (19% vs. 3% - historic median).

HEPATITIS A

(Hepatitis A virus)




HEPATITIS A
HEPATITIS B-ACUTE
HEPATITIS B-CHRONIC
HEPATITIS B-PERINATAL
HEPATITIS C-CHRONIC




HEPATITIS B-ACUTE

(Hepatitis B virus)



HEPATITIS B-CHRONIC

(Hepatitis B virus)



Number of Newly-reported Chronic Hepatitis B Reports by Age and Gender: Philadelphia, 2015

	0-30 Years		31-45 Years		46-65 Years		66+ Years		Total*	
	n %		n %		n	%	n	%	n	%
Male	74	10.1	162	22.1	170	23.2	24	3.3	430	58.7
Female	79	10,8	126	17.2	83	11.3	14	1.9	302	41.3
Total	153	20.9	288	39.3	253	34.6	38	5.2	732°	100

iviissing

HEPATITIS B-PERINATAL

(Hepatitis B virus)


Comparison of Perinatal Hepatitis B: Philadelphia 2008-2014

	2008	2009	2010	2011	2012	2013	2014	
Total Mother-Child Pairs Followed	162	173	161	131	171	153	164	
Total Children Receiving HBIG Within One Calendar Day of Birth	162 (100%)	168 (97%)	159 (99%)	129 (98%)	154 (90%)	140 (92%)	23 (14%)	
Total Children Receiving Birth HBV Within One Calendar Day of Birth	162 (100%)	171 (99%)	161 (100%)	129 (98%)	167 (98%)	150 (98%)	22 (23%)	
Total Children Receiving 3 HBV Vaccines in 1 Year	153 (94%)	156 (90%)	140 (87%)	114 (87%)	167 (98%)	134 (88%)	139 (85%)	
Children HBsAg+ at Screening	0	0	3 (2%)	0	1 (<1%)	0	0	
Household Contacts Identified and Educated	167	182	130	79	-	-	-	
Household Contacts Tested	117	115	86	75	-	-	-	
Household Contacts Susceptible	17 [9]	6 [4]	8 [2]	10 [6]	-	-	-	

Note: Due to the nature of the program, complete 2015 Perinatal Hepatitis B Prevention Program results will not be available until 2017.

HEPATITIS C-CHRONIC

(Hepatitis C virus)



Number of Newly-reported Chronic Hepatitis C Reports by Age and Gender: Philadelphia, 2015

	0-18 Years		19-30 Years		31-45 Years		46-65 Years		66+ Years		Total*	
	n	%	n	%	n	%	n	%	n	%	n	%
Male	13	0.6	152	6.5	315	13.6	842	36.3	115	5.0	1437	61.9
Female	18	0.8	175	7.5	205	8.8	376	16.2	110	4.7	884	38.1
Total	31	1.3	327	14.1	520	22.4	1218	52.5	225	9.7	2321	100

*Missing 33

REPORTING DISEASES & CONDITIONS

NOTIFIABLE DISEASE LIST REPORT FORM

PHILADELPHIA DEPARTMENT OF PUBLIC HEALTH DIVISION OF DISEASE CONTROL (DDC)

Phone: 215-685-6748 Fax: 215-238-6947

For after hours immediate reporting & consultation: 215-686-4514 – ask for Division of Disease Control on-call staff

REPORTABLE DISEASES AND CONDITIONS

Acquired Immunodeficiency Syndrome (AIDS/HIV) ‡

Amebiasis

Animal bites (wild/stray/domestic)

Anthrax *

Babesiosis

Botulism '

Brucellosis *

Campylobacteriosis

Chlamydia trachomatis including lymphogranuloma venereum

Chancroid Cholera *

Creutzfeldt-Jakob Disease

Cryptosporidiosis

Cyclosporiasis Dengue

Diphtheria *

Ehrlichiosis/Anaplasmosis

Encephalitis including all arboviruses *

Escherichia coli O157:H7 and Shiga toxin-producing bacteria *

Food poisoning *

Giardiasis

Gonococcal infections

Guillain-Barré Syndrome

Haemophilus influenzae, invasive disease

Hantavirus Pulmonary Syndrome *

Hepatitis A

Hepatitis B

Hepatitis C

Hepatitis, other viral

Histoplasmosis

Influenza - novel influenza A *

Influenza - pediatric mortality and institutional outbreaks *

Lead poisoning †

Legionnaires' disease

Leprosy (Hansen's disease)

Leptospirosis

Listeriosis

Lvme disease

Malaria

Measles (rubeola) *

Melioidosis *

Meningitis (viral, fungal, bacterial)

Meningococcal infections *

Mumps

Novel coronavirus (SARS, MERS-CoV) *

Pertussis (whooping cough)

Plague *

Poliomyelitis *

Psittacosis (ornithosis)

Rabies *

Rickettsial diseases (including Rocky Mountain Spotted Fever, rickettsial pox, typhus fever)

Rubella (German Measles) & Congenital Rubella *

Salmonellosis

Shigellosis

Smallpox

Staphylococcus aureus, vancomycin insensitive

Streptococcal disease, invasive group A

Streptococcal disease, invasive group B (neonatal)

Streptococcus pneumoniae, invasive disease

Syphilis

Tetanus

Toxic Shock Syndrome

Trichinosis

Tuberculosis §

Tularemia *

Typhoid (Salmonella typhi and paratyphi) *

Vibriosis

West Nile Virus *

Varicella, including zoster

Yellow Fever and other viral hemorrhagic fevers *

Yersiniosis

- † Report to Lead Poisoning Prevention at 215-685-2788 § Re
- Report to TB Control Program at 215-685-6744 or -6873

All other cases should be reported within 5 days

All unusual disease clusters, disease outbreaks, and unusual disease occurrences should be reported immediately

To Report a Case to DDC, Call, Fax or Submit through PA-NEDSS the Following Information:

Patient Name | Condition | Age/DOB, Sex, Address & Phone | Clinician Name, Address & Phone | Laboratory Testing

For more information, please visit https://hip.phila.gov/xv

Effective 06/14

Notifiable Disease Case Report (Confidential)

Philadelphia Department of Public Health Division of Disease Control



Communicable Disease Control Program 500 S. Broad Street, Philadelphia, PA. 19146

		ldentifi	cation of F	Patient					
Report Date (Mo., Day, Yr.)	Name (Last, First, M.I.)				Parent or	caretaker (if	applicable)		
]								
Address (Number, Street, Apt #,0	Dity, Zip Code)				•	Telephone	(H)		
							(W)		
DOB (Mo., Day, Yr.) Age	Sex	Occupation				1			
1 1	□м □ F					(0)		_	
Name of Employer or School		Address (N	lumber, Stree	et, City, Z	Zip Code)				
			cal Informa						
Disease or Condition			f Onset <i>(Mo.</i> <i>Lhite Date i</i>			Diagnosis (c		Fatal (check or	ne)
		(n anima	Time , Date 1			Clinica		☐ Yes	
Objet Occupations / Occupations						Lab co		∐ No	
Chief Symptoms / Complaints				Suspecte	ea source (of Infection (if	known)		
If Case Hospitalized (Name of Ho	ospital)					Admission D	Date	Discharge Date	
	Laboratory Infor	mation If Pe	ertinent <i>(A</i>	ttach C	opies If A	Applicable)			
Name of Tests Done	Site/Source			Results	;		Т	Dates Done	
		Anima	al Exposu	res					
Parts of Body Bitten	Type of Animal	Breed of Ani	mal	Current I	Location O	f Animal <i>(Indi</i>	cate if availa	able for testing)	
Name of Owner		Address of C	Owner (Numi	ber, Stree	et, Apt #, C	City, Zip Code)		
			,		•				
		Repor	rter Inform	ation					
Name of Person Reporting Case		Reporter					Phone		
		□ ICP	□ ED	□ Othe	er				
Reporting Institution		Address (Nu							
reporting institution		Address (Na	illiber, Stree	i, Oily, Zi	p Code)				
	DO NOT WR	ITE IN AREA	BELOW - F	OR DEF	PARTMENT	T USE			
Name (Person Receiving Report)	Method of rep	orting							
	Phone		Fax 🗆	□ Mail		Active Survei	llance [Other	
Any unusual illne Please fax	ess, disease clusters all completed reports	or possible to 215-238	e outbreak 3-6947, or o	s shoul	d be repo -685-6748	orted <i>imme</i> 3 to report o	diately by to	telephone. one.	