













process. Your community must ensure that appropriate ESA permits are obtained per requirement under Section 60.3(a)(2) of FEMA's regulations. Additional information about these requirements is available on Page 4 of this instruction packet. Another common Federal permit requirement may include wetland permits under Section 404 of the Clean Water Act of 1972. If you need a wetlands permit or are not sure if one is required, contact your local U.S. Army Corps of Engineers District Office. Necessary State permits vary depending on the State. To assist communities in determining if a property or structure, existing or proposed, is reasonably safe from flooding, DHS-FEMA has published Technical Bulletin 10-01. This bulletin outlines safe building practices, which when followed, may reduce the risk of flood damage to a property or structure. Community Officials interested in obtaining copies of this bulletin should visit our Internet site at <http://www.fema.gov/media-library-data/20130726-1511-20490-3169/tb1001.pdf>. Community Officials that do not have Internet access should contact the FMIX toll free at 1-877-FEMA MAP (1-877-336-2627).

Lowest Adjacent Grade (LAG) to the Structure – For requests involving a structure, provide the LAG elevation (the elevation of the lowest ground touching the structure including attached patios, stairs, deck supports or garages), to the nearest tenth (0.1) of a foot or meter. If the FIRM shows BFEs in meters, the accuracy of the LAG elevation must be to the nearest tenth of a meter